


47
3





22101523204

col ✓



THE HISTORY
OF THE
COLLECTIONS
CONTAINED IN THE
NATURAL HISTORY DEPARTMENTS
OF THE
BRITISH MUSEUM

VOL. II.

SEPARATE HISTORICAL ACCOUNTS OF THE
SEVERAL COLLECTIONS INCLUDED IN THE
DEPARTMENT OF ZOOLOGY.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM
SOLD BY

LONGMANS & Co., 39 Paternoster Row, E.C.; B. QUARITCH, 15 Piccadilly, W.;
DULAU & Co., 37 Soho Square, W.; KEGAN PAUL, TRENCH,
TRÜBNER & Co., Dryden House, 43 Gerrard Street, Soho, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), Cromwell Road, S.W.

1906.

(All rights reserved.)

339881



AN. AS. 43 (2)

LONDON:
PRINTED BY WILLIAM CLOWES AND SONS, LIMITED,
DUKE STREET, STAMFORD STREET, S.E., AND GREAT WINDMILL STREET, W

PREFACE TO VOL. II.

THE account of the Zoological collections has taken so long in preparation, and is so bulky, that it is considered convenient to issue the special accounts of the several collections written by the Assistant Keepers and Assistants who are in charge of those collections, without further delay, as Vol. II. of the History. An account of the General History of the Zoological Department is in the press, and will be issued as Vol. III. as soon as revised and completed.

E. RAY LANKESTER, *Director.*

BRITISH MUSEUM (NATURAL HISTORY),
LONDON, S.W.

July 20th, 1906.

SEPARATE HISTORICAL ACCOUNTS

OF THE

SEVERAL COLLECTIONS

INCLUDED IN THE

DEPARTMENT OF ZOOLOGY,

VIZ. :

	PAGE
1. MAMMALS	3
2. DOMESTICATED ANIMALS, HYBRIDS, AND ABNORMALITIES	67
3. BIRDS	79
4. REPTILES AND BATRACHIANS	517
5. FISHES	533
6. INSECTA	551
7. ARACHNIDA	655
8. MYRIOPODA	685
9. MOLLUSCA	701
10. CRUSTACEA, ECHINODERMS, PERIPATUS, WORMS, AND ANTHOZOA	731
11. PROTOZOA, PORIFERA, HYDROZOA, POLYZOA, BRACHIOPODA, AND TUNICATA	765

1. MAMMALS.

By OLDFIELD THOMAS, F.R.S.

OFFICERS SPECIALLY CONNECTED WITH THE COLLECTION OF MAMMALS DURING ITS FOUNDATION AND GROWTH.

OF the various officers of the Museum, it does not appear that any before George Shaw (Assistant, 1791; Keeper, 1807-13) took any particular interest in Mammals, but he was the author of several works on the subject, of which the best known is his "General Zoology—Mammalia, 1800-1801" (four volumes). Some of his types are still extant.

Dr. W. E. Leach (Assistant, 1813) wrote a few articles on Mammalia, but worked primarily at Insects.

The real maker of the collection was Dr. J. E. Gray (Assistant, 1824; Keeper, 1840-75). To his indomitable energy and enthusiasm, in the face of much opposition and discouragement from officials more interested in the Library and Antiquities than in Natural History, the early growth and position of the Mammal collection is mainly due. (See below, p. 35.)

From 1873 onwards, Dr. A. Günther (Assistant, 1862; Keeper, 1875-95), who had always taken a general interest in Mammals, described a certain number of the more striking novelties among the accessions, and made a MS. list of the collection of Monkeys.

Sir William Flower (Director, 1884-98) took a personal interest in the general arrangement of the Mammals, and especially of the Cetacea, of which he wrote a list in 1885.

Oldfield Thomas, the present Assistant, was appointed in 1876, and transferred to the Zoological Department in 1878.

R. Lydekker, though not on the permanent staff, should be mentioned as having had general charge, since 1896, of the exhibited series, and, more recently, of the collections of domesticated Mammals.

A CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS
TO THE COLLECTION OF MAMMALS UP TO 1904.

Owing to the earlier naturalists having had no appreciation of the value of particulars about specimens, and the consequent absence of records or registers, it is impossible to give anything like a detailed account of the accessions to the Mammal collection of the British Museum before 1837. In that year Dr. J. E. Gray began the first register of accessions, in the form of a small square octavo volume, replaced in 1838 by a large folio register arranged on exactly the same plan as at present, so that from 1838 to the present time there is a continuous and uniform record of accessions. The method of numeration in this series of registers, invented by Dr. Gray, is such that every register number shows, without further inquiry, the exact date of incorporation of the specimen it refers to.

BEFORE 1837.

The first specimens received would have been those in the original collection of Sir Hans Sloane, purchased by the nation under his will of 1753, and thus forming the nucleus of the National Museum. Unfortunately no detailed list of the Natural History collections is available, and only some few isolated specimens can be identified as having belonged to it. Of these mention may be made of the record pair of horns of the Indian Buffalo (*Bubalus bubalis*), 14 feet from tip to tip, round the curves, said to have been given to Sir Hans Sloane in lieu of doctor's fee by a barber in East London, and of a horn, 33 inches in length, of Burchell's Rhinoceros (*Diceros sinuatus*).

But even older than these are the few specimens that can be identified as from the original Royal Society's collection, described in 1681 in Grew's "Catalogue of the . . . Rarities belonging to the Royal Society, and preserved at Gresham College," and transferred to the British Museum in 1781. Of these the most notable is the frontlet of the West African Dwarf Buffalo, described by Grew in 1681, and figured by Pennant in 1781 (Quadr. I., pl. II., Fig. III.), this being, therefore, the type of *Bos nanus*, Boddaert, and of *Bos pumilus*, Turton.

As the identification of other objects from the Royal

Society's collection is less certain, this may be looked upon as the oldest authentic specimen in the Museum collection of Mammals.

Next in age to the specimens enumerated by Grew comes the skeleton of a young Chimpanzee, which was described by Dr. E. Tyson in 1699 under the title of "Orang-outang, sive *Homo sylvestris*; or the anatomy of a Pigmie compared with that of a Monkey, Ape, and a Man." It was presented by the Governors of Cheltenham Hospital in 1894.

Of nearly the same age are the spirit specimens figured and described by Seba in 1734, among which are several Linnean types. These were purchased in 1867 at the sale of the collection of Prof. Van Lidth de Jeude (*q.v. infra*).

About 1800, Dr. Latham presented to the Museum the typical specimen of the Platypus (*Ornithorhynchus anatinus*), which had been described by Shaw, in 1799.

In 1816 the eminent French naturalist, de Blainville, paid a visit to London, and certain specimens he then saw and described would appear to be the next identifiable specimens chronologically. Of these the Museum possesses the typical face and horns of the Addax (*Addax nasomaculatus*), which was then in Bullock's Museum, and came later into the National Collection.

Then followed, "on the 30th September, 1817," the important collection of the great traveller, WILLIAM BURCHELL, including a considerable number of the types of his species. The majority of his specimens are still represented by their skulls and horns, even when the mounted skins have perished.

From this date to 1837 the chief accessions were the RAFFLES Collection (apart from those so disastrously lost in the *Fame* in 1824), the HARDWICKE BEQUEST, and the series received from cruizes of the *Adventure* and *Beagle*.

At the same time the formation of the Zoological Society's Museum, started by the "Zoological Club" in 1823, and carried on until 1855 as an important branch of the Society's work, while temporarily diverting collections that would otherwise have gone direct to the National Museum, stimulated workers in all parts of the world; and since the resulting series came to their natural home later on, nothing but benefit to the Museum arose from the rivalry thus produced.

1837.

Accessions, 219.

Commencement of registration by Dr. Gray, who about the

same time formed a manuscript list of all the specimens then in the Museum. The principal accession of the year appears to have been the COBBE collection from India.

1838.

Registered accessions, 201.

The most important events were the commencement of contributions from Mr. Ronald Gunn from Tasmania, the receipt of the first South African collections from Dr. Andrew Smith, of the North American specimens of Dr. Bachman, and of the Chinese series of Mr. J. R. Reeves.

1839.

Accessions, 144.

1840.

Accessions, 83.

The Krauss Mammals from Natal were received in this year, and the first contributions from John Gould, who played so important a part in the zoological exploration of Australia.

1841.

Accessions, 401.

A large consignment of the Gould collection formed the chief feature of the year.

About this period the Mammalian collections appear to have been shifted from old Montague House to the new British Museum, built on the same site. The new building was commenced in 1823 and its eastern wing completed in 1828, though the last portions of Montague House did not disappear till 1845. When Mr. E. Gerrard joined the staff in 1841 the Mammals were still in a part of the older edifice.

1842.

Accessions, 562.

Mammals collected in South Africa by Mr. Burke, and presented by Lord Derby, and others obtained during the Voyage of the *Sulphur*, and presented by Sir E. Belcher, formed the chief accessions of interest.

1843.

Accessions, 769.

This year saw the arrival of the first and most important part of the great Hodgson collection, the importance of which is

referred to below. A considerable consignment of the Andrew Smith collection from South Africa; and the greater part of the valuable series presented by Sir George Grey from South Australia were also included.

In 1843, Dr. Gray published the first and only complete list of the Museum collection of Mammals; a most valuable work, and one of constant service in tracing the earlier histories of the specimens. 3062 specimens were enumerated, assigned to 1031 species.

1844.

Accessions, 636.

A series acquired from the Leyden Museum, representing species described by Müller, Schlegel, and Temminck.

Further important contributions from Mr. Gould and Sir George Grey, and the collections made during the Antarctic Voyage of the *Erebus* and *Terror* under Sir James Ross.

1845.

Accessions, 1103.

A further large consignment of Mr. Hodgson's Nepalese collections came this year. Also contributions from Dr. Rüppell from Abyssinia, and Mr. R. Graham from Para.

1846.

Accessions, 1360.

The Hodgson skulls and skeletons, the first instalment of the Bridges specimens from Bolivia, the Fraser collection from Tunis, and the duplicates of the Wahlberg collection from South Africa, received from the Stockholm Museum, were mainly responsible for the large increase in 1846.

1847.

Accessions, 587.

Mr. Gosse's Bats from Jamaica, and Mr. Dyson's collection from Venezuela were the most notable additions this year; besides additional consignments from Bridges, Fraser, and others.

1848.

Accessions, 413.

1849.

Accessions, 397.

Specimens from Bahia, presented by Count F. de Castelnau.

1850.

Accessions, 574.

1851.

Accessions, 603.

1852.

Accessions, 402.

Gray's Catalogue of the Ungulata, perhaps his most meritorious work on Mammals, appeared in this year, and proved a great stimulus to our knowledge of the group. It is often of great service in tracing the history of individual specimens.

1853.

Accessions, 267.

In this year the first commencement was made of the transfer of the specimens in the Zoological Society's Museum to the National Museum, but the great mass of them came in 1855.

Further consignments of the Gould specimens also came in this year, after being used for the preparation of his monumental "Mammals of Australia," 1845-63.

1854.

Accessions, 175.

1855.

Accessions, 582.

This year is memorable in the annals of the Museum for the receipt of the chief portion of the Zoological Society's Museum, the most important and historical accession ever received.

1856.

Accessions, 435.

The Theobald collection of skulls and spirit specimens from India, presented by Prof. T. Oldham, the Sallé collection of Central American Mammals, specimens from the Voyage of the *Herald*, collected by Mr. J. MacGillivray, and the first consignment from Mr. A. R. Wallace form the principal additions of the year.

1857.

Accessions, 225.

1858.

Accessions, 1174.

In this year came the second part of the Hodgson collection, formed by him during his residence at Darjiling, Sikhim. The first parts, received in 1843 and 1845, had been all from Nepal.

1859.

Accessions, 338.

The Siamese collections of Mr. Mouhot, the Ecuadorean series of Louis Fraser, and the specimens obtained in East Africa by Capt. Speke, began to come in this year, and Dr. Günther's series of skulls was also acquired.

1860.

Accessions, 412.

A large donation of Asiatic Mammals from the old Museum of the Hon. East India Company was given this year by the Secretary of State for India.

The collection made by Dr. J. K. Lord on the North American Boundary Commission of 1859-60 was presented in this year by the Foreign Office.

1861.

Accessions, 258.

Du Chaillu's Gaboon Mammals, Harris's specimens from Shoa, and further contributions from Wallace and Mouhot formed the most important additions. The first of the Chinese Mammals obtained by Consul R. Swinhoe also came in this year

1862.

Accessions, 315.

The chief event of the year was the publication of Gerrard's "Catalogue of the Bones of Mammalia in the Collection of the British Museum," which enumerated 706 skeletons and 3549 skulls belonging to 1197 species.

The additions were chiefly further contributions from collectors already mentioned.

1863.

Accessions, 229.

1864.

Accessions, 304.

In this year came the first of the long series of contributions by Sir John Kirk from Zambesia and East Africa. Also the Mammals collected by Canon H. B. Tristram in Palestine, and the Gorillas by Du Chaillu in West Africa.

1865.

Accessions, 247.

The Central American Mammals collected by Mr. Osbert Salvin formed the chief accession of the year.

1866.

Accessions, 298.

1867.

Accessions, 772.

The chief addition of the year was the large series (613) of skulls and spirit specimens purchased from the Museum of the late Prof. Van Lidth de Jeude. This collection was afterwards found to include a number of specimens figured by Seba, these being in many cases types of Linnean species.

1868.

Accessions, 190.

1869.

Accessions, 247.

The important collections made in Abyssinia by Blanford and Jesse, during Lord Napier's expedition to Magdala, formed the chief accession of the year. A series collected by Mr. E. Bartlett on the Upper Amazons is also worthy of note.

1870.

Accessions, 275.

The chief portion of Mr. Robert Swinhoe's Chinese collection came in this year.

1871.

Accessions, 168.

This period, till about 1883, shows the lowest rate of increase of the collection of Mammals, owing to the fact that Dr. Gray was incapacitated from paying them so much attention as hitherto, and that there was no Mammalogist on the staff, although Dr. Günther described a certain number of the novelties. The appointment of a special assistant in 1878, after a few years, produced a marked effect on the annual rate of increase.

1872.

Accessions, 187

1873.

Accessions, 231.

A series of North American *Muridæ*, illustrating Dr. E. Coues's Monograph of the group, proved the chief addition of the year.

1874.

Accessions, 241.

A really important addition, received in 1874, was the typical

series of Persian Mammals, collected by Dr. W. T. Blanford, and illustrative of his work in that country.

1875.

Accessions, 291.

A further series from Central America, collected by Mr. O. Salvin, forms the chief feature of the year.

1876.

Accessions, 397.

Mammals from Borneo, collected by Sir Hugh Low, from Asia Minor, by Mr. C. G. Danford, and from Colombia, by Mr. T. K. Salmon, form the chief additions of 1876.

1877.

Accessions, 220.

Mammals from New Britain, collected by the Rev. G. Brown, and described by Messrs. Alston and Dobson, and the first contributions from that most successful collector, Mr. A. H. Everett, were added in this year.

1878.

Accessions, 275.

A collection of Cochin China Mammals, presented by M. Pierre, and a series of the Mammals obtained by Dr. Otto Finsch during the Bremen Geographical Society's expedition to West Siberia, were the most important additions.

But the chief event of the year was the publication of Dr. G. E. Dobson's Catalogue of Chiroptera, which at once took position as the standard work on the subject. 2666 specimens were enumerated.

1879.

Accessions, 1064.

In this year the only accession to be compared in importance with that of the Zoological Society's Museum in 1855 took place; namely, that of the Indian Museum, the collection formed by the Hon. East India Company. This was presented by the Secretary of State for India. The specimens received on its final dispersal were 695. The private collection of Mr. E. R. Alston was presented by the owner in 1879.

1880.

Accessions, 568.

Mammals from Japan (H. Pryer), Asia Minor (Danford), Ecuador (Buckley), and a large number of Indian Rodents,

presented by Dr. W. T. Blanford, were the most noteworthy additions.

In December of this year the Zoological Department was moved from its old quarters at the end of the Egyptian Gallery, in the position where the Phigaleian and Mausoleum Rooms of the Department of Greek and Roman Antiquities now are, to the gallery vacated by the Geological Department on the removal of the latter to South Kensington.

1881.

Accessions, 263.

The first instalment of the valuable Peruvian collections, received in exchange from the Branicki Museum, Warsaw, came in this year, the set being those collected by Dr. J. Stolzmann.

1882.

Accessions, 372.

Mammals from Madagascar (Rev. W. Deans Cowan), Mexico (A. Forrer), Algeria (F. Lataste), Rio Grande do Sul (H. von Ihering) form noteworthy additions. The first contribution from the *Challenger* Expedition also came in this year.

1883.

Accessions, 225.

The first of the fine series of big game animals obtained by Mr. F. C. Selous were acquired in 1883.

In this year the Zoological Collections were transferred from the old British Museum building in Bloomsbury to the Natural History Museum at South Kensington. The exhibited series were arranged in two galleries; the upper containing only skulls and skeletons, and the lower the stuffed specimens. The study series was placed in recesses behind the exhibition cases of the upper gallery.

1884.

Accessions, 462.

The first of the many specimens collected by Dr. H. O. Forbes in the East Indian Archipelago were received this year. Also the first of Col. J. W. Yerbury's donations from Aden.

1885.

Accessions, 755.

The specimens collected by Mr. (afterwards Sir) H. H. Johnston on Mount Kilimanjaro, received in this year, formed the first

instalment of the large series with which he has enriched the Museum.

The event of the year was, however, the reception of the Indian and Malayan Mammals, 371 in number, presented by Mr. Allan O. Hume to the Museum, supplemented in 1891 by the donation of his magnificent collection of heads and horns.

1886.

Accessions, 380.

The specimens collected by Dr. J. E. T. Aitchison, while on the Afghan Delimitation Commission of 1885, were presented in this year, as also were the first of the many donations of the Marquis G. Doria, Director of the Genoa Museum, and of Mr. F. W. Styan from China.

1887.

Accessions, 396.

The first of Mr. C. M. Woodford's interesting contributions from the Solomon Islands, of Mr. F. J. Jackson's from British East Africa, as well as Mr. W. L. Sclater's collection from British Guiana, and the famous collection made by Emin Pasha in Equatorial Africa were presented this year.

1888.

Accessions, 700.

A series of heads and horns, presented by Mr. R. Lydekker, a number of small Mammals from Texas, presented by Mr. W. Taylor, and the first of the collections made by Dr. Percy Rendall were the chief accessions. In this as in many succeeding years, a number of Central American Mammals were presented by Messrs. F. D. Godman and O. Salvin.

The Catalogue of Marsupialia and Monotremata, by Oldfield Thomas, was published in this year. 1304 specimens were enumerated.

1889.

Accessions, 366.

The first of Dr. Charles Hose's Bornean collections was acquired.

1890.

Accessions, 422.

Mr. St. Geo. Littleddale's Central Asian contributions commenced this year, and Emin Pasha's second collection was also received.

About this period the older principle, inherited from the school of Peters and Dobson, of working by preference with spirit material, and consequently of directing collectors to prepare their specimens in that way, was abandoned in favour of the modern method, first introduced by Dr. C. H. Merriam, of studying series of carefully labelled skins and skulls.

1891.

Accessions, 827.

Further large contributions from Dr. W. T. Blanford were received this year, as also the first of the Muscat collections of Dr. A. S. G. Jayakar.

1892.

Accessions, 939.

Important collections of typical specimens were received in exchange from the St. Petersburg, Copenhagen, and Lisbon Museums. Contributions also came in from Mr. J. D. La Touche (China), Dr. A. C. Buller (Mexico), Sir H. H. Johnston (Nyasa Land), the second of a long and important series. A fine pair of the Caucasian Bison were presented by Mr. St. G. Littledale.

1893.

Accessions, 782.

Capt. R. Crawshay's is the most important fresh name occurring this year, though large collections were received from regular contributors. The East African Mammals obtained by Dr. J. W. Gregory were presented in 1893.

1894.

Accessions, 1206.

Mammals obtained by Dr. V. L. Seoane in N.W. Spain, by Capt. H. G. Swayne in Somali Land, by Mr. Gerrit S. Miller in North America, by Mr. J. Kalinowski in Peru, and by Mr. C. B. Rickett at Foochow.

The first collection from the Natuna Islands, obtained by Mr. Everett, also arrived this year.

1895.

Accessions, 1006.

A series of Spanish Mammals, collected by A. Ruiz, were presented by Lord Lilford, who contributed liberally towards the expenses of collectors until his death in 1896.

Col. Yerbury's chief collection from Aden, the first of the many sets from Mashonaland presented by Mr. J. folliott

Darling, the commencement of the Child collections from Bogotá, presented by Oldfield Thomas, and the remarkable series from Luzon and Borneo, collected by Mr. J. Whitehead, were the most noteworthy additions.

1896.

Accessions, 540.

Consul Söderström, of Quito, began his many donations in this year, and the first acquisitions from Mr. G. L. Bates (French Congo), and Mr. A. S. Meek (Papuasia) came in.

In this and the succeeding year the exhibited series of Mammals was completely rearranged by R. Lydekker; the osteological and mounted series being amalgamated, and placed in the Lower Mammal Gallery and half of the upper one, the other half of the latter being utilised for the enormously increased study series.

1897.

Accessions, 2330.

This, the largest number as yet reached, was made up by a number of important collections, of which the most noticeable were those of Dr. Forsyth Major from Madagascar, Sir H. H. Johnston from North Nyasa Land, Mr. F. C. Selous from Matabili Land, Dr. L. Loria from New Guinea, Mr. T. H. Lyle from Siam, Mr. J. A. Wolffsohn from Valparaiso, and Mr. Outram Bangs from North America.

The first contributions from Capt. G. E. Barrett-Hamilton, afterwards an assiduous helper in the scientific work of the group, also came in this year.

The arrangement of the New Cetacean Gallery by Sir W. H. Flower, assisted by Mr. R. Lydekker, took place in 1897-98.

1898.

Accessions, 2161.

Most notable additions: Collections contributed by Dr. S. L. Hinde (East Africa); Mr. R. J. Cuninghame (Norway and Egypt); Mr. R. M. Hawker (Somali Land); Mr. J. I. S. Whitaker (Morocco collected by Dodson); and Mr. O. Thomas (South America, collected by R. Perrens, G. D. Child, O. Garlepp, and G. K. Cherrie).

The Nyasa Land collections, begun by Sir H. H. Johnston, were continued under his successor, Sir Alfred Sharpe.

1899.

Accessions, 1702.

In this year the successful collecting expedition of Mr. Perry

O. Simons to the Andes was commenced, the Mammals obtained being presented by Oldfield Thomas.

Other notable additions were collections presented by Dr. C. Hose (Borneo); Lord Delamere (East Africa and Somali Land); Mr. F. W. Styan (Szechuen); Capt. W. Giffard (Gold Coast); and Mr. C. Stuart Betton (East Africa). A series of South American Mammals was received from the La Plata Museum, and sets collected by G. K. Cherrie, J. H. Batty, G. Child, and S. Briceño were presented by Oldfield Thomas.

1900.

Accessions, 1784.

Besides the important series received from the Simons' expedition, from Dr. Hose, Mr. Wolffsohn, and other regular contributors, the most notable accessions were the collections of Lord Lovat (Abyssinia); Dr. E. Donaldson-Smith (N.E. Africa); Capt. S. S. Flower (White Nile); Mr. H. J. Watson (Panama); Prof. H. J. Mackinder (Mt. Kenia); and a series from the Balearic Islands collected by Oldfield Thomas and R. I. Pocock.

1901.

Accessions, 1923.

The chief events of this year were the commencement of the South Brazilian expedition of A. Robert, from whom valuable series have come; the donation of the large Uganda collection of Sir Harry Johnston, including the famous specimens of the Okapi, and that of the Quelch collection from British Guiana, presented by Mr. F. V. McConnell. Other noteworthy accessions were the *Southern Cross* collections, given by Sir George Newnes, and series from Shendy, Soudan (presented by the Hon. N. Charles Rothschild), East Africa (A. B. Percival), Upper Nile (R. M. Hawker), Deelfontein, Cape Colony (Col. Sloggett), Canada (E. Hollis), and Paraguay (W. Foster).

1902.

Accessions, 1935.

The most notable additions of the year were the collection made in Tripoli by E. Dodson, and presented by Mr. J. I. S. Whitaker, the Coiba Island series, presented by the Hon. Walter Rothschild, that from the Liu Kiu Islands, by the Hon. N. Charles Rothschild, and the Abyssinian collection made by Mr. E. Degen. The last year of the Simons' exploration, resulting in the Cochabamba, Oruro, and Cruz del Eje series, ended most sadly in the death of that admirable collector.

1903.

Accessions, 2623.

The chief event of this year was the commencement of the important zoological exploration of South Africa, for which the funds were provided by Mr. C. D. Rudd. The collector, Mr. C. H. B. Grant, who had hitherto been working for Col. Sloggett, commenced to travel for Mr. Rudd in January, and successively made collections near Cape Town, in British Namaqua Land, and in Zulu Land.

Of accessions the most important were the final collections from Deelfontein, Cape Colony, presented by Col. Sloggett; a collection from Uganda, presented by Col. C. Delmé-Radcliffe; a fine series from the Malay Peninsula obtained and presented by Messrs. H. C. Robinson and N. Annandale; mammals from the Soudan, presented by Major H. N. Dunn; a series from the islands off the coast of Panama, presented by the Hon. Walter Rothschild; five considerable collections made by M. Alphonse Robert in South America, from Matto Grosso (presented by Mrs. Percy Sladen), from Paraná (purchased), from Espírito Santo, Bahia and Pernambuco (presented by Oldfield Thomas).

1904.

Accessions, 2461.

The collections received from South Africa and presented by Mr. C. D. Rudd formed the most important accession of the year. 122 specimens were sent from British Namaqua Land, 204 from Zulu Land, and 109 from the Wakkerstroom district of the Transvaal.

Other notable additions were the Angolan series obtained by Dr. W. J. Ansorge, the set from Fernando Po obtained by Mr. E. Seimund, and presented by the Duke of Bedford, Mrs. Percy Sladen, and the Hon. Walter Rothschild, Major Dunn's mammals from Somali Land, and Mr. Robert's collection from Para.

Of individual additions attention might be drawn to the new Forest Pig (*Hylochaerus*), discovered in British East Africa by Capt. R. Meinertzhagen, which formed the most interesting mammalian discovery since the Okapi.

In the last three years, as in many previous ones, collections were constantly being contributed by the Museum's regular correspondents and benefactors, of whom the following may be

again specially mentioned:—F. W. Styan, C. B. Rickett, and J. D. La Touche (China); R. C. Wroughton (India); Dr. C. Hose (Borneo); T. H. Lyle (Siam); St. G. Littledale (Siberia); C. S. Betton, Sir A. Sharpe, R. J. Cuninghame, Major H. N. Dunn, Col. A. T. Sloggett, A. B. Percival, Capt. R. Crawshay, S. L. Hinde, J. ff. Darling, and G. L. Bates (Africa); E. Hollis (Canada); J. A. Wolffsohn, W. Foster, R. Miketta, L. Dinelli and others (South America).

In comparing the number of accessions with those of other Museums, it has to be remembered that the numbers here given are those of the selected registered set, and that all duplicates are eliminated before registration. From eight to fifteen adult specimens of a species from any one locality are generally thought sufficient to illustrate its characters, even when more are available, and the enormous series of individuals absorbed by some Museums, combined with the enumeration of all of them, duplicates or not, make up totals on which no true comparison with the British Museum numbers can be based.

The same fact should be borne in mind by donors and collectors, who may find that the number of specimens here credited to them are less than the actual number originally sent.

ALPHABETICAL LIST OF THE MORE IMPORTANT CONTRIBUTORS TO THE COLLECTION OF MAMMALS.

NOTE.—The date following the sender's name indicates the year when the *first* contribution came in from him. Many, perhaps the majority, of the persons here enumerated continued to send in collections over a long period of years.

Edward VII. (HIS MAJESTY KING). [1883]

Skulls of a Rhinoceros and two Tigers from Nepal, a Boar from Windsor Forest, and a number of small Mammals from Sandringham. Presented.

Aitchison (*Dr. J. E. T.*). [1886]

39 Mammals collected during the African Delimitation Commission of 1885. (*See* O. Thomas, *Trans. Linn. Soc. Zool.* v., p. 55, 1889), and others from Kashmir, including the type of *Microtus aitchisoni*, Miller. Presented.

"Alert," H.M.S.

See FEILDEN, COL. H. W., AND COPPINGER, DR. R. W.

Alexander (Capt. Sir J. E.). [1838]

A number of Mammals from Damara Land. Purchased. Include the types of *Georychus damarensis*, *Macroscelides alexandri*, and *M. melanotis*, *Chrysochloris damarensis*, and *Graphiurus elegans*, all described by Ogilby (Proc. Zool. Soc., 1838, p. 5).

Alston (EDWARD R.) [1876-84]

Author of the 'Mammalia' of the "Biologia Centrali-Americana," and of many papers on Mammals.

110 small Mammals from various localities; mostly European. Presented.

American Museum of Natural History, New York.

[1902]

71 Mammals from the Western United States and from Santa Marta, Colombia. Received in exchange.

Includes representative specimens of a number of species described by Dr. J. A. Allen.

Anderson (Dr. JOHN). [1876]

Formerly Director of the Indian Museum, Calcutta.

Author of "Zoology of the Yunnan Expedition," the "Mammals of Egypt" (in conjunction with W. E. de Winton), and of many separate papers on Mammals.

346 Mammals from India, Arabia and Egypt. Presented after his death by Mrs. Anderson.

During the latter part of his life Dr. Anderson carried out a systematic investigation of the Egyptian Fauna, and the whole of the specimens so obtained have been presented to the Museum.

Andersson (C. J.). [1852]

Traveller in South-Eastern Africa, and author of "Lake Ngami," 1856, and other works.

35 small Mammals from Namaqua Land and Damara Land, including the types of several new species. Purchased.

Other Damara Land specimens were received in the Tomes collection.

André (E.). [1900]

101 Mammals from Venezuela and Panama, including the types of *Echimys panamensis*, Thos., and *Zygodontomys thomasi*, Allen. Purchased.

Andrews (Dr. C. W.). [1899]

Assistant in the Geological Department.

51 Mammals from Christmas Island, forming the basis of the Mammal part of his Monograph of Island (1900), and including the type of *Pipistrellus murrayi*, Andr. Presented by Sir John Murray, K.C.B.

Specimens from Egypt and elsewhere were presented by Dr. Andrews.

Ansorge (Dr. W. J.). [1896]

68 Mammals from Uganda and the Niger, including the types of *Lophuromys ansorgei*, De Winton. Presented and purchased.

145 Mammals from Angola, including 9 types. Purchased.

Arcé (E.). [1869.]

A number of Mammals from Veragua and Panama, including the types of various species described by Dr. Gray.

Audubon (J. J.). [1846]

Joint author with the Rev. John Bachman of "The Quadrupeds of North America," 1854.

Nine large Mammals from North America. Presented.

Others presented by him to the Zoological Society, were transferred with their Museum in 1855.

Bachman (Dr. JOHN). [1838]

Author, in conjunction with J. J. Audubon, of the "Quadrupeds of North America," 1854.

A considerable number of Mammals from N. America, some presented direct, others through the Zoological Society, from whose Museum they were transferred in 1855.

The types of many of the species described by Dr. Bachman are among these specimens.

Baden-Powell (Sir GEORGE), Bart. [1891]

18 skulls and skins of seals and other animals from Bering Sea, obtained during the Seal Commission of 1891. Presented.

Baikie (Dr. W. B.). [1862]

Author of "Narrative of an Exploring Voyage up the Rivers Kwora and Binue (commonly known as the Niger and Tsadda), in 1854."

19 Mammals collected during the Niger Expedition. Purchased.

Baker (JOSEPH). [1839]

31 British Mammals, from Melbourn, Cambridgeshire. Presented.

Baker (Sir SAMUEL). [1874]

African traveller, sportsman, and writer.

Skulls of African Elephant and Hippopotamus, and the typical skin of Gray's *Heterohyrax bakeri*. Presented.

Bangs (OUTRAM). [1895]

45 small Mammals from North America, including paratypes of many species described by him.

Barclay (THEO. C.). [1899]

15 Mammals from Sumatra. Presented.

Barnston (GEORGE). [1843]

Author of papers on the "Natural History of Hudson's Bay," 1841-61.

9 Mammals from Osnaburg, Hudson's Bay. Presented.

Barrett-Hamilton (Capt. G. E. H.). [1897]

13 Mammals obtained during the Bering Sea Seal Commission of 1896, and 111 collected in the Orange River Colony during the Boer war.

Apart from the donation of specimens, Capt. Barrett-Hamilton has rendered very important service to the Museum by the help he has given in working out collections and describing new species from the Palearctic Region.

Bartlett (EDWARD). [1866]

66 Mammals from the River Ueayali and other parts of the Upper Amazons, also from Surinam. Purchased.

Among others the skeleton of the rare Dolphin *Inia geoffroyi*, and the types of *Ateles bartletti*, Gray, *Proechimys brevicauda* and *ferrugineus*, Günth., and *Zygodontomys microtinus*, Thos., were obtained by Mr. Bartlett.

Bate (Miss D. M. A.). [1903]

51 Mammals from Cyprus, including the type of *Acomys nesiotes*, Bate.

See BATE, P.Z.S., 1903, ii., p. 341.

Bates (G. L.). [1896]

402 Mammals from the Cameroons and the French Congo, including the types of a number of remarkable new forms, such as *Anomalurus batesi*, *Funisciurus mystax*, &c., described by W. E. de Winton. Presented and purchased.

Bates (H. W.). [1856]

Author of "The Naturalist on the River Amazon," 1863.

Mammals from different parts of the Amazons, and among others the types of the Amazonian Dolphin (*Sotalia tucuxi*, Gray). Purchased.

A number of bats received in the Tomes collection.

Batty (J. H.). [1899]

56 Mammals from Cali, Colombia, including the types of *Caluromys pyrrhus*, Thos., and *Marmosa caucæ*, Thos. Presented by Oldfield Thomas.

Also 160 from the Islands W. of Panama, including the types of *Odocoileus rothschildi*, *Didelphis battyi*, and others. Presented by the Hon. W. Rothschild.

See Thomas, Novit. Zool., ix., p. 135, 1902, and x., p. 39, 1903.

Beddome (Col. R. H.). [1880]

24 Mammals from Southern India, mostly from the Nilgiri Hills. Presented, either direct, through Sir Walter Elliot or Dr. W. T. Blanford. Including the type of *Mus blanfordi*, Thos.

Bedford (HERBRAND ARTHUR RUSSELL, 11th Duke of), K.G.,
President of the Zoological Society, and H.G. The **Duchess of Bedford.**

38 Mammals, mostly large, from different parts of the world.

The Museum owes to the Duke and Duchess of Bedford a considerable number of admirable specimens of Mammals, suitable for mounting, from their private menagerie at Woburn Abbey. In the recent rearrangement of the exhibited series these specimens, in good condition, have proved of very great service.

Among others the types of *Alces bedfordiæ*, *Cervus bedfordianus*, and *C. tavistocki* have been presented.

His Grace also contributed towards the expenses of the Seimund Expedition to Fernando Po, and other expeditions now in progress.

Belcher (Capt. Sir E.), R.N. [1842]

51 Mammals obtained during the exploring voyage of H.M.S. *Sulphur*, 1836-42, and described by Dr. Gray in the Mammalia part of the "Zoology of the Voyage of H.M.S. *Sulphur*," 1844.

Among others the type of the remarkable Bat, *Centurio senex*, Gray, was contained in this series.

Bennett (*Dr. GEORGE*), of Sydney. [1837]

A number of animals from New South Wales referred to by G. R. Waterhouse, Dr. Gray, and others in the Proc. Zool. Soc., London, and elsewhere.

Bennett (*Dr. GEORGE F.*), son of the foregoing.

16 Mammals from Port Stevens, New South Wales. Presented.

Betton (*C. STUART*). [1897]

86 Mammals from British East Africa, collected during the construction of the Uganda Railway. Presented.

Including types of *Genetta bettoni* and *Pedetes surdaster*, Thos.

Biddulph (*Col. JOHN*). [1875]

29 Mammals from Yarkand and other parts of Central Asia, including the types of *Ochotona ladacensis* and *macrotis*, *Lepus yarkandensis* and *pamirensis*, Günther. Presented.

Bingham (*Col. C. T.*). [1882]

Mammals from Tenasserim. Presented.

Blackler (*W. G.*). [1903]

13 Mammals from Smyrna, including the types of *Meriones blackleri* and *Mus smyrnensis*. Presented.

Blanford (*Dr. W. T.*). [1862]

Naturalist to the Abyssinian Expedition of 1868; Deputy Superintendent of the Geological Survey of India, and Author of "The Geology and Zoology of Abyssinia," 1870; "Eastern Persia," 1876; "The Mammals of India," 1887-91, and a large number of papers on Indian Mammals.

Specimens from Abyssinia, presented by the Viceroy and Council of India, and including the material on which Mr. Blanford's work on Abyssinia was based. Includes the type of *Lepus tigrisensis*.

Specimens from Persia, illustrating "Eastern Persia," and including types of *Vulpes canus*, *Meles canescens*, *Mus arianus*, *Gerbillus nanus*, *Myoxus pictus*, described in that work.

About 450 Mammals from India, mostly referred to in the "Fauna of British India," and including the types of *Microtus wynnei*, Blanf., *Crocidura leucogenys*, Dobs., *Chimarrogale sikimensis*, De Wint., *Prionodon maculosus*, Blanf., and others. Presented.

Dr. Blanford was one of the most generous donors to the National Museum, and has also rendered it great service by working out collections and by stimulating other naturalists to contribute.

Blyth (*EDWARD*). [1865]

Curator of the Museum of the Asiatic Society of Bengal, Calcutta, and author of a large number of papers on Indian and African Mammals.

22 Mammals from India, including typical specimens of *Sciurus phayrei*, Blyth, *S. berdmorei*, Blyth, and *Platacanthomys lasiurus*, Blyth. Presented.

Also the typical horns of *Bubalis major*, Blyth, from West Africa. Purchased.

Bock (*CARL*). [1879]

29 Mammals from Sumatra. Purchased.

Bonhote (J. LEWIS). [1899]

32 Mammals from various localities, mostly from the Bahamas. Presented.

The Museum is also indebted to Mr. Bonhote for much assistance in working out recent accessions from the Oriental region.

Boys (Capt. W. J. E.). [1848]

64 Mammals from India. Purchased.

Briceño (S.). [1898]

127 Mammals from Merida, Venezuela, including the types of a large number of species and sub-species. Presented by Oldfield Thomas or purchased.

Señor Briceño has lived many years at Merida, and has sent to England representatives of nearly all the Mammalian fauna, most of which have on arrival proved to need description. The most notable species discovered by him are *Nasua o. meridensis*, *Oryzomys flavicans*, *O. meridensis* and *O. vestitus*, *Rhipidomys venezuelæ* and *R. venustus*, *Marmosa dryas*, *M. marica* and *M. fuscata*.

Bridges (THOMAS). [1843]

254 Mammals, mostly small, from Chili, Bolivia, and Argentina. Purchased, either direct from Mr. Bridges, or from his agent, H. Cuming, or received with the Zoological Society's Museum.

After Darwin, Mr. Bridges was the first English naturalist to collect systematically the small Mammals of South America. He obtained considerable series of many obscure species, making at the same time most careful observations on their distribution and habits. Unfortunately owing to the lax ideas about geography then prevalent, his specimens were simply recorded as being from "Chili," and their exact habitats, with a few exceptions, were lost.

The specimens were worked out by Mr. G. R. Waterhouse, then Curator of the Zoological Society's Museum, by whom many new and interesting forms were described. The Rodent volume of Mr. Waterhouse's "Natural History of the Mammalia" (1848) refers constantly to Mr. Bridges's specimens and observations.

Of the many types in the Bridges collection the most notable are those of *Dasypus vellerosus*, *Octodon bridgesii*, *Aconæmys fuscus*, *Ctenomys brasiliensis* and *C. leucodon*, and *Cavia boliviensis*.

Some letters by Mr. Bridges recording his observations are published in the 'Proceedings' of the Zoological Society for 1841, p. 93; 1843, p. 129; 1844, p. 153; and 1846, p. 7.

Brooke (Sir DOUGLAS), Bart. [1895]

28 specimens, being a selection from the Mammals in the collection formed by his father, Sir Victor Brooke, and including the types of *Cervus mesopotamicus*, Brooke, and *Cephalophus brookei*, Thos. Presented.

Brooke (Sir J.), Rajah of Sarawak. [1845]

18 Mammals from Sarawak, including, among others, the specimens of the "Lesser Orang," *Simia morio*, described by Prof. Owen. Presented.

Brookes's Museum. [1829]

Unfortunately but few specimens can be identified as having come from "Brookes's Museum," of which a catalogue was published in 1829. Among these is the type of *Aello cuvieri*, Leach.

Brown (Rev. GEORGE). [1877]

Missionary in New Ireland.

41 Mammals from the Duke of York Islands, New Britain, and New Ireland (now the Bismarck Archipelago), being the materials on which Dr. Dobson's and Mr. Alston's papers in the 'Proceedings' of the Zoological Society for 1877 and 1878 were founded. They include the types of *Rousettus brachyotis*, Dobs., *Cephalotes major*, Dobs., *Melonycteris melanops*, Dobs., *Macropus lugens*, Alst., *Uromys rufescens*, Alst., and *Mus browni*, Alst.

Buckley (CLARENCE). [1872]

97 Mammals from Ecuador. Purchased.

These include a number of specimens described by Dr. Gray at various times, and also the materials of a special paper by O. Thomas (Proc. Zool. Soc., 1880, p. 393).

Among the types included are those of *Tremarectos ornatus majori*, *Nasua quichua*, *Bassaricyon alleni*, Thos., *Tapirus leucogenys*, *T. enigmaticus* and *T. ecuadorensis*, Gray, *Tatu pastazæ*, Thos.

Budapest, Hungarian National Museum. [1894]

74 small Mammals from Hungary. Received in exchange.

Buller (Dr. A. C.). [1892]

174 Mammals from Mexico, mostly from Jalisco, including the types of *Geomys bulleri*, Thos., and *Rhogeessa alleni*, Thos. Purchased.

Bullock's Museum. [About 1820]

Some few specimens, but unfortunately very few, were purchased at the sale of "Bullock's Museum," which existed in London during the early years of last century, and contained many specimens described by early writers on Mammals. The majority of the animals were dispersed abroad, many interesting and historical specimens being thereby lost. An account of the contents is given in the "Companion to Mr. Bullock's London Museum," 1812. See *postea*, p. 208.

Of those that can be identified, the most notable is the typical scalp and horns of *Addax nasomaculatus*, described by De Blainville when in England in 1816.

Burchell (Dr. WILLIAM J.). [1817]

A number of Mammals obtained by this famous traveller during his explorations in South Africa, and referred to in his "Travels in the Interior of Southern Africa," 1822-1824.

"A list of quadrupeds brought by Mr. Burchell from Southern Africa and presented by him to the British Museum on the 30th of September, 1817," was published in pamphlet form about 1818, and contains a list of the specimens, their exact localities, dates, and native names. Many of Burchell's specimens were spoilt, owing to defective methods of conservation; but others are still preserved, or at least their skulls and horns. The most interesting still existing is the type of the Brindled Gnu (*Connochætes taurinus*, Burch.), and the frontlet of that of the Sassaby (*Damaliscus lunatus*, Burch.). The type of *Equus burchelli*, Gray, has unfortunately disappeared.

Burnett (Sir WILLIAM), and Fitzroy (Capt. R.), R.N.

See DARWIN, CHARLES.

Burton (Sir RICHARD F.). [1862]

45 Mammals from the Cameroons and other localities. Presented and purchased.

The famous traveller, Sir R. Burton, collected specimens wherever he had the opportunity. He obtained many rare and interesting forms, among which may be mentioned the types of *Sciurus isabella*, Gray, and *Mus burtoni*, Thos.

Butler (A. L.). [1898]

29 Mammals from the Malay Peninsula and the Soudan. Presented.

Butter (A. E.).

An albino Reindeer from British Columbia and the type of a new Gazelle (*G. soemmerringii butteri*) from N.E. Africa.

Büttikofer (Dr. J.). [1887]

Author of "Reisebilder aus Liberia" (1890).

7 Mammals from Liberia, including examples of the rare Pigmy Hippopotamus (*H. liberiensis*), Striped Duiker (*Cephalophus doriæ*), and the type of Jentink's Duiker (*Cephalophus jentinki*, Thos.). Purchased.

Cap Horn, Mission Scientifique de. [1885]

8 small Mammals collected by the French Transit of Venus Expedition of 1882-1883; described by O. Thomas in Milne-Edwards's "Mission Scientifique de Cap Horn" (Comptes Rendus, xcvi., p. 1343, 1884). Presented by the Paris Museum.

Caracciolo (H.). [1889]

45 Bats and other Mammals from Trinidad, including the types of *Vampyrops caraccioli* and *Galera barbara trinitatis*. Presented.

Cavendish (H. S. H.). [1898]

Specimens of large Mammals obtained during his expedition to Lake Rudolf in 1897, including the type of *Madoqua cavendishi*, Thos. Presented.

"Challenger," H.M.S., Voyage of the. [1880]

83 Mammals collected on the surveying voyage of the *Challenger*. Presented by the Lords of the Treasury.

Chapman (FRANK M.). [1897]

86 Mammals from Jalapa, Mexico, including paratypes of several species described by Allen and Chapman, and the type of *Oryzomys chapmani*, Thos. Purchased. See Allen, J. A., and Chapman, F. M., "On a collection of Mammals from Jalapa, Mexico" (Bull. Am. Mus. N. H., ix., p. 197, 1897).

Also 18 from Trinidad, being part of the material used by the same authors in working out the Mammals of that island. Presented by Oldfield Thomas.

Charlton (ANDREW). [1846]

8 Mammals from Malacca, including the type of *Pteromys punctatus* Gray. Presented.

Cheeseman (T. F.). [1885]

30 skulls of Maoris. Presented.

"From a Maori burial-cave called Maunu, in the Whangarei district."

Cherrie (G. K.). [1898]

97 Mammals from the Orinoco and Cayenne, including the types of *Proechimys cherriei*, *Loneheres punctatus*, *Peromys orinoci*, and other new species. Presented by Oldfield Thomas.

Chicago, Field Columbian Museum. [1902]

140 Mammals from western United States. Received in exchange. Including representative specimens of species described by the curator, Prof. D. G. Elliot.

Child (Geo. D.). [1895]

164 Mammals from the neighbourhood of Bogotá, being the first specimens received from that region and including the types of a large number of new species described by the donor. The most notable of these is the interesting *Cænolestes obscurus*, on which was based, "On *Cænolestes*, a still existing survivor of the Epanorthidæ of Ameghino, and the representative of a new family of recent Marsupials" (Proc. Zool. Soc., 1895, p. 870). Presented by Oldfield Thomas.

Christiania Museum. [1884]

83 specimens from Norway, South Africa, and Australia, many of the latter collected by Dr. Carl Lumholtz and Dr. Dahl, being typical examples of species described by Dr. Robert Collett, the Director. Received in exchange.

Christy (Dr. CUTHBERT). [1899]

16 Mammals from the Niger. Presented.

Clapperton (Capt. H.), R.N., and Denham (Col. D.).

[About 1825]

A few specimens from their expedition to Lake Tchad in 1822-1824. Presented.

Clarke (T. W. H.). [1891]

A series of Antelopes and other animals from Somali Land, including the type of the Dibatag (*Ammodorcas clarkei*, Thos.). Presented.

Cobbe (Lieut.-Col.). [1837]

About 60 Indian Mammals.

Purchased at Christie's, "at the sale of the late Lieut.-Col. Cobbe, Political Agent at Moorshedabad" (Bengal).

Cock (Capt. HUBERT), R.A. [1904]

22 Mammals from Northern Nigeria. Presented.

Coolidge (DANE). [1898]

180 Mammals from the extremity of Lower California. Purchased through Mr. W. W. Priece.

A most important collection from a locality previously quite unrepresented in the Museum. The types of thirteen new species are included, the most notable being those of *Dasypterus xanthinus*, Thos., *Myotis peninsularis*, Mill., *Lynx peninsularis*, Thos., *Peromyscus coolidgei*, and *P. eva*, Thos., *Oryzomys peninsulæ*, Thos., *Lepus peninsularis*, Allen, and *Odocoileus hemionus peninsulæ*, Lydekker.

Also 30 specimens from California. Presented by Oldfield Thomas.

Copenhagen Museum. [1888]

37 specimens from Lagoa Santa, Brazil, typical examples of species described by Drs. Lund and Winge. Received in exchange.

Coppinger (Dr. R. W.), R.N. [1879]

49 Mammals collected during the surveying voyage of H.M.S. *Alert* round Patagonia and among the South Sea Islands. Presented by the Lords of the Admiralty.

Including the types of *Oryzomys coppingeri*, Thos., and *Oxymycterus lanosus*, Thos. See Proc. Zool. Soc., 1881, p. 3, and "Zoological Collections of H.M.S. *Alert*," 1884, published by the Trustees.

Cowan (Rev. W. DEANS). [1882]

34 Mammals from the Ankaſina Forest, Eastern Betsileo, Madagascar. Purchased.

Included types of *Microgale* (g. n.) *cowani* and *M. longicaudata*, Thos.

Crawford (JAMES LUDOVIC LINDSAY, 26th Earl of).

22 Mammals from different localities, and a number of human remains from Easter Island, collected by Mr. M. J. Nicoll during the voyage of the *Valhalla*. Presented.

Crawshay (Capt. R.). [1895]

30 Mammals from Nyasa Land and East Africa, including types of *Equus crawshayi*, Pocock, *Kobus crawshayi*, Sclater, *Lepus crawshayi*, de Winton, and other new species. Presented.

Crossley (A.). [1870]

133 Mammals from Madagascar and the Cameroons. Purchased.

Including the types of *Propithecus holomelas*, Günth., *Chirogale trichotis*, Günth., *Brachytarsomys albicauda*, Günth., *Eteocles nigriceps*, Günth.

Cumberland (Major C. S.). [1892]

A series of big game animals from Central Asia. Presented.

Cuming (HUGH). [1842]

36 Mammals from the Philippine Islands. Purchased.

Among others the types of *Phloxomys* (g. n.) *cumingi*, Waterh., and of several Bats described Proc. Zool. Soc., 1843, p. 66, are included.

Cuninghame (R. J.). [1895]

87 Mammals from Norway, Egypt, Uganda and other localities. Presented.

Curry (A. W.). [1897]

27 Mammals from Kimberley, South Africa. Presented.

Including the type of *Pronolagus curryi*, Thos.

Danford (C. G.). [1875]

177 Mammals from Hungary and Asia Minor, the latter being the specimens on which the two papers on the Mammals of Asia Minor, by C. G. Danford and E. R. Alston (Proc. Zool. Soc. 1877, p. 270, and 1880, p. 50) were based.

Among others the types of *Mus mystacinus*, Danf. and Alst., *Mus sylvaticus tauricus*, Barrett-Hamilton, *Microtus guentheri*, Danf. and Alst., are included. Purchased and presented.

Darling (J. FFOLLIOTT). [1895]

93 small Mammals from Mashona Land, including the types of a number of new species, such as *Georychus darlingi*, Thos., *Graphiurus nanus*, de Wint., *Mus chrysophilus*, de Wint., *Saccostomus mashonæ*, de Wint. (see de Winton "On Rodents from Mashonaland, collected by Mr. J. ffolliott Darling," Proc. Zool. Soc., 1896, p. 798).

Darwin (CHARLES). [1837]

A number of specimens collected by Charles Darwin during the famous voyage of the *Beagle*, and described by Mr. G. R. Waterhouse in the "Zoology of the Voyage of the *Beagle*," Part II., Mammalia, 1838-1839. Presented by Sir W. Burnett and Captain Fitzroy, R.N.

The greater number of the specimens obtained during that voyage were, however, given to the Zoological Society's Museum, from which they were transferred in 1855.

The specimens received from these two sources were the originals of the many descriptions published by Mr. Waterhouse in the 'Proceedings' of the Zoological Society for 1837, and later on in the above-mentioned work. They have formed the nucleus of the fine collection of South American Mammals in the British Museum, and, from the bearing they have had on the subsequent study of the subject, constituted one of the most important accessions the Museum has ever received.

It was on these specimens that Mr. Waterhouse founded his classical grouping of the American Muridæ, and they have still constantly to be referred to in all questions connected with the classification of the group.

Among others, the type specimens of the typical species of *Reithrodon*, *Scapteromys*, *Oxymycterus*, *Abrothrix*, *Phyllotis*, *Hesperomys*, *Abrocoma*, and *Schizodon*, are in this famous collection.

David (ABBÉ ARMAND). [1882]

12 Mammals collected in China, representing species described by Prof. A. Milne-Edwards.

Including the type of *Mus edwardsi*, Thos. Received in exchange from the Paris Museum.

Davies (Lieut. DAYRELL), R.N. [1887]

Head-skin of the Southern Sea-Lion (*Otaria jubata*) from Arica, Peru, and a skull from Coquimbo, Chili. Presented.

Deasy (Capt. H. H. P.). [1897]

16 small Mammals from Western Tibet, including examples of the rare *Euchoreutes naso*, W. Schl., and types of *Microtus lama*, and *Dipus deasyi*, Barrett-Hamilton.

Degen (E.). [1902]

62 Mammals from Abyssinia.

The collection made in Abyssinia by Mr. Degen contained a number of interesting new species, mostly coming from Lake Tsana, a locality unexplored zoologically since the time of Dr. Rüppell.

The most notable of the new forms are the Lake Tsana Otter (*Lutra capensis meneleki*), *Pelomys harringtoni*, *Otomys degeni*, and *Lepus fagani*.

See Thomas, Proc. Zool. Soc., 1902, p. 308.

Delamere (HUGH CHOLMONDELY, 3rd Lord). [1899]

101 Mammals from Somaliland and East Africa, obtained during his expeditions of 1896–1897. Presented.

Including the types of *Galago gallarum*, Thos., *Macroscelides delamerei*, Thos., and *Tragelaphus delamerei*, Pocock.

Derby (EDWARD, 13th Earl of). [1841]

145 Mammals from various localities—mostly Africa.

From 1841 onwards the 13th Earl of Derby was a constant contributor to the Museum, giving numbers of specimens which had lived in his menagerie at Knowsley, besides presenting others obtained by collectors sent abroad. The two most notable of the latter were Mr. Burke, who made an expedition into Central South Africa for specimens, and brought back both a number of live animals for Knowsley, and many large Mammal skins for mounting, presented in 1842 to the Museum; and Mr. Whitfield, who went to the Gambia on the same errand, and discovered there a number of new species described by Dr. Gray—among others Lord Derby's Eland—*Taurotragus derbianus*, Gray. A number of specimens collected by Mr. MacGillivray during the voyage of the *Fly* were also presented by Lord Derby.

Gray's work "Gleanings from the Knowsley Menagerie," 2 vols., fol., 1846–1850, was based partly on the animals living in Lord Derby's collection at Knowsley, and partly on Museum specimens.

de Winton (W. E.).

23 Mammals from England and Wales. Presented.

The specimens actually presented by Mr. de Winton are no index to the services he has rendered to the National Museum, for he has taken great pains in obtaining and stimulating collectors, who have sent their specimens direct to the Museum without his name appearing as donor.

He has also been of very material service to the Museum by the help he has given in working out and describing African Mammals, of which he has made a special study.

Dinelli (L.). [1900]

90 small Mammals from Tucuman, including the types of *Ctenomys tucumanus*, *Myotis dinellii* and *Marmosa cinderella*, Thos. Presented by Oldfield Thomas.

Dobson (Surg.-Gen. G. E.), R.A.M.C. [1874]

Author of "Catalogue of Chiroptera in the British Museum," 1878; "Catalogue of Asiatic Chiroptera in the Indian Museum, Calcutta," 1876; and "Monograph of the Insectivora," 1882–1890.

167 Bats and other small mammals from different parts of the world. Presented and exchanged.

Dodson (W.). [1899]

125 Mammals from the neighbourhood of Aden, including the type of *Papio arabicus*, Thos. Purchased.

Collected in conjunction with Mr. A. B. Percival. See Thomas, Proc. Zool. Soc., 1900, p. 95.

Doria (Marchese GIACOMO).

See GENOA, MUSEO CIVICO.

Doubleday (EDWARD). [1839]

17 Mammals, mostly from Wilmington, Delaware. Presented.
Including the type of *Sciurus neglectus*, Gray.

Douglas (the Hon. JOHN). [1884]

The mummified skeleton of a Torres Straits Islander. Presented.

Drummond (D.). [1837]

A number of Mammals from North America, many of which were described as new by Dr. Gray. The exact localities were unfortunately not preserved, and many of the specimens have since been eliminated as worthless.

The earliest examples seem to have been received from Sir W. J. Hooker, then at Glasgow, in addition to a number of Tasmanian Mammals. Later specimens were acquired by the Zoological Society, and were received with the latter collection in 1855.

Du Chaillu (PAUL). [1861]

West African traveller and writer; author of "Explorations and Adventures in Equatorial Africa," 1861.

89 Mammals from the Gaboon, many of them described by himself (Proc. Boston Soc. N. H., vii., p. 363, 1860), and others, especially the Antelopes, by Dr. Gray. Purchased.

Among these specimens, the first received from the Gaboon, are the types of *Potamogale velox*, Du Chaillu, *Nannoseiurus minutus* (Du Chaillu) *Cephalophus nigrifrons* and *C. longiceps*, Gray, besides a number of Gorillas and Chimpanzees, illustrating Mr. Du Chaillu's writings on the subject.

Also a number of human skulls from the same region.

Dunn (Surgeon-Major H. N.). [1900]

90 Mammals from the Soudan and Somali Land, including examples of *Kobus maria*, and the types of 12 new species. Presented.

Dyson (D.). [1847]

19 Mammals from Venezuela and Honduras, including a number of types of small Mammals described by Dr. Gray.

East India Company. [1841]

241 Mammals from various parts of India, and also a number from Shoa, collected by Sir W. Cornwallis Harris.

From 1841 onwards the Hon. East India Company was a frequent contributor to the collections, after its own Museum had been supplied. In its turn that Museum was given up in 1879, and its contents transferred to the British Museum. (See below, "INDIA MUSEUM.")

Eaton (Rev. A. E.). [1894]

21 small Mammals from Biskra, Algeria, including the type of *Macroscelides deserti*. Presented.

This collection has been of the utmost service in working out later collections from Tripoli and Egypt.

Egypt Exploration Committee. [1886]

34 human and other remains from ancient tombs in Egypt. Presented.

Many of these have been referred to by Prof. W. Flinders Petrie and other writers.

Elliot (*Sir* WALTER). [1836]

A series of Mammal skins from the district of Dharwar, Southern Bombay (erroneously recorded as "Madras" in the Museum registers and early published lists). Presented.

These specimens formed the materials on which was based Sir Walter Elliot's "Catalogue of the Species of Mammalia found in the Southern Mahratta Country; with their Synonimes in the Native Languages in use there" (Madras Journal, x., pp. 92 and 207, 1839).

Several of the species were described almost simultaneously by Gray in London and by Elliot in the above paper, Gray having the priority.

Among others the types of *Mus mettada*, Gray, *Golunda ellioti*, Gray, and "*Antilope sub-4-cornutus*," Elliot, were contained in this collection.

Also seven skulls of Cetaceans from the Harbour of Vizagapatam, being the specimens on which Prof. Owen's paper "On some Indian Cetacea collected by Walter Elliot, Esq." (Trans. Zool. Soc., vi., p. 17, pls. 3-14, 1866) was founded, and including the types of *Physeter simus* (= *Kogia breviceps*), *Orcella brevirostris*, *Delphinus fusiformis* (= *Lagenorhynchus electra*), *Delphinus pomegra*, *Sotalia gadamu*, and *Sotalia lentiginosa* therein described and figured.

Elliott (G. F. SCOTT). [1892]

24 Mammals from Nigeria and Ruwenzori, Equatorial Africa. Presented.

Elsey (*Dr.* J. R.). [1857]

20 Mammals from Port Essington and neighbouring localities, obtained during the North Australian expedition of 1856, and including the type of *Conilurus hemileucurus*, Gray. Presented.

Emin Pasha. [1882]

145 Mammals from the Equatorial Province of Central Africa, from Monbuttu, and from East Africa between the Great Lakes and the coast. Presented.

Emin Pasha was an enthusiastic collector, and the specimens he obtained were the first received from the eastern parts of the great Congo forest. His specimens formed the basis of two papers (Thomas, Proc. Zool. Soc., 1888, p. 3; 1890, p. 443) and many of them have been also described separately as further material accumulated.

The most notable of the species discovered by Emin are *Anomalurus pusillus*, Thos., *Gerbillus emini*, Thos., *Malacomys centralis*, de Wint., *Sciurus akka*, de Wint., *Georchus lechci*, Thos., *Atherura centralis*, Thos.

The two skeletons of Congo Pigmyes, or "Akkas," described by Sir W. H. Flower (J. Anthropol. Inst., 1888), were also contained in this collection.

Esler (H). [1871]

54 Mammals from Bogos Land, including the type of *Bubalis tora*, Gray. Purchased.

Euphrates Expedition. [1850]

Under the command of Sir George Chesney.

12 Mammals obtained during the expedition, and including the type of *Allactaga euphratica*, Thos. Presented.

Everett (ALFRED H. L.). [1872]

498 Mammals from Borneo, Celebes, the Natuna Islands, and the Philippines. Purchased and presented.

Mr. Everett was an enthusiastic naturalist, and during the long series of years he lived in Borneo made many important expeditions to neighbouring islands and to the different mountains of Borneo, where he was the discoverer of a very considerable number of new forms. Of these may be specially mentioned: *Scmnopithecus everetti*, *S. natunæ*, and *sabanus*, Thos.; *Pipistrellus stenopterus*, Dobs.; *Helictis everetti*, Thos.; *Glyphotes* (g. n.) *simus*, Thos.; *Sciuropterus nigripes*, Thos.; *Sciurus everetti*, Thos.; *Mus everetti*, Günth.; *Hystrix pumila*, Günth.

Falconer (Dr. HUGH). [1846]

The typical skull and horns of *Cervus cashmerianus*, Falc., from Kashmir. Presented.

Feilden (Col. H. W.). [1877]

11 Mammals from various localities, including some obtained in the Arctic region during the cruise of H.M.S. *Alert* in 1876.

Fellows (Sir CHARLES). [1844]

8 Mammals from Asia Minor. Presented.

Ferguson (H. S.). [1894]

Director of the Government Museum, Trivandrum, Travancore.

82 Mammals from Travancore. Presented.

Finsch (Dr. OTTO). [1878]

35 Mammals from Eastern Siberia, obtained during the expedition organised by the Geographical Society of Bremen in 1878. Purchased.

Fitzroy (Capt. R.), R.N.

See BURNETT, SIR WM.

Florence Museum. [1885]

13 Bats from different parts of Italy. Received in exchange.

Flower (Capt. S. S.). [1895]

108 Mammals from India, Siam and Egypt. Presented.

Forbes (Dr. H. O.). [1880]

Director of the Free Public Museums, Liverpool.

107 Mammals from various localities in the East Indian Archipelago, from Java to New Guinea. Purchased and presented, either by himself, by the British Association, or the Royal Society.

Dr. Forbes carried out a number of important explorations, as for example that to the Tenimber Islands in 1884, and discovered many interesting new species, among which may be noted: *Kerivoula javana*; *Nyctophilus microtis*; *Chiruromys forbesi*; *Pseudochirus forbesi*, Thos.

Also some Mammals from Sokotra, collected in conjunction with Mr. W. R. Ogilvie-Grant. Presented by the Royal Society.

Forbes (W. A.). [1881]

Prosecutor to the Zoological Society.

13 Mammals from Pernambuco, including the type of *Vampyrops recifinus*, Thos., and others from the Niger. Purchased.

Forrer (A.). [1880]

94 small Mammals from Oregon and California, the Tres Marias Islands, and Mazatlan and Durango, Mexico. Purchased from him or presented by Dr. F. Du Cane Godman.

Cf. "Biologia Centrali-Americana," Mammals, Suppl., p. 203, and Proc. Zool. Soc., 1882, p. 371.

Fortnum (C. D. E.), *Trustee*. [1842]

16 Mammals from South Australia. Presented.

Foster (W.). [1901]

288 Mammals from Sapucay, Paraguay. Purchased.

The series of Mammals formed by Mr. Foster at Sapucay, not far from Asuncion, is of very special interest and value owing to its representing the forms described in Azara's "Quadrupèdes de Paraguay," 1801, and "Quadrúpedos del Paraguay," 1802, which were obtained in the same region. Azara's animals have received names from various compilers, and to these names all sorts of different forms have been assigned without any naturalist having actual Paraguayan specimens to verify the determinations by. For such verification Mr. Foster's specimens, as being actual topotypes, are of the greatest service.

Types of the following new species are also included in the series *Molossus cerastes* and *M. fosteri*; *Thricomys fosteri*.

See Thomas, "On a Collection of Bats from Paraguay" (Ann. Mag. N. H. (7), viii., p. 435, 1901).

Frankfort Museum.

See RÜPPELL, Dr. E.

Fraser (LOUIS). [1846]

Zoological Traveller. Author of the "Zoologia Typica," 1849.

134 Mammals from Fernando Po, Tunis and Ecuador. Purchased.

The collections from the last-named locality were worked out by Mr. R. F. Tomes, and a further number of the specimens, including the types, have been recently received with the Tomes collection. (See Proc. Zool. Soc., 1858, p. 546; 1860, pp. 211 and 260.)

Mr. Fraser discovered a very large number of new Mammals of all orders, the most notable being the genus *Anomalurus* (Waterhouse, Proc. Zool. Soc., 1842, p. 124). In Ecuador he was the original discoverer of *Cænolestes*, which under the pre-occupied name of *Hyracodon* (Tomes, Proc. Zool. Soc., 1863, p. 50) remained a puzzle to zoologists until it was re-discovered in 1895. (See above, CHILD, G.)

Gadow (Dr. HANS). [1903]

61 Mammals from Mexico, including the types of three mice of the genus *Peromyscus*. Presented.

Garlepp (G.). [1898]

28 Mammals from the high country near Mount Sahama, Bolivia Presented by Oldfield Thomas.

This was the first collection received by the Museum from the elevated basin of Lake Titicaca, and contained the types of four new species, the most interesting being those of *Conepatus rex*, *Chinchillula* (g. n.) *sahamae*, and *Cavia niata*, Thos.

Garlepp (O.). [1898]

62 Mammals from the neighbourhood of Cuzco, Peru, including the types of five new species. Presented by Oldfield Thomas.

Genoa (MUSEO CIVICO). [1869]

296 specimens from various localities. Exchanged and presented.

To the Museo Civico, Genoa, and its Director, the Marchese Giacomo Doria, the Museum is indebted for a large number of valuable specimens, mostly duplicates of collections worked out by O. Thomas. Among the most important of these are the fine series collected by L. Fea in Burma, by D'Albertis, Beccari and Loria in the Papuan Archipelago, by Modigliani in Sumatra and the Mentawai Islands, by Antinori in Shoa, and by Bove, Spegazzini, and Grillo in South America.

Gerrard (E.). [1850]

Small Mammals from the neighbourhood of London. Presented.

Mr. Edward Gerrard joined the Museum service in 1841 as Dr. Gray's special attendant, and had charge for a long period of the registration and arrangement of the Mammals and the preparation of the skulls and skeletons. He was the author of the "Catalogue of the Bones of Mammalia in the British Museum" (1862).

After serving fifty-five years in the Museum, Mr. Gerrard retired in 1896, but is still (æt. 94) a frequent visitor to the Mammal Galleries.

Giffard (Lieut.-Col. W.). [1899]

27 Mammals from the Gold Coast, named by Mr. W. E. de Winton, and including the types of *Crocidura giffardi*, *Scotophilus nigritellus* and *hirundo*, and *Funisciurus substriatus*.

Sec de Winton, "On Mammals collected by Lieut.-Col. W. Giffard in the Northern Territory of the Gold Coast" (Ann. Mag. N. H. (7), iv., p. 353, 1899).

Godman (F. DU CANE), D.C.R. [1873]

Joint Editor of the "Biologia Centrali-Americana."

156 Mammals, mostly from Central America, obtained by various collectors for the purposes of the "Biologia" and worked out by E. R. Alston. Presented. Also a few specimens from the Azores, collected by himself, including the type of *Pterygistes azoreum*, Thos.

Goeldi (Dr. E. A.). [1895]

Director of the Goeldi Museum, Para.

22 Mammals from the Lower Amazon, including the types of *Oryzomys goeldii*, Thos., *Holochilus nanus*, and *Akodon fuscinus*.

Also the first recent specimen known of the rare *Blarinomys* (g. n.) *breviceps* from Rio Janeiro. Presented.

Gordon (Col. T. E.), C.S.I. [1875]

Skull and horns of *Ovis poli* from the Victoria Lake. Presented.

Specimens of *Ovis karelini* and *Capra sibirica*. Purchased.

Gosse (P. H.). [1847]

Author of "The Naturalist in Jamaica" and other Natural History works.

30 Mammals from Jamaica, including specimens of the Bats of which he gave an account in the above work.

Gould (JOHN). [1839]

Author of many works and papers on Australian Zoology, and especially of "The Mammals of Australia," 3 vols., fol., 1845-1863.

584 Mammals, forming the famous Gould Collection and including all the material on which that author based his work. The main collection, consisting of 170 specimens, was purchased in 1841 for £300, but other smaller sets were purchased from time to time throughout Mr. Gould's life. Many small and isolated sets were also presented by Mr. Gould, who had the greatest interest in the increase of the National collection.

With the exception of Mr. Brian Hodgson's Nepalese collection, this is perhaps the most important acquisition that the Museum has ever received from a private person—for Mr. Gould went to Australia at a time when no one had studied its Mammalian fauna at all, so that the field was practically virgin, and he worked so successfully as to leave comparatively little for later authors to do. Mr. Gould collected assiduously himself, and also sent Messrs. J. Gilbert and F. Strange to parts of Australia he was unable to visit. He took especial interest in the family of the Kangaroos, as is evidenced by his "Monograph of the Macropodidæ" (1841-1842), and described many fine new species of that group. Among others his collection contains the types of such notable forms as *Macropus antilopinus*, *M. robustus*, *M. agilis* and *M. stigmaticus*; of *Petrogale lateralis*, *P. brachyotis* and *P. concinna*; of all the species of *Onychogale* and *Lagorchestes*; of *Caloprymnus campestris* and *Potorous gilberti* and *P. platyops*.

It was the possession of this collection which enabled the present writer's "Catalogue of the Marsupialia and Monotremata," published in 1888, to be based on a personal study of almost every existing type of the various groups.

Graham (R.). [1845]

23 Mammals from Para, including the types of several bats described by Dr. Gray.

Grahamstown, Albany Museum. [1897]

86 Mammals from the neighbourhood of Grahamstown. Presented through Dr. S. Schönland, the Curator.

Grant (W. R. OGILVIE), Assistant. [1882]

74 Mammals from Scotland, the Salvage Islands, Sokotra, the Azores, and elsewhere. Presented.

Gray (Capt. A.). [1881]

Mammals from the Arctic Seas, including foetal specimens of several Seals and Cetaceans. Presented.

Gray (Dr. J. E.), (1800-1875). [1840]

Assistant in the Department, 1824-40; Keeper, 1840-75.

Mammals from various localities. Presented.

To Dr. Gray the growth of the Mammal collection in early years is almost wholly due. His first years in the Museum were more occupied with shells than with Mammals, but about 1836 he began to take up the latter group, and from that date a ceaseless flow of papers and catalogues on the subject came from his pen. As may be seen by his evidence before the Royal Commission of 1835, he had the most advanced ideas about the growth and function of a national museum, and these ideas he did his best to carry out when appointed Keeper of the Department.

Owing to the profusion of his memoirs, the number of his types is enormous, and these types are constantly being referred to and must remain of priceless value. Such mistakes as he made—and no man has been more abused—were due to his excess of energy and his consequently trying to do too much with insufficient material and help, and this in the face of considerable opposition from the more official departments of the Museum. In spite, therefore, of his many scientific errors, every lover of the Museum collection should be grateful to Dr. Gray for upholding its interests at a time when any slackness would have resulted in its taking a far inferior position to those continental rivals with which, thanks to him, it competed so successfully.

Gregory (*Prof. J. W.*). [1893]

52 Mammals collected during his East African expedition of 1893, including the type of *Thryonomys gregorianus*, Thos. Presented.

Mammals from Spitzbergen, including the type of *Vulpes l. spitzbergenensis*, Barrett-Hamilton and Bonhotc. Presented.

Grey (*Capt. Sir GEORGE*). [1840]

99 Mammals from South Australia, of which colony Sir George Grey was Governor. Presented.

Other specimens from Western Australia.

The types of *Macropus greyi*, Waterhouse, and *Petrogale brachyotis*, Gould, *Mus greyi*, *Scotophilus morio*, and other species described by Gray, are in this collection.

A list of the Mammals of Australia, based on the collections of Sir George Grey, Mr. Gunn, and Mr. Gould, was contributed to Grey's "Journals of two Expeditions of Discovery" (Vol. II., Appendix, p. 397 et seq.), 1841, by Dr. Gray.

Gunn (*RONALD*). [1838]

A number of Mammals from Tasmania.

The collection of Mammals made and presented by Mr. Gunn was one of the greatest importance, nearly all the species found in the island being represented.

In marsupials, especially, the collection was of the greatest value at a time when very few members of the order had been collected, and the specimens in it are constantly referred to in Waterhouse's "Marsupialia," 1846, and the "Catalogue of Marsupialia and Monotremata," 1888.

Mr. Gunn's "Notices accompanying a collection of Quadrupeds and Fish from Van Diemen's Land," Ann. Mag. N. H. (1), p. 101 (1838), refers to his first collection, which was transmitted to the Museum by Sir W. J. Hooker.

Among others the types of *Perameles gunni*, Gray, and *Dromicia lepida*, Thos., are contained in Mr. Gunn's collection.

Günther (*Dr. A.*). [1859]

Assistant, 1862; Keeper, 1875-1895.

Some bats in spirit and a number of skulls of various Mammals, mostly from southern Germany; 183 specimens in all. Purchased.

Guppy (*Dr. H. B.*), *R.N.* [1883]

38 Mammals from the Solomon Islands, collected during the surveying voyage of H.M.S. *Lark*. Presented by the Admiralty.

Also a certain number of human crania and specimens of human hair from the same region.

Gurney (J. H.). [1855]

27 Mammals from Monterey, California, Jamaica, Labrador, and other localities. Presented.

Haast (Dr. JULIUS VON). [1873]

Skeletons of rare Whales (*Neobalæna marginata* and *Macleayius australis*) from New Zealand. Purchased.

Haggard (J. G.). [1885]

H.B.M. Consul at Lamu, East Africa.

2 skeletons of Dugongs and 3 skulls, including the type of *Ourebia haggardi*, Thos. Presented.

Hardwicke (Gen. THOMAS). [1835]

Joint author with Dr. Gray of "Illustrations of Indian Zoology, chiefly selected from the collection of Major-General Hardwicke," fol., 1830-1834.

Mammals from the East Indies. Bequeathed.

In the early days of the Museum the Hardwicke Bequest formed one of its most important accessions, but being before the time of registration, no list of the specimens is available, and large numbers of them have since been eliminated.

Besides those figured in the above-mentioned work, many species described by Dr. Gray were included in the collection—e.g. *Nesokia hardwickei*, *Tragulus fulviventer*, etc.—as also were the original skull and horns of the Anoa (*Anoa depressicornis*) described by Hamilton-Smith.

Harris (Major Sir W. CORNWALLIS). [1838]

The type-specimen of the Sable Antelope (*Hippotragus niger*, Harr.). Purchased through Capt. Alexander.

17 Mammals from Ankober, Shoa, collected while in the service of the East India Company. Presented in 1861 by the India Board. Among others the type of the Lesser Kudu (*Strepsiceros imberbis*, Blyth) is in this series.

Hart (J. H. C.). [1877]

32 Mammals collected in the Arctic regions during the voyage of H.M.S. *Discovery*.

41 small Mammals from Palestine. Presented.

Hawker (R. McD.). [1897]

83 Mammals obtained during his various expeditions in Somali Land and N.E. Africa. Presented.

Including the types of *Lepus hawkeri* and *Gerbillus luteolus*. See Thomas, Ann. Mag. N. H. (7), viii., p. 273, 1901.

Heller (EDMUND). [1898]

107 Mammals from California. Purchased.

Higgins (T.), AND Petterd (W. F.), of Tasmania. [1887]

15 Mammals from Tasmania, representing species described in the Proceedings of the Royal Society of Tasmania, 1883. Purchased and exchanged.

Hildebrandt (J. M.). [1879]

6 Mammals from Teita, E. Africa, including typical specimens of *Rhinolophus hildebrandti* and *Macroselides rufescens*, Peters. Purchased.

Hinde (S. L.). [1896]

170 Mammals from British East Africa, mostly from Machakos.

Mr. Hinde's important collections include the types of a number of new forms, of which the most notable are *Scotæcus* (g. n.) *hindei*, *Laphotis* (g. n.) *wintoni*, *Mus hindei* and *hildegardæ*, Thos.

Hodgson (BRIAN H.). [1841]

Formerly British Resident at Khatmandu, Nepal.

980 Mammals from Nepal, Tibet, and Sikhim, being the material on which Mr. Hodgson's many papers on Himalayan Mammals were based. Also a number of human skulls. Presented.

Mr. Hodgson's collection was without doubt the finest and most important donation that the Museum ever received from any single person. This is due to the large size of the collection, the numbers of specimens, the accompaniment of skulls and skeletons, and above all to the very great number of types that are contained in it.

So important was Mr. Hodgson's collection considered by the Trustees that they published, in 1846, a "Catalogue of the specimens and drawings of Mammalia and Birds of Nepal and Thibet presented by B. H. Hodgson, Esq., to the British Museum," and a second edition in 1863, including all the later additions.

Mr. Hodgson was a voluminous writer, and perhaps over-ready describer of species, so that the possession of the whole of the material on which he founded his work is of priceless value. Many of his specimens were also described by Gray, Horsfield, Blyth, and others. The number of types in the Hodgson collection is too great for enumeration, but the following are a few of the most notable:—*Semnopithecus schistaceus*, *Prionodon pardicolor*, *Herpestes urva*, *Vulpes ferrilatus*; several species of *Putorius*; a multitude of Bats, Insectivores and Rodents; *Ovis nakura*, *Nemorhædus bubalinus*, *Gazella picticaudata*, *Porcula salvania*, *Manis aurita*; and finally, the one Mr. Hodgson himself was most proud of, the remarkable *Budorcas taxicolor*, of the Mishmi Hills, north of Assam.

Mr. Hodgson was fortunately far-seeing enough to realise the great importance of osteological collections, and to insist that the whole of his collections, the skulls as well as the skins, should be accepted or rejected together. He thus forced the authorities to countenance Dr. Gray's efforts to make an osteological collection, for up to that date it had been thought that skulls and skeletons were only suited to the College of Surgeons.

Owing to carelessness about geographical details, the whole of Mr. Hodgson's collections were registered as from "Nepal," but, as Dr. Scully has shown, it was only the animals presented before 1847 which were really from Nepal, and all the later ones came from Sikhim, Mr. Hodgson having finally left the former country in 1844, and, after a visit to England, settled for some years at Darjiling.

Hollis (EDWIN). [1901]

102 Mammals from the Touchwood Hills, Assiniboia, Central Canada. Presented.

The first modern specimens received by the Museum from this region.

Höök (F.). [1891]

Examples of the rare Saddleback Seal (*Histiophoca equestris*).

A skeleton of the Blue Whale of the Pacific (*Rhachianectes glaucus*).
Purchased.

Hooker (Sir W. J.), K.C.B. [1837]

A small collection of Tasmanian Mammals, the first that appear to have been received from that island.

Hose (CHARLES), D.Sc. [1889]

Author of "The Mammals of Borneo," 1893.

441 Mammals from the Baram district of Sarawak. Presented and purchased.

Like Mr. Everett, who first encouraged him to take up the subject, Dr. Hose has made large collections of Mammals in Sarawak, and has greatly increased our knowledge of the number of species inhabiting Borneo.

The types of the following species, all described by O. Thomas, are among the most noteworthy of his many discoveries: *Semnopithecus hosei* and *S. cruciger*; *Hemigale hosei*; *Tupaia gracilis*, *T. picta*, and *T. melanura*; *Sciuropterus hosei*; *Funambulus hosei*.

In 1895 Dr. Hose made a collecting trip to N. Celebes, and there also obtained several new forms.

Hudson's Bay Company. [1843]

51 Mammals from N. America. Presented.

Huegel (Baron A. von). [1879]

34 small Mammals from the Fiji Islands and Java, including the type of *Mus huegeli*, Thos.

Hume (ALLAN O.), C.B. [1885]

The magnificent collection of heads and horns of Indian Ruminants formed by Mr. Hume during many years, including a number of record heads, and numbering 223 specimens. Also 371 skins of Indian Mammals, obtained in various districts with his famous collection of birds, and including the types of *Prionodon maculosus*, Blanf., *Funambulus rufignis*, Blanf., *Mus humei*, Thos., *Sciuropterus davisoni*, Thos., and others. Presented.

An account of this collection was given by O. Thomas, Proc. Zool. Soc., 1886, p. 54. See also "On some Mammals from Tenasserim," by W. T. Blanford, J.A.S.B., xlvii., p. 150, 1878.

Hunt (BERNARD). [1900]

21 Mammals from Caylloma, Peru, collected at an altitude of 12000-15000 feet. Presented.

Hunter (H. C. V.). [1889]

26 Mammals from East Africa, including the types of *Damaliscus hunteri*, Sel. Presented.

Hutton (Capt. T.). [1856]

7 Mammals from Kandahar, including typical specimens of *Nesokia huttoni*, Blyth, and *Gerbillus erythrurus*, Gray. Presented.

Ihering (*Dr. H. von*). [1882]

Writer on Brazilian Mammals, and now Director of the São Paulo Museum.

213 Mammals from Rio Grande do Sul, including the types of *Peromys iheringi*, *P. henseli*, *Oxymycterus iheringi*, Thos., and others. Purchased.

India Museum. [1879]

Formerly the Museum of the Hon. East India Company.

695 Mammals from various localities, mostly India.

Sharing the first place in historical importance with the Museum of the Zoological Society, that of the East India Company, transferred to the British Museum in 1879, proved to be of priceless value and interest. The collections made in the East Indies by all the early founders of zoology in that part of the world were contained in it, so that its possession has been of the utmost service in studying the fauna of our Indian possessions. Of the collections it included, the most important are those of Dr. Thomas Horsfield, from Java, the basis of his "Zoological Researches in Java, 1824"; of Sir Stamford Raffles, from Sumatra; of Dr. T. Cantor, from the Malay Peninsula; Col. W. H. Sykes, from the Dekkan; Capt. (now Sir) R. Strachey, from Kumaon; Major R. B. Pemberton, from Bhutan; Mr. B. H. Hodgson, from Nepal and Sikhim; Dr. John McClelland, from Assam; Gen. T. Hardwicke; Capt. Tytler; Capt. T. Hutton; Mr. Walter Griffith; Dr. A. T. Christie, and others.

A catalogue of the Museum, as then existing, was published in 1851 by its Curator, Dr. T. Horsfield, and many new species were described therein.

The types contained in this collection are, as may be supposed from the above list of authors and collectors, far too numerous to be enumerated here.

Ingram (*Sir WILLIAM J., Bart., and CHARLES*). [1875]

A number of Reindeer and Lemmings from Norway.

Much of the success of the Robert expedition to S. Brazil (1900-2) is also due to Sir W. Ingram, who gave a liberal contribution towards its cost.

Isaac (*F. W.*). [1902]

14 Mammals from British East Africa, including a series of the Eastern form of the Bongo (*Boocereus curyeeros isaaci*, Thos.). Presented.

Jackson (*FREDERICK J.*), *C.B., C.M.G.* [1887]

Deputy Commissioner, Uganda Protectorate. East African sportsman, and author of works on the Natural History of the country.

190 Mammals from East Africa and the Uganda Protectorate, including types of a considerable number of new species, of which the most notable are: *Bubalis jacksoni*; *Connochætes taurinus albojubatus*; *Cephalophus harveyi*, Thos.; *Sciurus jacksoni*, de Wint.; *Otomys jacksoni*, Thos.; *Hystrix galeata*, Thos. Presented.

The series from Mt. Elgon, on which the paper by O. Thomas (P.Z.S., 1891, p. 181) was based, is of especial importance.

Jayakar (*Surgeon-General A. S. G.*). [1885]

81 Mammals from Muscat, being the first obtained by the Museum from that part of Arabia. Presented. These specimens formed the basis of the following paper: Thomas, "On Mammals from Oman, S.E. Arabia," Proc. Zool. Soc., 1894, p. 448.

Includes the types of a remarkable new Wild Goat, *Hemitragus jayakari*, of *Gazella marica*, *Procavia s. jayakari*, and *Lepus omanensis*, Thos.

Jelski (*Dr. CONSTANTINE*). [1885]

Polish traveller and naturalist.

46 small Mammals from Central Peru, being the basis of a paper by Thomas, Proc. Zool. Soc., 1884, p. 447. Types of *Akodon jelskii*, *Reithrodon pictus*, and others are contained in the collection. Presented by the Branicki Museum, Warsaw.

Jerdon (*Surgeon-Major T. C.*). [1846]

Author of "The Mammals of India," 1867.

68 Indian Mammals, chiefly from the Madras Presidency. Presented.

Jesse (*W.*). [1869]

Naturalist to the Abyssinian expedition of 1868.

17 Mammals from Abyssinia. Purchased.

These specimens are referred to in Dr. W. T. Blanford's work on the Zoology of Abyssinia.

Johnston (*Sir HARRY H.*), *G.C.M.G.*, *K.C.B.* [1883]

770 Mammals from various parts of Africa, notably from Kilimanjaro, Nyasaland, and the Uganda Protectorate. Presented.

During his career as Governor or Commissioner of British African Dependencies, Sir Harry Johnston has always conducted a scientific exploration of the countries under his charge, and presented the collections thus made to the National Museum. The most important of the series is that from Nyasa Land, on which a number of papers in the Proceedings of the Zoological Society have been based (P.Z.S., 1892, p. 546; 1893, p. 500; 1894, p. 136; 1896, p. 788; 1897, p. 925), which included the types of *Papio pruinosis*, *Crocidura lisa*, *Sciurus lucifer*, *Thryonomys sclateri*, *Lepus whytei*, *Procavia johnstoni*, and many others.

But the best known of Sir Harry Johnston's discoveries is that of the Okapi (*Okapia johnstoni*, Sclater) of the Semliki Forest, of which the original strips of skin and the later more perfect specimens were obtained and presented by him. (See E. Ray Lankester, Trans. Zool. Soc., xvi., p. 279, 1902.)

Jukes (*Dr. J. B.*). [1844]

Author of the "Narrative of the Surveying Voyage of H.M.S. *Fly*, 1842-46," 1847.

30 Mammals collected in New Guinea, North Australia, and the islands in Torres Straits during the exploring voyage of H.M.S. *Fly*.

Kalinowski (*J.*). [1894]

160 Mammals from the highlands of Central Peru. Presented by or received in exchange from, the Branicki Museum, Warsaw, through the Curator, Dr. J. Stolzmann.

A considerable number of species were discovered by Mr. Kalinowski, of which the most important are *Ichthyomys* (g. n.) *stolzmanni*, *Neotomys* (g. n.) *ebriosus*, *Dasyprocta kalinowskii*, *Oryzomys kalinowskii*, and others.

Karachi Museum. [1880]

37 Mammals from Sind. Received in exchange.

Kelaart (Dr. E. F.). [1852]

Author of the "Prodromus Faunæ Zeylanicæ," 1852.

40 Mammals from Ceylon. Others collected by Dr. Kelaart were received from the India Museum in 1879.

King (Capt. P. P.). [About 1836]

A number of specimens from Southern South America, obtained during the voyage of H.M.S. *Adventure* and *Beagle*, 1826-1830.

This collection includes the types of several Patagonian species, described by Dr. Gray, which came into the Museum about 1836, such as *Canis magellanicus*, Gray, and *Canis griseus*, Gray, and others (*Otenomys magellanicus*, *Mus magellanicus*, &c.) which were first given to the Museum of the Zoological Society, and transferred to the British Museum in 1855.

Many are mentioned in the "Narrative" of the Voyage, vol. i. (1839), by Capt. King. An imperfect catalogue is given on p. 529 of this work.

Kirk (Dr., now Sir JOHN), G.C.M.G., K.C.B. [1864]

30 Mammals collected in Zambesia during the Livingstone expedition of 1863. (See his paper on the Mammals of Zambesia, Proc. Zool. Soc., 1864, p. 649.) Among others the types of *Nesotragus livingstonianus*, Kirk, and *Nandinia gerrardi*, Thos., are in the series.

Also 106 Mammals from Zanzibar and East Africa, including the types of *Colobus kirkii*, Gray, *Madoqua kirkii*, Günth., *Rhynchocyon chrysopygus*, Günth., *Petrodromus sultan*, Thos., and many others. Presented and purchased

Knapp (GEORGE). [1841]

10 skins of Monkeys from Fernando Po. Presented.

A duplicate set of some of the species described by Waterhouse (Proc. Zool. Soc., 1841, pp. 57-59) from specimens sent by Mr. Knapp to the Zoological Society's Museum. The types themselves were afterwards received with that collection in 1855.

Koslowsky (J.). [1903]

84 Mammals from the Valle del Lago Blanco, Chubut. Purchased.

Krauss (Dr. A.). [1840]

Afterwards Director of the Stuttgart Museum.

20 Mammals from Natal, including fine examples of the River Hog (*Potamochoerus cheroptomus*) and Natal Duiker (*Cephalopkus natalensis*).

La Plata Museum. [1896]

56 Mammals from Argentina. Presented and received in exchange through Dr. F. P. Moreno, the Director.

Lataste (FERNAND). [1881]

Author of many papers on small Mammals, especially those of Algeria and Tunis.

16 Mammals from Algeria, including typical specimens of *Dipodillus simoni*, Lat., *Psammomys roudairei*, Lat., and others.

La Touche (J. D.). [1892]

98 Mammals from Foochow and Fo Kien, China, and from Formosa, including the type of *Mus latouchei*. (See Thomas, Proc. Zool. Soc., 1898, p. 769.) Presented or purchased.

Leigh (J. H.). [1901]

16 Mammals from Egypt. Presented.

Leverian Museum.

But few specimens remain that can be identified as having come from the Museum of Sir Ashton Lever, of which Dr. Shaw wrote a catalogue in 1792.

A pair of horns of the Elk, figured in Plate VIII. of that work, is still in the collection.

Leyden Museum. [1842]

171 Mammals from the East Indian Archipelago, Japan and elsewhere. Purchased of Leadbeater and Frank, dealers who acted as agents for the Leyden Museum.

These specimens formed part of the material on which the valuable works by Müller, Sehlegel, and Temminck were based, and may therefore be considered co-types of species described by those authors.

Lidth de Jeude (Dr. TH. G. VAN), of Utrecht. [1858]

A few stuffed Mammals, a large number in preserving fluid, and over 300 skulls and skeletons. Purchased.

These specimens, being without accurate data, were long supposed to be of little value, but in 1892 it was discovered, mainly from internal evidence, that many of them must have come originally from the collection of Albert Seba, and have been the specimens figured in his folio work, "*Locupletissimi Rerum Naturalium Thesauri*," of which the first volume, dealing with the Mammals, was published in 1735. Seba's figures were in many instances the bases of names given by Linnæus and other early authors, and it follows therefore that these specimens, where identifiable, are the actual types of the species. Types of the following species are in this way determinable: *Pteropus vampyrus*, Linn., *Chrysochloris asiatica*, Linn., *Pteropus vampyrus*, Linn., *Kerivoula picta*, Pall., *Didelphis philander murina*, and *dorsigera*, Linn., and *D. brevicaudata*, Erxl. (See Thomas, P.Z.S., 1892, p. 309.) Also the skeleton of an immature Rorqual (*Balenoptera sibbaldi*), the type of *Physalus latirostris*, Flower, P.Z.S., 1865, p. 28.

Lilford (THOMAS LITTLETON, 4th Lord). [1873]

Mammals from Spain and Italy collected by himself, and others from various parts of Europe, obtained at his expense, about 300 in all.

The late Lord Lilford, though primarily an ornithologist, was always much interested in Mammals and did all in his power to assist their study. Besides collecting himself in early life in Southern Europe, he contributed liberally towards the expenses of other collectors, giving an annual sum for this purpose. The present improved, though still very incomplete, European collection is largely due to his assistance.

Lisbon Museum. [1868]

84 Mammals from Portuguese W. Africa, chiefly Angola. Presented and exchanged.

Including typical specimens of a number of species, either described by the Director, Prof. Barboza du Bocage, or worked out for him by the British Museum staff. The most important types and co-types are those of *Procapra bocagei*, Gray, *Macroscelides brachyurus*, Boc., *Vespertilio bicolor*, Boc., *Steatomys bocagei*, Thos.

Littledale (St. George). [1887]

Traveller in Central Asia.

122 Mammals, mostly large, from the Caucasus, various parts of Central Asia, and Kamschatka. Presented.

Also fine examples of the European Bison (*Bison bonasus*) shot by Mr. Littledale in the Caucasus.

Livingstone (Dr.). [1859]

Elephants' skulls and teeth, and some small Mammals from the Zambesi and Rovuma, including the types of *Rhynchocyon macrurus*, Günth., and *Petrodromus rovuæ*, Thos.

Loder (Sir EDMUND G.), Bart. [1894]

The typical specimens of *Gazella loderi* and *rufina*, besides a number of smaller Mammals from Algeria.

Loftus (KENNETT). [1853]

8 Mammals from Persia, being the first received from that country, and including the types of *Herpestes persicus*, Gray, and *Jaculus loftusi*, Blanf.

Lord (Dr. J. K.). [1860]

Author of the "Naturalist in British Columbia," 1866.

95 Mammals from Vancouver's Island and British Columbia, collected during the North American Boundary Commission. Presented by the Foreign Office.

The types of Lord's *Fiber osoyosensis* and *Lagomys minimus*, besides some species described by Dr. Gray, are among these specimens.

Lovat (SIMON JOSEPH FRASER, 16th Lord). [1900]

25 Mammals from Southern Abyssinia, including the type of *Dendromys lovati*, de Wint. Presented by Mr. H. Weld Blundell and Lord Lovat. See de Winton, Proc. Zool. Soc., 1900, p. 79.

Low (Sir HUGH), G.C.M.G. [1847]

62 Mammals from Borneo, the earlier ones forming the first important collection of small Mammals from that country received by the Museum. Purchased.

Among others the types of *Ptilocercus lowii*, Gray, *Tupaia splendidula*, Gray, *Tupaia minor*, Günth., *Sciurus lowii*, Thos., *Trichys lipura*, and *Hystrix crassispinis*, Günth., are included.

Lugard (Gen. Sir F. D.), D.S.O. [1894]

7 Mammals from British East Africa and Uganda, obtained during his early expeditions in those countries. Presented.

Lütken (Dr. CH.). [1885]

Director of the Copenhagen Museum.

A complete skeleton, and a skull with two tusks, of the Narwhal (*Monodon monoceros*). Purchased.

Lydekker (R.). [1880]

26 skulls of large Mammals, from Kashmir and North India; also one of the co-types of *Eupetaurus cinereus*. Presented.

Lyle (T. H.). [1897]

H.B.M. Vice-Consul, Nan, Siam.

196 Mammals from Nan and other localities in Northern Siam. Presented.

Including the types of *Petaurista lylei*, Bonh., and *Lepus siamensis*, Bonh. See Bonhote, Proc. Zool. Soc., 1900, p. 191, 1901, p. 52, and 1902, p. 38.

McConnell (F. V.). [1896]

175 Mammals from British Guiana, mostly obtained during an expedition by Dr. J. J. Quelch to the Kanuku Mountains, where a number of new forms were discovered, notably *Mesophylla* (g. n.), *macconnelli*, *Molossus maurus*, *Phyllostoma latifolium*, *Sciurus quelchii*, and *Rhipidomys nitula*. See Thomas, "On a collection of Mammals from the Kanuku Mountains, British Guiana" (Ann. Mag. N.H. (7), viii., p. 139, 1901). Presented.

Macdonald (Capt. R. E.). [1865]

The skeleton of a male Sperm Whale (*Physeter macrocephalus*) from Sandside Bay, near Thurso, Caithness. Presented.

This skeleton is just over fifty feet in length.

MacFarlane (Rev. S.). [1884]

48 human crania and 82 lower jaws from Jervis Islands, Torres Straits. Also some small Mammals from the same region. Purchased.

The human skulls were described, J. Anthr. Inst., xiv., p. 328, 1885.

Macgillivray (JOHN). [1841]

Examples of *Myotis daubentoni* from Aberdeen Cathedral, and about 50 Mammals from the Australian region collected during the surveying voyages of H.M.S. *Herald* and H.M.S. *Rattlesnake*. Presented by the Admiralty or by the Museum of Economic Geology.

Mackinder (H. J.). [1900]

45 Mammals obtained during his expedition to Mount Kenya, British East Africa, in 1899, and including the types of 4 new species, the most notable being those of *Procavia mackinderi* and *crawshayi*. Purchased. (See Thomas, Proc. Zool. Soc., 1900, p. 173.)

Maclear (Capt.) R.N. [1887]

4 Mammals from Christmas Island, being the first received from that place, and including the types of *Pteropus natalis* and *Mus macleari*. (See Thomas, Proc. Zool. Soc., 1887, p. 511.) Presented by the Lords of the Admiralty.

MacLeay (W. S.). [1838]

14 bats from Cuba.

These were the specimens on which Gray's "Descriptions of some Mammalia discovered in Cuba by W. S. MacLeay, Esq." (Ann. Mag. N.H. (1), IV., p. 1, 1839) was based. The types of *Stenoderma falcatum*, *Chilonycteris macleayi*, *Nyctinomys macrotis* and *Vespertilio eubensis*, were included.

Major (Dr. C. I. Forsyth). [1897]

164 Mammals from Madagascar, collected during his expedition in 1894-96. Presented by the Royal Society.

This is by far the most important collection from Madagascar that the Museum has ever received, and contains the types of no less than 14 species, mostly described by Dr. Major himself, the most notable being those of *Oryzorictes niger*, *Microgale*, 5 species, *Limnogale* (g. n.) *mergulus*, *Brachyuromys* (g. n.) *ramirohitra*, and *Gymnuromys* (g. n.) *roberti*. Cf. Major, Proc. Zool. Soc., 1896, p. 971.

Manning (General). [1899]

Deputy-Commissioner for British Central Africa.

42 Mammals from Nyasaland, mostly obtained by officers of the administration. Presented.

Mansel-Pleydell (J. C.). [1883]

British Mammals from Dorsetshire, including the series of the British Squirrel on which the changes of pelage were worked out. (Cf. Thomas, Zoologist, 1896, p. 401.) Presented.

Mantell (Dr. G.). [1841]

A number of skulls of recent Mammals. Purchased with the famous Mantell collection of fossils.

Maw (Lieut. H. L.), R.N. [1828]

Mammals obtained during a journey across Peru and down the River Amazon from December, 1827 to May, 1828. Some casual references are made to the animals in Lieut. Maw's "Journal of a Passage from the Pacific to the Atlantic," 1829.

Among others the Skunk described by Prof. Lichstenstein of Berlin, during a visit to this country, as "*Mephitis amazonica*" (Abhandl. Akad. Berlin, 1836, p. 275, 1838), was in this collection.

Meek (ALBERT). [1895]

105 Mammals from the D'Entrecasteaux and other groups of Islands in the Papuan region; including the types of *Hyomys* (g. n.) *meeki*, *Anisomys* (g. n.) *imitator*, *Pogonomys pulcher*, *Phalanger meeki*, *intercastellanus*, and others. Purchased.

Meinertzhagen (Capt. R.). [1904]

36 Mammals from British East Africa, including the typical specimens of the new Forest Pig (*Hylochaerus meinertzhageni*). Presented.

Mexican Museum. [1889]

27 Mammals from Vera Cruz, including the types of *Lepus verrucris*, and *Galera barbara senex*, Thos. Received in exchange.

Meyer (Dr. A. B.). [1872]

Director of the Dresden Museum.

33 Mammals from the East Indian Archipelago, including the type of *Uromys aruensis*, Gray. Purchased.

Miketta (R.). [1899]

106 Mammals from Northern Ecuador, including the types of a number of new species, of which the most notable are *Vampyrops dorsalis*, *Tylomys mira*, *Rhipidomys dryas*, *Nectomys esmeraldarum*, and *Lepus surdaster*. Purchased, or presented by Oldfield Thomas.

Miller (GERRIT S.), Junr. [1894]

139 Mammals from North America, from his own collection, and many of them representing species described by himself. Presented.

Millson (ALVAN). [1893]

28 Mammals from Lagos and Benin, Nigeria. Presented.

Mitchell (Sir THOMAS L.). [1847]

Australian explorer. Author of "Three Expeditions into the Interior of Eastern Australia." 1838.

23 Mammals from Eastern Australia, including the types of *Conilurus mitchelli*, Ogilby, and *Antechinomys laniger*, Gould.

Moloney (Sir C. A.). [1883]

Governor of the Gold Coast.

12 Mammals from the Gambia, Lagos, and elsewhere in West Africa. Presented.

Including the types of *Vespertilio moloneyi* and *Gerbillus gracilis*.

Monckton (C. A. W.). [1904]

15 Mammals from British New Guinea, including the types of *Uromys moncktoni* and *Mus mordax*. Presented.

Monteiro (F. F.). [1864]

10 Mammals from Angola and the Congo. Purchased.

Mouhot. [1859]

43 Mammals from Siam, Camboja and Cochin China. Purchased.

Including the types of *Hylobates pileatus*, *Sciurus siamensis* and others. Other specimens—mostly bats—received in the Tomes collection. (See Gray, Proc. Zool. Soc., 1861, p 135.)

Murray (G. R. M.). [1887]

Keeper of Botany.

6 Mammals from Grenada, West Indies, collected during the Eclipse Expedition of 1886. Presented.

Nansen (FRITJOF). [1887]

Arctic explorer. Formerly Director of the Bergen Museum.

The skeleton of a male Killer (*Orca orca*) from Norway. Purchased.

Naylor (R. C.). [1876]

The skeleton of the well-known racer and sire "Stockwell." Presented.

Neumann (A. H.). [1893]

11 Mammals from East Africa and Zululand, including the types of several interesting forms, such as *Giraffa reticulata*, de Wint., *Nesotragus zuluensis*, Thos., *Gazella g. notata*, Thos., &c. Presented.

Newnes (Sir GEORGE), Bart. [1901]

A series of the skins and skulls of Seals collected during the Antarctic Expedition of the *Southern Cross*. Presented.

See "Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the *Southern Cross*," published by the Trustees, 1902.

The account of the Seals was written by Captain G. E. H. Barrett-Hamilton and Dr. E. A. Wilson.

Oates (E. W.). [1881]

24 Mammals from Pegu, worked out by Dr. J. Scully. Presented.

Oldham (Prof. T.). [1856]

89 skulls of Indian and Malayan Mammals collected by Mr. W. Theobald, and presented by him to Prof. Oldham. Presented.

Parnell (Dr. R.). [1843]

6 Bats from Jamaica, including the co-types of *Chilonycteris parnelli*, Gray. Presented.

Partridge (R.). [1842]

Heads of male and female Nilgiri Wild Goat (*Hemitragus hylocrius*). Types of Gray's "*Capra (Ibex) warryato*." Presented.

Patmore (Capt. C. MILNES). [1886]

A fine specimen of the Southern Sea Lion (*Otaria jubata*), and a separate head, from the Falkland Islands.

Payne (GEORGE). [1884]

13 human skulls from an Anglo-Saxon cemetery at Sittingbourne. Presented.

Described in the Proc. Soc. Antiquaries, Jan., 1884.

Pearce (ROBERT). [1846]

The skeleton of a Killer (*Orca orca*), from Weymouth. Co-type of *O. stenorhyncha*, Gray. (Proc. Zool. Soc., 1870, p. 71.)

Pease (Sir ALFRED E.). [1901]

17 Mammals from Southern Abyssinia, including the type of *Macroscelides peasei*, Thos. Presented. (See Thomas, Ann. Mag. N. H. (7) VIII., p. 154, 1901.)

Peel (C. V. A.). [1898]

Author of "Somaliland," 1900.

15 Mammals from Somali Land, including the types of *Gerbillus imbellis* and *peeli*, de Wint. Presented.

Pentland (J. B.). [1850]

Traveller in the Bolivian Andes.

6 Mammals from the high Puno of Bolivia. Presented.

Percival (A. B.). [1901]

64 Mammals from British East Africa and Uganda, including the type of a remarkable new bat (*Clæotis* (g. n.) *percivali*), and other interesting Mammals. Presented.

See also DODSON, W.

Perrens (RICHARD). [1894]

98 small Mammals from Goya, Corrientes, Argentina, being the first small Mammals prepared in modern fashion received from South America. Presented by Oldfield Thomas.

Including the types of *Ctenomys perrensi*, *Molossus currentium*, and others.

Perth Museum, Western Australia. [1900]

48 Mammals from Western Australia, and from Barrow Island; received in exchange, through the Curator, Mr. B. H. Woodward.

The types of *Macropus cervinus* and *woodwardi*, of *Perameles barrowensis* and of *Mus ferculinus*, all described by Thomas, are included.

Peters (Dr. W.). [1858]

Director of the Berlin Museum.

12 Mammals from Mozambique and the Zambezi, collected by Dr. Peters, being typical specimens of species described in his "Reise nach Mossambique—Säugethiere," 1852. Received in exchange.

A number of authentically named bats from the same source received with the Tomes collection.

Petherick (Consul J.). [1859]

10 Mammals from the Bahr el Gazal and the Upper Nile, including the typical heads of Mrs. Gray's Waterbuck (*Kobus mariæ*). (See Gray, Anu. Mag. N. H. (3), iv., p. 296, 1859.) Purchased.

Petrie (Prof. W. M. FLINDERS). [1888]

192 skulls of mummies from Egypt, and a number of mummied animals, mostly cats. One of the most interesting specimens is the skull of a Hartebeest (*Bubalis lehel*), a species no longer inhabiting the district. Presented.

Petterd (W. F.).

See HIGGINS, T.

Phillips (E. LORT). [1885]

55 Mammals from Somali Land, including the types of a number of new species, among which may be specially noticed the remarkable naked Rodent-mole (*Heterocephalus phillipsi*), *Acomys louisæ*, *Madoqua phillipsi*, and others. Presented.

Pierre (M.). [1878]

Director of the Botanic Gardens, Saigon.

55 Mammals from Cochin China and Siam. Presented.

Pratt (A. E.). [1898]

6 Mammals from China, including the types of *Hipposiderus pratti* and *Microtus chinensis*, Thos., and 6 from New Guinea. Purchased.

38 Mammals from Valdivia, Colombia, including the type of *Nectomys russulus*, Thos. Presented by Oldfield Thomas.

Pryer (H.). [1880]

49 Mammals from Japan, including the type of *Talpa mizura*, Günth. Purchased and presented.

Pryer (W. B.). [1879]

British Resident at Sandakan.

11 Mammals from British North Borneo, including the type of *Sciurus pryeri*, Thos. Presented and purchased.

Quelch (J. J.).

See McCONNELL, F. V.

Rae (Dr. J.). [1849]

Arctic explorer. Author of "Narrative of an Expedition to the Shores of the Arctic Sea in 1846 and 1847," with a list of Mammals by J. E. Gray, 1850.

39 Mammals from Arctic America. Presented and purchased.

Raffles (Sir STAMFORD), (1781-1826). [1830]

Various Mammals from his East Indian collections, mostly from Sumatra. Presented by Lady Raffles.

Owing to the disastrous loss of the great mass of Sir Stamford Raffles's collections by the burning of the *Fame*, the specimens actually received in England form but an insignificant proportion of those obtained by the founder of the Zoological Society. Happily, besides those presented by Lady Raffles, Sir Stamford sent a certain number through Dr. Horsfield to the Museum of the East India Company, and these, transferred to the British Museum in 1879, help to represent the work he did in this respect for the benefit of science. (See "Memoir of the Life and Public Services of T. S. Raffles," by his widow, 1830.)

Radcliffe (Col. C. DELMÉ). [1903]

85 Mammals obtained during the Anglo-German Uganda Delimitation Commission, and including the type of *Bubalus caffer radcliffei* and others. Presented.

See THOMAS and SCHWANN, P.Z.S., 1904, i., p. 459.

Rayner (Dr. F. M.). [1858]

Surgeon of H.M.S. *Herald*.

40 Mammals from the Fiji and other islands of the Pacific, collected during the voyage of H.M.S. *Herald*. Presented by the Admiralty.

Reade (F. WINWOOD). [1863]

Author of "Savage Africa," 1864.

Skin and skulls of *Taurotragus derbianus*, and a few other West African Mammals. Presented.

Reeves (JOHN RUSSELL). [1831]

A number of Mammals from India and China, being the first which came from the latter country. The types of *Felis chinensis*, *Helictis moschata*, *Paguma larvata*, and *Rhizomys sinensis*, Gray, were included in the collection. (See Gray, Proc. Zool. Soc., 1831, p. 94.)

Rendall (Dr. PERCY). [1889]

134 Mammals from the Gambia, Nyasaland, the Transvaal, and Trinidad, including the types of several new species, of which the most notable are *Vespertilio rendalli* and *Scotacacus albofuscus*, Thos.

Richardson (Major A. J.).

11 Mammals, mostly from the Transvaal and Orange River Colony, obtained during the Boer war. Presented.

Richardson (Dr., afterwards Sir JOHN). [1837]

Author of "Fauna Boreali-Americana: Quadrupeds," 1829.

A large number of specimens, mostly from North America, presented at various dates, many of them representing species described by himself.

Many of these specimens, as being types of early North American species, are of the utmost interest and importance, and in the recent exact study of North American Mammals, have constantly had to be referred to for comparison with modern material.

The types of *Sorex palustris* and *S. richardsoni*, *Neotoma drummondi*, *Spermophilus franklini*, Rich., *Putorius longicaudata*, *cicognani* and *richardsoni*, Bonap., and others are included in the series.

Rickett (C. B.). [1894]

162 Mammals from Foochow and Kuatun, South-East China. Presented.

Including the type of *Myotis ricketti*, Thos.

Robert (ALPHONSE). [1897]

Mammals from Montauban, Switzerland, presented by himself, and from the Pyrenees and South-West France, presented by Oldfield Thomas.

237 Mammals from São Paulo, Brazil; 108 from Minas Geraes, and 130 from Parana. Purchased.

131 from Matto Grosso. Presented by Mrs. Percy Sladen.

115 from Espirito Santo; 164 from Bahia; 126 from Pernambuco, and 112 from Para. Presented by Oldfield Thomas.

About 1200 specimens in all.

Although the Parana and São Paulo specimens have been purchased, the expedition was materially aided financially by the generosity of Sir William Ingram and the Hon. Walter Rothschild.

Mr. Robert is one of the best of modern collectors, and has been highly successful in obtaining valuable material, among others the types of *Lonchophylla* (g. n.) *mordax*, *Sciurus ingrami*, *Coendou roberti*, *Oxymycterus quæstor* and *roberti*.

Mr. Robert also accompanied Dr. Forsyth Major on the latter's expedition to Madagascar in 1894-96, and much of its success was due to his help.

Robinson (H. C.). [1896]

9 Mammals from Java, Australia and the Malay Peninsula. Presented.

91 Mammals from the Malay Peninsula, including 7 types, being the material on which an important paper by J. L. Bonhote ("Fasciculi Malayenses," vol. i., 1903) was based. Presented in conjunction with Mr. N. Annandale.

Rohu (H. S.). [1901]

15 Mammals from the Albert Edward Range, Central New Guinea. Purchased.

Including the type of a new Bat (*Philicor* (g. n.) *rohui*, Thos.).

Rosenberg (W.). [1897]

84 Mammals from Northern Ecuador, including the types of 9 new species, of which the most notable are *Artibeus rosenbergi*, *Neotomys saturatus*, *Echimys gymnurus*, and *Lepus andinus*, Thos. Presented by Oldfield Thomas.

Ross (B. R.). [1861]

47 Mammals from Fort Simpson and Fort Halkett, Hudson Bay Territories. Some presented by Andrew Murray, Esq., and others by Mr. Ross himself.

Ross (Capt. Sir JAMES), R.N. [1843]

The Seals obtained during the historic Antarctic voyage of H.M.S.S. *Erebus* and *Terror*, and described by Dr. Gray. Presented by the Admiralty.

Among these are the two original specimens of Ross's Seal (*Ommatophoca rossii*), a species not again obtained until the end of the century.

Also a number of Mammals from Tasmania. Presented.

Rothschild (Hon. N. CHARLES). [1898]

357 Mammals from various localities.

In connection with his study of the Pulicidae, Mr. Charles Rothschild has collected, or caused to be collected, a great many Mammals, and in order that these should not be wasted, he has had them properly prepared, and presented to the National Museum. The most important series is one obtained by himself and Mr. A. F. R. Wollaston, at Shendy, on the Upper Nile (see de Winton, *Novitates Zool.*, viii., p. 397, 1899), one from the Atbara, worked out by Mr. H. Schwann, and a further series from the Liu Kiu Islands, worked out by Mr. Bonhote.

Included types: *Gerbillus watersi*, de Wint., *Lepus rothschildi*, de Wint., *Mus caroli*, Bonh., and others.

Rothschild (Hon. WALTER), Trustee. [1894]

363 Mammals from various parts of the world. Presented.

The Museum owes to Mr. Rothschild both a considerable number of important large Mammals, presented for exhibition, such as the fine Elephant Seal (*Macrorhinus leoninus*), and a Giraffe, and also many highly interesting collections of small Mammals from different parts of the world, worked out by O. Thomas, and containing numerous types, of which may be specially mentioned: *Mallomys* (g. n.) *rothschildi*, *Dasyprocta coibæ*, *Coendou rothschildi*, *Phalanger melanotis*, etc.

Rudd (C. D.). [1903]

501 Mammals obtained during a systematic exploration of South Africa carried out by a trained collector, Mr. C. H. B. Grant. Presented.

This exploration is one of the most important events that has ever taken place towards the furthering of our knowledge of the Fauna of South Africa, for the collector is able to be sent to localities specially selected for the purpose, and the chief faunistic areas can therefore be systematically explored and compared. Collections have up to the present been made at the Cape, in Namaqua Land, the Wakkerstroom district of the Transvaal, and in Zulu Land. Mr. Grant is a good trapper and taxidermist, and the specimens that he has obtained are among the best that the Museum has ever received. Papers are being prepared by O. Thomas and H. Schwann on the collections as they arrive, the first, on that from Namaqua Land, being published, *P.Z.S.*, 1904, i., p. 171.

Rüppell (Dr. E.). [1836]

Mammals from Abyssinia. Purchased.

These specimens are from the famous exploring journey to Abyssinia which resulted in the important works, "Atlas zu der Reise im nördlichen Afrika von Eduard Rüppell," folio, 1826 (the Mammals by P. Cretzschmar), and "Neue Wirbelthiere zu der Fauna von Abyssinien gehörig, entdeckt und beschrieben von Dr. Eduard Rüppell," folio, 1835.

The series obtained by the Museum consists of co-types of many of the striking animals discovered by Dr. Rüppell, among which may be mentioned *Colobus guereza*, *Theropithecus gelada*, *Canis simensis*, *Sciurus multicolor*, *Tachyoryctes macrocephalus*, *T. splendens*, and *Gazella soemmerringii*.

Russia (H.I.M. the Emperor of). [1845]

2 specimens of the European Bison from Lithuania.

St. Petersburg Museum. [1892]

46 Mammals from Siberia, including typical specimens of many of the species discovered by the explorer Col. Przewalski, and described by Dr. E. Büchner in the "Mammalia Przewalskiana." Received in exchange.

Sallé (A.). [1848]

Traveller and Collector in Central America.

70 Mammals from Mexico and Central America, including the types of *Alouatta palliata*, Gray, *Geomys merriami*, Thos., and others. Purchased.

Salmon (J. K.). [1872]

60 Mammals from Medellin, Colombia. Purchased.

Types of *Hapale leucopus*, *Thrinacodus albicauda*, Günth., *Loncheres caniceps*, Günth., and *Nectomys grandis*, Thos., were included.

Salvin (OSBERT). [1865]

Joint editor, with Mr. F. Du Cane Godman, of the "Biologia Centrali-Americana."

233 Mammals from Central America.

Types of *Oryzomys couesi*, Alst., *Chiroderma salvini*, Dobs., and *Heteromys salvini*, Thos., are included. Presented and purchased.

Sambon (Dr. L.). [1901]

10 Mammals collected during malaria experiments of 1900 in the Roman Campagna, and including the type of the Roman Mole (*Talpa romana*). Presented.

Sanderson (Capt. G. P.). [1882]

Superintendent of Keddass, India.

Fine specimens of Indian Elephant, Tiger, &c. Among others the skull of a young specimen showing the milk tusks in position. Purchased and presented.

Slater (Dr. P. L.). [1886]

Secretary of the Zoological Society, 1859-1902.

259 Mammals from Somaliland and other localities, sent to him by various correspondents. Many of them typical of species described in the Proceedings of the Society. Presented.

Dr. Slater has always utilised his position to encourage possible collectors, and many of the finest series that the Museum has received have been commenced at his instigation.

Sclater (W. L.). [1887]

Director of the South African Museum, Cape Town.

9 Mammals from British Guiana, including the type of *Rhipidomys sclateri*, Thos. Presented.

Scully (Dr. J. H.). [1881]

23 Mammals from Gilgit and neighbouring localities. Presented.

The basis of Dr. Scully's papers, Proc. Zool. Soc., 1881, p. 197.

Includes typical specimens of *Microtus blanfordi*, Scully.

Seebohm (H.). [1879]

63 small Mammals from various localities. Presented.

Seimund (E.). [1904]

137 Mammals from the island of Fernando Po, including topotypes of a large number of long-described species and the type of *Scolonycteris bedfordi*. Presented by the Duke of Bedford, Mrs. Percy Sladen, and the Hon. W. Rothschild.

See THOMAS, P.Z.S., 1904, ii., p. .

Selous (F. C.). [1881]

South African sportsman and writer.

144 Mammals from South Africa, especially Rhodesia. Purchased and presented.

Mr. Selous obtained a fine series of large animals for the exhibition galleries of the Museum, besides presenting a valuable collection of small Mammals from Matabililand.

Types of *Cynictis selousi*, de Wint., *Georychus nimrodi*, de Wint., and others are included (see de Winton, Proc. Zool. Soc. 1896, p. 806.)

Selys-Longchamps (Baron E. DE). [1837]

A number of Voles, representative of species described in his paper, "Les Campagnols des environs de Liège," 1836, and other memoirs on the group. Presented.

Seoane (Dr. V. L.). [1885-93]

44 Mammals from Coruña, North-West Spain. Presented.

Sharpe (Sir ALFRED), K.C.B. [1892]

Commissioner of British Central Africa.

140 Mammals from Nyasaland, including the types of *Colobus sharpei*, *Raphiceros sharpei*, Thos., and other species. Presented.

Sir A. Sharpe, in succeeding Sir H. Johnston as Commissioner of Nyasaland, has continued the zoological exploration begun by the latter.

Simons (PERRY O.). [1898]

170 Mammals from Sinaloa, Western Mexico, including the types of 8 new species. Purchased through Mr. W. W. Price.

1240 Mammals obtained during a collecting expedition from Ecuador down the Andes of Peru and Bolivia into Argentina, made in 1898 and 1901. Presented by Oldfield Thomas.

Apart from that of A. Robert this is by far the most important expedition that has been made in South America up to the present time, and resulted in very large accessions to our knowledge of the regions explored and to the Museum collections.

No less than 1240 specimens, selected for the Museum, were obtained by Mr. Simons, besides large numbers of duplicates, and he discovered more than 60 new species, besides the new genera *Tomopeas*, Miller, *Andinomys*, and *Neotodon*, Thos. He also collected over 3000 birds, a large number of reptiles, and many thousand insects.

In January, 1902, to the great misfortune of the Museum, Mr. Simons was treacherously murdered by a Chilian guide when traversing the Andes, and so his wonderful collecting expedition came to an untimely end.

Sloane (*Sir HANS*). [1753]

The few specimens that can be identified as having come from the Museum of Sir Hans Sloane, the founder of the British Museum, are referred to above, p. 2.

Sladen (*Mrs. PERCY*). [1903]

181 Mammals from Chapada, Matto Grosso, collected by Mr. Alphonse Robert, and including the types of *Canis sladeni*, *Marmosa constantiae*, and 5 other new species. Presented.

See THOMAS, P.Z.S., 1904, ii., p. 232.

Mrs. Sladen also contributed towards the expense of the Seimund expedition to Fernando Po.

Sloggett (*Col. A. T.*), *C.M.G.* [1901]

A fine series of 316 Mammals from Deelfontein, Cape Colony, collected during the Boer War by Troopers C. H. B. Grant and E. Seimund. Presented.

Col. Sloggett had charge of the general hospital at Deelfontein during the war, and utilised the occasion to have the present series formed for the National Museum. The types of *Otomys sloggetti*, Thos., *O. unisulcatus granti*, Thos., and of the remarkable Kopje Hare (*Lepus monticularis*) are included.

Smith (*Sir ANDREW*). [1838]

141 Mammals from South Africa, illustrating Sir A. Smith's works on the Fauna of that country. The specimens first received were those obtained on the expedition led by Dr. A. Smith, as he then was, in 1834-5, for exploring the central parts of South Africa. These specimens were described in Dr. Smith's "Report of the Expedition for exploring Central Africa" (published in Cape Town in 1836), after which they were brought home to England, and exhibited in the Egyptian Hall in 1837,* and in 1838 sold by auction in order that funds might be obtained for further exploration. Others were purchased through different dealers.

Either at this first sale, through the Zoological Society's Museum, or later from the owner, the Museum obtained a fairly complete set of the specimens, including practically all the types of the species discovered by Sir Andrew Smith.

On the materials thus obtained Dr. Smith based his "Illustrations of the Zoology of South Africa—Mammalia," fol., pls. i.-lii., with letter-press, 1838-48. His earlier "African Zoology, Part I., Mammalia," published in the "South African Quarterly Journal," vol. ii., 1833-34, also contains descriptions of a number of new species of animals, the types of which have likewise been acquired by the Museum.

* See "Catalogue of the South African Museum now exhibiting in the Egyptian Hall in Piccadilly," 1837.

Smith (Dr. E. DONALDSON).

23 Mammals obtained during his various expeditions in N.E. Africa, notably those collected on his 1899 Somali to Nile trip. Presented.

Including types of several new species, of which the most notable are *Colobus a. poliurus*, *Crocidura smithii*, *Macroscelides boranus*, *Madoqua smithii* and *Gazella g. brightii*.

Smith (JOHN P. G.). [1844]

47 Mammals from Pernambuco and Para, including the types of several Bats described by Dr. Gray, of whom the donor was son-in-law.

Smith (Dr. J. A.), of Edinburgh. [1874]

17 small Mammals from Old Calabar, West Africa, including the types of *Pipistrellus brunneus*, and *Kerivoula smithii*, Thos.

Smithsonian Institution, Washington. [1866]

18 Bats from various parts of North America, determined by Dr. Harrison Allen, author of the "Bats of North America," 1864.

93 Rodents from North America, illustrating the Monographs of North American Rodentia, by E. Coues and J. A. Allen, 1877.

Smuts (J.). [1837]

Specimens "purchased at Publick Sale, 24 April, 1837, by Barrow and Kirkman; Imported by — Smuts, Esq., C.G.H."

79 Mammals, partly registered as from the Cape of Good Hope, and partly from the "Mus. Leyden."

The first are no doubt specimens from the collection on which Smuts's "Enumeratio Mammalium Capensium," Leyden, 1832, was founded; and the second, which are mostly Bats, appear to have been duplicate specimens from the Leyden Museum, named by its then director C. J. Temminck, and in many cases, therefore, are typical of species described by him.

Söderström (L.). [1896]

H.B.M. Consul at Quito.

127 Mammals from the highlands of Ecuador, including the types of a number of new species, of which the most notable are those of the Ecuadorean Pudu Deer (*Pudu mephistophelis*, de Wint.), *Ichthyomys söderströmi*, de Wint., *Coendou quichua*, Thos., and *Reithrodontomys söderströmi*, Thos. Presented.

South African Museum, Cape Town. [1869]

The skulls of seven Whales and Dolphins from South Africa, including some of the specimens described by Dr. Gray, Proc. Zool. Soc., 1865, p. 522. Presented.

Speke (Capt. J. H.). [1859]

26 Mammals collected during his various exploring expeditions in Africa. Presented. The specimens obtained during the East African Expedition of 1863 were described by Dr. Sclater (Proc. Zool. Soc., 1864, p. 98), and others by Dr. Gray. The types of *Tragelaphus spekei*, Sclater, *Heliphibius pallidus* and *H. albifrons*, Gray, and *Arvicanthis spekei*, de Wint., are among the series.

Spencer (Prof. BALDWIN). [1897]

13 Mammals from Central Australia, described in the "Report of the Horn Expedition," 1896. Presented.

Stanley (Capt. OWEN) and Mrs. Stanley. [1848]

21 Mammals collected during the voyage of H.M.S. *Rattlesnake*.

Steere (Prof. J. B.). [1876]

9 Mammals from the Philippines, including the types of *Sciurus steerei*, Günth., and *Nannosciurus concinnus*, Thos. Purchased.

Stockholm Museum. [1846]

99 Mammals from different localities, but chiefly from Sennaar (collected by Hedenborg) and South-Eastern Africa (collected by Wahlberg). These two latter collections were worked out by Prof. Sundevall (K. Vet. Ak. Handl. Stockholm, 1842, p. 189, and Öfv. Vet. Ak. Förhandl., iii., 1846, p. 118) and the series obtained for the Museum contains a number of specimens typical of species described by him.

Stolzmann (Dr. JEAN). [1881]

Director of the Branicki Museum, Warsaw.

32 Mammals collected in Peru, and forming the basis of a paper by Thomas (Proc. Zool. Soc., 1882, p. 98). Including the types of *Oryzomys stolzmanni*, *O. xanthæolus*, and *Akodon mollis*, Thos. Presented.

Streator (CLARK P.). [1898]

20 Mammals from California, all topotypes of described species. Presented by Oldfield Thomas.

Sturt (Capt.). [1846]

A few Mammals obtained during Capt. Sturt's expedition to the interior of Australia. Presented.

See "Narrative of an Expedition into Central Australia during the years 1844-46," 1849. (Appendix on the Mammals.)

Styan (F. W.). [1886]

182 Mammals from China. Some purchased, but the majority presented.

The collections of Mr. Styan have added very materially to our knowledge of the mammalian fauna of China. Many new species have been discovered by Mr. Styan, among others *Ia io*, Thos., *Chimarrogale styani*, de Wint., *Sciurus styani*, Thos., *Cricetulus triton*, de Wint., and *Ailurus fulgens styani*, Thos.

Surgeons, Royal College of. [1841]

Three valuable Dolphins, the types of *Cephalorhynchus heavisidei*, Gray, *Prodelphinus obscurus*, Gray, and *Delphinus capensis*, Gray, collected by Capt. Heaviside at the Cape of Good Hope, and presented by him to the College of Surgeons. Presented by the Trustees of the College in 1841.

Swayne (General E. J.). [1891]

48 Mammals from Somali Land, including the types of *Bubalis swaynei*, Selater, and *Madoqua swaynei*, Thos. Presented.

Swinhoe (Col. CHARLES). [1881]

12 Mammals from Kandahar, described by Dr. J. Scully (Ann. Mag. N. H. (5), viii., p. 222, 1881), and including the type of *Gerbillus swinhoei*, Scully. Presented.

Swinhoe (ROBERT). [1861]

H.B.M. Consul in China. Author of many papers on the fauna of China.

245 Mammals from China, Formosa and Hainan, being the materials on which his papers on the Mammals of those localities (Proc. Zool. Soc. 1862, p. 347, and 1870, pp. 224 and 615), were based. Presented and purchased. Among the types are those of *Cervus hortulorum*, Swinh.; *Pipistrellus pulveratus*, Peters; *Erinaceus dealbatus*, Swinh.; *Talpa leptura*, Thos.; *Helictis subaurantiaca*, Swinh.; *Meles chinensis*, Gray; *Petaurista grandis*, Swinh.; *Mus losea* and *M. coxingi*, Swinh.; *Lepus swinhoei*, Thos.; *Capricornis swinhoei*, Gray; *Cervus swinhoei*, Gray; and *Hydropotes inermis*, Swinh.

Sykes (Col. W. H.). [1842]

10 Mammals from the Deccan. Presented.

These are original specimens from the material described in Col. Sykes's "Catalogue of the Mammalia noticed in Dukhun" (Proc. Zool. Soc., 1831, p. 99), and include the types of *Canis pallipes*, *Cuon dukhunensis*, and *Hystrix leucura*.

Certain other specimens from Col. Sykes's Deccan collection (e.g., the co-types of *Sciurus elphinstonei*) were received with the India Museum collection in 1879.

Tankerville (CHARLES, 5th Earl of). [1839]

A Chillingham Bull.

The head of this Bull is now mounted, the body having been destroyed when a fresh specimen arrived in 1890.

Tankerville (CHARLES, 6th Earl of). [1890]

A Chillingham Bull and the skeleton of a Cow. Presented.

Taylor (WILLIAM). [1884]

118 small Mammals from San Diego, Texas, including the type of *Peromyscus taylori*, Thos. Presented. (See Proc. Zool. Soc., 1888, p. 443.)

Thomas (OLDFIELD). [1880]

Assistant, 1876.

3136 Mammals, of which about 300 were obtained by himself in England, Europe, and South America, and the remainder, mostly South American, collected by G. D. Child (Bogotá), A. E. Pratt (Colombia), G. K. Cherric (Orinoco), C. Engelke (Santa Marta), H. J. Watson (Chiriqui), R. Perrens (Corrientes), L. Dinelli (Tucuman), S. Briceño (Merida), F. M. Chapman (Trinidad), D. Coolidge and C. P. Streater (California), G. and O. Garlepp (Peru), J. H. Batty and G. Hopke (Colombia), R. Miketta (Ecuador), Perry O. Simons (Andes of Ecuador, Peru, Bolivia and Argentina), and A. Robert (Espirito Santo, Bahia, Pernambuco and Para. Presented.

Thomasset (H. P.). [1896]

46 Mammals from the Transvaal, including several which had not been obtained since the time of Sir Andrew Smith. Presented.

Thomson (Dr. T. R. H.), B.N. [1842]

26 Mammals from Fernando Po. Presented.

Including the types of *Poiana richardsoni*, Gray, and *Kerivoula poensis*, Gray, and the first specimens of *Anomalurus* received by the Museum.

Dr. Thomson went with the Niger Expedition, and gave to the Museum a duplicate set of the Mammals obtained, the first set going in Mr. L. Fraser's name to the Zoological Society's Museum (see Waterhouse, Proc. Zool. Soc., 1842, p. 124), whence they were afterwards transferred to the British Museum.

(See also Allen, Capt. W., and Thomson, Dr. T. R. H., "A Narrative of the Expedition to the River Niger," 1848. Appendix, vol. ii., p. 472.)

Tomes (ROBERT F.).

About 500 specimens, chiefly bats, from the collection brought together during the years 1845-1863, when Mr. Tomes was working systematically at Mammals. Purchased from the executors.

This is the most important accession that the Museum has received since the incorporation of the India Museum in 1879, for Mr. Tomes was a voluminous contributor to the Proceedings of the Zoological Society, and these specimens form the material on which his papers were based.

He obtained specimens from all possible sources, and several noteworthy collections passed into his possession; of these may be specially mentioned:—

1. A number of skeletons of Bats, presented to Mr. Tomes by Prince C. L. Bonaparte, and representing species described by the latter in his "Fauna Italica" (1832). The history and condition of these specimens are described by Mr. Tomes, Proc. Zool. Soc., 1858, p. 81, footnote.

2. A large number of Bats collected by Mr. A. R. Wallace in the Malay Archipelago.

3. The Bats obtained by Mr. H. W. Bates on the Amazons.

4. The Bats collected by Mr. C. J. Andersson in Damaraland, and described by Mr. Tomes, Proc. Zool. Soc., 1861, p. 31. (Types of three species included).

5. A selection of Bats and other small Mammals from Mozambique, collected and named by Prof. Peters, whose species they represent.

6. A large number of Bats formerly in the Zoological Society's Museum, which was broken up about the time Mr. Tomes was collecting. These include many historical and typical specimens, such as the co-types of *Scotophilus heathi*, described by Horsfield in 1831.

7. The small Mammals collected by L. Fraser in Ecuador, and worked out by Mr. Tomes in the Proceedings of the Zoological Society (Proc. Zool. Soc., 1858-1860). These include, among others, the original "*Hyracodon* (= *Cænolestes*) *fuliginosus*," the first example of the *Epanorthidæ* to be discovered.

From 1863, when he wrote the paper on *Hyracodon*, to his death in 1904, Mr. Tomes worked no more on exotic Mammals, but his collection, at least so far as the skins are concerned, remains happily in perfect preservation.

34 types have so far been identified as being in the collection.

Transit of Venus Expedition of 1875. [1876]

Specimens of *Pteropus rodricensis*, and a number of bones of Seals and other Mammals from Rodriguez and Kerguelen. Presented by the Royal Society.

Trevelyan (*Capt. HERBERT*). [1875]

37 Mammals from South Africa, including the type of the Giant Golden-Mole (*Chrysospalax trevelyani*, Günth.) from the Pirie Bush. Presented.

Tristram (*Rev. Canon H. B.*). [1864]

80 Mammals from Palestine, being part of the series on which Canon Tristram's paper, "Report on the Mammals of Palestine" (Proc. Zool. Soc., 1866, p. 84), was based.

The types of *Lepus judææ*, Gray, *Meriones tristrami*, Thos., and *Psammodromys terræ-sanctæ*, Thos., are in this collection. Purchased and presented.

Turner (*JOHN*). [1838]

55 Mammals, many of them large, from South America, Sumatra, the Northern Circars, India, and elsewhere.

Among others the typical skins of "*Antelope zebra*," Gray (*Cephalophus doriaæ*, Ogilvie), were purchased in this series.

Turner (*Rev. W. Y.*). [1878]

17 Mammals from Demerara, including the types of *Didelphis turneri*, Günth., and *Canis rudis*, Günth. Purchased.

Underwood (*C. F.*). [1895]

105 Mammals from Costa Rica, including many species new to the collection, and the types of *Glyphonycteris* (g. n.) *sylvestris*, and *Hylonycteris* (g. n.) *underwoodi*, Thos. Purchased.

United States National Museum.

25 Mammals, mostly from the Malayan collections of Dr. Abbott, and including representative specimens of a number of forms new to the British Museum, notably the remarkable monkey *Simias concolor*. Received in exchange.

United States Department of Agriculture. [1889]

233 Mammals from the United States and Mexico, illustrating the working out of North American Mammals which has been carried on by the Department. Presented through the Director, Dr. C. Hart Merriam.

The fine, but careful, distinction of closely allied species and subspecies typical of modern American work is well illustrated by the series of Chipmunks (*Tamias*) sent by Dr. Merriam to the Museum.

Vardon (*Capt. FRANK*). [1850]

The typical specimen of the Lechee Antelope (*Kobus lechee*) from the R. Zouga.

Verreaux (*THE MAISON*). [1837]

Besides the large number of animals purchased from the brothers Verreaux as general natural-history dealers, the earlier collections had special reference to South Africa, and included many specimens collected and described by Dr. Andrew Smith (q.v.).

Wallace (Dr. ALFRED R.). [1856]

The famous traveller and writer.

123 Mammals from the East Indian Archipelago, including many types of species described by Dr. Gray; the most notable are those of *Reithrosciurus macrotis*, *Mus xanthurus* and *celebensis*, *Phalanger celebensis*, and *ornatus*, and *Phascogale wallacei*.

A number of Bats received in the Tomes collection.

Ward (Col. A. E.). [1903]

A number of Mammals from Kashmir, including the types of *Ochotona wardi*, *Microtus imitator*, and others. Presented.

Ward (ROWLAND). [1889]

65 Mammals, mostly large, from various localities. Presented.

For many years Mr. Rowland Ward has lost no opportunity of encouraging sportsmen to present specimens to the National Museum, and is himself the donor of no inconsiderable number. Among these latter are the type-specimens of *Ovibos m. wardi*, Lyd., and *Oryx callotis* and *Cervicapra wardi*, Thos.

Waterhouse (F. G.). [1870]

Director of the Adelaide Museum.

19 skulls of Wombats and other Marsupials from South Australia. Presented.

Waterhouse (GEO. R.). [1860]

Author of the "Natural History of the Mammalia," 1846-48. Curator of the Zoological Society's Museum, and afterwards Keeper of the Geological Department in the British Museum.

41 skins and skulls of small Mammals from various localities; among others the type of *Phascogale swainsoni*, Waterh. Presented.

Watson (H. J.). [1900]

218 Mammals from Bogava, Chiriqui, Panama, including the types of 14 new species. Mostly presented by Oldfield Thomas.

Wellington Museum, New Zealand. [1876]

Some Bats and Rodents, and an important collection of Pinnipedian and Cetacean skulls and skeletons from New Zealand, including skeletons of *Neobalæna marginata* and *Mesoplodon hectori*. Received in exchange.

Welwitsch (Dr.). [1866]

30 Mammals from Angola. Presented.

Whitaker (J. I. S.). [1894]

156 Mammals from Morocco, Tunis, and Tripoli, mostly collected by E. Dodson, and others from Sicily. Presented.

The African specimens are the results of expeditions sent out by Mr. Whitaker into the countries mentioned, and have proved of very great interest. They have formed the bases of the following papers:—de Winton, "On a Collection of Mammals from Morocco" (Proc. Zool. Soc., 1897, p. 593); Thomas, "On the Mammals collected during the Whitaker Expedition to Tripoli" (*Ibid.*, 1902, p. 2).

Types of 12 new species are included, of which the most noticeable are those of *Crocidura whitakeri* and *Lepus atlanticus*, de Wint., and *L. whitakeri*, and *Otenodactylus vali*, Thos.

The Sicilian series also includes types of *Glis insularis*, *Eliomys pallidus* and other species described by Barrett Hamilton.

Whitehead (JOHN). [1894]

69 Mammals from Mount Kina-Balu, North Borneo—presented by Oldfield Thomas—and 62 from the Island of Luzon, Philippines—presented by the subscribers to the Whitehead Fund.

Mr. Whitehead was one of the most successful collectors in the East Indian Archipelago, and was the first to make zoological explorations on Mount Kina-Balu and on the Data range in Luzon. At both localities he found a large number of new forms, and at the latter especially many remarkable animals were discovered, no less than eight representing new genera. The most notable are *Harpyionycteris whiteheadi*, *Rhynchomys soricoides*, *Carpomys melanurus* and *C. phæurus*, *Chrotomys whiteheadi*, and *Batomys granti*. (See Proc. Zool. Soc., 1889, p. 228, and Trans. Zool. Soc., xiv., p. 377, 1898.)

Whitely (H.). [1866]

Zoological collector.

23 Mammals from Japan and Peru. Purchased.

Including types of *Mazama whitelyi*, Gray, and *Odocoileus peruvianus*, Gray.

Whyte (ALEXANDER). [1877]

24 Mammals from Kandy, Ceylon. Purchased.

Mr. Whyte was for many years collector and naturalist to the Nyasa Administration under Sir H. H. Johnston, and the actual collector of the majority of the specimens from that region presented by the latter gentleman (q.v.).

Widdrington (Capt. S. E.). [1842]

A Lynx and a Mongoose from the Sierra Morena, Andalucia, the latter the type of Gray's *Herpestes widdringtoni*. Presented.

Wilcox (J. F.). [1875]

The typical specimens of *Macropus wilcoxi*, Gray, from New South Wales. Presented.

Williams (Col. W. H.), R.A. [1893]

A very interesting series of small Mammals from Van, Kurdistan, including the types of *Ellobius lutescens* and *Allactaga williamsi*, Thos. Also some specimens from Uganda. Presented.

Witherby (H. F.). [1902]

18 Mammals from Persia, including the type of *Mus witherbyi*, Thos. Presented.

46 specimens from the Soudan, including the types of *Acomys witherbyi* and *Glauconyctius floweri*, de Wint.

Wolffsohn (J. A.). [1897]

273 Mammals from the neighbourhood of Valparaiso. Presented.

The series of Mammals collected and presented by Mr. J. A. Wolffsohn is one of particular value owing to its containing topotypical examples of the many species described by early writers on Chilian Zoology. The specimens have been of constant service in working out the Mammals obtained by Messrs. Simons, Dinelli, Foster, and other recent collectors.

Wolterstorff (Dr. W.). [1892]

34 Mammals from Magdeburg and other parts of Germany. Presented and purchased.

Besides the specimens actually presented by him, the Museum owes to the kindness of Dr. Wolterstorff large numbers of specimens obtained by his friends in different parts of Germany and prepared by his taxidermist in Magdeburg.

Woodford (C. M.). [1887]

73 Mammals, especially Bats, from the Solomon Islands. Purchased.

This series formed the first important collection ever made in the Solomon Islands, and contains the types of many new and interesting forms—among others, of *Pteralopex* (g. n.) *atrata*, *Pteropus woodfordi*, *Nesonycteris* (g. n.) *woodfordi*, *Anthops* (g. n.) *ornatus*, described by O. Thomas (Proc. Zool. Soc., 1887, p. 320, and 1888, p. 470).

Woosnam (R. B.) and Dent (R. E.). [1904]

129 Mammals from Kuruman, South Africa. Purchased.

Wroughton (R. C.). [1896]

An officer in the department of Woods and Forests, Bombay.

214 Mammals, chiefly Bats, from the Bombay Presidency. Presented.

Including the type of *Ratufa dealbata*, Blanford, of *Scotophilus wroughtoni*, Thos., and of *Pipistrellus chrysothrix* and *P. mimus*, Wroughton.

(See Wroughton, "Some Konkan Bats," Journ. Bombay N. H. Soc., 1899, p. 716.)

Also 52 specimens from Natal.

Yerbury (Col. J. W.). [1884]

109 Mammals from Aden. Presented.

Our knowledge of the Aden fauna is very largely due to Col. Yerbury's collections. (See Yerbury and Thomas, "The Mammals of Aden," Proc. Zool. Soc., 1895, p. 542.)

Zoological Society of London. [1847]

Various animals from the Menagerie in Regent's Park, among them a number of Hybrid *Equidæ* bred at the Gardens. Presented.

Zoological Society's Museum. [1852-60]

The Zoological Society's deciding in 1851 to give up keeping a Museum of its own, a selection of the specimens contained therein was transferred, partly by purchase and partly by presentation, to the British Museum. The collection thus received, numbering nearly 1500 examples, forms with that of the India Museum the most important addition from a historical point of view that the Museum has ever received. It contained all or nearly all of the specimens described in the early days of the Society in its 'Proceedings,' and the whole collections of many of the founders of Zoology in Great Britain. Thus there are in it the specimens obtained, and in many cases described, by Dr. Bachman, Sir John Richardson, Messrs. Dickson and Ross, Sir Stamford Raffles, Sir Andrew Smith, Mr. D. Douglas, Gen. Hardwicke, Mr. Hugh Cuming, Col. Sykes, Charles Darwin, Capt. P. P. King, Mr. B. H. Hodgson, Dr. Kelaart, Rajah Brooke, and others, besides many types of species described by Mr. Geo. R. Waterhouse (the Curator of the Museum and the author of its

Catalogue and of the "Natural History of Mammalia," 1846-48), by Mr. Martin, Mr. Ogilby, L. Fraser, E. T. Bennett, Dr. J. E. Gray, Mr. Reid, Dr. T. Bell, Mr. Vigors, Dr. Horsfield, and others.

A number of the Bats in the Society's Museum, including several types, were acquired by Mr. R. F. Tones, and have now been received with his collection.

THE TYPES IN THE COLLECTION.

The value of type-specimens, and the index which their possession gives to the importance of a Museum, are now so universally recognised that a few lines may be devoted to the richness of the British Museum in this respect.

While the types contained in most European museums are mainly those described by the successive officials, those in the British Museum—partly owing to its having so long been the centre of British work on Mammals, and partly to the incorporation of the contents of other museums, themselves in their time centres of activity—represent the work of an exceptionally large number of naturalists, whose names it may be of interest to record.

These fall naturally into two groups, as follows:—

I.—AUTHORS, THE WHOLE OR GREATER PART OF WHOSE TYPES ARE IN THE MUSEUM COLLECTION.

ALSTON, E. R.	HORSFIELD, T.
BARRETT-HAMILTON, G. E. H.	LEACH, W. E.
BENNETT, E. T.	LYDEKKER, R.
BLANFORD, W. T.	MAJOR, C. I. F.
BONHOTE, J. L.	MARTIN, W. C. L.
BROOKE, SIR V.	OGILBY, W.
BURCHELL, W.	POCOCK, R. I.
DE WINTON, W. E.	RAFFLES, SIR T. S.
DOBSON, G. E.	RICHARDSON, SIR J.
DU CHAILLU, P.	SCLATER, P. L.
ELLIOT, SIR W.	SMITH, SIR A.
FRASER, L.	SMITH, C. HAMILTON.
GRAY, J. E.	SWINHOE, R.
GOULD, J.	THOMAS, O.
GÜNTHER, A.	TONES, R. F.
HODGSON, B. H.	WATERHOUSE, G. R.

II.—AUTHORS REPRESENTED BY ISOLATED TYPES IN THE
MUSEUM COLLECTION.

ALLEN, J. A.	LORD, J. K.
ANDERSEN, K.	MERRIAM, C. H.
ANDERSON, J.	MCCLELLAND, J.
BACHMAN, J.	MILLER, G. S.
BALL, R.	MITCHELL, D. W.
BARTLETT, E.	MURRAY, A.
BELL, T.	MURRAY, J. A.
BLAINVILLE, H. DE.	NEUMANN, O.
BLYTH, E.	OWEN, R.
BODDAERT, P.	PEARSON, R.
BONAPARTE, PRINCE C. L.	PETERS, W.
CANTOR, T.	REID, J.
ELLIOT, D. G.	ROTHSCHILD, HON. W.
FLOWER, SIR W.	SCHARFF, R. F.
GOSSE, P. H.	SCHWANN, H.
HARDWICKE, T.	SCLATER, W. L.
HARRIS, W. C.	SCULLY, J.
HILL, R.	SHAW, G.
HOSE, C.	SHELFORD, R.
HUTTON, T.	SYKES, W. H.
KELAART, E. F.	TAYLOR, J. H.
KERR, R.	TROUESSART, E. L.
KUHL, H.	TURTON, W.
LATASTE, F.	VIGORS, N. A.
LICHTENSTEIN, H.	WAGNER, J. A.
LINNÆUS, C.	WROUGHTON, R. C.

In addition, specimens received from the Leyden Museum are co-types of species described by Temminck, Müller, and Schlegel, from the Senekenberg Museum of Rüppell, from the Christiania Museum of Collett, from the Copenhagen Museum of Lund and Winge, and from the Stockholm Museum of Sundevall.

This list of authors, whose work is represented wholly or in part by the collections in the British Museum is probably unequalled for length and interest, especially when it is remembered that specimens have not been systematically sent out for description, as is the case elsewhere, but that the successive officials have themselves worked out and described on arrival the great mass of the fresh accessions.

The resulting number of types is consequently very great, and is probably not approached by that in any other Museum. This is especially the case, if attention be directed to the more distinct forms of Mammal life, the "good species" of older writers, which indicate the first discovery of really distinct

animals. Owing to the systematic study of Mammals having synchronised so closely with the growth of the British Empire, the discovery of such distinct species has fallen very largely into the hands of contributors to the British Museum.

With the modern finer methods of distinction, it is possible that in mere numbers of types other collections may in time rival the British Museum, but they can never approach it in regard to the historical interest always attaching to the first discovery of wholly new forms.

CATALOGUES.

A list of the Catalogues of Mammals in the British Museum is given here, as the names, dates, and authors indicate the progress of the Collection and the work which was being done upon it at different times.

- 1843.—List of the specimens of Mammalia. By J. E. Gray.
- 1846.—Catalogue of the specimens and drawings of Mammals, *etc.*, of Nepal and Thibet, presented by B. H. Hodgson, Esq. By J. E. Gray.
- 1847.—List of Osteological specimens. By J. E. Gray.
- 1850.—Catalogue of the specimens of Mammalia. By J. E. Gray. Part I. Cetacea.
- 1850.—Catalogue of the specimens of Mammalia. By J. E. Gray. Part II. Seals.
- 1852.—Catalogue of the specimens of Mammalia. By J. E. Gray. Part III. Ungulata Furcapeda.
- 1859.—Catalogue of the Mammalia of New Guinea in the British Museum. By J. E. Gray.
- 1862.—Catalogue of the Bones of Mammalia. By E. Gerrard.
- 1866.—Catalogue of Seals and Whales. 2nd Edition. By J. E. Gray.
- 1869.—Catalogue of Carnivorous, Pachydermatous and Edentate Mammalia. By J. E. Gray.
- 1870.—Catalogue of Monkeys, Lemurs, and Fruit-eating Bats. By J. E. Gray.
- 1871.—Supplement to the Catalogue of Seals and Whales. By J. E. Gray.
- 1872.—Catalogue of Ruminant Mammalia. By J. E. Gray.
- 1873.—Hand-list of the Edentate, Thick-skinned, and Ruminant Mammals. By J. E. Gray.
- 1874.—Hand-list of Seals, Morses, Sea-Lions, and Sea-Bears. By J. E. Gray.
- 1878.—Catalogue of the Chiroptera. By G. E. Dobson.
- 1884.—Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. *Alert*—Mammals. By O. Thomas.
- 1885.—List of the specimens of Cetacea. By W. H. Flower.
- 1888.—Catalogue of the Marsupialia and Monotremata. By O. Thomas.
- 1900.—A Monograph of Christmas Island: Mammals. By C. W. Andrews.
- 1902.—Report on the collections made during the voyage of the *Southern Cross*—Seals. By G. E. H. Barrett-Hamilton and E. A. Wilson.

2. DOMESTICATED ANIMALS, HYBRIDS, AND ABNORMALITIES.

By R. LYDEKKER, F.R.S.

IN the earlier days of the Museum, specimens of domesticated animals, together with hybrids, were included in the exhibited series of mounted skins; while skeletons and skulls were collected or received, as opportunity occurred, for the osteological series. The Museum Catalogues issued during the time when the Zoological Department was under the charge of the late Dr. J. E. Gray took cognisance of specimens of the above nature, a large number of which are entered in several of these publications, more especially Mr. E. Gerrard's "Catalogue of the Bones of Mammalia."

When the late Sir William Flower undertook the rearrangement of the Mammal Galleries in 1896, the exhibited specimens of domesticated animals (with the exception of a few, such as the Indian humped ox, and the llama, which represented species by themselves) were removed from the series and placed in store; this being done in the case of skins and skeletons alike. It should, however, be mentioned that, even under this new departure, domesticated breeds were by no means excluded from the exhibited series. For Sir William Flower himself caused a series of specimens of the various breeds of pigeons, and another of canaries, as well as a few fowls, to be mounted and exhibited in the Central Hall, in illustration of the range of variation in individual species under the influence of man.

Recognising the importance of illustrating still more fully this wonderful variability, and at the same time being desirous of securing for posterity specimens of the domesticated breeds of the present day (and, whenever possible, of past years also), Professor Ray Lankester, the present Director, determined to devote the greater portion of the North Hall to the exhibition of specimens of this nature, as well as of hybrids and abnormalities of all kinds. So soon as it was found practicable to put this idea into working order, such of the mounted specimens of skins

of domesticated breeds and hybrids as were in a fit state for exhibition were put on view in the North Hall, together with a selection of skeletons and skulls. Steps were at the same time taken to acquaint breeders at home, and the officials of museums abroad, that the collection of domesticated breeds and hybrids was in course of reorganisation and development; and the Director takes this opportunity of thanking those concerned for the cordial response they have made to his request for assistance.

As new specimens were received and mounted, a large proportion has been added to the exhibited series. Others, however, more especially skulls and skeletons, have been placed in the basement to form the nucleus of a study series. A large number of skulls and skeletons of domesticated breeds are still included with the store series of Mammalian osteology in the upper part of the building—mainly for the reason that opportunity has not yet been found for sorting them out and carrying them below. It should be added that a collection of photographs of modern breeds forms an essential part of the scheme. And also that, when practicable, the various breeds should be represented by skins and skeletons of well-known animals—more especially prize-winners. It is thus hoped that in the course of time the collection will be of the highest value to the breeder, as well as to the student of variation.

The following are some of the more important items in this series :—

About 1827.

Lion-tiger hybrid (young); born at Edinburgh in Atkins's menagerie, 1826 or 1827.

About 1836.

Galla ox horns.—*Presented by Captain H. Clapperton, R.N., and Lt.-Col. D. Denham.*

About 1840.

Hungarian bull, stuffed; head alone now preserved.

1845.

A large series of skulls and skeletons of Indian and Tibetan (as well as some European) mammals. These include dogs, cattle, sheep, goats, pigs, horses, etc.—*Presented by B. H. Hodgson, Esq.*

1847-48.

Two stuffed hybrids between domesticated ass and Burchell's zebra.—*Zoological Society.*

Specimens of llamas, and skulls of Gambian oxen.—*Presented by the Earl of Derby.*

1856.

A series of skulls of Indian pariah dogs.—*Presented by Dr. T. Oldham.*

Skulls of English and Italian greyhounds.—*Presented by W. Yarrell, Esq.*

1858.

Skull of Chinese "Chow-chow" dog, and skeleton of hornless goat.—*Zoological Society.*

1859.

A series of skulls of German breeds of dogs, sheep, etc.—*Dr. A. Günther.*

Old English bulldog skull.—*Presented by Mr. E. Gerrard.*

1862.

Galla ox skull.—*Zoological Society.*

1865 (?).

Skeleton of Piedmont bull.—*Presented by H.M. King Victor Emanuel II. of Italy* (to the Zoological Society, from whom it was purchased by the Trustees).

1867.

A series of sheep and other skulls.—*Dr. T. G. Van Lidth de Jeude.*

Formosan ox skull.—*Presented by R. Swinhoe, Esq.*

1876.

Skeleton of English racehorse, "Stockwell," winner of the Two Thousand Guineas and St. Leger, 1852.—*Presented by J. C. Naylor, Esq.*

1882.

Head and skull of Irish wolf-hound, "Monica."—*Presented by Capt. G. A. Graham.*

1884.

Humped Indian bull.—*Zoological Society.*

Head and skeleton of great Dane, "Jupiter."—*Presented by F. Adeock, Esq.*

1885.

Head and skull of Griffon hound.—*Presented by F. Adeock, Esq.*

1887.

Skull of Niata bull.—*Señor G. Claraz.*

Japanese long-tailed fowls.—*Presented by the Tokio Museum.*

Skeleton of Poitou ass.—*Presented by C. L. Sutherland, Esq.*

1888.

Mounted skin and skeleton of English mastiff.—*Presented by H. D. Kingdon, Esq.*

Skeleton of mule.—*Presented by C. L. Sutherland, Esq.*

1890.

Chillingham wild bull.—*Presented by the Earl of Tankerville.*

Skeleton of Chillingham bull.—*Presented by the Duke of Hamilton.*

1891-95.

A series of specimens of domesticated canaries.—*Presented by various donors, mainly through the instrumentality of W. H. Betts, Esq.*

Thirty-two specimens of domesticated pigeons.—*Presented by different donors at the instigation of T. B. C. Williams, Esq.*

1896.

Head of wild goat from Skye.—*Presented by Sir Donald Currie.*

1897.

Head of Scotch wild goat.—*Presented by C. Grenfell, Esq.*

1899.

Greyhound, "Fullerton," mounted skin and skeleton, winner of Waterloo Cup, 1889-1892.—*Presented by Sir W. J. Ingram, Bart.*

1900.

A series of specimens of domesticated rabbits.—*Presented by Inspector A. Brazier* (some in 1901).

Fat-tailed sheep, mounted skin and skeleton.—*Presented by W. L. Sclater, Esq.*

A number of skulls of ancient Egyptian cattle, goats, and dogs.—*Presented by Prof. W. M. Flinders-Petrie.*

Egyptian goat, mounted skin and skeleton.—*Purchased.*

Smoke Persian cat.—*Presented by W. F. Heath, Esq.*

1901.

Head and feet of English racehorse, "Corrie-Roy."—*Presented by Sir J. B. Maple, Bart.*

A series of specimens of domesticated mice.—*Presented by Sir W. J. Ingram, Bart.*

A number of miniature models of cattle, sheep, pigs, and horses.—*Purchased* (some in 1902).

Head of Cape trek-ox.—*Presented by South African Cold Storage Co.*

Head of Jersey bull; head and skeleton of bloodhound, "Champion Babbo," winner of 21 first prizes; and skulls of other bloodhounds.—*Presented by E. Brough, Esq.*

Agora goat.—*Presented by J. E. Whittall, Esq.*

Four-horned ram.—*Presented by G. E. Bacon, Esq.*

Head of Highland ram.—*Presented by A. J. H. Campbell, Esq.*

Male Afghan greyhound.—*Presented by Mrs. Whitbread.*

Skull of Devon ox.—*Presented by F. Hamlyn, Esq.*

Skeleton of Niata bull.—*Presented by Dr. H. P. Moreno.*

Shropshire Sheep.—*Presented by Lord Wenlock, G.C.S.I.*

Head of Shorthorn bull, "Scottish Archer."—*Presented by Lord Middleton.*

1902.

Great Dane dog, "Champion Viking of Redgrave," winner of many prizes.—*Presented by Mrs. H. L. Horsfall.*

Head and skull of Angora goat.—*Presented by Messrs. J. Foster, Limited.*

South African piebald ram.—*Presented by E. C. Lowndes, Esq.*

Head and skeleton of ditto.—*Presented by the Duke of Devonshire, K.G.*

Hedjaz fat-rumped sheep, and skull of Sudan sheep.—*Presented by Capt. Stanley S. Flower.*

Spanish fighting bull.—*Presented by E. F. Johnston, Esq.*

Black Chow-chow dog, winner of 6 first prizes and medals, head of female red Chow-chow, "Champion Tien," and Eskimo dog, "Farthest North," leader of Lieut. Peary's team in Grinnell-land.—*Presented by Miss Casella.*

Irish wolf-hound, "O'Leary."—*Presented by G. E. Crisp, Esq.*

St. Bernard dog, "The Deemster," winner of 25-guinea challenge cup.—*Presented by H. B. Snary, Esq.*

Fawn mastiff, "Tarquinius," winner of several prizes.—*Presented by W. K. Taunton, Esq.*

Skeleton of deerhound, "Champion Rufford Bend-Or," winner of 50 prizes.—*Presented by F. L. Armstrong, Esq.*

Head and skeleton of brindled mastiff, "Kathleen of Riverside," winner of 40-guinea challenge cup, 1898 and 1900.—*Presented by W. K. Taunton, Esq.*

1903.

Skull of English racehorse, "Bend-Or," Derby winner, 1880.—*Presented by the Duke of Westminster.*

Head of Red Kerry Dexter cow.—*Presented by Mrs. Leatham.*

Head of Highland bull.—*Presented by J. H. Leigh, Esq.*

Pariah dogs. India.—*Purchased.*

Dun Khatiawar pony.—*Presented by Superintendent, Bombay Veterinary Department.*

Bull-dog, "Luey Stone," winner of several first and special prizes, mounted skin and skeleton.—*Presented by W. F. Jefferies, Esq.*

Head of long-horn cow.—*Presented by E. Tingey, Esq.*

Borzoi, "Wilna."—*Presented by Mr. F. H. Collings.*

Coloured Dorking fowls.—*Presented by Messrs. John Baily.*

Shetland pony.—*Purchased.*

Hairless dog.—*Presented by Mrs. Whitbread.*

Female bloodhound, "Champion Chatley Brilliant," winner of many first and champion prizes.—*Presented by Mrs. Oliphant.*

Blue Persian cat.—*Presented by Mrs. Herring.*

Bornean goat.—*Dr. C. Hose.*

Joura goat.—*Zoological Society.*

Three boars' heads.—*Presented by Messrs. C. T. Harris & Co., Limited.*

Female Afghan greyhound.—*Presented by Mrs. Whitbread.*

Greyhound, "Champion Fairy" (head and skeleton).—*Presented by J. J. Holgate, Esq.*

Deerhound, "Marquis of Lorne."—*Presented by R. H. Westley, Esq.*

Wallachian sheep.—*Purchased.*

Loan of old models of British cattle, from which replicas have been made.—*The Duke of Bedford, K.G.*

1904.

Two heads and one skull of Spanish draught oxen.—*Presented by H.M. the King. From animals presented by H.M. the Empress Eugénie to H.M. Queen Victoria.*

African hairy ram. Barbados.—*Presented by Dr. R. A. Stoute.*

French bull-dog, or "boule-dogue."—*Purchased.*

Head and skull of Ankole oxen.—*Presented by Lt.-Col. C. Delmé-Radcliffe.*

Egyptian pariah dog.—*Presented by the Hon. W. Rothschild.*

Hybrid wolf and dingo.—*Presented by the Hon. W. Rothschild.*

Skull of Arab mare.—*Presented by W. S. Blunt, Esq.*

Coloured Dorking fowls.—*Presented by the Hon. Florence Amherst.*

With the exceptions of a few specimens of abnormalities in dentition, two of roe-buck antlers, and one of the foot of a roe, the collection of monstrosities—at present small—is of quite recent origin. It includes a remarkable specimen of supernumerary digits in the feet of a Shire cart-horse foal, presented by the late Lord Wantage.

VARIOUS DATES.

A series of hybrid pheasants.—*Various donors.*

A series of hybrid ducks.—*Various donors.*

A series of specimens illustrating the changes of the dentition in the horse according to age.—*Presented by T. B. Goodall, Esq.*

ALPHABETICAL LIST OF CONTRIBUTORS TO THE
DOMESTICATED SERIES.*

H.M. King Edward VII. [1904]

H.M. Victor Emanuel II. (*King of Italy*). [About 1865]

Adcock (F., *Esq.*). [1884]

A breeder of "Great Danes."

Amherst (*Hon. FLORENCE*). [1904]

8, Grosvenor Square, W. Daughter of Lord Amherst of Hackney, and a breeder of poultry.

Armstrong (F. L., *Esq.*). [1902]

The Grove, Jesmond, Newcastle-on-Tyne. Owner of deerhounds.

Bacon (G. E., *Esq.*). [1901]

Seafield, Bunton, Isle of Man. Has presented several Manx animals.

Baily (*Messrs. J.*). [1904]

116, Mount Street, Grosvenor Square, W. The well-known dealers in poultry, game, etc.

Bedford (*HERBRAND ARTHUR, 11th Duke of, K.G.*). [1903]

Woburn Abbey, Woburn. Owner of a large collection of foreign mammals at Woburn.

Betts (W. H., *Esq.*). [1891–1895]

A noted canary-fancier.

Blunt (W. S., *Esq.*). [1904]

Newbuildings Place, near Horsham, Sussex. Owner of a stud of Arab horses.

Bombay Veterinary Department, Superintendent of. [1903]

Ahmednagar, Bombay. Donor of a Kathiawar pony.

Brazier (*Inspector A.*). [1900–1901]

Metropolitan Police. A successful breeder of rabbits and pigeons.

* The dates, as in the Mammal Section, are those when the specimens were acquired.

Brough (E., *Esq.*). [1901]

Wyndgate, near Scarborough. A well-known breeder of bloodhounds and owner of a herd of Jersey cattle.

Campbell (A. J. H., *Esq.*). [1901]

Dunstaffnage, Argyllshire, N.B. Owner of Highland sheep.

Casella (*Miss*). [1902]

1, Wetherby Road, Kensington. Has presented Eskimo and Chinese dogs.

Clapperton (*Capt. H., R.N.*) and **Denham** (*Lt.-Col. D.*). [About 1825]

A few specimens from their expedition to Lake Tchad, 1822-24.

Claraz (SEÑOR G.). [1887]

A resident in Argentina.

Collings (*Mr. F. H.*). [1903]

2, Duke Street, St. James's, S.W. Donor of a Borzoi dog.

Crisp (G. E., *Esq.*). [1902]

The Hall, Playford, near Ipswich. Breeder of Irish wolf-hounds.

Currie (*Sir DONALD*). [1896]

Head of the firm of Donald Currie & Co., shipowners.

Delmé-Radcliffe (*Lt.-Col. C.*). [1904]

Royal Engineers. Made collections on the Uganda frontier.

Denham (*Lt.-Col. D.*). [About 1825]

See CLAPPERTON.

Derby (*EDWARD, 13th Earl of*). [1848]

Owner of the well-known collection of foreign animals kept at Knowsley Park from 1841 onwards.

Devonshire (*SPENCER COMPTON, 8th Duke of, K.G.*). [1902]

Devonshire House, Piccadilly. Owns a flock of African piebald sheep at Chatsworth.

Flinders-Petrie (*Professor W. M.*). [1900]

Professor of Egyptology, University College, London. Well-known for his collections of ancient Egyptian remains.

Flower (*Captain STANLEY S.*). [1902]

Supt., Government Zoological Gardens, Giza, Egypt. Son of the late Sir W. H. Flower, K.C.B., Director of the Natural History Departments of the British Museum.

Foster (*Ltd., Messrs. J.*). [1902]

Queensbury, Bradford, Yorks. Foreign merchants.

Gerrard (*Mr. E.*). [1859]

61, College Place, Camden Town. Formerly on the Museum staff as osteologist.

Goodall (T. B., *Esq.*).

Purewell Cross, Christchurch, Hants. Veterinary Surgeon.

Graham (*Capt. A.*). [1882]

Rednock, Dursley, Gloucester. Noted for his success in reviving the old breed of Irish wolf-hounds.

Grenfell (C., *Esq.*). [1897]

69, Eaton Place, S.W.

Günther (*Dr. A.*). [1859]

Late Keeper of the Zoological Department.

Hamilton (ALFRED DOUGLAS, 13th Duke of). [1890]

Hamilton Palace, N.B. Owner of a herd of white park cattle.

Hamlyn (F., *Esq.*). [1901]

Clovelly Court, Barnstaple, Devon.

Harris (*Messrs. C. T., & Co., Limited.*). [1903]

Calne, Wilts. The great dealers in bacon.

Heath (W. F., *Esq.*). [1900]

90, Cromwell Road, S.W.

Herring (*Mrs.*). [1903]

Lestock House, Lee, Kent. Noted for her collection of cats.

Hodgson (B. H., *Esq.*). [1845]

Formerly British Resident at Khatmandu, Nepal, where he made a large collection of skins and skulls of animals.

Holgate (J. J., *Esq.*). [1903]

Hook, Surbiton. A greyhound fancier.

Horsfall (*Mrs.*) [1901]

Gatacre Hall, near Bridgenorth, Salop. Owner of "Great Dances."

Hose (*Dr. C.*). [1903]

Administrator of British North Borneo, and a well-known naturalist.

Ingram (*Sir W. J., Bart.*). [1899]

Cromwell Road, S.W. Owner of greyhound, "Fullerton," and other well-known dogs.

Jefferies (W. F.). [1903]

Rosemeath, 29, Grove Park, Denmark Hill, S.E. A breeder of bulldogs, and late owner of "Lucy Stone."

Johnston (E. F., *Esq.*). [1902]

H.B.M. Consul, Seville, Spain.

Kingdon (H. D., *Esq.*). [1888]

A breeder of mastiffs.

Leatham (*Mrs.*). [1903]

Misarden Park, Cirencester. A breeder of Dexter-Kerry cattle.

Leigh (J. H., *Esq.*). [1903]

Matchams Park, Ringwood, Hants. Owner of a herd of Highland cattle.

Lidth de Jeude (*Dr. T. G. VAN*). [1867]

A collector in Utrecht, from whom many specimens were purchased.

Lowndes (E. C., *Esq.*). [1902]

Castle Coombe, Chippenham, Wilts. Owner of a flock of S. African piebald sheep.

Maple (*Sir J. B., Bart.*). [1901]

Childwickbury, St. Albans. Owner and breeder of racehorses.

Middleton (*DIGBY WENTWORTH BAYARD WILLOUGHBY, 9th Baron*). [1901]

Birdsall, Yorks. A breeder of shorthorn cattle.

Moreno (*Dr. W. P.*). [1901]

Director of the La Plata Museum, Argentina.

Naylor (J. C., *Esq.*). [1876]

A well-known breeder of race-horses, and owner of "Stockwell."

Oldham (*Dr. T., the late*). [1856]

Late Superintendent, Geological Survey of India, Calcutta.

Oliphant (*Mrs.*). [1903]

87, Upper Tulse Hill. A well-known blood-hound breeder.

Rothschild (*Hon. WALTER, M.P.*). [1904]

Tring Park, Tring. Owner of a private museum at Tring.

Slater (W. L., *Esq.*). [1900]

Director, S. African Museum, Cape Town. Son of Dr. P. L. Slater, late Secretary of the Zoological Society.

Snary (H. B., *Esq.*). [1902]

11, Camden Hill Road, Upper Norwood, S.E. Interested in dogs.

South African Cold Storage Co. [1901]

Cape Town. Donor of a trek-ox head.

Stoute (*Dr. R. A.*). [1904]

Medical Officer, Barbados, W. Indies. Donor of a hairy sheep.

Sutherland (C. L., *Esq.*). [1887 and 1888]

Joint author, with Mr. Tegetmeyer, of a book on mules and mule-breeding.

Swinhoe (R., *Esq.*). [1867]

Late H. B. M. Consul in China. A diligent collector of animals and naturalist.

Tankerville (*GEORGE MONTAGU, 7th Earl of*). [1890]

Chillingham Park, Northumberland. Owner of the celebrated herd of white park cattle.

Taunton (W. K., *Esq.*). [1902]

82, Hatton Garden, E.C., and Acacia House, Mortlake. Well-known dog-owner.

Tingey (E., *Esq.*). [1903]

Dursingham, King's Lynn. A breeder of long-horn cattle.

Tokio Museum. [1887]

Tokio, Japan.

Wantage (ROBERT JAMES LOYD-LINDSAY, *1st Baron*). [1901]

The Manor, Lockinge, Wantage. A breeder of shire cart-horses.

Wenlock (BEILBY, *3rd Baron, G.C.S.I.*). [1901]

Escrick Park, Yorks. Owns a well-known herd of Shropshire sheep.

Westley (R. H., *Esq.*). [1903]

7, Micheldever Road, Lee, Kent. Owner of deer-hounds.

Westminster (HUGH RICHARD ARTHUR, *2nd Duke of*). [1903]

Eaton Hall, Cheshire. Owner of a stud of racehorses.

Whitbread (*Mrs.*). [1901]

Northumberland Park, Tottenham. Owner and breeder of several descriptions of foreign dogs.

Whittall (J. E., *Esq.*). [1901]

c/o Messrs. Whittall & Co., Merchants, Constantinople. Donor of an Angora goat.

Williams (T. B. C., *Esq.*). [1891-1895]

Yarrell (W., *Esq.*). [1856]

The well-known ornithologist. See BIRD COLLECTION.

Zoological Society of London.

3. BIRDS.

By R. BOWDLER SHARPE.

I. GENERAL SKETCH.

SIR HANS SLOANE'S Museum undoubtedly formed the groundwork on which the great Zoological Collection of the British Museum was founded. In 1753 the number of ornithological specimens was stated to be 1,172; these, however, were not all mounted birds, but contained many fragmentary specimens, such as Hornbill's heads, and odd bones. His collection of zoological objects could never have been of the same importance as his Herbarium (*cf.* Hist. Coll., vol. i., Botany, p. 81), or even of his collection of minerals (*cf.* Hist. Coll., Minerals, pp. 355, 356), and, as far as I know, not a single specimen of a bird from the Sloane Collection now exists in the Museum. All have perished.

Many specimens procured during Captain Cook's voyages were either in the Banksian Collection or in the British Museum, or were supposed to be there. These specimens have also perished, the reason probably being that they were inadequately prepared, were always mounted, and, from a lack of appreciation of their priceless value, were allowed to decay, through a want of proper curatorial knowledge. In Latham's "General Synopsis of Birds" (1781-1785) are mentioned a great number of species described from specimens in the British Museum, not one of which now survives.

There is apparently but one relic of the birds obtained by Captain Cook, viz. a Tree Starling, *Aplonis ulietensis*, which has persisted in a kind of mummified state to the present day, after having been mounted and exposed to the dust and light of the old British Museum for nearly a century.

The Montagu Collection of British birds was purchased by the nation in 1816. Colonel Montagu, who had corresponded with Gilbert White, was a first-rate ornithologist in his day. Not one of his specimens was properly prepared—apparently no preservative worthy of the name having been used—and I have felt the greatest anxiety as to the preserving of the relics of this ancient British collection. The bones of the neck and other bones of the body were left in the specimens, which were set up by no means

badly. During the thirty years that they have been under my care, many have been attacked by small mites (in spite of the camphor-laden atmosphere of the cases) and have fallen to pieces. Notwithstanding all the efforts of the Museum taxidermists, it has seldom been possible to dismount any specimens from the Montagu Collection, and they have mostly been transferred bodily to the cabinets of skins. Owing to the specimens having no preservative, many of them, especially the fat and heavy ones, fell to pieces from their own weight in course of time. This was regrettably the case with the British-killed Great Bustard (*Otis tarda*) which collapsed a few years ago.

The method of preserving specimens in Montagu's time can best be imagined by reading the "short directions" given by Johann Reinhold Forster, "for collecting, preserving, and transporting all kinds of Natural History Curiosities." These directions are appended to Forster's "Catalogue of the Animals of North America, containing an Enumeration of the known Quadrupeds, Birds, Reptiles, Fish, Insects, Crustaceous and Testaceous Animals; many of which are new and never described before." This scarce little pamphlet was published in 1771 by Benjamin White, Gilbert White's eldest brother, at "Horace's Head, in Fleet Street." A reproduction of this pamphlet, from a copy in Professor Newton's possession, was published by the Willughby Society in 1882.

It may be interesting to give Forster's "short directions" for preserving a bird, as it explains the method in vogue in his time, and it is not to be wondered at that specimens, so treated, decayed in the course of a century:—"Birds must be opened at the vent, their entrails, lungs, and craws taken out, washed with the preparing liquor, strewed with the preparing powder, stuffed with the prepared oakum or tow; their plumage kept clean during the operation, sewed up with thread steeped in the preparing liquor; the eyes taken out, with the tongue, and both places washed with the same liquor; the mouth must be filled with prepared tow in great birds, the eyes filled up with putty, and, when dry, painted with oil-colour after the natural colour of live birds, of the same species, and then dried in an oven; however, as there is all the meat on the bird left, care must be taken not to take too plump or too fat birds, and dry them slowly under the same precaution as mentioned No. 1 [Quadrupeds]. The operation must be repeated till the bird be perfectly dry. The attitude may be given to the bird before he be put in the oven,

by wires that are sharp on one end and thrustured through the bird's legs, body, breast, and neck, and others going through the wings and body. Small birds are likewise well preserved in brandy, rack, or rum; and when arrived at their place of destination they must be washed and sweetened in fresh water for several times, and lastly dipped in the preparing liquor, the plumage laid in order, the attitude given to the bird by wires, and then dried. Care must be taken to kill the birds with shot proportioned to their size, and at a reasonable distance, that the specimen may not be mangled and torn. Young birds which have not yet moulted must not be taken; but old birds in full feather, and, if possible, a specimen of each sex; for the sexes often vary very much in size, feather, and colour. The nests of birds and their eggs would likewise contribute towards perfecting the history of this branch in zoology."

The "liquor" was thus composed: "An ounce of Sal Ammoniac, dissolved in a quart of water, in which afterwards two ounces of corrosive sublimate Mercury must be put, or four ounces of Arsenic may be boiled in two quarts or two quarts and a half of water, till all or the greater part of it be dissolved, and the liquor may serve for the same purpose to wash the inside of the skin: then the whole cavity must be stuffed with oakum or tow, likewise imbibed with the same liquor, afterwards dried and mixed with a powder of four parts of Tobacco-sand, four parts of pounded black Pepper, one part of burnt Alum, and one part of corrosive Sublimate or Arsenic." No wonder that specimens thus treated fell to pieces in course of time, and it is doubtful whether the birds of Colonel Montagu's Collection had even this amount of preservative bestowed upon them.

Professor Newton can remember old Montague House, as it stood before the present British Museum took its place. Two of our attendants, Mr. Edward Gerrard and Mr. John Saunders, actually served in the time of the old building; and in the old brew-house of the estate, which stood on the west of the present Museum boundary, in Great Russell Street, the coppers were used by them for boiling the skeletons of seals and other large mammals from the Parry, Ross, and Franklin Expeditions. Mr. Saunders tells me that the painted ceilings and wall decorations mentioned below were bought, on the demolition of the original house, by the lodge-keeper, a shrewd old man named Sivier, who had been butler to the celebrated Lord Lyndhurst. He re-sold them, and made a good bit of money by the trans-

action. Montague House, where the collections were first installed, was a large mansion, standing in its own grounds, with a high brick wall surrounding it. The oil-paintings which hung in the old Bird-Gallery at Bloomsbury had been on the walls in Montague House, within Mr. Gerrard's recollection. The specimens were all mounted in cases round the sides of the rooms, as well as in pier-cases and table-cases down the centre of the latter.

In 1845 the present British Museum at Bloomsbury was completed, and a large series of birds, forming undoubtedly the best public gallery of the age, was placed on view. These specimens suffered to some extent from light, but more from soot and dust, which penetrated the wall-cases from behind, the wood-work being split from too close proximity to the coils of the heating apparatus.

The Zoological Department was only slowly expanded from the days of Sir Joseph Banks. Solander, who accompanied Banks during Cook's first voyage (1768-71) had been made successively an Assistant, Assistant-Keeper, and Keeper, of the Natural History Departments. Shaw, König, Leach, and Children had succeeded him as Assistant-Keepers and Keepers, and most of them were efficient and zealous men. In 1824 John Edward Gray became an Assistant, and in 1840 he was made Keeper of the Zoological Department, a post which he held for 34 years. The Assistant in charge of the birds was George Robert Gray, his brother, who entered the Museum in 1831, and was Assistant-Keeper from 1869 to 1872, when he died in harness.

During the 34 years that Dr. J. E. Gray reigned over the Zoological Department, immense progress in the development of the collections took place, not merely as the results of surveying voyages, such as those of the *Rattlesnake*, *Erebus* and *Terror*, and many others; but the increase was mostly due to the extraordinary energy of Dr. Gray, who set himself the task of making his department the foremost in the world. He has never received full credit for his exertions, for he had to fight against much prejudice within the Museum walls, and when the grants for purchases had been expended, he would freely spend his own money in buying specimens which he deemed to be of importance to the collection. It must be remembered that in the early days of the nineteenth century, England occupied but a poor position from a zoological standpoint, and France was at the zenith of her fame as regards exploration and the encouragement of science. Paris, Berlin, Leyden, were all increasing their zoological collections,

and England was put to the test to keep pace with the progress of the Continental museums. That this country held its own so well is undoubtedly due to the enthusiasm of John Edward Gray.

His brother, George Robert Gray, was a man of a totally different stamp, of much quieter temperament, and not moved to strenuous exertion ; he had, moreover, no acquaintance with the habits of birds, and Professor Newton (*Dict. Birds, Intr.*, p. 30) describes him correctly as a "thoroughly conscientious clerk." This he certainly was, as he worked assiduously in a clerk-like manner, with a clear comprehension of the compilation of synonymy, but he had no knowledge of birds in life. A story is told of him that, as he was being continually twitted about his ignorance of birds in the field, he one day hired a gun, and went into Hertfordshire to shoot birds. He was promptly arrested by a keeper for trespassing.

Whether the story be true or merely *ben trovato*, it is certain that George Gray had a working knowledge of birds from their skins, and during his long connection with the Zoological Department, he became acquainted with all the best Ornithologists of his time, so that, as the result of his own and their studies, the British Museum possessed a well-named, if a small, collection of birds. His greatest work was the "*Genera of Birds*," published in three folio volumes, long ago out of print and now much enhanced in price. The work was arranged on the old Cuvierian classification, with its rostral system, *Tenuirostres*, *Fissirostres*, etc., but the characters of families and genera were detailed, with a list of the species known up to the time of publication. Illustrations were given of the generic characters of birds, most of these being drawn by D. W. Mitchell, who was subsequently Secretary of the Zoological Society. Mitchell also executed most of the coloured plates for Gray's work, but a few were done by Josef Wolf, who had not long before come to England, but who was already taking his place as the greatest natural-history artist the world has ever seen.

As a Museum curator it is possible that Gray did the collections some harm, but for this the system of management then in vogue was chiefly responsible, even if he cannot be entirely acquitted of a want of judgment. It was the custom, not only in the British Museum, but in every other museum in Europe, to *mount* every specimen of value in the public galleries : the more valuable the specimen, the more was it exposed in the gallery, there to perish. The idea of the officers in charge of the

Mammals and Birds was that the public demanded to see all the rare and unique specimens, and it is equally certain that some donors made a great fuss if their specimens were not all exhibited. The consequences were absurd. When I began to unmount the historical specimens in the Bird-gallery, I found in one case eleven specimens of an Eagle, all young birds in the same plumage, and from the same country, mounted in a row, and where one of the birds had lost a leg, the want was supplied by a wire substitute. Not one of the eleven specimens gave a proper idea of the bird in life. In those days there were no explanatory labels, and the public wandered about the galleries, fatigued with the sameness of the exhibitions provided, from which they could learn nothing, nor was any attempt made to teach them. My own experience, as a boy, was that, in the bird-section at least, a student was an unwelcome visitor, and his appearance on the scene resented. This was certainly my own case, for I had always but a short time to spare, as it was seldom that I could get leave of absence from the Zoological Society, even for an hour. I therefore always took the precaution to write to Mr. G. R. Gray two or three days beforehand, to ask him to have the specimens ready for me to compare when I arrived, so that the time of both of us might be saved. These precautions were often useless; the visitor was informed on arrival that there was a Trustees' meeting to be prepared for, or some other function intervening, to prevent the Curator from attending to the visitor, who was then told to see what he could through the glass in the gallery, the Curator arriving with the keys of the cases about half an hour later. When one wanted to examine any unmounted specimens, these were to be found in wooden boxes, a hundred or more skins huddled together, so that it was often necessary to turn out the whole contents of the box on the table to search for a particular specimen. In this way the plumage of the birds was ruffled, the legs and wings torn off, and great injury to the skins resulted.

It was undoubtedly this want of management on the part of the Museum Curators that led to the formation of the great private collections in the nineteenth century. It was on these that all the sound ornithological work of this country was based, and no one cared to visit the British Museum, unless he were forced to do so for the purpose of examining some special type or historical specimen.

After the publication of his very useful "Handlist of

Birds," in which Gray focussed all his knowledge acquired since the "Genera of Birds" had been published, he conceived the idea of labelling the collection of birds'-skins according to the nomenclature of the "Handlist." He commenced by having some labels printed with a "Handlist No." attached, and he then proceeded to transfer the localities, etc., of the specimens (or what he imagined to be these particulars) from the original labels on to the "Handlist" labels, snipping off the collectors' tickets, which were at the same time destroyed. Only one box of birds had been thus treated by Gray, viz., the genus *Pratincola*, when his death took place, and the collection was saved! These remarks are not made in any spirit of unkindness, for Gray was no worse than any other curator of his time. At the same period Schlegel was mounting every specimen as it came into the great collection at Leyden, and the same system is pursued to this day in some Museums, so that every specimen, however rare or of historical value, is doomed to destruction: it is only a question of time. A mounted specimen may last six months or fifty years—according to the precautions which are taken by the officers in charge of the museum to exclude the light—but the result is inevitable, and the specimen sooner or later becomes bleached and deteriorated.

When I entered the service of the Museum in 1872, Dr. John Edward Gray was still Keeper of the Zoological Department, and Dr. Günther was Assistant-Keeper. A new era in the administration was about to commence. The "Catalogue of Birds" was undertaken in a similar form to Dr. Günther's celebrated "Catalogue of Fish," and it is certain that the completion of the Bird Catalogue is due to his excellent management and administration. The work took 24 years to complete, and ran to 27 volumes, which were written by eleven different authors, as has been amusingly recorded by Dr. Sclater in the introduction to the "Avium Generum Index Alphabeticus," forming vol. ix. of the "Bulletin of the British Ornithologists' Club."

"De Catalogi Avium Magni Scriptoribus undecim."

"Sharpus incepit scripsitque volumina multa ;

Seebornus sequitur, promptus ad auxilium.

Teutonicus, zelo plenus, venit inde Gadvus,

Salvinusque bonam præbet amicus opem.

Jam Sclaterus adest, tria longa volumina complens

Americanarum notus amans avium.

*Expers Hargittus nunc Picos ordinat omnes,
 Hartertusque sagax Cypselidas numerat.
 Multum etiam pensæ Shelleyi profuit ardor,
 Multum Saundersi mens operosa dedit.
 Clarus ab Italia jam Salvadorius adstat,
 Et tandem Grantus fine coronat opus."*

When I first came to London, in 1863, I was full of enthusiasm for ornithology, and by the time that I was appointed the first Librarian of the Zoological Society in 1867, I was already writing my "Monograph of the *Alcedinidæ*," and had occasionally to visit the British Museum to examine types and specimens of rare Kingfishers. No one of the present generation, who visits the Zoological Department at the present time, can have any conception of the difficulties under which we worked in the days of the old British Museum. At the end of the Egyptian Gallery there was a series of rooms, to which one descended by some downward steps in a dark corner. The rooms in which the members of the Zoological Department worked, had been originally intended for cellars or store-rooms—windows had to be knocked in the walls—and in the gloom of this underground dungeon many of the Catalogues of the collections were compiled. In this "Insect room," as it was called, the assistants were crowded together, and there was no space for spreading out any series of birds for study.

It was under such circumstances that the "Catalogue of Birds" was begun. Dr. Sclater, in reviewing one of my early volumes of this work, commenced his article as follows (*Nature*, vol. 16, 1877, pp. 541–542): "If the visitor to the British Museum will pause at the foot of the staircase leading up to the Paleontological gallery and look carefully into the obscurity in the right hand corner he will perceive a door with a brass plate on one side of it. On entering this door and descending (with care) a flight of darkened steps, he will find himself in the cellar, which has for many years constituted the workshop of our national zoologists. Two small studies partitioned off to the left are assigned to the keeper of the department and his first assistant. The remaining naturalists are herded together in one apartment commonly called the 'Insect-room,' along with artists, messengers, and servants. Into this room is shewn everybody who has business in the Zoological Department of the British Museum, whether he comes as student to examine

the collections, or as a tradesman to settle an account. Amid the perpetual interruptions thus caused, our national zoologist has to pursue his work.

"Some of the specimens are here, some in the galleries overhead, and some are stored away in cellars at a still lower depth than that in which he sits at work. The library attached to the department contains merely some of the most obvious books of reference; all others have to be obtained on loan from the great national depository of books in the centre of the building. No lights are allowed, and when the fogs of winter set in, the obscurity is such that it is difficult to see any object requiring minute examination.

"Under these circumstances, which we trust to see materially altered when the zoological collections are moved to their new home in South Kensington, it is more than creditable to our zoologists that they should have turned out the large amount of scientific work that has issued from their department of the British Museum during the past thirty years."

The collections of Bird-skins were packed in boxes, which were arranged in book-cases, some round the wall of the Assistant-Keeper's study, others in the dark passage by which the Insect-room was approached. As the collection of big birds increased, larger wooden boxes were provided, which were placed in racks in the same outside passage, and in the recesses behind the Bird-gallery upstairs, each box requiring two men to carry it; but these larger boxes were constructed after Gray's death, with a view to the transference of the collection from Bloomsbury to South Kensington. Some idea of the increase in the collection of Bird-skins between the years 1872 and 1883 may be gained from the fact that, in the former year, the specimens of Birds of Prey, or Accipitres, occupied only a few wooden boxes, and were all contained within a single book-case in the Insect-room passage. Eleven years later, when they were removed to South Kensington, these birds occupied 108 boxes, measuring $3 \times 1\frac{3}{4} \times 1$ ft., each requiring two men to lift it. They now fill thirty great cabinets, extending down one entire side of the Bird-room in the Natural History Museum.

I have no exact record of the number of specimens of birds and their eggs which existed in 1872, when I took over the charge of the collections, but I should reckon the mounted birds at about 10,000, the skins and eggs at the most 20,000 more, so that an estimate of the total number of specimens at 35,000 is

probably excessive. The number at the present day cannot be less than 400,000, including 100,000 eggs.

By the time of Dr. Günther's accession to the Keepership of the Department, a great improvement in the tone of the latter had taken place. The accounts were more regularly kept, and the expenditure of the following financial year was not mortgaged in advance, as had been so often the case in previous years. The new Keeper showed great vigour in ameliorating the condition of the public galleries, replacing the bleached and faded specimens by well mounted examples. A particular feature of his administration was the introduction of a series of British birds and their nests, mounted so as to represent the actual surroundings of the latter. This was a scheme which I had always had much at heart, and the first of these natural groups was that of the Coots, which I procured at Avington Park in Hampshire—parent birds, nest, and eggs—the whole group being presented to the Museum by my old friend, Sir Edward Shelley. A few groups were presented by Mr. Theodore Walker, of Leicester, but the bulk of the birds and nests were obtained for the Museum by Lord Walsingham, to whom the public owes a deep debt of gratitude. One feature of these exhibitions of "British birds in their haunts" is not generally known. In each case the scene is as nearly a reproduction of the actual facts as could be attained. The birds that actually built the nest and laid the eggs are there, and the bush or tree, the herbage and the flowers, are also reproduced, as they were on the day when the nest was taken. Although America has claimed the services of one of the ladies who did the reproduction of the leaves and flowers, we can still command the services of other clever ladies who are adepts at modelling foliage, so that the counterfeit leaves and flowers can scarcely be distinguished from the actual living plants. Dr. Günther determined from the first to reproduce nothing but the actual facts, so as to give, as far as possible, a true life-picture of the birds as they were in life. Thus specimens in their worn nesting plumage have not been replaced by handsomer birds which did not belong to the actual nest. This much, therefore, can be claimed for the Museum series of British birds and their nests, that the cases represent faithfully the actual conditions as they existed on the day when the nests were discovered.

In the earlier days of the British Museum there does not seem to have been any attempt to issue an authentic Guide-book as to its contents. An anonymous author published a little work in 1761, entitled "The General Contents of the British Museum: with Remarks. Serving as a Directory in viewing that Noble Cabinet." Two editions of this book (1761, 1762) were printed for R. and J. Dodsley, in Pall Mall. The remarks on the bird collections are of no importance.

We are, therefore, only able to gain some idea of the extent of these early collections from the "General Synopsis of Birds," compiled by the celebrated ornithologist, Dr. John Latham, of Dartford. In this great work, consisting of three volumes (each in two parts, making six volumes in all), with two Supplements, he describes all the birds known to him, and bestows an English name on each, many of these names being still accepted in popular parlance at the present day. The great value of Latham's book, as a history, consists in the fact that he indicated the species existing in the British Museum at the end of the 18th century, so that we are able to compile a tolerably complete record of the contents of the Bird-room in the first days of the British Museum.

Latham separates Birds into two Divisions, viz. LAND BIRDS (Vols. i.-ii., 1781-1783), and WATER BIRDS (Vol. iii., 1785); each volume being in two parts.

His object was to give a complete list of known birds, with descriptions and synonymy. He included all the species mentioned by Buffon in his "*Histoire Naturelle des Oiseaux*," and followed Ray in his primary division of the class into "Land" and "Water" Birds. He also determined to adhere to Linnean Genera, except in a few cases, and proclaimed his scheme in his "Preface" (p. iv) as follows:—

"In these sheets will be found near four times the number of birds mentioned in the "*Systema Naturæ*"; the additions to which will be drawn from the authors which have appeared since that publication, added to a great number of species not mentioned before by anyone. This we shall be enabled to do from the numerous collections in Natural History which have been formed of late years in England, and in which, in course, a multitude of new subjects have been introduced from various parts of the world, but more especially within these few years from the indefatigable researches of those who have made so great discoveries in the Southern Ocean."

Speaking of the museums of his day, he adds this note:—
 “Among these, the magnificent one at *Leicester House*, formed by *Sir Ashton Lever*, ought to be particularly mentioned, as likewise the favours received from the inspection of numerous subjects, the produce of the last and the former voyages to the *South Seas*, in the possession of *Jos. Banks, Esq.*, P.R.S., Soho Square.”

“It will be necessary, however, to remark that, on account of the uncertainty of the return of the last circumnavigating ships, the *Accipitrine* order, here first published, was printed off before their arrival in England, by which means a few new species of the *Falcon* genus have been excluded from their place. This has of necessity obliged us to introduce them by means of duplicate pages, marked with an asterisk.”

The preface is signed by Latham as from Dartford, on the 1st of January, 1781. The book was published by Benjamin White, the elder brother of Gilbert White. The latter, however, does not seem to have ever met Latham personally, though Latham was acquainted with Pennant, by correspondence at least.

It will be seen from the above preface that Latham was specially indebted for some of his descriptions to the Leverian Museum and the Banksian Collections. Some of the species are stated to be in the “Tower Menagerie” and in the “Royal Society’s Museum,” as well as in his own collection. Some field-notes were given to him by Dr. Solander and Dr. Johann Reinhold Forster, on their return from Capt. Cook’s voyages.

The following species are recorded by Latham as being in the British Museum:—

DIVISION I. LAND BIRDS.

King Vulture. Vol. i., p. 7 (= *Gyparchus papa* [L.]).

Carrion Vulture, p. 9 (= *Cathartes aura* [L.]).

Sea-Eagle, p. 30 (= *Haliaëtus albicilla* [L.]).

“This species was also met with in *Botany Island* by Captain Cook.” The bird observed by the latter must have been an immature *Haliaëtus leucogaster*.

Spotted Eagle, p. 38 (= *Aquila maculata*, Gm.).

Osprey, p. 45 (= *Pandion haliaëtus* [L.]).

New Zealand Falcon, p. 57 (= *Harpa novæ zeelandiæ* [Gm.]).

Goshawk, p. 58 (= *Astur palumbarius* [L.]).

- Kite, p. 64 (= *Milvus milvus* [L.]).
 Surinam Falcon, p. 84 (= *Falco sufflator*, L.).
 Kestrel, p. 94 (= *Cerchneis tinnunculus* [L.]).
 Sparrow Hawk, p. 99 (= *Accipiter nisus* [L.]).
 Hobby p. 103 (= *Falco subbuteo*, L.).
 Orange-breasted Hobby, n. sp., p. 105 (= *Falco aurantius*, Gm.).
 Merlin, p. 107 (= *Falco æsalon*, Tunst.).

The species of Owls mentioned by Latham as being in the British Museum were the following:—

**Eared Owls.* Vol. i., p. 116.

- Great-Eared Owl, p. 116 (= *Bubo bubo* [L.]).
 Red-Eared Owl, p. 123 (= *Pisorhina asio* [L.]).
 Short-Eared Owl, p. 124 (= *Asio accipitrinus* [Pall.]).

***With smooth heads.* Vol. i., p. 132.

- Snowy Owl, p. 132 (= *Nyctea nyctea* [L.]).
 Cinereous Owl, n. sp., p. 134 (= *Scotiapter cinerea* [Gm.])
 White Owl, p. 138 (= *Strix flammea*, L.).
 Tawny Owl, p. 139 (= *Syrnium aluco* [L.]).
 Brown Owl, p. 140 (= *Syrnium aluco* [L.]).
 Little Owl, p. 150 (= *Athene noctua* [Scop.]).

In ORDER II., the Pies (Vol. i., part i., p. 153), are mentioned the following Shrikes as being in the British Museum:—

- Great Cinereous Shrike, p. 160 (= *Lanius excubitor*, L.).
 Red-backed Shrike, p. 167 (= *Lanius collurio*, L.).
 Tyrant Shrike, p. 184 (= *Tyrannus pipiri*, Vieill.).
 Pied Shrike, p. 190 (= *Thamnophilus dolatus* [L.]).
 Spotted Shrike, p. 190 (= *Thamnophilus nævius* [Gm.]).
 †Dusty Shrike, p. 191 (= *Lanius obscurus*, Gm.).
 †Brown Shrike, p. 191 (= *Lanius fuscus*, Gm.).

Genus v. PARROT. Vol. i., p. 199.

With uneven tails.

- Blue-bellied Parrot, p. 213 (= *Trichoglossus novæ hollandiæ* [Gm.]).
 Rose-ringed Parrakeet, p. 235 (= *Palæorvus torquata* [Bodd.]).

† These two appear to be species of *Formicariidæ*, but they have not as yet been identified.

With tails even at the end. Vol. i., p. 256.

Ash-coloured Parrot, p. 261 (= *Psittacus erithacus*, L.).

White-breasted Parrot, p. 305 (= *Caica melanoccephala* [L.]).

Red-headed Guinea Parrakeet, p. 309 (= *Agapornis pul-laria* [L.]).

Sapphire-crowned Parrakeet, p. 312 (= *Loriculus galgulus* [L.]).

Chestnut-crowned Parrakeet, p. 314 (= *Pyrrhura picta* [P. L. S. Müll.]).

Purple-tailed Parrakeet, p. 315 (= *Urochroma purpurata* [Gm.]).

Grey-headed Parrakeet, p. 315 (= *Agapornis cana* [Gm.]).

Black-winged Parrakeet, p. 316 (= *Urochroma cingulata* [Scop.]).

Genus vi. TOUCAN. Vol. i., pt. i., p. 323.

Yellow-breasted Toucan, p. 326 (= *Rhamphastos tucanus* [Gm.]).

Latham's description agrees well (with the exception of the upper tail-coverts) with *Rhamphastos aricl* of Vigors (Zool. Journ., ii., p. 466, pl. xv.). Although Latham says that he saw the species in the British Museum, one could almost imagine that he had based his description on Daubenton's plate, no. 307, "*Toucan à gorge jaune du Brésil*," a reference to which does not appear in the "Catalogue of Birds." Still nearer, however, do the plate and description agree with *Rhamphastus osculans*, Gould, which must probably be superseded by *R. tucanus* (Gm.).

Green Toucan, p. 331 (= *Pteroglossus viridis* [L.]).

"Toucan verd, de Cayenne," Daubenton, pl. 727, and "Femelle du Toucan verd, de Cayenne," Daubenton, pl. 728. Latham himself quotes these plates of Daubenton.

Genus vii. MOTMOT. Vol. i., pt. i., p. 337.

Brasilian Motmot, p. 338 (= *Momotus momota* [L.]).

Cf. Sharpe, Cat. B., xvii., p. 319 (1892).

Genus viii. HORNBILL. Vol. i., pt. i., p. 341.

Philippine Hornbill, p. 345 (= *Dichoceros bicornis* [L.]).

Cf. Ogilvie Grant, Cat. B., xvii., p. 355.

Genus ix. BEEF-EATER. Vol. i., pt. i., p. 359.

Genus x. ANI. Vol. i., pt. i., p. 360.

Lesser Ani, p. 360 (= *Crotophaga ani* [L.]). Cf. Shelley,
Cat. B., xix., p. 429 (1891).

Genus xi. WATTLE-BIRD. Vol. i., pt. i., p. 364.

Genus xii. CROW. Vol. i., pt. i., p. 366.

Raven, p. 367 (= *Corvus corax*, L.).

Carrion Crow, p. 370 (= *Corone corone* [L.]).

Rook, p. 372 (= *Trypanocorax frugilegus* [L.]).

Hooded Crow, p. 374 (= *Corone cornix* [L.]).

Jackdaw, p. 378 (= *Colæus monedula* [L.]).

Jay, p. 384 (= *Garrulus glandarius* [L.]).

Blue Jay, p. 386 (= *Cyanocitta cristata* [L.]).

Magpie, p. 392 (= *Pica pica* [L.]).

Nutcracker, p. 400 (= *Nucifraga caryocatactes* [L.]).

Red-legged Crow, p. 401 (= *Graculus graculus* [L.]).

Genus xiii. ROLLER. Vol. i., pt. i., p. 405.

Garrulus Roller, p. 406 (= *Coracias garrulus*, L.).

*Blue Roller, p. 412 (= *Coracias cærulea*, Gm.).

*Ultramarine Roller, p. 413 (= *Coracias cyanea*, Gm.).

Genus xiv. ORIOLE. Vol. i., pt. ii., p. 417 (1782).

Red-winged Oriole, p. 428 (= *Agelæus phæniceus* [L.]).

Baltimore Oriole, p. 432 (= *Icterus baltimore* [L.]).

White-winged Oriole, p. 440 (= *Tachyphonus melaleucus*
[Sparrm.], *Oriolus leucopterus*, Gm., pt.).

Black Oriole, p. 445 (= *Quiscalus niger* [Bodd.]).

Golden Oriole, p. 449 (= *Oriolus galbula*, L.).

Genus xv. GRAKLE. Vol. i., pt. ii., p. 455.

Minor Grakle, p. 455 (= *Eulabes religiosus* [L.]).

Boat-tailed Grakle, p. 460 (= *Quiscalus crassirostris* [Sw.]).

Purple Grakle, p. 462 (= *Quiscalus versicolor*, Vieill.).

Genus xvi. PARADISE BIRD. Vol. i., pt. ii., p. 469.

Greater Paradise Bird, p. 471 (= *Paradisea apoda* [L.]).

King Paradise Bird, p. 475 (= *Cicinnurus regius* [L.]).

* These two species are apparently not true Rollers. I have not been able to determine the species with certainty, as the specimens have perished.

Genus xvii. CURUCUI. Vol. i., pt. ii., p. 484.

Genus xviii. BARBET. Vol. i., pt. ii., p. 493.

Black-spotted Barbet, p. 496 (= *Capito niger* [P. L. S. Müll.]).

Black-throated Barbet, p. 501 (= *Tricholæma leucomelan* [Bodd.]).

Buff-faced Barbet, p. 504 (= *Xantholæma hæmatocephala* [Müll.]).

Genus xix. CUCKOW. Vol. i., pt. ii., p. 508.

Common Cuckow, p. 509 (= *Cuculus canorus*, L.).

Caroline Cuckow, p. 537 (= *Coccyzus americanus* [L.]).

Genus xx. WRYNECK. Vol. i., pt. ii., p. 547.

Wryneck, p. 548 (= *Lynx torquilla*, L.).

Genus xxi. WOODPECKER. Vol. i., pt. ii., p. 550.

With three toes.

Striped-bellied Woodpecker, p. 563 (? = *Ceophlæus erythroptus*).

Greater-spotted Woodpecker, p. 564 (= *Dendrocopus major* [L.]).

Lesser-spotted Woodpecker, p. 566 (= *Dendrocopus minor* [L.]).

Yellow-bellied Woodpecker, p. 574 (= *Sphyrapicus varius* [L.]).

Green Woodpecker, p. 577 (= *Gecinus viridis* [L.]).

Rufous Woodpecker, p. 594 (= *Celeus rufus* [Gm.]).

Gold-winged Woodpecker, p. 597 (= *Colaptes auratus* [L.]).

Northern Three-toed Woodpecker, p. 60 (= *Picoides tridactylus* [L.]).

Genus xxii. JACAMAR. Vol. i., pt. ii., p. 603.

Green Jacamar, p. 603 (= *Galbula viridis*, Lath.).

Genus xxiii. KINGFISHER. Vol. i., pt. ii., p. 550.

Common Kingfisher, p. 626 (= *Alcedo ispida*, L.).

Genus xxiv. NUTHATCH. Vol. i., pt. ii., p. 647.

European Nuthatch, p. 648 (= *Sitta europæa*, L.).

Genus xxv. TODY. Vol. i., pt. ii., p. 656.

Green Tody, p. 637 (= *Todus viridis*, L.).

Cinereus Tody, p. 658 (= *Todirostrum cinereum* [L.]).

Dusky Tody, p. 661 (= *Contopus virens* [L.]).

Genus xxvi. BEE-EATER. Vol. i., pt. ii., p. 666.

Common Bee-eater, p. 667 (= *Merops apiaster*, L.).

Genus xxvii. HOOPOE. Vol. i., pt. ii., p. 686.

Common Hoopoe, p. 687 (= *Upupa epops*, L.).

Genus xxviii. CREEPER. Vol. i., pt. ii., p. 698.

Common Creeper, p. 701 (= *Certhia familiaris*, L.).

Sickle-billed Creeper, p. 705 (= *Cinnyris lotenia* [L.]).

Black and Blue Creeper, p. 724 (= *Cæreba cyanea* [L.]).

Cinnamon Creeper, p. 740 (= *Synallaxis cinnamomea* [Gm.]).

Genus xxix. HUMMING-BIRD. Vol. i., pt. ii., p. 744.

With curved bills.

Supercilious Humming-bird, p. 744 (= *Phaethornis superciliosus* [L.]).

Black-capped Humming-bird, p. 748 (= *Aithurus polytmus* [L.]).

Mango Humming-bird, var. A, p. 759 (= *Lampornis mango* [L.]).

Harlequin Humming-bird, p. 760 (= *Trochilus multicolor* [Gm.]).

With straight bills.

Violet-eared Humming-bird, p. 767 (= *Heliothrix auritus* [Gm.]).

Violet-eared Humming-bird, var. A.

Red-throated Humming-bird, p. 769 (= *Trochilus colubris*, L.).

Dusky-crowned Humming-bird, p. 776 (= *Clytolæna rubinea* [Gm.]).

Grey-bellied Humming-bird, p. 778 (= *Chrysolampis moschitus* [L.]).

Crested Humming-bird, p. 783 (= *Bellona cristata* [L.]).

Crested Brown Humming-bird, p. 784 (= *Trochilus puniceus*, Gm.).*

* Not referred to in "Catalogue of Birds."

ORDER III. PASSERINE. Vol. ii., pt. i., p. 1 (1783).

Genus xxx. STARE. Vol. ii., pt. i., p. 1.

Common Stare, p. 2 (= *Sturnus vulgaris*, L.).Crescent Stare, p. 6 (= *Sturnella magna* [L.]).

Genus xxxi. THRUSH. Vol. ii., pt. i., p. 13.

Missel Thrush, p. 16 (= *Turdus viscivorus*, L.).Throstle Thrush, p. 18 (= *Turdus musicus*, L.).Jamaica Thrush, p. 20 (= *Turdus jamaicensis*, Gm.).Little Thrush, p. 20 (= *Turdus fuscescens*, Stephens).Golden-crowned Thrush, p. 21 (= *Siurus auricapillus* [L.]).Redwing Thrush, p. 22 (= *Turdus iliacus*, L.).Red-breasted Thrush, p. 26 (= *Turdus migratorius*, L.).Ferruginous Thrush, p. 39 (= *Harporhynchus rufus* [L.]).Mimic Thrush, p. 40 (= *Mimus polyglottus* [L.]).St. Domingo Thrush, p. 42 (= *Mimus dominicus* [L.]).Yellow-bellied Thrush, p. 42 (= *Donacobius atricapillus* [L.]).Blackbird, p. 43 (= *Merula merula* [L.]).White-chinned Thrush, p. 45 (= *Merula aurantia* [Gm.]).Ring-Ouzel, p. 46 (= *Merula torquata* [L.]).Water-Ouzel, p. 48 (= *Cinclus aquaticus*, Bechst.).Shining Thrush, var. A, p. 56 (= *Lamprocolius splendidus*, Vieill.).Ceylon Thrush, p. 62 (= *Laniarius gutturalis* [Müll.]).Indian Thrush, p. 66 (= *Turdus indicus*, Gm.).

Genus xxxii. CHATTERER. Vol. ii., pt. i., p. 91.

Carolina Chatterer, p. 93 (= *Ampelis cedrorum*, Vieill.).Red Chatterer, p. 97 (= *Phœnicocercus carnifex* [L.]).

Genus xxxiii. COLY. Vol. ii., pt. i., p. 100.

Genus xxxiv. GROSBK. Vol. ii., pt. i., p. 104.

*With four toes.*Common Crossbill, p. 106 (= *Loxia curvirostra*, L.).Hawfinch, p. 109 (= *Coccothraustes coccothraustes* [L.]).Pine Grosbeak, p. 111 (= *Pinicola enucleator* [L.]).Cape Grosbeak, p. 113 (= *Pyromelana capensis* [L.]).White-throated Grosbeak, p. 115 (= *Pitylus grossus* [L.]).

- Purple Grosbeak, p. 117 (= *Loxigilla violacea* [L.]).
 Cardinal Grosbeak, p. 118 (= *Cardinalis cardinalis* [L.]).
 Grenadier Grosbeak, p. 120 (= *Pyromelana oryx* [L.]).
 Dominican Grosbeak, p. 123 (= *Paroaria larvata* [Bodd.]).
 Red-breasted Grosbeak, p. 126 (= *Hedymeles ludovicianus* [L.]).
 Canada Grosbeak, p. 127 (= *Pitylus viridis* [Vieill.]).
 Java Grosbeak, p. 129 (= *Munia oryzivora* [L.]).
 Green Grosbeak, p. 134 (= *Ligurinus chloris* [L.]).
 Malacca Grosbeak, p. 140 (= *Munia malacca* [L.]).
 Cowry Grosbeak, p. 142 (= *Munia punctulata* [L.]).
 Bullfinch, p. 143 (= *Pyrrhula europæa*, Vieill.).
 Black-breasted Grosbeak, p. 148 (= *Spermophila cucullata* [Bodd.]).
 Wax-bill Grosbeak, p. 152 (= *Estrilda astrilda* [L.]).
 Minute Grosbeak, p. 158 (= *Spermophila minuta* [L.]).

Genus xxxv. BUNTING. Vol. ii., pt. ii., p. 160.

- Snow Bunting, p. 161 (= *Plectrophenax nivalis* [L.]).
 Black Bunting, p. 166 (= *Junco hyemalis* [L.]).
 Yellow Bunting, p. 170 (= *Emberiza citrinella*, L.).
 Common Bunting, p. 171 (= *Emberiza miliaria*, L.).
 Red Bunting, p. 173 (= *Emberiza schœniclus*, L.).
 Shaft-tailed Bunting, p. 183 (= *Tetrænura regia* [L.]).
 Orange-shouldered Bunting, p. 184 (= *Chera procne* [Bodd.]).
 Rice Bunting, p. 188 (= *Dolichonyx oryzivorus* [L.]).
 Towhe Bunting, p. 199 (= *Pipilo erythrophthalmus* [L.]).
 Cinereus Bunting, p. 204 (= *Emberiza cinereus* [Gm.]).
 Painted Bunting, p. 206 (= *Cyanopiza ciris* [L.]).

Genus xxxvi. TANAGER. Vol. ii., pt. i., p. 213.

- Red-breasted Tanager, p. 214 (= *Rhamphocœlus jacapa* [L.]).
 Red Tanager, var. A, p. 217 (= *Pyrranga rubra* [L.]).
 Mississippi Tanager, p. 218 (= *Pyrranga æstiva* [Gm.]).
 Variegated Tanager, p. 219 (= *Pyrranga æstiva* [Gm.]).
 Bishop Tanager, p. 226 (= *Tanagra episcopus* [L.]).
 Spotted Tanager, p. 228 (= *Calliste punctata* [L.]).
 Rufous-headed Tanager, p. 231 (= *Calliste cayana* [L.]).
 Red-headed Tanager, p. 233 (= *Calliste gyrola* [L.]).

- Variable Tanager, p. 234 (= *Tanagra variabilis* [Gm.]).
 Paradise Tanager, p. 236 (= *Calliste tatao* [L.]).
 Golden Tanager, var. A, p. 240 (= *Euphonia chlorotica* [L.]).
 Negro Tanager, p. 240 (= *Euphonia cayana* [L.]).
 Rufous-throated Tanager, p. 241 (= *Glossipectil ruficollis* [Gm.]).

Genus xxxvii. FINCH. Vol. ii., pt. i., p. 246.

- House Sparrow, p. 248 (= *Passer domesticus*, L.).
 White Sparrow, p. 250
 Black Sparrow, p. 251.
 Tree Sparrow, p. 252 (= *Passer montanus*, L.).
 Chaffinch, p. 257 (= *Fringilla cælebs*, L.).
 Crimson-crowned Finch, p. 259—I believe this to be
Coryphospingus cristatus.
 Brambling, p. 261 (= *Fringilla montifringilla*, L.).
 Beautiful Finch, p. 266 (= *Zonogastris melba* [L.]).
 Orange Finch, p. 276 (= *Spindalis zena* [L.]).
 Goldfinch, p. 281 (= *Carduelis carduelis* [L.]).
 American Goldfinch, p. 288 (= *Chrysomitris tristis* [L.]).
 Siskin, p. 289 (= *Chrysomitris spinus* [L.]).
 Canary Finch, p. 293 (= *Serinus canarius* [L.]).
 Bahama Finch, p. 300 (= *Phonipara bicolor* [L.]).
 Linnet, p. 302 (= *Acanthis cannabina* [L.]).
 Greater Redpoll, p. 304 (= *Acanthis cannabina* [L.]).
 Lesser Redpoll, p. 305 (= *Acanthis rufescens* [Vieill.]).
 Amaduvade Finch, p. 311 (= *Sporæginthus amandava* [L.]).
 Brazilian Finch, p. 318 (= *Granatina granatina* [L.]).

Genus xxxviii. FLYCATCHER. Vol. ii., pt. i., p. 321.

- The Pied Flycatcher, p. 324 (= *Muscicapa atricapilla*, L.).
 Paradise Flycatcher, p. 345 (= *Terpsiphone paradisi* [L.]).
 Paradise Flycatcher, var. B, p. 347.
 Cinereus Flycatcher, p. 350 (= *Contopus virens* [L.]).
 Red-eyed Flycatcher, p. 351 (= *Vireo olivaceus* [L.]).
 Cat Flycatcher, p. 353 (= *Galeoscoptes carolinensis* [L.]).
 Cayenne Flycatcher, p. 355 (= *Myiozetetes cayeunensis* [L.]).
 Crested Flycatcher, p. 357 (= *Myiarchus crinitus* [L.]).
 Yellow-bellied Flycatcher, p. 359 (= *Myiozetetes cayeunensis* [L.]).

Genus xxxix. LARK. Vol. ii., pt. ii., p. 367 (1783).

Sky-Lark, p. 368 (= *Alauda arvensis*, L.).

Var. B, Dusky Lark, p. 370 (= *Alauda arvensis*, L.).

Wood Lark, p. 371 (= *Lullula arborea* [L.]).

Tit-Lark, p. 374 (= *Anthus pratensis* [L.]).

Shore Lark, p. 385 (= *Otocoris alpestris* [L.]).

Crested Lark, p. 389 (= *Galerita cristata* [L.]).

Genus xl. WAGTAIL. Vol. ii., pt. ii., p. 394.

White Wagtail, p. 395 (= *Motacilla alba*, L.).

Grey Wagtail, p. 398 (= *Motacilla melanope*, Pall.).

Yellow Wagtail, p. 400 (= *Motacilla campestris*, Pall.).

Genus xli. WARBLER. Vol. ii., pt. ii., p. 404.

Nightingale, p. 405 (= *Aedon lusciniæ* [L.]).

Blackcap, p. 415 (= *Sylvia atricapilla* [L.]).

Babbling Warbler, p. 417 (= *Sylvia curruca* [L.]).

Hedge Warbler, p. 419 (= *Accentor modularis* [L.]).

Black Warbler, p. 427 (= *Setophaga ruticilla* [L.]).

Whitethroat, p. 428 (= *Sylvia cinerea* [L.]).

Yellow-breasted Warbler, p. 438 (= *Geothlypis trichas* [L.]).

Redbreast, p. 442 (= *Erithacus rubecula* [L.]).

Blue Warbler, p. 446 (= *Sialia sialis* [L.]).

Whinchat, p. 454 (= *Pratiicola rubetra* [L.]).

Wheatear, p. 465 (= *Saxicola œnanthe* [L.]).

Green Indian Warbler, p. 474 (= *Ægithina tiphia* [L.]).

White-poll Warbler, p. 488 (= *Mniotilta varia* [L.]).

Cayenne Warbler, var. A, p. 503 (= *Dacnis cayana* [L.]).

Cayenne Warbler, var. B, p. 503 (= *Dacnis cayana* [L.]).

Wren, p. 506 (= *Anorthura troglodytes* [L.]).

Wren, var. B, p. 507 (= *Thryothorus ludovicianus* [Lath.]).

Gold-crested Warbler, p. 508 (= *Regulus cristatus* [L.]).

Ruby-crowned Warbler, p. 511 (= *Regulus calendula* [L.]).

Yellow Warbler, p. 512 (= *Phylloscopus trochilus* [L.]).

Yellow Warbler, var. A, p. 513 (= *Phylloscopus tristis*, Blyth).

Yellow-poll Warbler, p. 515 (= *Dendroica æstiva* [Gm.]).

Genus xlii. MANAKIN. Vol. ii., pt. ii., p. 517.

Rock Manakin, p. 518 (= *Rupicola crocea*, Vieill.).

Blue-backed Manakin, p. 520 (= *Chiroxiphia parvula* [L.]).

Black-capped Manakin, p. 521 (= *Chiromachæris manacus* [L.]).

White-capped Manakin, p. 523 (= *Pipra leucocilla* [L.]).

White-throated Manakin, p. 524 (= *Pipra gutturalis* [L.]).

Red and Black Manakin, var. A, p. 525 (= *Pipra aureola* [L.]).

Cinereus Manakin, p. 533 (= *Pachyrhamphus cinereus* [Bodd.]).

Genus xliii. TITMOUSE. Vol. ii., pt. ii., p. 535.

Great Titmouse, p. 536 (= *Parus major*, L.).

Colemouse, p. 540 (= *Parus ater*, L.).

Marsh Titmouse, p. 541 (= *Parus palustris*, L.).

Blue Titmouse, p. 543 (= *Parus cæruleus*, L.).

Crested Titmouse, p. 545 (= *Parus cristatus*, L.).

Long-tailed Titmouse, p. 550 (= *Ægithalus caudatus* [L.]).

Bearded Titmouse, p. 552 (= *Panurus biarmicus* [L.]).

Genus xlv. SWALLOW. Vol. ii., pt. ii., p. 560.

Chimney Swallow, p. 561 (= *Hirundo rustica*, L.).

White Swallow, var. A, p. 563 (= *Hirundo rustica*, L.).

Martin, p. 564 (= *Chelidonaria urbana* [L.]).

Sand Martin, p. 568 (= *Clivicola riparia* [L.]).

Aoonalashka Swallow, p. 571 (= *Hirundo unalashkensis* Gm.).

Aculeated Swallow, p. 583 (= *Collocalia fuciphaga*, Thunb.).

Swift, p. 584 (= *Cypselus apus* [L.]).

Genus xlv. GOATSUCKER. Vol. ii., pt. ii., p. 589.

European Goatsucker, p. 593 (= *Caprimulgus europæus*, L.).

Virginia Goatsucker, p. 595 (= *Chordeiles virginianus* [Gm.]).

ORDER IV. COLUMBINE.

Genus xlvi. PIGEON. Vol. ii., pt. ii.

With moderate tails.

Shaker Pigeon, p. 611.

Carrier Pigeon, p. 613.

Great Crowned Pigeon, p. 620 (= *Goura coronata* [L.]).

Ring Pigeon, p. 635 (= *Columba palumbus*, L.).

Triangular-spotted Pigeon, p. 639 (= *Columba guinea*, L.)

- Common Turtle, p. 644 (= *Turtur turtur* [L.]).
 Barred Turtle, p. 650 (= *Geopelia striata* [L.]).
 Canada Turtle, p. 658 (= *Ectopistes migratorius* [Catesb.]).
 Ground Turtle, p. 659 (= *Chamæpelina passerina* [L.]).

With long tails.

- Passenger Pigeon, p. 661 (= *Ectopistes migratorius* [Catesb.]).

ORDER V. GALLINACEOUS. Vol. ii., pt. ii.

- Genus xlvii. PEACOCK. Vol. ii., pt. ii., p. 668.
 Crested Peacock, p. 668 (= *Pavo cristatus*, L.).
 Variegated Peacock, p. 671 (= *Pavo cristatus*, L.).

- Genus xlviii. TURKEY. Vol. ii., pt. ii., p. 676.
 Domestic Turkey, p. 679 (= *Meleagris gallopavo* [L.]).

- Genus xlix. PINTADO. Vol. ii., pt. ii., p. 685.
 Guinea Pintado, p. 685 (= *Numida meleagris* [L.]).

- Genus l. CURASSOW. Vol. ii., pt. ii., p. 690.
 Crested Curassow, p. 690 (= *Crax globicera*, L.).
 Do. the female, p. 693 (= *Crax alector* ♀).

- Genus li. PHEASANT. Vol. ii., pt. ii., p. 697.
 Domestic Cock, p. 700 (= *Gallus gallus* [L.]).
 Frizzled Cock, p. 704 (= *Gallus gallus* [L.]).
 Argus Pheasant, p. 710 (= *Argusianus argus* [L.]).
 Common Pheasant, p. 712 (= *Phasianus colchicus*, L.).
 Painted Pheasant, p. 717 (= *Chrysolophus pictus* [L.]).
 Pencilled Pheasant, p. 719 (= *Gennæus nycthemerus* [L.]).

- Genus lii. TINAMOU. Vol. ii., pt. ii., p. 724.

- Genus liii. GROUS. Vol. ii., pt. ii., p. 728.

With four toes.

- Black Grouse, p. 733 (= *Lyrurus tetrix* [L.]).
 Shoulder-Knot Grouse, p. 737 (= *Bonasa umbellus* [L.]).
 Ruffed Grouse, p. 738 (= *Bonasa umbellus* [L.]).
 Ptarmigan Grouse, p. 741 (= *Lagopus lagopus* [L.]).

Genus liv. PARTRIDGE. Vol. ii., pt. ii., p. 755.

With four toes.

Cape Partridge, p. 757 (= *Francolinus capensis* [Gm.]).

Francolin Partridge, p. 759 (= *Francolinus francolinus* [L.]).

Common Partridge, p. 762 (= *Perdix perdix* [L.]).

Guernsey Partridge, p. 768 (= *Caccabis rufa* [L.]).

Green Partridge, p. 777 (= *Rollulus roulroul* [Scop.]).

Maryland Partridge, p. 778 (= *Ortyx virginianus* [L.]).

Common Quail, p. 779 (= *Coturnix coturnix* [L.]).

Chinese Quail, p. 783 (= *Excalfactoria chinensis* [L.]).

Genus lv. TRUMPETER. Vol. ii., pt. ii., p. 793.

Genus lvi. BUSTARD. Vol. ii., pt. ii., p. 796.

Great Bustard, p. 796 (= *Otis tarda* [L.]).

Thick-kneed Bustard, p. 806 (= *Ædicnemus œdicnemus* [L.]).

ORDER VI. STRUTHIOUS.

Genus lvii. DODO. Vol. iii., pt. i., p. 1 (1785).

Genus lviii. OSTRICH. Vol. iii., pt. i., p. 6.

Genus lix. CASSOWARY. Vol. iii., pt. i., p. 10.

DIVISION II. WATER BIRDS.

ORDER VII. *With cloven feet.*

Genus lx. SPOONBILL. Vol. iii., pt. i., p. 13.

White Spoonbill, p. 13 (= *Platalia leucorodia* [L.]).

Genus lxi. SCREAMER. Vol. iii., pt. i., p. 18.

Genus lxii. JABIRU. Vol. iii., pt. i., p. 22.

Genus lxiii. BOAT-BILL. Vol. iii., pt. i., p. 25.

Genus lxiv. UMBRE. Vol. iii., pt. i., p. 30.

Genus lxv. HERON. Vol. iii., pt. i., p. 32.

- Crowned Heron, p. 34 (= *Balearica pavonina* [L.]).
 Demoiselle Heron, p. 35 (= *Anthropoides virgo* [L.]).
 Indian Crane, var. A, p. 39 (= *Grus antigone* [L.]).
 White Stork, p. 47 (= *Ciconia ciconia* [L.]).
 Bittern, p. 56 (= *Botaurus stellaris* [L.]).
 Green Heron, p. 68 (= *Butorides virescens* [L.]).
 Cinnamon Heron, p. 77 (= *Ardetta cinnamomea* [Gm.]).
 Common Heron, male, p. 83 (= *Ardea cinerea*, L.).
 Little Egret, p. 90 (= *Garzetta garzetta* [L.]).
 Great White Heron, p. 91 (= *Herodias alba* [L.]).
 Little White Heron, p. 93 (? = *Dichromanassa rufa* [Bodd.]).

Genus lxvi. IBIS. Vol. iii., pt. i., p. 104.

- Scarlet Ibis, p. 106 (= *Eudocimus ruber* [L.]).
 Bald Ibis, p. 116 (= *Geronticus calvus* [Bodd.]).

Genus lxvii. CURLEW. Vol. iii., pt. i., p. 119.

- Common Curlew, p. 119 (= *Numenius arquatus* [L.]).
 Esquimaux Curlew, p. 125 (= *Numenius borealis* [Forst.]).

Genus lxviii. SNIPE. Vol. iii., pt. i., p. 128.

- Woodecock, p. 129 (= *Scolopax rusticula* [L.]).
 Common Snipe, p. 134 (= *Gallinago gallinago* [L.]).
 Jack Snipe, p. 136 (= *Limnocryptes gallinula* [L.]).
 Red Godwit, p. 142 (= *Limosa lapponica* [L.]).
 Common Godwit, p. 144 (= *Limosa lapponica* [L.]).
 Green-Shank, p. 147 (= *Glottis nebularius* [Gunner.]).
 Redshank, p. 150 (= *Totanus calidris* [L.]).

Genus lxix. SANDPIPER. Vol. iii., pt. i., p. 158.

- Ruff, p. 159 (= *Pavoncella pugnax* [L.]).
 Swiss Sandpiper, p. 167 (= *Squatarola helvetica* [L.]).
 Common Sandpiper, p. 178 (= *Tringoides hypoleucus* [L.]).
 Dunlin, p. 185 (= *Pelidna alpina* [L.]).

Genus lxx. PLOVER. Vol. iii., pt. i., p. 192.

- Golden Plover, p. 193 (= *Charadrius pluvialis* [L.]).
 Long-legged Plover, p. 195 (= *Himantopus himantopus* [L.]).

- Noisy Plover, p. 199 (= *Oxyechus vociferus* [L.]).
 Ringed Plover, p. 201 (= *Ægialitis hiaticola* [L.]).
 Spur-winged Plover, p. 213 (= *Hoplopterus spinosus* [L.]).

Genus lxxi. OYSTER-CATCHER. Vol. iii., pt. i., p. 219.

Pied Oyster-catcher, p. 219 (= *Hæmatopus ostralegus* [L.]).

Genus lxxii. PRATINCOLE. Vol. iii., pt. i., p. 222.

Genus lxxiii. RAIL. Vol. iii., pt. i., p. 226.

Water Rail, p. 227 (= *Rallus aquaticus* [L.]).

Black Rail, p. 236 (= *Limnecorax niger* [Gm.]).

Genus lxxiv. JACANA. Vol. iii., pt. i., p. 241.

Chestnut Jacana, p. 241 (= *Jacana jacana* [L.]).

Variable Jacana, p. 244 (= *Asarcia variabilis* [L.]).

Genus lxxv. GALLINULE. Vol. iii., pt. i., p. 249.

Crake Gallinule, p. 250 (= *Crex crex* [L.]).

Purple Gallinule, p. 254 (= *Porphyrio porphyrio* [L.]).

Common Gallinule, p. 258 (= *Gallinula chloropus* [L.]).

Crested Gallinule, p. 267 (= *Fulica cristata* [Gm.]).

Genus lxxvi. SHEATHBILL. Vol. iii., pt. i., p. 268.

ORDER VII. *With pinnated feet.*

Genus lxxvii. PHALAROPE. Vol. iii., pt. i., p. 270.

Genus lxxviii. COOT. Vol. iii., pt. i., p. 275.

Common Coot, p. 275 (= *Fulica cristata* [Gm.]).

Genus lxxix. GREBE. Vol. iii., pt. i., p. 280.

Crested Grebe, p. 281 (= *Podiceps cristatus* [L.]).

Eared Grebe, p. 285 (= *Podiceps nigricollis*, Brehm.).

Little Grebe, p. 289 (= *Podiceps fluviatilis*, Tunst.).

ORDER IX. *Web-footed.*

With long legs.

Genus lxxx. AVOCET. Vol. iii., pt. i., p. 293.

Scooping Avocet, p. 293 (= *Recurvirostra avocetta*, L.).

Genus lxxxi. COURIER. Vol. iii., pt. i., p. 298.

Genus lxxxii. FLAMINGO. Vol. iii., pt. i., p. 299.

Red Flamingo, p. 299 (= *Phaenicopterus roseus*, Pall.).

With short legs.

Genus lxxxiii. ALBATROSS. Vol. iii., pt. i., p. 304.

Wandering Albatross, p. 304 (= *Diomedea exulans*, L.).

Yellow-nosed Albatross, p. 309 (= *Thalassogeron chlororhynchus* [Gm.]).

Genus lxxxiv. AUK. Vol. iii., pt. i., p. 311.

Puffin Auk, p. 314 (= *Fratercula arctica* [L.]).

Labrador Auk, p. 318 (= *Fratercula arctica* [L.]).

Razor-bill, p. 319 (= *Alca torda*, L.).

Black-billed Auk, p. 320 (= *Alca torda*, L.).

Genus lxxxv. GUILLEMOT. Vol. iii., pt. ii., p. 329 (1785).

Foolish Guillemot, p. 329 (= *Uria troile* [L.]).

Black Guillemot, p. 332 (= *Uria grylle* [L.]).

Genus lxxxvi. DIVER. Vol. iii., pt. ii., p. 337.

Northern Diver, p. 337 (= *Colymbus glacialis*, L.).

Imber Diver, p. 343 (= *Colymbus glacialis*, L.).

Speckled Diver, p. 341 (= *Colymbus septentrionalis*, L.).

Red-throated Diver, p. 244 (= *Colymbus septentrionalis*, L.).

Genus lxxxvii. SKIMMER. Vol. iii., pt. ii., p. 347.

Black Skimmer, p. 347 (= *Rhynchops nigra*, L.).

Genus lxxxviii. TERN. Vol. iii., pt. ii., p. 349.

Caspian Tern, var. A, p. 351 (= *Hydroprogne caspia* [Pall.]).

Caspian Tern, var. B, p. 351 (= *Hydroprogne caspia* [Pall.]).

African Tern, p. 354 (= *Sterna cantiaca*, Gm.).

Common Tern, p. 361 (= *Sterna fluviatilis*, Naum.).

Lesser Tern, p. 364 (= *Sterna minuta*, L.).

Chinese Tern, p. 365 (= *Sterna sinensis*, Gm.).

Black Tern, p. 366 (= *Hydrochelidon nigra* [L.]).

Genus lxxxix. GULL. Vol. iii., pt. ii., p. 369.

Wagel Gull, p. 375 (= *Larus marinus*, L.).

Genus xc. PETREL. Vol. iii., pt. ii., p. 395.

- Giant Petrel, p. 396 (= *Ossifraga gigantea* [Gm.]).
 Pintado Petrel, p. 401 (= *Daption capensis* [L.]).
 Cinereus Fulmer, p. 405 (= *Priofinus cinereus* [Gm.]).
 Shearwater Petrel, p. 375 (= *Puffinus kuhli* [Boie]).
 Snowy Petrel, p. 408 (= *Pagodroma nivea* [Gm.]).
 Stormy Petrel, p. 411 (= *Procellaria pelagica*, L.).
 Blue Petrel, p. 415 (= *Halobæna cærulea* [Gm.]).
 Pacific Petrel, p. 416.
 Dusky Petrel, p. 416 (= *Puffinus obscurus* [Gm.]).

Genus xci. MERGANSER. Vol. iii., pt. ii., p. 418.

- Goosander, p. 418 (= *Merganser castor* [L.]).
 Dun-Diver, p. 420 (= *Merganser castor* [L.]).
 Red-breasted Merganser, p. 423 (= *Merganser serrator* [L.]).
 Hooded Merganser, p. 426 (= *Lophodytes cucullatus* [L.]).
 Smew, male, p. 428 (= *Mergus albellus*, L.).
 Minute Merganser, p. 429 (= *Mergus albellus*, L.).

Genus xcii. DUCK. Vol. iii., pt. ii., p. 431.

- Mute Swan, p. 436 (= *Cygnus olor* Gm.).
 Bustard Goose, p. 440 (= *Cloephaga magellanica* [Gm.]).
 Chinese Goose, p. 447 (= *Cygnopsis eygnoides* [L.]).
 Canada Goose, p. 450 (= *Branta canadensis* [L.]).
 Black Duck, p. 479 (= *Ædemia perspicillata* [L.]).
 Harlequin Duck, p. 484 (= *Cosmonetta histrionica* [L.]).
 Mallard, p. 489 (= *Anas boscas* [L.]).
 Tame Duck, p. 494 (= *Anas boscas* [L.]).
 Black-billed Whistling Duck, p. 499 (= *Dendrocygna arborea* [L.]).
 Shieldrake, p. 504 (= *Tadorna cornuta* [L.]).
 Shoveler, p. 509 (= *Spatula clypeata* [L.]).
 Common Wigeon, p. 518 (= *Mareca penelope* [L.]).
 Pintail Duck, p. 526 (= *Dafila acuta* [L.]).
 Buffel-headed Duck, p. 533 (= *Clangula albeola* [L.]).
 Golden-eye Duck, p. 535 (= *Clangula glaucion* [L.]).
 Tufted Duck, p. 540 (= *Fuligula fuligula* [L.]).
 Summer Duck, p. 546 (= *Æx sponsa* [L.]).
 Garganey, p. 550 (= *Querquedula eircia* [L.]).
 Common Teal, p. 551 (= *Nettion crecea* [L.]).

Genus xciii. PINGUIN. Vol. iii., pt. ii., p. 559.
 Crested Pinguin, p. 561 (= *Catarrhactes chrysocome* [Forst.]).
 Patagonian Pinguin, p. 563 (= *Aptenodytes patagonica* [Forst.]).
 Cape Pinguin, p. 566 (= *Spheniscus demersus* [L.]).

Genus xciv. PELICAN. Vol. iii., pt. ii., p. 574.
 Great White Pelican, p. 575 (= *Pelecanus onocrotalus*, L.).
 Brown Pelican, p. 580 (= *Pelecanus fuscus*, Gm.).
 Rough-billed Pelican, p. 586 (= *Pelecanus erythrorhynchus*, Gm.).
 African Shag, p. 606 (= *Phalacrocorax africanus*, Gm.).
 Gannet, p. 608 (= *Sula bassana* [L.]).

Genus xcv. TROPIC BIRD. Vol. iii., pt. ii., p. 615.
 Common Tropic Bird, p. 615 (= *Phaethon æthereus*, L.).

Genus xcvi. DARTER. Vol. iii., pt. ii., p. 622.
 Black-bellied Darter, var. A, p. 624 (= *Plotus anhinga*, L.).
 Surinam Darter, p. 626 (= *Plotus surinamensis*, Gm.).

In the first "Supplement" to the "General Synopsis" (1787) a few species are added, the following being in the British Museum.

Plaintive Vulture, p. 4 (= *Polyborus tharus*, Molina).
 Dubious Parrot, p. 62 (= *Psittacus dubius*, Lath.).
Cf. Salvadori, Cat. B., xx., p. 612.
 South-Sea Raven, p. 75 (= *Corvultur albicollis*, Lath.).
 Black Roller, p. 85 (= *Cryptorhina afra*, L.).
 African Roller, p. 86 (= *Eurystomus afer*, Lath.).
 Doubtful Barbet, p. 96 (= *Lybius dubius*, Gm.).
 African Creeper, var. C, p. 127 (= *Cinnyris afra*, L.).
 Ash-bellied Creeper, p. 130 (= *Nectarinia famosa*, L.).
 Red-winged Chatterer, p. 146 (= *Campophaga phœnicea*, Lath.).
 Flammeous Flycatcher, p. 171 (= *Pericrocotus flammeus*, Forst.).
 African Pheasant, p. 210 (= *Schizorhis africana*, Lath.).

Of additional interest to Latham's published works, which give us an idea of the contents of the bird-cases in the British Museum in the latter half of the eighteenth century, is the naming of certain Australian birds in the "Supplements" to the "Synopsis" and to the "Index Ornithologicus." Up to the present

time, it has never been known where Latham obtained the material for describing so many Australian, or, as they were then called, "New Holland," birds.

In 1902 the Museum acquired from Mr. James Lee, a grandson of the famous horticulturist of Hammersmith, a large volume of paintings executed for the latter by one of his collectors, Thomas Watling, between 1788 and 1792. These drawings had evidently been shown to Latham, who named most of the birds, and seems to have referred to these pictures as "Mr. Lambert's Drawings." They do not seem, however, to have been Lambert's property at any time.

The types of Latham's species are, in fact, founded on these drawings of Watling's.

The collector was sent to New South Wales by Mr. Lee, and some of the illustrations in White's "Journal of a Voyage to N.S. Wales in 1790" were drawn by Watling, who refers to White in his volume of paintings. *Cf.* Hist. Coll. Brit. Mus. (N. H.), i., p. 52 (Libraries).

Mr. James Britten, who has examined the series of drawings, has published the following interesting note (*Journ. Botany*, xl., p. 302 (1902)): "The British Museum has lately acquired a very interesting volume containing drawings in colour of the animals and plants of Australia, made by Thomas Watling in 1788-1792. Watling was sent out by James Lee of Hammersmith (from whose great-grandson, bearing the same names, the collection was purchased), with a view to obtaining material for a book on the natural history of the country.

"Apart from its contents, the volume is interesting on account of the light which it throws upon an entry on p. 253, vol. i., of Dryander's 'Catalogue of the Banksian Library': this runs, 'Volumen foliorum 70, continens figuras animalium et plantarum pictas quas in Nova Cambria prope Port Jackson delineavit Edgar Thomas Dell.'

"In Banks' copy the last four words are struck out, and a comparison of the volume with the one acquired from Mr. Lee shows that it is the work of the same artist. Watling was acquainted with John White ('Surgeon-General to the Settlement'), who sent plants to Smith, and published in 1790 his 'Journal of a Voyage to New South Wales'; one or two of Watling's drawings were executed for White.

"The newly acquired volume contains several views of Sydney which are of great interest."

Attached to the drawings of birds is a list of the species, with the following announcement, probably in the handwriting of Mr. James Lee himself: "This Catalogue was wrote by Dr. Latham, author of the 'General Synopsis of Birds.'"

The following is a list of the Drawings as determined by Latham himself, and bearing his handwriting:—

1. Bold Vulture, Lath., Gen. Syn., Suppl. ii., p. 10, no. 10 (1802).

Vultur audax, Lath., Ind. Orn., Suppl., p. ii. (1801).

Latham copies Watling's original note about the native name being "Boora-morang" (Watling writes it "Boo-ro-ma-rang"), and also about the bird sometimes attacking natives, but he says not one word about Watling or James Lee in the text of his book, nor can I so far find any evidence of his giving credit to either of them as the source of his information.

The bird is drawn holding a fish under its foot, and might be mistaken for a young *Haliaëtus leucogaster*, but on comparing the sketch with specimens, it is evidently intended for a Wedge-tailed Eagle, as is also shewn by its feathered legs. Latham says that "the size of this bird is uncertain." Watling generally gives the size of his birds, but on this picture he gives a scale, which shows that the specimen was about three feet long.

2. Pondicherry Eagle. Qu. new species. Latham, Gen. Syn., ii., p. 32.

Latham refers to Watling's two drawings of the White-breasted Brahminy Kite, and as before appropriates his notes without stating his authority. Thus: "A bird seemingly of this last kind [Pondicherry Eagle] is found in New Holland, in which the head, neck, and belly are pure white, without any streaks." On Watling's plate Latham has written: "Probably this should be made a distinct species." Watling's note is as follows: "The stomach of the bird when taken was full of egg-shells."

3. Ditto. This second picture of the Brahminy Kite has the following note by Watling: "The Natives call this Bird *Girrenera*. This hawk lives a good deal on Fish, which most of that genus do that inhabit New South Wales, where there are several varieties, the likeness of this kind is strongly imitated" [*i.e.* that he has made a good portrait of the bird]. Latham had evidently seen the pictures and notes of Watling when he wrote the "Supplement" to the "General Synopsis."

4. Painting of an *Elanus*, with the following note by the artist: "Natural size. The head of this drawing is rather too

large and long, the bill should be smaller and more rounded in towards the breast. I had the bird alive three months, and fed it on small birds and fish, &c."

Nos. 5, 6. Two more paintings of an *Elanus*, one-half and one-third natural size. "Native name *Geo-ga-rack*." Latham founds on this description his Axillary Falcon (Suppl. to Gen. Synopsis, ii., p. 42). He says that it "inhabits New Holland, but is not very common. The specimen from which the above description was taken, was caught alive, and kept for ten months, being fed with small birds, fish, &c." This note is taken from Watling's MSS., but is not acknowledged. This picture becomes the type of Latham's Axillary Falcon (= *Falco axillaris*, Lath., Ind. Orn., Suppl., p. ix.).

7. Represents an *Elanus*, which Latham, in his MS. list, places as a variety of his Axillary Falcon, which is probably the case.

8. Is also considered by Latham to be a variety of his *Falco axillaris*, but in reality it is a small figure of *Haliaëtus leucogaster* (Gm.). This latter name is founded on the White-bellied Eagle, n. sp., of Latham (Gen. Syn., i., pt. i., p. 33*), where we read: "This bird was brought to England in one of the last circumnavigating ships, and is now in the Leverian Museum. Its native place is unknown."

9. An Owl. This picture of Watling's formed the subject of Latham's description of his—

Winking Falcon, Gen. Syn., Suppl. ii., p. 53.

Falco connivens, Lath., Ind. Orn., Suppl., p. xii.

Ninox connivens (Lath.), Sharpe, Cat. B., ii., p. 175.

Latham does not acknowledge the origin of his description, merely adding: "Inhabits New Holland, but no history annexed, further than that it has wonderful faculty of contracting and dilating the iris; and that the native name is 'Goora-a-Gang.'"

These notes he has copied from Watling's MS., which, however, gives the native name as "Goo-ree-a-gang." He also writes: "This Bird has a wonderfull power of contracting and dilating the iris and pupil." The picture is, therefore, the type of *Ninox connivens*.

10. "New Falcon." On this picture is founded the description of Latham's Radiated Falcon, and the figure given by him is adapted from Watling's picture. Thus the latter becomes the type of

* Cf. Sharpe, Cat. B., i., p. 117.

Radiated Falcon, Lath., Gen. Syn., Suppl. ii., p. 53, pl. cxxi.

Falco radiatus, Lath., Ind. Orn., Suppl., p. xii.

Urospizias radiatus, Sharpe, Cat. B., i., p. 159.

Erythrotriorchis radiatus, Sharpe, Handl. B., i., p. 254.

Watling has given the following MS. note:—"This bird measures from the top of the head to the end of the tail 22 in., and from the tip of one wing to the other 4 feet. Iris doubtful. A new Falcon."

11. Another painting of the Radiated Falcon, to which is attached the following note by Watling:—"The skin of this bird I found nailed up to a settler's hut. It is the only one of the kind ever seen. The drawing is a faithful copy. The settler who shot it says the iris was brown, and remarked that he never saw any bird fly with such swiftness. Its claws, which were long, small, and sharp when he took it up, it drove quite through the end of his fingers. A new Falcon. This bird measures from the bill to the extremity of the tail twenty-four inches." It will be seen that Latham copied the notes, but did not say who had written them.

12. A picture of a young Hobby and the type of Latham's Lunated Falcon, as follows:—

Lunated Falcon, Lath., Gen. Syn., Suppl. ii., p. 54.

Falco lunatus, Lath., Ind. Orn., Suppl., p. xiii.

"Inhabits New Holland, and was taken in March. Native name *Goo-roo-wang*." This native name is copied from Watling's MS., but I cannot find any record of the time of year when the bird was shot.

13. Pacific Falcon, Lath., Syn., Suppl. ii., p. 54.

Falco pacificus, Lath., Ind. Orn., Suppl., p. xiii.

I am unable to identify the bird here figured. It has a white head and neck. Upper surface dark brown, "blotched on the back with dark spots, and marked on the belly (which is paler than above and inclining to yellow) with black streaks. The tail is long, even at the end, crossed with seven or eight black bars, the quills also barred as the tail, with the ends black." This is a good description of the painting, but I cannot find any Australian bird of prey which corresponds with it. Watling's original note is as follows:—"This bird is not common in New South Wales. The only one shot, though others have been seen of the same kind." The only species which it could possibly resemble might be a young *Falco hypoleucus*, but our specimens in the Museum do not favour the idea.

Nos. 14, 15. Fair Falcon, Lath., Gen. Syn., Suppl. ii., p. 54.

Falco clarus, Lath., Ind. Orn., Suppl., p. xiii.

These two figures seem to be undoubtedly intended for *Astur cinereus*,* though in the "Catalogue" I referred Latham's "Fair Falcon" to *A. novæ hollandiæ*. This must be a mistake, but the figures are by no means a good representation of *A. cinereus*, over which Latham's name will take precedence, and the species must be called *Astur clarus* (Lath.).

Nos. 16 and 17. Dark Falcon, Lath. MS. ; *id.*, Gen. Hist. B., i., p. 231 (1821).

There are now no pictures in the book corresponding to these numbers, which are given in Latham's MS. list.

No. 18. Ash-headed Falcon, Lath. MS. ; *id.*, Gen. Hist. B., i., p. 219 (1821).

This is a good figure of *Astur approximans*, but does not seem to have received a Latin name from Latham.

No. 19. Hooded Falcon, Latham MS.

This is *Falco melanogenys*, Gould. Latham does not seem to have given a Latin name to the drawing. Watling's MSS. note is : "Half the natural size. It lives on small birds and fish, &c."

No. 20. Lacteous Eagle, Lath. [MS.] ; Gen. Hist. B., i., p. 216 (1821).

This is evidently *Astur novæ hollandiæ* (Gm.), founded on the New Holland White Eagle of Latham's Gen. Synopsis, i., p. 40 (1781). The latter seems to have procured the description of the bird from Dr. J. R. Forster. No specimen was in the British Museum at the time. "Name *Goo-loo-bee*" (Watling.)

No. 21. New Holland Sparrow Hawk, Latham [MS.] ; Gen. Hist. B., i., p. 223 (1821).

"Same as No. 22. Small Hawk. Two-thirds the natural size." This is a representation of an adult *Accipiter cirrhocephalus* (Vieill.).

No. 22. New Holland Sparrow Hawk, Latham MS. "One-third natural size. Native name *Goo-roo-ing*. It is not a very common Hawk in New South Wales. A dark variety of the New Holland Sparrow Hawk, No. 21." The bird is really *Astur approximans*.

No. 23. Barn Owl in Latham's MS. list, but no figure now in the book.

No. 24. Owl.

Boobook Owl, Lath., Gen. Syn., Suppl. ii., p. 64.

Strix boobook, Lath., Ind. Orn., Suppl., p. xv.

Ninox boobook (Lath.), Sharpe, Cat. B., ii., p. 168 (1875).

* Cf. Sharpe, Cat. B., i., p. 117.

Watling's note is: "This bird is about the size of the common English owl. Native name *Boo-book*." The figure is the type of the species, Latham's name having been founded upon it.

No. 25. White-faced Owl, Latham [MS.]; *id.*, Gen. Hist. B., i., p. 334 (1821).

This is *Strix delicatula*, Gould. Watling's note: "One-third natural size. Native name *Boo-book*."

No. 26. Hook-billed Shrike, var. A, of Latham, Gen. Syn., Suppl. ii., p. 70.

Lanius curvirostris, Lath., Ind. Orn., i., p. 72.

This is a *Cracticus*, and seems to be *C. leucopterus*, Gould. It has, of course, nothing to do with *Lanius curvirostris* of Linnæus, which is a *Vanga* from Madagascar. Watling's note is: "Two-thirds natural size. Native name *Karro-bee-rang*."

No. 27. Clouded Shrike, Lath., Gen. Syn., Suppl. ii., p. 73.

Lanius torquatus, Lath., Ind. Orn., Suppl., p. xviii.

This figure is the type of *Lanius torquatus*, Lath., which has generally been referred to *Cracticus destructor*.

Dr. Gadow considered the description of the Clouded Shrike to be insufficient for recognition. There can, however, be no doubt that the identification is correct, and *L. torquatus* becomes a synonym of *C. destructor*, as was determined by Gray, Cabanis, and other good ornithologists. Watling's note: "This drawing is about the natural size."

No. 28. Robust Shrike, Lath., Gen. Syn., Suppl. ii., p. 74.

Lanius robustus, Lath., Ind. Orn., Suppl., p. xviii.

This seems to me to be intended for *Graucalus melanops* (Lath.), founded on the Black-faced Crow of Latham, Gen. Syn., Suppl. ii., p. 116. One of "Lambert's drawings" is described by him, and in his Supplement to the "Index Ornithologicus" he gives it the name of *Corvus melanops*, having apparently forgotten that he had described it previously from Watling's Drawings as *Lanius robustus*. The name should therefore be *Graucalus robustus*, though, as the two birds are described in the same work, it may not be deemed expedient to enforce a priority of only a few pages. Watling's note is merely "natural size."

No. 29. Erect Shrike, Lath., Gen. Syn., Suppl. ii., p. 74.

Lanius erectus, Lath., Ind. Orn., Suppl., p. xviii.

This looks like a black-headed *Pachycephala*, but it has a pale yellowish bill, a white throat, greenish back, and pale yellow under-surface. I have not been able to identify the species.

No. 30. Yellow-bellied Shrike, Lath., Gen. Syn., Suppl. ii., p. 75.

Lanius flavigaster, Lath., Ind. Orn., Suppl., p. xix.

"Natural size. Native name *Wee-bung*. It is not a common bird, and it drives all smaller birds from its neighbourhood" (Watling MS.). This looks like a yellow-bellied *Pachycephala*, but it has no black pectoral collar, and I cannot identify the figure with any known Australian species.

No. 31. Frontal Shrike, Lath., Gen. Syn., Suppl. ii., p. 75.

Lanius frontatus, Lath., Ind. Orn., Suppl., p. xviii.

Falcunculus frontatus, Gadow, Cat. B., viii., p. 173.

Watling's note: "One half the natural size. Not a common bird. The tongue is a little bifid."

No. 32. Frontal Shrike, Lath., Gen. Syn., Suppl. ii., p. 75, pl. 122.

Watling's note: "Natural size. Supposed to be the male of No. 2. It is a rare bird, never seen but in the cold or winter months. It is found near water, and often feeding on the seed of reeds in marsh or wet grounds."

No. 33. White-eared Shrike, Lath. [MS.]; Gen. Hist. B., ii., p. 76 (1822).

This drawing and the next are apparently meant for *Falcunculus frontatus*, but they are given a large white patch on the ear-coverts instead of a double band of white above and below the latter. The double band is correct, and no such bird as the "White-eared Shrike" has been found by me.

Watling's note: "Two-thirds the natural size. Native name *Tattanan*."

No. 34. White-eared Shrike, Lath. MS. [= No. 33].

Watling's note says only: "Natural size."

No. 35. Red-breasted or Blue-bellied Parrot, Lath., Gen. Syn., i., pp. 212 and 213.

Psittacus hæmatodus, Lath., Ind. Orn., i., p. 87 (nec Linn.).

Trichoglossus novæ hollandiæ (Gm.), Salvad., Cat. B., xx., p. 57.

Watling's note: "Native name *Goevil*. This Parrot has a fine white tongue like the drawing No. 300 [= 36 of the volume], *Psittacus hæmatodus* var.; called the Blue-bellied Parrot, see Latham, Syn."

Nos. 36 and 37. Two-thirds the natural size. Red-breasted Parrot, Lath. Watling's note: "Native name is *Goo-veel*."

These three drawings are evidently intended for the same species.

No. 38. Nonpareil Parrot, Lath., Gen. Syn., Suppl. ii., p. 85.

Psittacus eximius, Shaw, Nat. Misc., pl. 93 (1792); Lath., Ind. Orn., Suppl., p. xxi.

Platycercus eximius (Shaw), Salvad., Cat. B., xx., p. 551.

No. 39, which, according to the list of plates, is another figure of the Nonpareil Parrot, is missing, as is also No. 40, which is said to be the same as No. 41.

No. 41. Small Parrakeet, Lath., Gen. Syn., Suppl. ii., p. 88.

Psittacus pusillus, Shaw, in "White's Voyage to New South Wales," p. 262, pl. 48 (1790).

Glossopsittacus pusillus, Salvad., Cat. B., xx., p. 71.

No. 42, given in the list as the Ground Parrot of Latham (*Pezoporus formosus*, Lath.), is missing.

No. 43. Crimson-fronted Parrot, Lath., Gen. Syn., Suppl. ii., p. 87.

Psittacus concinnus, Shaw, Nat. Misc., iii., pl. 87 (1791).

Glossopsittacus concinnus, Salvad., Cat. B., xx., p. 69.

No. 44. Red-shouldered Parrakeet, Lath., Gen. Syn., Suppl. ii., p. 90.

Psittacus discolor, Shaw, in White's Voy. N.S.W., p. 263, pl. 49 (1790).

Nanodes discolor, Salvad., Cat. B., xx., p. 592.

The bird, according to Watling's note, is of the "natural size."

Nos. 45 and 46. These plates are missing, but are given in Latham's MS. list as figures of the Pennantian Parrot of Latham, Gen. Syn., Suppl. i., p. 61 (1787).

Psittacus elegans, Gm., Syst. Nat., i., p. 318 (1788).

Platycercus elegans, Salvad., Cat. B., xx., p. 541.

No. 47. Turcoisine Parrot, Lath., Gen. Syn., Suppl. ii., p. 89.

Psittacus pulchellus, Shaw, Nat. Misc., pl. 96 (1792).

Neophema pulchella, Salvad., Cat. B., xx., p. 575.

Although Latham says that he described this Parraquet from the drawings of Mr. Lambert, and apparently from a specimen in the collection of General Davies, he makes use of Watling's note, which is as follows: "The two centre tail feathers are entirely green, the two next have a little yellow on the tips or points, which increases in all the tail feathers, until the two outer ones on each side are perfectly yellow; from the centre or two green feathers, the five others on each side regularly decrease in length. This is a rare bird in N.S. Wales, is of short flight,

never seen in more than pairs, and oftener seen on the ground than perched on trees. The feathers of the head and shoulder of the wing are of the most brilliant lightest azure. The strongest quill feathers are equal as to clearness of colour, but of a middling deep mazarine blue, tipped with black. The whole of the bird's colours are delightful, but these most especially the best artist must ever despair of equalling. About a third the natural size."

No. 48. Scarlet and Green Parrot, a young female.

Aprosmictus cyanopygius (Vieill.), Salvad., Cat. B., xx., p. 486.

No. 49. Scarlet and Green Parrot. Male.

In the "General History of Birds," vol. ii., p. 116, Latham refers to the native name "*Wellat*" of Watling's MS. note, which reads:—"Half the natural size. Native name *Wellat*."

No. 50. Scarlet and Green Parrot, var. or young male.

No. 51. Scarlet and Green Parrot. Latham's MS.

Watling's note: "Female of No. 2. Half the natural size. Native name *Wellat*."

No. 52. Banksian Cockatoo, Lath., Gen. Syn., Suppl. ii., p. 91—first.

Psittacus banksii, Lath., Ind. Orn., i., p. 107 (1790).

Calyptorhynchus banksii, Salvad., Cat. B., xx., p. 109.

Latham's description of this figure is as follows: "The first is black, except a large yellow patch under each eye, the base of all but the two middle tail-feathers buff, dotted with black; bill and legs pale; not common." He makes allusion to the drawings from New Holland, and had evidently Watling's pictures in his mind. He appears to have founded his "varieties" of the Banksian Cockatoo on the same figures and notes of Watling, who gives the following note: "From the tip of the beak to the tip of the tail 2 feet 8 inches. Native name *Karratt*. All the varieties of the black Cockatoos are so called; this is the most uncommon bird."

No. 53. Banksian Cockatoo, Lath., Gen. Syn., Suppl. ii., p. 92, no. 3.

Watling's note: "Native name *Karratt*. One-fourth the natural size."

This figure is described by Latham: "Thirdly, without the yellow patch under the eye; but the black plumage sprinkled with yellow dots; the tail crimson, barred with black, just as in the Supplement to my 'Synopsis.'"

No. 54. Banksian Coekatoo, Lath., Gen. Syn., Suppl. ii., p. 21 (91), var. B.

The description given by Latham of this figure is as follows : "This is 23 inches in length ; bill as in the last (lead colour), the base of it hid in the feathers ; head, neck, and under parts of the body dull brown, margined on the erown and nape with olive ; the body above, the wings and tail glossy black ; all but the two middle feathers of the last erimson in the middle, but not banded with black."

Watling's note : "The length of this bird from the top of his head to the tip of his tail 2 feet 5 inches ; the extent of the wings from tip to tip 4 feet. Native name *Karrott*. The most common genus in New South Wales."

No. 56. Banksian Coekatoo, Lath., Gen. Syn., Suppl. ii., p. 92, no. 4.

Latham's description of this figure is as follows : "Fourthly, the yellow patch under the eye composed of pale streaked feathers ; side tail-feathers deep buff yellow, mottled with brown ; fore part of the neek and breast marked with pale yellow buff crescents."

Watling's note is : "Native name *Karrott*. A rare genus. Half the size nature."

No. 57. *Scythrops novæ hollandiæ*, Lath., Ind. Orn., i., p. 141 (1790) ; Shelley, Cat. B., xix., p. 330.

Watling's note : "The native name *Goe-re-e-gang*. This singular bird is by no means numerous about us, even in the months that it is seen, which are only three or four times in a year. It generally makes its appearanee in Oetober, and is seldom seen unless in the mornings and evenings ; they are sometimes seen seven or eight together but oftener in pairs ; both on the wing and when perched they make a strange loud screaming noise, not unlike that made by the common coek or hen, when they perceive a hawk or any other bird of prey hovering over them. Their errand to this part of New South Wales seems to be merely for the purpose of pairing, building their nests, and bringing forth their young, which when done coneludes their visit, and they migrate or depart to some other quarter about January ; where they frequent the other part of the year we know not. In the erop and gizzard of several which I shot I found the seeds of the red gum and peppermint trees, which I believe to be their prinicipal food. The bill, which is strong, horny, and pointed, is well adapted for breaking and

dividing the capsules, as is the tongue, which is small and pointed, and of a hard cartilaginous substance, for picking out the seeds. In some of their stomachs I found the capsule or pericarpium whole, which they not unfrequently swallow without waiting to pick out the seeds. I have also found in their stomachs the wings and legs of some kinds of beetles, but in a quantity that bore no proportion to the capsule and seed already spoken of. The bill (whose upper mandible is very pointed and round or bent at the extremity lapping over the under) and legs are of a lead colour, the former rather inclining to a brown; the toes are placed two forward and two behind, the two hind ones opening so as to admit the two before to be placed between them when the [bird] is sitting or perched on a limb or branch of a tree not too large for the toes to grasp or go round. The bird from which this drawing is taken was a female with a very distinct ovarium, but the eggs not formed. It measures from the tip of the bill to the white extremity of the tail 2 feet, and from the tip to tip of each wing exactly the same. The tail (which it sometimes displays like a fan) is not very short of the length of the body, and gives it in flight or sitting a very majestic appearance; the legs are rather short for the size of the bird (whole body is the size of a Crow), and partakes much of the Parrot kind. The natives know very little about its habits, haunts, etc., etc. However, they consider its appearance an indication of wind and blowing weather, and that its frightful scream is through fear, as it is not a bird of very active or quick flight. Nothing in nature can be more fiery or fierce than the uncommon clearness of the pupil eye. I had a wounded one two days alive, but could not get it to eat; it bit everything that approached it very severely."

Latham has transferred this note into his account of the Channel-bill in his "General History" (vol. ii., p. 300, pl. 32), but he attributes the story of the wounded bird to "Mr. White."

No. 58. Black-faced Crow, Lath., Gen. Syn., Suppl. ii., p. 116.

Corvus melanops, Lath., Ind. Orn., Suppl., p. 24.

Graucalus melanops, Sharpe, Cat. B., iv., p. 30.

Watling's note is as follows: "Natural size. This is a bird of prey; the native name *Kai-a-lora*." This figure is the type of the species.

No. 59. Velvet-faced Crow, Latham [MS.]; *id.*, Gen. Hist.

B., iii., p. 35 (1822).

Apparently taken from a specimen of *Edoliisoma tenuirostre*

(Jard.), but not a very correct representation, as the black on the head is more extended than in any of the Museum specimens.

No. 60. Variable Crow, Lath., Gen. Syn., Suppl. ii., p. 117.

Corvus versicolor, Lath., Ind. Orn., Suppl., p. xxv.

Strepera cuneicaudata (Vieill.), Sharpe, Cat. B., iii., p. 60.

This is certainly the same bird as *Cracticus cuneicaudatus* of Vieillot, 1810, so that Latham's name *versicolor* takes precedence. I have, by mistake, omitted Latham's reference in the "Catalogue of Birds," but G. R. Gray seems to have correctly identified the species, of which Watling's picture is the type.

His note is: "This representation is about one-quarter the size of the bird the drawing was taken from, and the only one yet seen. I had the skin, therefore the iris is doubtful; however, the general likeness is very good."

No. 61. Blue-and-white Crow, Lath., Gen. Syn., Suppl. ii., p. 117.

Corvus cyanoleucus, Lath., Ind. Orn., Suppl., p. xxv.

Grallina picata (Lath.), Sharpe, Cat. B., iii., p. 272 (1877).

Latham does not seem to have recognised these drawings as representing his "Pied Grackle" (Gen. Syn., Suppl. ii., p. 130), since he gave a new name. The synonymy in the "Catalogue of Birds" is not complete, as I have omitted these references of Latham's.

Watling's note is: "One-half the natural size. Native name *Mur-re-gan*."

No. 62. Blue-and-white Crow, Lath.

Watling gives the following note: "Natural size. April. Native name *Karrook*, a rare bird."

No. 63. Black-and-white Crow, Lath., Gen. Syn., Suppl. ii., p. 117.

Corvus melanoleucus, Lath., Ind. Orn. Suppl., p. xxv.

Watling's note is: "Half the natural size. May."

I am unable to identify this drawing satisfactorily. It is evidently a black *Strepera*, which might be *S. graculina*, but it does not quite agree with the specimens, as it is figured with a white rump and white throat, which features are not to be found in *S. graculina*.

No. 64. Pacific Roller, Lath., Gen. Syn., Suppl. ii., p. 371.

Coracias pacifica, Lath., Ind. Orn., Suppl., p. xxv.

Eurystomus australis (Swains.), Sharpe, Cat. B., xvii, p. 36.

Watling's note is as follows: "Half the size of the bird was

taken from. It is a rare bird, the third only that we have seen ; the colours are much too dull.

This drawing is the type of *Eurystomus pacificus*, which name definitely takes precedence over the name of *australis* of Swainson. In the "Catalogue of Birds" I was not certain as to the identity of *Coracias pacifica* of Latham, owing, doubtless, to the description having been taken from a drawing.

No. 65. Noisy Roller, Lath., Gen. Syn., Suppl. ii., p. 121.

Coracias strepera, Lath., Ind. Orn., i., p. 173.

Strepera graculina (White), Sharpe, Cat. B., iii., p. 57.

This drawing represents a black-and-white *Strepera* with a yellow eye, and is undoubtedly taken from a specimen of *S. graculina*.

The following note is given by Watling: "One half the natural size. June."

No. 66. Piping Roller, Lath., Gen. Syn., Suppl., p. 122.

Coracias tibicen, Lath., Ind. Orn., Suppl., p. xxvii.

Gymnorhina tibicen, Gadow, Cat. B., viii., p. 91.

This figure is the type of *Gymnorhina tibicen* (Lath.). Watling's note is: "Natural size. Native name *Iarra-won-nang*. This bird has a soft note not unlike the sound of a well-tuned flute. It is a bird of prey." Latham, as usual, has published the original note, without acknowledgment, and has twisted it into "It preys often on small birds," which is not what Watling wrote.

No. 67. Southern Oriole, Latham MS.

= *Green Grakle*, Lath., Gen. Syn., Suppl. ii., p. 129.

Gracula viridis, Lath., Ind. Orn., Suppl., p. xxviii.

Oriolus viridis, Sharpe, Cat. B., iii., p. 212.

Watling's note: "Half natural size."

No. 68. White-naped Grakle, Lath. MS.

Another figure of *Gymnorhina tibicen*.

Watling's note: "Three-fourths of its natural size. Native name *Dar-rung-a*. Gracula."

No. 69. Green Grakle, Lath., Suppl. ii., p. 129. See No. 67.

A larger drawing of the Green Oriole (*Oriolus viridis*). Latham does not seem to have recognised the identity of Nos. 67 and 69. Watling's note says simply: "Natural size. A rare bird." Latham writes: "Inhabits New Holland, where it is said to be a rare bird."

No. 70. Cinereous Grakle, Lath. [MS.]; *id.*, Gen. Hist. B., iii., p. 169 (1822).

This is, in my opinion, the Harmonic Thrush of Latham, Gen. Syn., Suppl. ii., p. 182 (= *Turdus harmonicus*, Lath., Ind. Orn., Suppl., p. xli.).*

Watling's note is as follows: "Natural size, from Port Jackson. A kind of Thrush by its note."

No. 71. Brown Grakle, Latham [MS.]; *id.*, Gen. Hist. B., iii., p. 170 (1822).

= *Megalurus cruralis*, Vigors and Horsfield, Trans. Linn. Soc., xv., p. 228 (1826).

Cinclorhamphus cruralis, Sharpe, Cat. B., vii., p. 498.

Watling's note: "This drawing is about one third the natural size. New South Wales."

No. 72. Blue-headed Cuckow, Lath., Gen. Syn., Suppl. ii., p. 137.

Cuculus cyanocephalus, Lath., Ind. Orn., Suppl., p. xxx.

Eudynamis cyanocephala, Shelley, Cat. B., xix., p. 324.

This drawing is the type of the species, and is a very good representation of the Australian Koel. Watling's note is: "This is the only bird hitherto found in the country of New South Wales. Another of a similar form and magnitude but of a glossy black colour was taken at the same time, but whether of a different genus or the male and female of this species Mr. White was not able to determine. In make and character it resembles the Anomalous Hornbill; the colour is more brown." Latham gives the substance of the above note, but gives credit for it to Mr. Lambert.

No. 73. Pheasant Cuckow, Lath., Gen. Syn., Suppl. ii., p. 137.

Cuculus phasianus, Lath., Ind. Orn., Suppl., p. xxx.

Centropus phasianus, Shelley, Cat. B., xix., p. 340.

Again, this drawing is the type of the species. Watling's note: "One half the natural size. Native name *Tem-minck*. The New South Wales Pheasant. The only one seen as yet."

No. 74. Tippet Cuckow, Lath., Gen. Syn., Suppl. ii., p. 138.

Cuculus palliolatus, Lath., Ind. Orn., Suppl., p. xxx.

Misocalius palliolatus, Shelley, Cat. B., xix., p. 279.

This drawing is the type of *Cuculus palliolatus* of Latham.

Watling's note: "One half the natural size. A rare bird."

No. 75. Fan-tailed Cuckow, Lath., Gen. Syn., Suppl. ii., p. 138, pl. cxxvi.

Cuculus flabelliformis, Lath., Ind. Orn., Suppl., p. xxx.

Cacomantis flabelliformis, Shelley, Cat. B., xix., p. 266.

* Cf. Sharpe, Cat. Birds, iii., p. 290.

Latham's description and figure are both taken from Watling's drawings, but his plate represents the bird as of a deeper red colour underneath than in Watling's picture, which may have faded a little; the latter writer says that the figure was of the "natural size." It is the type of the species.

No. 76. Glossy Cuckoo, Lath., Gen. Syn., Suppl. ii., p. 138.

Cuculus plagosus, Lath., Ind. Orn., Suppl., p. xxxi.

Chalcococcyx plagosus, Shelley, Cat. B., xix., p. 297.

This is the type of *Chalcococcyx plagosus* of Latham, who says that he is indebted to Mr. Lambert for some of the birds described by him; so that it may be that Latham, when he had these drawings before him, had received them from Mr. Lambert. It is curious that Watling's name is not mentioned, as many of the drawings bear his signature; nor is that of his employer, Mr. James Lee.

Watling's note: "The natural size. The yellow does not appear so bright as in the bird, and what is very singular in this bird it has two claws, before and behind the feet."

No. 77. Great Brown Kingfisher, Lath., Gen. Syn., ii., p. 609.

Alcedo gigantea, Lath., Ind. Orn., i., p. 245.

Dacelo gigas (Bodd.), Sharpe, Cat. B., xvii., p. 204.

Watling's note is: "Two thirds the natural size. Native name *Goo-ge-na-gan*."

No. 78. Great Brown Kingfisher, Lath., Gen. Syn., ii., p. 609.

Another figure of *Dacelo gigas*, but with a more rufous tail (*i.e.* female bird) and darker under-surface, the blue on the wings indicated more plainly.

Watling's note is: "This bird lives on insects, worms, etc., principally; though sometimes seeds are found in its crop. It is by no means numerous and very solitary; still from its note, which is that of a human loud and continued laugh, it might be considered a cheerful bird. The natives call it *Googanegang*, but with us it has the appellation of the Laughing Bird. None of them have ever been observed pairing, nor has any of their nests been found. The largest I have ever seen was the one from which this drawing was taken—from the bill end to the tip of the tail it measured $16\frac{1}{2}$ inches, and from tip to tip of the wings 18 inches. It is a bird of slow and short flight, and seems when on the wings to have some difficulty to support its fore-part, which regularly from the head and bill (which is large and strong) to the tail decreases in size. The feet are of a lead colour with black claws, and small in proportion to the size of the

bird. I have seen the feathers on the head form a more complete crest than the drawing exhibits ; however, in other respects it is a faithful copy. Native name *Goo-ge-ne-gang*, likewise this is called the Laughing Jack Ass."

No. 79. Sacred Kingfisher, variety.

Azure Kingfisher, Lath., Gen. Syn., Suppl. ii., p. 372.

Alcedo azurea, Lath., Ind. Orn., Suppl., p. xxxii.

Alcyone azurea, Sharpe, Cat. B., xvii, p. 168.

This is a very good figure of *Alcyone azurea*, and has nothing to do with the Sacred Kingfisher, with which Latham attempts to identify it. Watling gives no note to this figure.

No. 80. Collared Kingfisher, variety.

Halcyon sanctus (Vig. and Horsf.), Sharpe, Cat. B., xvii., p. 267.

A fairly good picture of *H. sanctus*, but not quite accurate, as the artist has exaggerated the white nape-patch so as to form a kind of collar.

Watling's note : " Natural size."

No. 81. Orange-winged Nuthatch, Lath., Gen. Syn., Suppl. ii., p. 146, pl. 127.

Sitta chrysoptera, Lath., Ind. Orn., Suppl., p. xxxii.

Sittella chrysoptera, Gadow, Cat. B., viii., p. 360.

Neositta chrysoptera, Sharpe, Handl. B., iv., p. 351 (1903).

This figure is the type of *Sitta chrysoptera*, and the figure in Latham's "Synopsis" seems to have been copied from Watling's drawing.

Watling's note is : " Three fourths of its natural size. Native name *Mur-ri-gang*. Very rare."

No. 82. The same as No. 81.

Watling's note : " Two thirds the natural size. Under the tail a fine white [patch], barred irregularly with black. A rare bird."

No. 83. Red-breasted Tody, Lath., Gen. Syn., Suppl. ii., p. 147.

Todus rubecula, Lath., Ind. Orn., Suppl., p. xxxii.

Myiagra rubecula, Sharpe, Cat. B., iv., p. 373.

Watling gives the following note, much of which is transcribed in Latham's description : " Almost the natural size. This little bird has a bifid tongue. The points on each side the beak are a little divided or feathered. It is the second of the kind I have seen in the course of six years' residence in N. S. Wales. The contour in general resemblance is good."

No. 84. Variegated Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 155, pl. cxxviii.

Merops ornatus, Lath., Ind. Orn., Suppl., p. xxxv.; Sharpe, Cat. B., xvii., p. 74.

Latham described this species from a specimen in the collection of General Davies, but he mentions a figure as being among "Mr. Lambert's collection of drawings." The figure in Latham's work is an impossible one, whereas Watling's figure is by no means bad. He gives the following note: "The same size as the bird this drawing was taken from; the colours are more brilliant. Native name *Dee-weed-gang*."

No. 85 is said to be the same as 84, but the drawing appears to be missing.

No. 86. Wattled Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 150.

Merops carunculatus, Lath., Ind. Orn., I., p. 276.

Acanthochæra carunculata, Gadow, Cat. B., ix., p. 263.

This drawing is mentioned by Latham (*l.c.*) as being in Mr. Lambert's collection, and he adopts Watling's note, given herewith, almost in its entirety: "Native name *Goo-gwar-ruck*, which much resembles a word it is constantly chattering. Half the natural size. This bird much frequents the sea shores, where it is pretty numerous. It is a chattering bird, and lives on insects and sucking honey from the different *Banksias*. When other birds even larger than themselves and stronger approaches them it drives them away."

No. 87. Cowled Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 155.

Merops monachus, Lath., Ind. Orn., Suppl., p. xxxiv.

Philemon corniculatus, Lath.; Gadow, Cat. B., ix., p. 271.

In his list of Watling's Plates, Latham identifies this figure (87) as the Knob-fronted Bee-eater (= *Merops corniculatus*, Lath., Ind. Orn., i., p. 276), but in his note on the plate itself, he seems to think that the two birds are the same, and this view is no doubt correct.

Watling's note is as follows: "About one third of the natural size. This bird is generally found perching upon the topmost boughs of the tall trees. Its food is insects and honey, which it extracts from plants and flowering shrubs. The Paroquets hold it in enmity, nor do they ever part before a severe combat."

"It varies from the Knob-fronted [Bee-eater] in the sex or age."

No. 88. Cowled Bee-eater (juv.).

Watling's note: "Native name *Wergan*, or a Friar. January.

Two thirds the natural size; it is supposed to be a young bird. It varies from the Knob-fronted [Bee-eater] in sex or size."

No. 89. Golden-winged Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 153.

Merops chrysopterus, Lath., Ind. Orn., Suppl. ii., p. xxxiii.

Mellivorous Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 166.

Acanthochæra mellivora (Lath.), Gadow, Cat. B., ix., p. 264.

The oldest name for *A. mellivora* appears to be *A. chrysoptera* (Lath.), both being founded on Watling's drawings. His notes are quoted by Latham, as follows: "One half the natural size. Called from our English people Querrick, from its note. Native name *Wad-de-ar-gal*."

No. 90. Golden-winged Bee-eater, Lath.

Watling's note is: "Native name *Goo-gwar-ruck*. Natural size; it lives on flies, insects, and sucking honey from the Banksias, etc."

"This genus of Flycatcher are very numerous in N. S. Wales, and seldom seen but near the seashore, especially about where the natives resort. It is a most active lively bird, constantly in action, either sucking honey, taking flies, or contending with other birds. Two or three of these kind will rout a flock of the Blue-bellied Parrots, a genus which they are often engaged with."

No. 91. Black-eared Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 153.

Merops auritus, Lath., Ind. Orn., Suppl., p. xxxiv.

Watling's note: "Natural size." This is a chestnut-coloured bird, depicted with a brush-tipped tongue. Otherwise I should have identified it as a *Cinclosoma* and probably intended for *C. cinnamomeum*. In view of the tongue, however, I consider that the species cannot be properly identified.

No. 92. Black-and-yellow Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 154.

Merops phrygius, Lath., Ind. Orn., Suppl., p. xxxiv.

Meliphaga phrygia, Gadow, Cat. B., ix., p. 221.

This is the type of *Merops phrygius* of Latham, who admits that his description is taken from the "drawings of Mr. Lambert."

Watling's note: "Natural size."

No. 93. Black-and-yellow Bee-eater.

The colour of the bird in this picture has apparently very much changed with time, but Latham seems to have had no

doubt of its identity with No. 92, and he must have examined the drawing in its early days.

Watling's note: "About half the natural size. The light tint round the eye is not plumage but a kind of fleshy excrescence, resembling in substance the gills of a cock or hen."

No. 94. Blue-cheeked Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 154.

Merops cyanops, Lath., Ind. Orn., Suppl., p. xxxiv.

Entomyza cyanotis (Lath.), Gadow, Cat. B., ix., p. 268.

Latham first described this bird as the Blue-eared Grakle (Gen. Syn., Suppl. ii., p. 130), from a specimen in General Davies' collection. He afterwards named it *Gracula cyanotis* (Ind. Orn., Suppl., p. xxix.). He does not seem to have recognised that his "Blue-cheeked Bee-eater" was the same bird, and therefore *Merops cyanops* (Lath.) = *Entomyza cyanotis* (Lath.).

Watling's note: "Two thirds the natural size. Native name *Der-ro-gang*."

No. 95. Blue-cheeked Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 154.

Watling's note: "One half natural size."

Black-headed *Grakle*, Lath., Gen. Syn., Suppl. ii., p. 129.

Gracula melanocephala, Lath., Ind. Orn., Suppl., p. xxviii.

No. 96. Chattering Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 154.

Mcrops garrulus, Lath., Ind. Orn., Suppl., p. xxxiv.

Manorhina garrula, Gadow, Cat. B., ix., p. 260.

The original description was taken from a specimen in General Davies' collection. Latham does not seem to have recognised Watling's drawings as belonging to the same species, and bestowed a new name, *cyanops*, upon the bird.

Watling's note: "One half the natural size. This chattering bird often gives notice to the Kangaroo when the sportsmen are after them. It is pretty numerous, and always at war with others of the feathered kind. The yellow behind the eye is bare of feathers, and has just the appearance of yellow Morisco leather. The general likeness is good."

No. 97. Chattering Bee-eater.

A full-sized picture of *Myzantha garrula*.

Watling's note: "Natural size. The iris is doubtful. A chattering bird and often prevents the sportsman from getting a shot at the Potrigorang."

No. 98. New Holland Creeper, White, Journ. N. S. Wales, pp. 186, 297, pls. 15, 65; Lath., Gen. Syn., Suppl. ii., p. 161.

Certhia novæ hollandiæ, Lath., Ind. Orn., i., p. 296.

Meliornis novæ hollandiæ (Lath.), Gadow, Cat. B., ix., p. 253.

This figure is not the type of the species, the birds having been figured by White.

Watling's note: "Natural size. Native name *Balyonera*. January."

No. 99. Black-eyed Creeper, Lath., Gen. Syn., Suppl. ii., p. 165.

Certhia melanops, Lath., Ind. Orn., Suppl., p. xxxvi.

Glyciphila fulvifrons (Lewin), Gadow, Cat. B., ix., p. 210.

This is the type of *Certhia melanops* of Latham, founded on the "Black-eyed Creeper," of which Dr. Gadow doubted the identity. There need be no further question, however, on this point, and the species must be called *Glyciphila melanops* (Lath.).

Watling's note: "Natural size. A honey bird. A Fly-catcher."

No. 100. Black-eyed Creeper, variety.

Watling's note: "Natural size. This bird has a whistling note and lives on honey, etc."

No. 101. Black-eyed Creeper.

Watling's note: "The same size as the bird the drawing was taken from."

No. 102. Slender-billed Creeper, Lath., Gen. Syn., Suppl. ii., p. 165, pl. cxxix.

Certhia tenuirostris, Lath., Ind. Orn., Suppl., p. xxxvi.

Acanthorhynchus tenuirostris, Gadow, Cat. B., ix., p. 144.

This drawing is the type of *A. tenuirostris* (Lath.). Watling's note: "Natural size."

No. 103. Slender-billed Creeper, female.

Watling's note: "Natural size. This bird lives on flies and honey; when flying it makes a singular noise as if the tips of the wings were beat together under the bird's belly. It hovers over flowers and extracts honey with its brush tongue."

No. 104. Mellivorous Creeper, Lath., Gen. Syn., Suppl. ii., p. 166.*

Certhia mellivora, Lath., Ind. Orn., Suppl., p. xxxvii.

Acanthockæra mellivora, Gadow, Cat. B., ix., p. 264.

* Cf. fig. 89.

Watling's note : "One-half the natural size. Native name *Goo-gwar-ruck*."

No. 105. Black-headed Creeper, Lath., Gen. Syn., Suppl. ii., p. 167.

Certhia atricapilla, Lath., Ind. Orn., Suppl., p. xxxvii.

This figure is intended for the bird usually called *Melithreptus lanulatus* (Shaw); cf. Gadow, Cat. B., ix., p. 204. Shaw's name is adopted by Dr. Gadow, but I cannot reconcile the description given by Shaw (Gen. Zool., viii., p. 224, 1811)—with the "back, wings, and tail cinnamon-brown"—with any species of *Melithreptus*. The name ought to have been dropped on this account, but it matters no longer, as Latham's name of *atricapilla* antedates Shaw's name by ten years.

No. 106. Identified by Latham as his "Black-headed Creeper," but it is a very poor representation, the back being brown, and no sign of the white on the nape.

No. 107. Cochincal Creeper, Lath., Gen. Syn., Suppl. ii., p. 167.

Certhia dibapha, Lath., Ind. Orn., Suppl., p. xxxvii.

Myzomela sanguinolenta (Lath.); Gadow, Cat. B., ix., p. xxxvii.

Watling's note : "The natural size." (See No. 108.)

No. 108. Cochineal Creeper.

This is the type of Latham's "Cochineal Creeper," as is further proved by his adoption, without acknowledgment, of Watling's note : "A rare bird, only seen in the spring."

C. dibapha is a synonym of *M. sanguinolenta* (Lath.), but Latham does not seem to have recognised the fact from the drawings.

No. 109. Sanguineous Creeper, Lath., Gen. Syn., Suppl. ii., p. 167, pl. cxxx.

Certhia sanguinolenta, Lath., Ind. Orn., Suppl., p. xxxvii.

Myzomela sanguinolenta, Gadow, Cat. B., ix., p. 131.

This is the type of Latham's "Sanguineous Creeper," and I believe the plate in the second "Supplement" to the "General Synopsis" to have been taken from Watling's figure.

No. 110. Cærulean Creeper, Lath., Gen. Syn., Suppl. ii., p. 169.

Certhia cærulescens, Lath., Ind. Orn., Suppl., p. xxxviii.

Zosterops cærulescens, Sharpe, Cat. B., ix., p. 152.

This is evidently intended for a *Zosterops*, but the colours are not very exact. The white eyelid is shown in Watling's drawing, which is of the "natural size." Latham does not mention

the white eyelid in his description, which, however, is manifestly founded on Watling's picture, which thus becomes the type of *Z. cærulescens* (Lath.).

No. 111. Agile Creeper, Lath., Gen. Syn., Suppl. ii., p. 168.

Certhia agilis, Lath., Ind. Orn., Suppl., p. xxxviii.

Latham's name is not founded on this drawing, which I am unable to identify. Dr. Gadow apparently did not know of the name. The bird is depicted as grey above, white below, with a brush-tongue. Watling says that the bird is of the "natural size."

No. 112. Yellow-winged Creeper, Lath., Gen. Syn., Suppl. ii., p. 168.

Certhia pyrrhoptera, Lath., Ind. Orn., Suppl., p. xxxviii.

Meliornis australasiana (Shaw); Gadow, Cat. B., ix., p. 252.

"Watling's note: "Natural size. The only one of the kind ever shot. It is a rare bird."

There is no doubt that this drawing is the type of Latham's "Yellow-winged Creeper," and therefore his name of *pyrrhoptera*, which Dr. Gadow doubted as belonging to *M. australasiana* of Shaw, takes precedence over the latter name, which is founded on "L'Heoro-Taire noir et blanc" of Vieillot. The species must, therefore, bear the name of *Meliornis pyrrhoptera* (Lath.), unless this be considered inappropriate for a yellow-winged bird.

No. 113. Yellow-winged Creeper.

Latham identifies this as the same as No. 112, but it looks quite different, and has red on the quills, so that it is evident that this suggested the name of *pyrrhoptera*. No black on the neck or wing-coverts is shown, and I cannot identify the species, which is evidently intended for a Honey-sucker, as the brush-tongue is carefully indicated.

Watling's note is: "Natural size. A Flycatcher."

No. 114. Hoary Creeper, Lath., Gen. Syn., Suppl. ii., p. 168.

Certhia canescens, Lath., Ind. Orn., Suppl., p. xxxvii.

This is another brush-tongued bird of a grey colour, with a light pinkish breast. I know of no Meliphagine bird to which the name could be applied. Watling says that his drawing is of the "natural size."

No. 115. Yellow-eared Creeper, Lath., Gen. Syn., Suppl. ii., p. 169.

Certhia chrysotis, Lath., Ind. Orn., Suppl., p. xxxviii.

This figure represents *Ptilotis lewini* of Gadow's "Catalogue,

ix., p. 229, and the latter species should, therefore, stand as *P. chrysotis* (Lath.).

Watling's note: "One half 'the natural size. This bird, which is not very common in New South Wales, has one single sweet whistling note. It is very shy and seldom seen, and, as most small birds in this country, it has a feathered tongue for the purpose of catching flies, etc., and sucking honey from the flowers and plants on which most of them live."

No. 116. Missing.

No. 117. Yellow-eared Creeper.

Latham has confused this figure with the foregoing. It seems to have been drawn from a specimen of *Ptilotis fusca* of Gould. This figure may have been taken from a bird in worn plumage.

No. 118. Yellow-eared Creeper.

Here again Latham has confounded a very different species, and there can be no doubt, I think, that the bird figured is not *Ptilotis chrysotis* (M. 115), but is *Sylvia chrysops*, Lath., Ind. Orn., Suppl., p. liv. (Black-cheeked Warbler—not *Honey-eater*, as Gadow quotes it—of Latham, Gen. Syn., Suppl. ii., p. 248).

Watling's note is: "Natural size. This bird has a pleasant whistling note."

No. 119. Yellow-eared Creeper.

This is also identified by Latham with the foregoing pictures, but it is evidently meant for a small figure of *P. lewini* (= *P. chrysotis* [Lath.]).

Watling's note is: "Half the natural size. It is a very lively bird, sucks honey out of the gum-tree flowers, and catches flies, insects, etc."

No. 120. Red-rumped Creeper, Lath., Gen. Syn., Suppl. ii., p. 169.

Certhia erythropygia, Lath., Ind. Orn., Suppl., p. xxxviii.

Myzomela sanguinolenta (Lath.), Gadow, Cat. B., ix., p. 131.*

This figure represents a young bird, as the scarlet plumage is very slightly indicated, and is evidently the same as the Sanguineous Creeper.

Watling gives the figure as of the "natural size," and says that it is a "rare bird."

No. 121. Black-eyed Thrush, Lath., Gen. Syn., Suppl. ii., p. 181.

Turdus melanops, Lath., Ind. Orn., Suppl., p. xl.

Ptilotis auricomis (Lath.), Gadow, Cat. B., ix., p. 242.

* Cf. figs. 107-109.

Watling's note: "Natural size. The native name of this very common bird in New South Wales is *Dar-wang*. It is a very lively bird, and by us called the *Yellow-eared Flycatcher*. The tongue is feathered at the tip for sucking honey, which it is very fond of. It builds its nest on the pensile branch of some trees or low shrubs, as I suppose, to avoid the opossum, flying squirrel, lizards, guana, and birds and mice. The yellow at ears are tufts of feathers longer than those on the other part of the head."

No. 122. Black-eyed Thrush.

This figure is the type of the "Yellow-tufted Flycatcher" of Latham (Gen. Syn., Suppl. ii., p. 215, = *Muscicapa auricomis*, Lath., Ind. Orn., Suppl., p. xlix.). The species, therefore, must bear the name of *Ptilotis melanops* (*vide supra*, No. 121).

Watling's note: "Half the natural size. Native name *Dar-wang*."

No. 123. Doubtful Thrush, Lath., Gen. Syn., Suppl. ii., p. 182.

Turdus dubius, Lath., Ind. Orn., Suppl., p. xl.

Sisura inquieta (Lath.), Sharpe, Cat. B., iv., p. 407.

This is the type of the "Doubtful Thrush," which has been correctly referred to *S. inquieta* by many writers. Watling's note: "The same size as the bird the drawing was taken from."

No. 124. Lunulated Thrush, Lath., Gen. Syn., Suppl. ii., p. 184.

Turdus lunulatus, Lath., Ind. Orn., Suppl., p. xlii.

Geocichla lunulata, Seeböhm, Cat. B., v., p. 155.

The figure is taken from a bird which has apparently lost most of its tail-feathers, so that it is impossible to state whether the characters for the species are as stated by Mr. Seeböhm (*t.e.*, p. 149). It is a good figure of an *Oreocichla*, and is the type of *O. lunulata* (Lath.). According to Watling's note, it is of the "natural size."

No. 125. Yellow-bellied Thrush, Lath., Gen. Syn., Suppl. ii., p. 187.

Turdus melinus, Lath., Ind. Orn., Suppl., p. xliv.

Serieulus melinus, Sharpe, Cat. B., vi., p. 395.

"Watling's note: "Natural size. Sexual differences. May."

The only bird for which this figure could be intended seems to me to be *Sphecotheres flaviventris*, Gould, but this species has not a red bill, and does not occur in New South Wales. At any rate, the figure is not exact enough for me to recommend the supersession of Gould's name.

Watling's figure is, of course, the type of *Turdus melinus* of

Latham, a name universally applied to the Regent Bird (*Sericulus*). This it certainly is *not*, and the name must be dropped, and the latter species called *Sericulus chrysocephalus* (Lewin).

No. 126. Pale-cheeked Honey-eater, Lath. [MS.]; *id.*, Gen. Hist. B., iv., p. 167 (1822).

Manorhina melanophrys (Lath.); Gadow, Cat. B., ix., p. 259.

This is undoubtedly the same as No. 149 (*vide infra*), the latter figure being the type of *M. melanophrys* (Lath.).

Watling's note: "Natural size. November."

No. 127. Coach-Whip Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 222.

Muscicapa crepitans, Lath., Ind. Orn., Suppl., p. li.

Psophodes crepitans, Sharpe, Cat. B., vii., p. 350.

This is the type of Latham's "Coach-Whip Flycatcher." He annexes Watling's paragraph on the note of the bird, but says that the native name is "Djow."

Watling's note is as follows: "One-half the natural size. Native name *Wan-nang*. This bird, from a single note resembling the crack of a coachman's whip, is called the Coach-Whip Flycatcher."

No. 128. White-crowned Honey-eater, Lath. MS.; *id.*, Gen. Hist. B., iv., p. 169 (1822).

Meliornis australasiana (Shaw), Gadow, Cat. B., ix., p. 252.

Watling's note: "Very numerous and common in New South Wales. Native name *Balganera*. Half the size of nature."

No. 129. White-naped Honey-eater, Lath. [MS.]; *id.*, Gen. Hist. B., iv., p. 168 (1822).

Melithreptus lunulatus (Shaw), Gadow, Cat. B., ix., p. 204.

Watling's drawing is of the "natural size."

No. 130. White-naped Honey-eater, Lath. MS. (*See* No. 129.)

Watling's note: "Natural size. A male bird. December."

No. 131. White-naped Honey-eater, Lath. MS. (*See* No. 129.)

Watling's note: "Natural size. It is a lively little bird; frequently contends with small Parrots for flowers. March."

No. 132. White-crowned Honey-eater, Lath. [MS.]; Gen. Hist. B., iv., p. 169 (1822). (*See* No. 128.)

Blue-eared Grackle, Lath., Gen. Syn., Suppl. ii., p. 130 (founded on a description given by General Davies).

Gracula cyanotis, Lath., Ind. Orn., Suppl., p. xxix.

Blue-cheeked Bee-eater, Lath., Gen. Syn., Suppl. ii., p. 154.

Merops cyanops, Lath., Ind. Orn., Suppl., p. xxxiv.

Blue-cheeked Thrush, Lath., Gen. Syn., Suppl. ii., p. 184.

Turdus cyanous [*cyaneus*], Lath., Ind. Orn., Suppl., p. xlii.

Entomyza cyanotis (Lath.), Gadow, Cat. B., ix., p. 268.

A poor figure, but it can only be referred to *E. cyanotis*, which Latham has described under several names.

Watling's note: "Half the natural size. The yellow or willow-green about the eye is entirely bare of feathers, resembling much yellow morocco leather. The white on the vertex forms a crescent, with its concave side towards the bill; the dark feathers from which to the bill are very short and thin, and of a deep lead colour. The belly and feathers of the tail about the vent are white, except just under the lower mandible, where they are of a deep lead colour for about $1\frac{1}{2}$ inches running down the breast. It has only one shrill whistling note, which it is constantly repeating. It hops like the Magpie, has a feathered tongue, catches flies and insects of every kind, on which it principally lives, and I am rather inclined to think sometimes kills and eats small birds, from its attacking a Warbler I one day put into the cage where I kept it for some time after being wounded. This bird is very rare, and the only one seen."

No. 133. Mustachoe Flycatcher, Latham, Gen. Syn., Suppl. ii., p. 221.

Muscicapa mystacea, Lath., Ind. Orn., Suppl., p. li.

Ptilotis auricomis, Gadow, Cat. B., ix., p. 242 (*vide supra*, no. 121).

Watling gives the following note: "Two thirds the natural size. This bird is often seen contending with small Parroquets."

No. 134. Black-cheeked Warbler, Lath., Gen. Syn., Suppl. ii., p. 248.

Sylvia chrysops, Lath., Ind. Orn., Suppl., p. liv.

Ptilotis chrysops, Gadow, Cat. B., ix., p. 236.

This is the type of *Sylvia chrysops* of Latham.

Watling's note: "Half the natural size. It has a brush tongue, and is a lively little bird; it lives a good deal on honey."

No. 135. The Flycatcher.

Watling's note: "One third of the natural size. It has a feathered tongue." This is a brown bird, whitish underneath, but I am unable to identify the species.

No. 136.

Watling's note: "Half the natural size of the bird this drawing was taken from." This has received no name from Latham, as in the case of the preceding. I cannot identify the

species, the figure not having the bill of a Honey-eater, though it is represented with a brush-tongue.

No. 137.

Watling's note: "Honey-eater. Natural size."

No. 138.

Watling's note: "Honey-eater. Natural size."

The two figures, 137, 138, represent some small species of Passerine bird, but I have not been able to identify them.

139. Dirigang Creeper, Lath., Gen. Syn., Suppl. ii., p. 166.

Certhia leucophæa, Lath., Ind. Orn., Suppl., p. xxxvi.

Climacteris scandens (Temm.), Gadow, Cat. B., viii., p. 337.

This figure is the type of Latham's "Dirigang Creeper," and Dr. Gadow has wrongly identified the species. The bird which he calls *Climacteris scandens* of Temminck is the true *C. leucophæa* (Latham), and *C. leucophæa*, Gadow (Cat., p. 336), *nec* Latham, should stand as *C. picumnus*, Temm. [Cf. Hellmayr, Tierr., 18. Lief., Paridæ, etc., p. 224 (1903).] Mr. Hellmayr rightly points out that Strickland and others were wrong in assigning Latham's name of *leucophæa* to *C. picumnus*, but he did not succeed in identifying Latham's description, and places his *Certhia leucophæa* among the doubtful species of *Meliphaga*.

Watling's note: "Half the natural size. Native name *Derigong*. A small Woodpecker of New South Wales."

No. 40 (no. 1). Black-breasted Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 222.

Muscicapa pectoralis, Lath., Ind. Orn., Suppl., p. li.

Pachycephala gutturalis (Lath.), Gadow, Cat. B., viii., p. 192.

Latham writes: "This species is found at New South Wales, in April." The figure is the type of *M. pectoralis* of Latham, which, in strict priority, takes precedence of his *Turdus gutturalis*, and the species should be known as *Pachycephala pectoralis* (Lath.).

Watling's note: "Natural size. April."

No. 140 (no. 2). Guttural Thrush, Lath., Gen. Syn., Suppl. ii., p. 182.

Turdus gutturalis, Lath., Ind. Orn., Suppl., p. xli.

Pachycephala gutturalis (Lath.), Gadow, Cat. B., viii., p. 192.

Latham says: "Inhabits New Holland; not unfrequently seen at Port Jackson in the winter months." Watling's note is:

"Natural size. The yellow is much brighter than the bird supposed to be a female of no. 1, and a very rare bird, never seen before in the cold or winter months."

No. 141. Prasine Thrush, Lath., Gen. Syn., Suppl. ii., p. 183.

Turdus prasinus, Lath., Ind. Orn., Suppl., p. xli.

Pachycephala gutturalis (Lath.), Gadow, Cat. B., viii., p. 192.

This figure is probably intended to represent a young male of *P. gutturalis*. The dark spot under the eye, mentioned by Latham, is the first indication of the approach to the adult plumage of the male.

Watling's note : "Natural size. December."

No. 142. Appears to be the same bird in slightly different plumage and placed in another position.

Watling's note : "The natural size of the bird this drawing was taken from. December."

No. 143. Volatile Thrush, Lath., Gen. Syn., Suppl. ii., p. 183.

Turdus volitans, Lath., Ind. Orn., Suppl., p. xli.

Sisura inquieta (Lath.), Sharpe, Cat. B., iv., p. 407.

This figure represents the same bird to which Latham has applied the names of "Restless Thrush," "Doubtful Thrush," and "Flycatching Thrush."

No. 144. Brown-crowned Thrush, Lath., Gen. Syn., Suppl. ii., p. 184.

Turdus tenebrosus, Lath., Ind. Orn., Suppl., p. xlii.

Artamus sordidus (Lath.); Sharpe, Cat. B., xiii., p. 19.

This figure represents the young of the Sordid Thrush, *Turdus sordidus*, Lath. As the name appears on an earlier page than *T. sordidus*, it must take precedence, and the species must be called *Artamus tenebrosus* (Lath.).

Watling says that the figure is the natural size.

No. 145. Blue-cheeked Thrush, Lath., Gen. Syn., Suppl. ii., p. 184.

Turdus cyanous [*cyaneus*], Lath., Ind. Orn., Suppl., p. xlii.

Entomyza cyanotis (Lath.); Gadow, Cat. B., viii., p. 268.

Watling's note : "Two thirds the natural size. The blue part round the eyes is bare of feathers and resembles a soft silky leather."

No. 146. Blue-cheeked Thrush.

A larger figure of the same bird.

Watling's note: "The natural size. This rare and curious bird has a singular whistling note. It is often seen pursuing smaller birds. The general likeness is good and is a strong copy."

No. 147. Sooty Thrush, Lath., Gen. Syn., Suppl. ii., p. 185.

Turdus fuliginosus, Lath., Ind. Orn., Suppl., p. xlii.

This name is not quoted by Mr. Seebohm, but there can be no doubt but that it is the Norfolk Island Thrush (= the Ash-headed Thrush of Latham, Gen. Syn., Suppl. ii., p. 373). In this volume of Watling's drawings there are pictures of mammals and birds from Norfolk Island, showing that he had been there. The name of *Merula poliocephala* (Gould) must give way to that of *M. fuliginosa* (Lath.).

No. 148. Blue-headed Thrush, Lath., Gen. Syn., Suppl. ii., p. 185.

Turdus cyanocephalus, Lath., Ind. Orn., Suppl., p. xliii.

It is difficult to say what this figure is intended to represent. I know of no bird from New South Wales anything like it.

Watling's note: "Natural size. It is an uncommon bird. We know nothing of its habits, etc."

No. 149. Black-browed Thrush, Lath., Gen. Syn., Suppl. ii., p. 185.

Turdus melanophrys, Lath., Ind. Orn., Suppl., p. xlii.

Manorhina melanophrys, Gadow, Cat. B., viii., p. 259.

This drawing is the type of Latham's description of the Black-browed Thrush, *Manorhina melanophrys* (Lath.).

Watling's note: "The tongue is short and very brushy. Native name *Dill-ring*."

No. 150. Flycatching Thrush, Lath., Gen. Syn., Suppl. ii., p. 185.

Turdus musticola, Lath., Ind. Orn., Suppl., p. xliii.

Sizura iniquita (Lath.), Sharpe, Cat. B., iv., p. 407.

This species has been described by Latham four times under different names.

Watling's note: "One half the natural size. Native name *Barra Well-Well*."

No. 151. Maxillary Thrush, Lath., Gen. Syn., Suppl. ii., p. 186.

Turdus maxillaris, Lath., Ind. Orn., Suppl., p. xliii.

Sphecothes maxillaris (Lath.), Sharpe, Cat. B., iii., p. 224.

Watling's note: "The natural size of the bird the drawing was taken from. December."

No. 152. Sordid Thrush, Latham, Gen. Syn., Suppl. ii., p. 186.

Turdus sordidus, Lath., Ind. Orn., Suppl., p. xliii.

Artamus sordidus, Sharpe, Cat. B., xiii., p. 19.

This figure is the type of Latham's description of the Sordid Thrush, *Artamus sordidus* (Lath.).

Watling's note: "Natural size. Native name *Goo-le-bee*."

No. 153. Frivolous Thrush, Lath., Gen. Syn., Suppl. ii., p. 186.

Turdus frivolus, Lath., Ind. Orn., Suppl., p. xliii.

Pomatorhinus temporalis (Vig. and Horsf.), Sharpe, Cat. B., viii., p. 418.

This figure is the type of Latham's description of the Frivolous Thrush. The species should in future bear the name of *Pomatorhinus frivolus* (Lath.).

Watling says that his figure is of the natural size.

The white tips to tail feathers are not given in the figure, as they were in *P. temporalis*, but there is no doubt as to the species.

No. 154. Short-winged Thrush, Lath., Gen. Syn., Suppl. ii., p. 187.

Turdus brachypterus, Lath., Ind. Orn., Suppl., p. xliii.

Sphenura brachyptera, Sharpe, Cat. B., vii., p. 104.

This drawing is the type on which Latham founded his description of the Short-winged Thrush, *Sphenura brachyptera* (Lath.).

Watling's note: "Natural size. This is a ground bird with very small wings and very short flight."

No. 155. Variable Warbler, Lath., Gen. Syn., Suppl. ii., p. 250.

Pipra versicolora, Lath., Ind. Orn., Suppl., p. lvi.

? *Chalcococcyx plagosus* (Lath.), Shelley, Cat. B., xix., p. 297.

Watling gives the following note: "Almost the natural size. This bird is of very short flight; its food moths, flies, and other insects. The largest interior feathers of the tail are of a dark stone colour barred with white."

No. 156. Bearded Thrush, Lath. [MS.]; *id.*, Gen. Hist. B., v., p. 129 (1822).

? *Ptilotis cassidix* (Jard.), Gadow, Cat. B., ix., p. 243.

Watling's note: "Natural size. December."

No. 157. Grey-headed Thrush, Lath. [MS.]; *id.*, Gen. Hist. B., v., p. 118 (1822).

= Harmonic Thrush, Lath., Gen. Syn., Suppl. ii., p. 182.

Turdus harmonicus, Lath., Ind. Orn., Suppl., p. xli.

Collyriocinclá harmonica (Lath.), Sharpe, Cat. B., iii., p. 290.

Watling's note: "This is a solitary bird. It has a melodious note not unlike a Thrush, but it does not warble."

No. 158. Thrush.

Watling's note: "Natural size."

No. 159. Thrush.

Watling's note: "One third of the natural size."

No. 160. Thrush.

Watling's note: "Natural size. Native name *Goo-lang-a-ga*."

No. 161. Thrush.

Watling's note: "Natural size. A ground bird and of very short flight."

No. 162. Thrush.

Watling's note: "Natural size."

No. 164. Black-lined Grosbeak, Lath., Gen. Syn., Suppl. ii.

Loxia bella, Lath., Ind. Orn., Suppl., p. xlv.

Zonæginthus bellus, Sharpe, Cat. B., xiii., p. 293.

This figure is the type of Latham's description of the Black-lined Grosbeak, *Zonæginthus bellus* (Lath.).

Watling's note: "Native name *Wee-bong*. Natural size, the only one yet seen. May."

No. 163. Nitid Grosbeak, Lath., Gen. Syn., Suppl. ii., p. 198, pl. cxxxi.

Loxia nitida, Lath., Ind. Orn., Suppl., p. xlvii.

Zonæginthus bellus (Lath.).

This figure is the type on which Latham based his description of the Nitid Grosbeak. It = *Zonæginthus bellus* (Lath.).

Watling's note: "Natural size. June."

No. 165. White-headed Finch, Female, Lath., Gen. Syn., Suppl. ii., p. 210.

Fringilla leucocephala, Lath., Ind. Orn., Suppl., p. xlviii.

Staganophura guttata (Shaw), Sharpe, Cat. B., xiii., p. 292.

Watling says: "Two thirds of the natural size."

No. 166. Temporal Finch, Lath., Gen. Syn., Suppl. ii., p. 211.

Fringilla temporalis, Lath., Ind. Orn., Suppl., p. xlviii.

Ægintha temporalis (Lath.), Sharpe, Cat. B., xiii., p. 372.

This figure is the type of Latham's description of the Temporal Finch, *Ægintha temporalis* (Lath.).

Watling says the "Native name is *Goo-lung-ag-ga*. It is a very common bird in New South Wales, easily domesticated, and

of a lively disposition even when in a cage, and in a day or two it is easily reconciled."

Latham says: "Several drawings of birds probably allied to this have come under our observation. In one of them the bill is crimson, a broad streak of the same over the eye, and the rump and vent crimson also; the crown rather full of feathers; the whole of the upper parts of the plumage and tail, beneath greenish white, with a slight reddish tinge on the breast; tail short. In another the bill was pale red, the streak over the eye and rump crimson; tail short as in the other; the plumage above greenish brown, beneath cinereous white.

"For these I am indebted to the drawings of General Davies, and in those of Mr. Lambert I have remarked a third, in which the upper parts were green, the under greenish white; bill, streak over the eye, and rump crimson; but differed from the others in having the tail much longer."

All these said to inhabit New South Wales.

No. 167. Temporal Finch.

Watling writes: "One third larger than the natural size."

No. 168. Temporal Finch.

Watling says that the drawing is "natural size," and gives the native name as *Deroo-gnan*.

No. 169. Red-bellied Flycatcher.

Petræca leggei, Sharpe, Cat. B., Brit. Mus., iv., p. 165.

Nos. 170 and 171. ? *Petræca multicolor*.

No. 172. ? *Petræca rosea*.

Nos. 169 ♂, 173 ♀, 174 ♀. *Petræca leggei*.

No. 175. Southern Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 219.

Muscicapa australis, Lath., Ind. Orn., Suppl., p. 1.

No. 176. Rufous-fronted Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 220.

Muscicapa rufifrons, Lath., Ind. Orn., Suppl., p. 1.

Rhipidura rufifrons (Lath.), Sharpe, Cat. B., iv., p. 319.

This and the following figure are the types of Latham's description of the Rufous-fronted Flycatcher.

Watling gives the following note: "One-half the natural size. This bird is of very short flight and found among brush, rotten wood, and long grass."

Latham says: "Inhabits *New South Wales*, where it is known by the name of *Burril*: has hitherto only been met with in November."

No. 177. Rufous-fronted Flycatcher.

Watling gives the following note: "Natural size. Native name *Buril*. November."

No. 179. Crimson-bellied Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 221.

Muscicapa coccinigastra, Lath., Ind. Orn., Suppl., p. l.

Watling says: "Natural size. The only one of this kind yet seen."

Latham writes: "Inhabits New South Wales: specimens of this species are scarce."

No. 180. Black-cheeked Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 221.

Muscicapa barbata, Lath., Ind. Orn., Suppl., p. li.

Sericornis citreogularis (Gould), Sharpe, Cat. B., vii., p. 302.

This figure is the type on which Latham based his description of the Black-cheeked Flycatcher (*Muscicapa barbata*). The species will, therefore, in future have to take the name of *Sericornis barbata* (Lath.).

Watling gives the figure as of natural size and the month of July.

No. 182. Grey Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 223.

Muscicapa flavigastra, Lath., Ind. Orn., Suppl., p. lii.

Eopsaltria australis (Lath.), Gadow, Cat. B., viii., p. 176.

Watling gives the figure as: "Natural size."

No. 183. Rose-breasted Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 223.

Muscicapa rhodogastra, Lath., Ind. Orn., Suppl., p. lii.

Petroeca multicolor (Gm.), Sharpe, Cat. B., iv., p. 168.

This figure is evidently a drawing of the female of *P. multicolor*, the male being represented on plate No. 170.

Watling says: "This bird is from Norfolk Island," and gives the figure as of "Natural size."

No. 184. Soft-tailed Flycatcher, Lath., Gen. Syn., Suppl. ii., p. 224, *ex* Shaw.

Muscicapa malachura, Lath., Ind. Orn., Suppl., p. lii.

Stipiturus malacurus (Shaw), Sharpe, Cat. B., vii., p. 100.

Watling gives the figure as: "Natural size, and the native name *Mur-re-a-nera*."

No. 185. Soft-tailed Flycatcher, Lath. (Female).

Watling says: "This the natural size. The bird is of a very short flight, seldom exceeding an hundred yards at most. It is so feeble and delicate as to be run down with the utmost ease."

Native name *Mereangeree*. From a resemblance of the feathers of the tail (when in flight seems too heavy for the body) to those of the Casuary in New South Wales, and denominated the Emu, or Casuary Titmouse."

No. 186. Soft-tailed Flycatcher, Lath. (Male).

No. 187. Orange-rumped Flycatcher, Lath., Gen. Syn.,
Suppl. ii., p. 225.

Muscicapa melanocephala, Lath., Ind. Orn., Suppl., p. lii.

Malurus melanocephalus (Lath.), Sharpe, Cat. B., iv., p. 296.

This figure, which is the type of Latham's description of the Orange-rumped Flycatcher, is a young male of *Malurus melanocephalus* (Lath.).

Watling says the figure is the "natural size."

No. 188. Orange-backed Flycatcher, Lath. MS.

= Orange-rumped Flycatcher, Lath., Gen. Syn.,
Suppl. ii., p. 225.

This figure represents the adult male of *Malurus melanocephalus*, fig. 187.

Watling says: "Qu. if not the other sex of the Orange-rumped. See drawing 187. Natural size. Native name (?)."

No. 189. Scarlet-breasted Flycatcher, Lath. MS.

Petræca phœnicea (Gould), Sharpe, Cat. B., iv., p. 166.

Watling's note: "Half the natural size. Native name *Karreet*. This domestic little bird frequents fields and gardens, as does the Robin in England, and it is called the Robin of New South Wales and Norfolk Island, where it is still more numerous than in New South Wales. This is a male; the female's breast is of a much paler colour, and the back, head and tail, instead of being nearly black, is a brown."

No. 190. Pied Flycatcher, Lath. MS.; *id.*, Gen. Hist. B., vi.,
p. 207 (1823).

= *Petræca bicolor* (Vig. and Horsf.), Sharpe, Cat. B., iv.,
p. 173.

This drawing must have been intended for *P. bicolor*, though it is not a correct figure.

Watling's note: "Half the natural size."

No. 191. Barred-tailed Flycatcher, Lath. MS.; *id.*, Gen. Hist.
B., vi., p. 221 (1823).

Watling says: "The wings are too small for the body. It is found in the grass and a bird of short flight. Natural size."

No. 192. New Holland Lark, Lath. MS.; *id.*, Gen. Hist.
B., vi., p. 307 (1823).

?*Anthus australis* (Vig. and Horsf.), Sharpe, Cat. B., x., p. 615.

Watling says the figure is two thirds the natural size and gives the name of New South Wales Lark.

No. 193. New Holland Lark, Male, Lath. MS. (*See* No. 192.)
Anthus australis (Vig. and Horsf.), Sharpe, Cat. B., x.,
 p. 615.

Watling gives the following note: "Natural size. It is the Lark of New South Wales. Only seen in the winter."

No. 194. New Holland Wagtail, Lath. MS.

Rhipidura albiscapa (Gould), Sharpe, Cat. B., iv.,
 p. 310.

Watling gives the following note: "Natural size. It has the air and actions of a Wagtail."

No. 196. Streaked Warbler, Lath., Gen. Syn., Suppl. ii.,
 p. 247.

Sylvia sagittata, Lath., Ind. Orn., Suppl., p. liv.

Chthonicola sagittata (Lath.), Sharpe, Cat. B., vii., p. 290.

This figure is the type of Latham's description of the Streaked Warbler.

Watling gives the following note: "Natural size. This bird sings remarkably well."

No. 197. Streaked Warbler, Lath.

Watling's note is as follows: "Female. Natural size. March."

No. 198. Streaked Warbler, Female, Lath.

Watling says that his figure is one half the natural size.

No. 200. Chaste Warbler, Latham, Gen. Syn., Suppl. ii.,
 p. 249.

Sylvia casta, Lath., Ind. Orn., Suppl., p. lv.

Watling says the figure is the natural size.

No. 201. White-tailed Warbler, Lath., Gen. Syn., Suppl. ii.,
 p. 249.

Sylvia leucophæa, Lath., Ind. Orn., Suppl., p. lv.

Micræca fascians (Lath.), Sharpe, Cat. B., iv., p. 123.

Watling says: "One half the natural size. This little bird follows the gardeners and workmen, picking up worms, etc. It is very familiar."

No. 202. Ruddy Warbler, Lath., Gen. Syn., Suppl. ii., p. 249

Sylvia rubricata, Lath., Ind. Orn., Suppl., p. lv.

Cacomantis flabelliformis (Lath.), Shelley, Cat. B., xix.
 p. 266.

No. 203. Ruddy Warbler, Female, Lath., Gen. Syn.,
 Suppl. ii., p. 249.

Sylvia rubricata, Lath., Ind. Orn., Suppl., p. lv.

Eopsaltria australis (Lath.), Gadow, Cat. B., viii., p. 176.

Watling gives the following note : " Native name *Thadagnan*. The almost natural size. This is a very common domestic bird not unlike the Robins in Europe."

No. 204. Swallow Warbler, Lath., Gen. Syn., Suppl. ii., p. 250.

Sylvia hirundinacea, Lath., Ind. Orn., Suppl., p. lv.

Dicæum hirundinaceum (Shaw and Nodder), Sharpe, Cat. B., x., p. 19.

No. 205. Swallow Warbler, Lath.

Watling gives the following note : " The natural size. This is a scarce bird and well resembled, and the only one we have yet seen ; the blue feathers on this bird are of a beautiful changeable blue."

No. 206. Crimson-breasted Warbler, Lath., Gen. Syn., Suppl. ii., p. 250.

Sylvia rubicollis, Lath., Ind. Orn., Suppl., p. lv.

Watling gives the following note : " Native name *Bood-dang*. Natural size."

No. 207. Crimson-breasted Warbler, Lath.

Watling says : " Natural size."

No. 208. Bonnet Warbler, Lath. MS. ; *id.*, Gen. Hist. B., vii. p. 135 (1823).

Watling says the figure is of the " natural size," and that it is " a rare bird."

No. 209. Ciliary Warbler, Lath. MS. ; *id.*, Gen. Hist. B., vii., p. 111 (1823).

Zosterops cærulescens (Lath.), Sharpe, Cat. B., ix., p. 152.

Watling gives the following note : " One half the natural size. This little bird is the only one of the kind ever seen ; the white round the ciliary process of the eye is composed of the most beautiful small white feathers. The pride and vanity of the draughtsman has induced him to put his name to all the drawings, but should you publish them I think the name may be left out."

No. 210. Ciliary Warbler, Lath. MS. (*See* No. 209.)

Watling's note : " Three fourths of the natural size. The iris is doubtful."

No. 211. Speckled Manakin, Lath., Gen. Syn., Suppl. ii., p. 253.

Pipra punctata, Lath., Ind. Orn., Suppl. p. lvi.

Pardalotus punctatus (Shaw and Nodder), Sharpe, Cat. B., x., p. 58.

- No. 212. New Holland Manakin, M. and L., Suppl. ii., p. 253.
Pardalotus punctatus (Shaw and Nodder), Sharpe, Cat. B.,
 x., p. 58.

Watling's note: "Half the natural size. Allied or female to Speckled Manakin."

- No. 213. Variety of the New Holland Manakin, Lath. MS.

- No. 214. Cærulean Manakin, Lath., Gen. Syn., Suppl. ii.,
 p. 254.

Natural size.

- No. 215. Black-eared Manakin, Lath. MS.; *id.*, Gen. Hist.
 B., vii., p. 242 (1823).

Natural size.

- No. 216. Needle-tailed Swallow, Lath., Gen. Syn., Suppl. ii.,
 p. 259.

Hirundo caudacuta, Lath., Ind. Orn., Suppl., p. lvii.

Chætura caudacuta (Lath.), Hartert, Cat. B., xvi., p. 472

This figure is the type of Latham's description of the Needle
 tailed Swallow.

Watling gives the following note: "This bird, about half the
 natural size, seems to possess, in a great measure, the qualities of
 a Swallow. Its motions are amazing quick, eager of its prey,
 which it seizes with the rapidity of lightning. Its favourite
 food is a large locust, which at this season is plentiful. It is
 strongly pounced (as a bird of prey), and has a broad flat bill—
 the tail quills armed with spikes as sharp as a needle."

- No. 217. New Holland Swallow, Lath., Gen. Syn., Suppl. ii.
 p. 259.

Hirundo pacifica, Lath., Ind. Orn., Suppl., p. lviii.

Micropus pacificus (Lath.), Hartert, Cat. B., xvi., p. 448.

This figure is the type of Latham's description of the New
 Holland Swallow.

Watling says: "This the supposed female of No. 1."

- No. 218. New Holland Goatsucker, Lath., Gen. Syn., Suppl.
 ii., p. 261.

Ægotheles novæ hollandiæ (Lath.), Hartert, Cat. B., xvi.,
 p. 651.

- No. 219. Banded Goatsucker, Lath., Gen. Syn., Suppl. ii.,
 p. 262.

Caprimulgus vittatus, Lath., Ind. Orn., Suppl., p. lviii.,
 pl. 136.

Ægotheles novæ hollandiæ (Lath.), Hartert, Cat. B., xvi.,
 p. 651.

Watling says: "Two thirds the natural size. Musquito Hawk. July."

No. 220. Strigoid Goatsucker, Lath., Gen. Syn., Suppl. ii., p. 262.

Caprimulgus strigoides, Lath., Ind. Orn., Suppl. ii., p. lviii.

Podargus strigoides (Lath.), Hartert, Cat. B., xvi., p. 631.

This drawing is the type of Latham's description of the Strigoid Goatsucker.

Watling says the "native name is *Birreagal*," and the figure is "one half the natural size. July."

No. 221. Great-headed Goatsucker, Lath., Gen. Syn., Suppl. ii., p. 263.

Caprimulgus megacephalus, Lath., Ind. Orn., Suppl., p. lviii.

Podargus strigoides (Lath.), Hartert, Cat. B., xvi., p. 631.

No. 222. Gracile Goatsucker, Lath., Gen. Syn., Suppl. ii., p. 263.

Caprimulgus gracilis, Lath., Ind. Orn., Suppl., p. lviii.

Podargus strigoides (Lath.), Hartert, Cat. B., xvi., p. 631.

Watling says the "native name is *Poo-book*. Half the natural size. An excellent likeness."

No. 223. Bristled Goatsucker, Lath. MS.; *id.*, Gen. Hist. B., vii., p. 342 (1823).

Ægotheles novæ hollandiæ (Lath.), Hartert, Cat. B., xvi., p. 651.

Watling says: "Natural size, the same as the bird the drawing was taken from. March."

No. 225. White-faced Pigeon, Lath., Gen. Syn., Suppl. ii., p. 268.

Columba melanoleuca, Lath., Ind. Orn., Suppl., p. lix.

Leucosarcia picata (Lath.), Salvad., Cat. B., xxi., p. 607.

Watling says: "One-half the natural size. Native name *Go-ad-gong*. Dec., 1792."

No. 226. Pale Pigeon, Lath., Gen. Syn., Suppl. ii., p. 270.

Columba pallida, Lath., Ind. Orn., Suppl., p. lx.

Lopholæmus antarcticus (Shaw), Salvad., Cat. B., xxi., p. 235.

Cf. Hartert, Nov. Zool., xii., p. 217 (1905).

Although this figure is very incorrect, I am inclined to think that it is intended for *Lopholæmus antarcticus*.

Watling says: "About one fourth the natural size. New South Wales."

No. 227. New Holland Quail, Lath., Gen. Syn., Suppl. ii., p. 283.

Perdix australis, Lath., Ind. Orn., Suppl., p. lxii.

Synœcus australis (Lath.), Grant, Cat. B., xxii., p. 247.

This drawing is the type on which Latham founded his description of the New Holland Quail.

Watling gives the following note: "Natural size. July. It flies like a Quail, and in its habits much resembles that bird."

No. 228. New Holland Jabiru, Lath., Gen. Syn., Suppl. ii., pp. 294 and 295, pl. cxxxviii.

Mycteria australis, Lath. Ind. Orn., Suppl., p. lxiv.

Xenorhynchus asiaticus (Lath.), Sharpe, Cat. B., xxvi., p. 310.

Watling says: "In height $5 \cdot 7\frac{1}{2}$."

No. 230. New Holland Crane.

Antigone australasiana (Gould), Sharpe, Cat. B., xxiii., p. 265.

No. 231. Caledonian Night-Heron, Lath., Gen. Syn., iii., pt. i., p. 55 [male].

Nycticorax caledonicus (Gm.), Sharpe, Cat. B., xxvi., p. 158.

No. 232. Caledonian Night-Heron [female].

No. 234. The Bittern, a variety.

Botaurus pœciloptilus (Wagl.), Sharpe, Cat. B., xxvi., p. 258.

No. 235. White-bellied Heron, Latham MS.; *id.*, Gen. Hist. B., ix., p. 101 (1824).

Ardetta pusilla (Vieill.), Sharpe, Cat. B., xxvi., p. 234.

This figure no doubt is intended to represent the young of *Ardetta pusilla*.

Watling says: "This bird frequents marshes. It is a rare bird."

No. 236. Little Bittern, Lath., Gen. Syn., Suppl. ii., p. 301.

Ardetta pusilla (Vieill.), Sharpe, Cat. B., xxvi., p. 234.

Latham appears to have noticed that the Australian bird was different from the European, as he writes on this drawing as follows: "A variety of Little Bittern if not new. See drawing above, No. 237."

Watling gives the following note: "Half the natural size. Native name *Go-ning-nah*."

No. 237. Little Bittern, variety, Lath., Gen. Syn., Suppl. ii., p. 301.

Ardetta pusilla (Vieill.), Sharpe, Cat. B., xxvi., p. 234.

Watling gives the following note: "December. Half the natural size of the bird the drawing was taken from; the neck is

longer, but this is his general attitude. Native name *Duralia*; found in marshes or moist ground.

No. 238. Pacific Heron, Lath., Gen. Syn., Suppl. ii., p. 305.

Ardea pacifica, Lath., Ind. Orn., Suppl., p. lxxv.

Notophoxa pacifica (Lath.), Sharpe, Cat. B., xxvi., p. 111.

This figure is the type of Latham's description of the Pacific Heron, *Notophoxa pacifica* (Lath.).

No. 239. Common Curlew, variety, Lath., Gen. Syn., iii., pt. i., p. 120.

Numenius cyanopus (Vieill.), Sharpe, Cat. B., xxiv., p. 350.

Watling gives the following note: "Near the natural size of the English Curlew; the native name *Gaarlarr-re-bing*."

No. 240. New Holland Curlew, Latham MS.

Limosa novæ zealandiæ (Gray), Sharpe, Cat. B., xxiv., p. 377.

Watling says: "One fifth the natural size."

No. 241. New Holland Snipe, Lath., Gen. Sen., Suppl. ii., p. 310.

Scolopax australis, Lath., Ind. Orn., Suppl., p. lxxv.

Gallinago australis (Lath.), Sharpe, Cat. B., xxiv., p. 652.

Watling says: "Half the natural size."

No. 242. Wattled Sandpiper, Lath., Gen. Syn., Suppl. ii., p. 313.

Tringa lobata, Lath., Ind. Orn., Suppl., p. lxxv.

Lobivanellus lobatus (Lath.), Sharpe, Cat. B., xxiv., p. 139.

Watling gives the following note: "Three quarters of the natural size. It is a rare bird, sometimes, though seldom, to be met with on the flats going to Parramatta. Native name *Kalloonagh*."

No. 243. Wattled Sandpiper, Lath. (See No. 242.)

Watling gives the native name as "*Ban-ne-re-ra*."

No. 244. Brown-eared Sandpiper, Lath., Gen. Syn., Suppl. ii., p. 314.

Tringa aurita, Lath., Ind. Orn., Suppl., p. lxxvi.

Heteropygia acuminata (Horsf.), Sharpe, Cat. B., xxiv., p. 566.

Watling gives the following note: "Two thirds of the natural size. This bird frequents the sea shore and moist places, but are by no means numerous."

No. 245. Grisled Plover, Lath., Gen. Syn., Suppl. ii., p. 320.

Charadrius griseus, Lath., Ind. Orn., Suppl., p. lxxvii.

Charadrius dominicus (P. L. S. Müll.), Sharpe, Cat. B., xxiv., p. 195.

Watling says: "One half its natural size. It was shot on the sea-shore."

No. 246. High-legged Plover, Lath., Gen. Syn., Suppl. ii., p. 319.

Charadrius grillarius, Lath., Ind. Orn., Suppl., p. lxvi.

Burhinus grillarius (Lath.), Sharpe, Cat. B., xxiv., p. 18.

Watling says: "This bird measured thirty inches."

No. 247. Sanderling, Lath., Gen. Syn., Suppl. ii., p. 315.

Calidris arenaria (Linn.), Sharpe, Cat. B., xxiv., p. 526.

Watling says: "A kind of Sand or Shore Lark, not very numerous. Native name *Waddergal*."

No. 249. Crescent Plover, Lath. MS.

Erythrogonyx cinctus (Gould), Sharpe, Cat. B., xxiv., p. 125.

Watling gives the following note: "Half the natural size; the only one of the kind ever seen at Port Jackson."

No. 250. Crescent Plover, Lath. MS. [See no. 249.]

Erythrogonyx cinctus (Gould), Sharpe, Cat. B., xxxiv., p. 125.

No. 251. Great-billed Plover, Lath., Gen. Syn., Suppl. ii., p. 319.

Charadrius magnirostris, Lath., Ind. Orn., Suppl., p. lxvi.

Burhinus grillarius (Lath.), Sharpe, Cat. B., xxiv., p. 18.

Watling gives the native name as *Woal-Woo-a*.

No. 252. Bridled Plover, Lath., Gen. Syn., Suppl. ii., p. 320.

Charadrius frænatus, Lath., Ind. Orn., Suppl., p. lxvii.

Burhinus grillarius (Lath.), Sharpe, Cat. B., xxiv., p. 18.

Watling says: "One third of the natural size."

No. 253. Brown Plover, Lath., Gen. Syn., Suppl. ii., p. 320.

? *Limonites ruficollis* (Pall.), Sharpe, Cat. B., xxiv., p. 545.

Watling gives the following note: "One fifth the natural size. This is a water bird, though put on a perch."

No. 254. New Holland Oyster-catcher, Lath. MS.

Hæmatopus longirostris (Vieill.), Sharpe, Cat. B., xxiv., p. 112.

Watling says: "Seldom seen in more than pairs. It is a very solitary bird. Native name *Booming*."

No. 255. New Holland Oyster-catcher (variety of the Pied Oyster-catcher), Lath. MS.; *id.*, Gen. Hist. B., ix., p. 359 (1824).

Hæmatopus longirostris (Vieill.), Sharpe, Cat. B., xxiv., p. 112.

This figure is taken from a young bird.

Watling gives the following note: "This is a recluse and solitary bird, being never found in more than pairs. It has but one simple plaintive tone which it never varies. The drawing is about one fourth the natural size. This appears a variety of the Red Bill, which is the common name it goes by here, or it is a young one, full plumage, for most others have had the legs as red as the bill. It frequents the sea shores and lives on spawn and young fish, both shell and others, which gives the flesh a fat, of which it has a great share. It is a strong fish of an oily flavour; both the flesh and fat are very high coloured, particularly the latter, which is mostly red and very abundant, as before noticed. It is naked or bare of feathers one third up the thigh, its toes are more fleshy and thick than sea-birds' in general, and are a little way connected by a web or membrane in so much that they may be called palmated. Native name *Boo-aning* or *Boo-ming*."

No. 256. Blue-necked Rail, variety, Lath. MS.; *id.*, Gen. Hist. B., ix., p. 377 (1824).

Porzana palustris (Gould), Sharpe, Cat. B., xxiii., p. 109.

Watling gives the following note: "The natural size. The spur or hook near the pinion cannot in common be seen, but in the drawing it is separated from the feathers where they can conceal it."

No. 257. Dark Rail, Lath. MS.; *id.*, Gen. Hist. B., ix., p. 378 (1824).

Tabuan Rail, Lath., Gen. Syn., iii., part i., p. 235.

Porzana tabuensis (Gm.), Sharpe, Cat. B., xxiii., p. 111.

Although Latham had himself described the "Tabuan Rail," he apparently did not recognise this figure, which is evidently intended to represent the same species.

Watling says: "A bird of Norfolk Island. Natural size. December."

No. 258. White Gallinule, complete, Lath., Gen. Syn., Suppl. ii., p. 327.

Notornis alba (White), Sharpe, Cat. B., xxiii., p. 208.

Watling's note is as follows: "One third its natural size. This bird is of Howe Island, and when young was entirely black, from that to bluish-grey, and from that to an entire white. This bird feeds itself with its feet like a Parrot."

No. 259. Three changes of the White Gallinule.

Watling's note is as follows: "Three stages of this bird taken at Lord Howe's Island before it arrives at maturity."

No. 260. Black-jointed Gallinule, Lath. MS.; id. Gen. Hist. B., ix., p. 427 (1824).

Porphyrio melanonotus (Temm.), Sharpe, Cat. B., xxiii., p. 205.

Watling gives the following note: "Native name *Goo-la-war-ring*. Reduced by scale to half the size of the bird the drawing from. August. A rare bird; frequents swamps."

No. 261. Black-jointed Gallinule, Lath. MS.

Watling says: "One third the natural size. November."

No. 263. New Holland Grebe, Lath. [MS.], Gen. Hist., x., p. 33.

Podicipes novæ hollandiæ (Stephens, ex Lath.), Grant, Cat. B., xxvi., p. 519.

On this figure Latham founded his description of the New Holland Grebe (*Podicipes novæ hollandiæ*). Stephens gave the Latin title, from Latham's description.

Watling says: "One fifth of the natural size. Native name *Mag-a-ger*."

No. 265. American Avocet, Lath., Gen. Syn., iii., part i., p. 295 (part).

Recurvirostra novæ hollandiæ (Vieill.), Sharpe, Cat. B., xxiv., p. 333.

Watling says: "22 inches from the extremities. This bird is found along the shores of the sea coast."

No. 266. American Avocet, Lath.

Watling says: "Native name *Antiquatich*."

No. 267. American Avocet, Lath.

Watling's note: "The natural size. This is a rare bird; only been seen on some lagoons. A species of the *Avocetta*."

No. 269. White Albatross, Lath.

Watling says: "The bird this drawing was taken from was caught some distance from the entrance to Port Jackson at sea."

No. 270. Crested Tern, Lath.

Watling's note: "One fifth of its natural size. The female."

No. 270. Caspian Tern, var. B, Lath., Gen. Syn., iii., pt. ii, p. 351 (1785).

Crested Tern, Lath., Gen. Hist., B., x., p. 101.

Sterna cristata, Stephens, Gen. Zool., Aves, xiii., pt. i., p. 146 (1826).

Sterna bergii (Licht.), Saunders, Cat. B., xxv., p. 89.

This drawing is the type of Latham's description of the

Crested Tern, which, according to Mr. Howard Saunders, is synonymous with *S. bergii*, Licht.

Watling says: "One fifth of its natural size. A female."

No. 271. Caspian Tern, variety B, Lath.

Sterna bergii (Licht.), Saunders, Cat. B., xxv., p. 89.

Watling says: "One fifth of its natural size. A male. It lives on small fish. Native name *Ger-ra-ger-ra*."

No. 272. Caspian Tern, Lath.

Watling says: "Half the natural size of the bird which this drawing was taken from."

No. 273. Greater Tern, Lath.

Watling says: "Half the natural size, and seldom see but one in the hottest summer weather."

No. 274. New Holland Tern, Lath. [MS.], Gen. Hist. B., x., p. 103.

Sterna bergii (Licht.), Saunders, Cat. B., xxv., p. 89.

This figure is the type of Latham's description of the New Holland Tern and *Sterna novæ hollandiæ*, Stephens, which = *S. bergii* according to Mr. Howard Saunders.

Watling's note: "This almost half the natural size, and a pretty good resemblance, with this exception—only the bill not just so much bent."

No. 275. Pacific Gull, Lath., Gen. Syn., Suppl. ii., p. 332.

Larus pacificus, Lath., Gen. Syn., Suppl. ii., p. lxviii.

Gabianus pacificus (Lath.), Saunders, Cat. B., xxv., p. 297.

This figure is the type of Latham's description of the Pacific Gull, *Gabianus pacificus* (Lath.).

Watling says: "Native name *Troo-gad-dill*."

No. 276. Pacific Gull, Lath., Gen. Syn., Suppl. ii., p. 332.

Watling says: "Half the natural size. A large grey Gull."

No. 277. New Holland Crimson-billed Gull, Lath. [MS.], Gen. Hist., B., x., p. 145.

Larus novæ hollandiæ (Stephens), Saunders, Cat. B., Brit. Mus., xxv., p. 235.

This figure is the type of Latham's description of the New Holland Crimson-billed Gull, on which Stephens founded the name of *Larus novæ hollandiæ*.

Watling says: "Reduced by scale to half the size of the bird which the drawing was taken from."

No. 278. New Holland Crimson-billed Gull, Lath. MS.

Watling says: "One-sixth of the natural size."

No. 279. New Holland Crimson-billed Gull, Lath. MS.

Watling says : " Natural size. April. Native name *Ton-narang*. Not a very common bird in New South Wales."

No. 280. Norfolk Island Petrel, Lath., Gen. Syn., Suppl. ii. p. 334.

Puffinus chlororhynchus (Less.), Salvin, Cat. B., xxv. p. 372.

This figure is, in my opinion, intended to represent *Puffinus chlororhynchus*, Less., to which it bears a very strong resemblance. If I am correct in this supposition, the " Norfolk Island Petrel " of Latham cannot be referred to the *Æstrelata neglecta* (Schl.) as has been suggested in the Catalogue of Birds (xxv., p. 412).

Watling writes : " Norfolk Island Petrel or the Mutton bird, in full feather."

No. 281. Norfolk Island or Fuliginous Petrel, Lath., Gen. Syn., Suppl. ii., p. 334.

This is the figure of a young bird of the same species as No. 280.

Watling says : " Norfolk Island Petrel or Mutton bird, in second or middle state."

No. 282. Fuliginous Petrel, Lath., Gen. Syn., Suppl. ii., p. 334.

Puffinus tenuirostris (Temm.), Salvin, Cat. B., xxv., p. 388.

This figure, which in general appearance is darker than Nos. 280 and 281, with dark bill and feet, I am inclined to think is intended for *Puffinus tenuirostris* (Temm.).

Watling says : " A Norfolk Island bird."

No. 283. Black Swan, Lath., Gen. Syn., Suppl. ii., p. 343.

Anas atrata, Lath., Ind. Orn., ii., p. 834.

Chenopsis atrata (Lath.), Salvad., Cat. B., xxvii., p. 41.

Watling says : " The Black Swan, the size of an English swan. Native name *Mulgo*."

No. 284. Black and White Goose, Lath., Gen. Syn., Suppl. ii., p. 344.

Anas melanoleuca, Lath., Gen. Syn., Suppl. ii., p. lxix.

Anseranus semipalmata (Lath.), Salvad., Cat. B., xxvii., p. 44.

Watling says : " This bird is about the size of a goose. Native name *Bur-ra-yen-ne*."

No. 285. Hawksbury Duck, Lath., Gen. Syn., Suppl. ii., p. 358.

Anas jubata, Lath., Ind. Orn., Suppl., p. lxix.

Chenonetta jubata (Lath.), Salvad., Cat. B., xxvii., p. 140.

Watling says : "This species of Duck is found at Hawksbury ; sometimes perching."

No. 286. Hawksbury Duck, Lath.

Watling writes : "Half the natural size. This is the only Duck of this kind ever seen. May."

No. 288. Semipalmated Duck, Lath., Gen. Syn., Suppl. ii., p. 347, pl. cxxxix.

Anas semipalmata, Lath., Ind. Orn., Suppl., p. lxix.

Anseranus semipalmata (Lath.), Salvad., Cat. B., xxvii., p. 44.

Watling says : "This bird is about the size of our native Wild Goose. They are generally found in flocks and sometimes perching upon high trees. It has been observed by the man who sometimes shoots these birds that, in opening some of them, but not all, the wind-pipe formed several beautiful circumvolutions on the breast under the skin before it entered the thorax. An officer lately has opened one and confirms the truth of the sportsman's observations. It is called by us the New South Wales Goose, Palmated, instead of being web-footed, because its manner as well as taste and flavour resembles that bird more than any other. The contour or general likeness is here very well observed. I have been informed that at times their note is tuneful and melodious, which appears probable from the conformation of the wind-pipe, if that singular circumstance is true. I have now a man out attending a pond where they most frequent, in hopes of getting one for dissection. They have only lately been observed and shot, principally on a pond near the Hawksburgh River. January 2nd, 1794. Native name *Now-al-gang*."

No. 291. New Holland Penguin, Lath. [MS.], Gen. Hist., B., x., p. 388.

Spheniscus novæ hollandiæ, Stephens, in Shaw's Gen. Zool., xiii., pt. i., p. 68.

Eudyptila minor (Forster), Grant, Cat. B., xxvi., p. 646.

This drawing is the type of Latham's description of the New Holland Penguin, on which Stephens founded the name *Spheniscus novæ hollandiæ*. Both of these names will now become synonyms of *Eudyptila minor* (Forster). Mr. Ogilvie-Grant, when writing the "Catalogue of Birds," was unable to identify the New Holland Penguin from Latham's description. (Cf. Cat. B., xxvi., p. 625, note.) Watling says : "Native name *Gur-roo-mul*. One-fifth of the natural size ; the only one yet seen in Port Jackson."

No. 292. New Holland Pelecan, Lath., Gen. Hist., B., x., p. 402.

[White Pelecan, variety, Lath., Gen. Syn., iii., part 2, p. 575.]

Pelecanus australis, Stephens, Gen. Zool., xiii., pt. i., p. 113.

Pelecanus conspicillatus (Temm.), Grant, Cat. B., xxvi., p. 483.

Although reference is given on the plate to Latham's Gen. Syn., iii., p. 575, Latham must have noticed that it was a new species, as he gives a description in his "General History of Birds," and quotes the native name, which is on the plate. Watling says: "Native name *Karr-ang-a-ba*."

No. 293. [Lesser Gannet, variety, Lath., Gen. Syn., iii., part 2, p. 611.]

Lesser Gannet, Lath., Gen. Hist., B., x., p. 437.

Sula candida, Stephens, Gen. Zool., xiii., pt. i., p. 103 (1826).

Sula serrator, Gray, "Erebus and Terror," Birds, p. 19 (1845); Grant, Cat. B., xxvi., p. 428.

Watling says: "One-fourth the size of nature. Native name *Doo-ro-dang*."

Latham in his "General History of Birds," x., p. 438, writes: "The Lesser Gannet is also found in New Holland, and called by the natives *Doo-ro-dang*."

No. 294. [Young Tropic-bird.]

New Holland Tropic Bird, Lath., Gen. Hist., B., x., p. 448.

Phaëton melanorhynchos, Stephens, Gen. Zool., xii., pt. i., p. 127.

Phaëton rubricauda (Bodd.), Grant, Cat. B., xxvi., p. 451.

Watling says: "From the extremity of the bill to the tail is eighteen inches."

No. 295. Red-tailed Tropic-bird, Lath., Gen. Syn., iii., part 2, p. 614, pl. cv.

Phaëton rubricauda (Bodd.), Grant, Cat. B., xxvi., p. 451.

Watling says: "This bird is from the tip of the bill to the rump eighteen inches, and from the rump to the end of the tail-feathers eighteen inches."

After the date of Latham's "Synopsis," the Trustees began to issue descriptive guides to the collections under their charge.

A "Synopsis of the Contents of the British Museum" was published as a sort of guide-book to the collections; it was printed by Cox and Baylis, of 75, Great Queen Street, but appears to have been an official publication of the Trustees. Many editions were issued, of which the one printed in 1808 is the earliest which we possess in the General Library of the Natural History Museum.

This little "Synopsis" tells how Sir Hans Sloane's Museum and Library (which, he says in his will, had cost him £50,000) were offered, at his death in 1753, to the British Government, who had the first refusal of the collections, for £20,000. An Act of Parliament was passed in that year sanctioning the purchase, and vesting the property of the Museum in Trustees, for the use of the public. A table of contents of the Sloane Museum, given in this little work, is intended to afford some idea of the extent of the purchase, but the exact numbers are not absolutely guaranteed. There were, however, stated to be 50,000 volumes of books, MSS., and prints, and 23,000 coins and medals; the "Quadrupeds and their parts," 8186; the "Birds and their parts, eggs and nests," 1172, etc.

In addition to the Cottonian Library, and other purchases and bequests, the Harleian Manuscripts were also bought, the Trustees assuming the management of these priceless treasures of the nation, and the title of the BRITISH MUSEUM was bestowed upon the National Collection, while a Lottery was authorised by Parliament, in order to raise the funds for their recent purchases, to secure a home for the collections, and to provide for the permanent support of the establishment. £95,194 8s. 9d. was the sum brought in by the Lottery.

The history of the Museum, as given in the "Synopsis," is continued:—

"The first act of these Trustees was to provide a proper building for the reception of the ample collections confided to their care; and after various proposals, they at length fixed upon the noble mansion, built about the year 1680 by Ralph, first Duke of Montague, who, being at that time Ambassador at Paris, sent over French artists for erecting and adorning the edifice he had in contemplation. This palace, together with its

gardens and appurtenances, occupying in the whole an area of seven acres and twenty perches of land, was ceded by the representatives of the Montague family for the moderate sum of £10,000."

"The necessary repairs (which, the house having stood long empty, proved very expensive) were immediately proceeded upon; and the proper book-cases and cabinets having been completed, and the collections removed thither and properly distributed and arranged, the Museum was at length opened for study and public inspection, on the 15th of January, 1759. Besides the £20,000 paid for the Sloanean, and the £10,000 for the Harleian Collections, and £10,000 for Montague House, the sum of £28,663 15s. was laid out in the purchase of £30,000 Three per cent. Reduced Annuities, and appropriated to the maintenance of the establishment; and the remaining £26,531 3s. 2d. raised by the Lottery scarcely sufficed to defray the expenses of repairs, cases, furniture, removing the collections, and various other incidental charges."

From such small beginnings did the great Zoological Department develop into its present position.

A history of Montague House is to be found in Timbs' "Romance of London." The original house was burnt down in January 1686. The second house was variously described as a "mansion" and as a "palace." It must have been splendidly built to have borne the weight of some of the exhibits, such as fossils, meteorites, etc., on the upper floors. The "Synopsis" of 1808 gives us some idea of the building, which was surrounded by gardens and a high wall; and a picture, with plans of the various rooms, is to be found in Edwards' "Lives of the Founders of the British Museum," 8vo, 1870. When the present British Museum replaced Old Montague House, in 1845, the gardens were done away with and the outer wall abolished, being replaced by the iron railings and the smooth lawns of the present day.

In the old days the procedure of those visiting the Museum was as follows:—

"On entering the gate of the Museum a spacious quadrangle presents itself, with an Ionic colonnade on the south side, and the main building on the north [it measured 216 feet in length and 57 in height to the top of the cornice]; the two wings being allotted for the dwellings of the officers. The architect, Peter

Puget, a native of Marseilles, and an artist of the first eminence in his time, was sent over from Paris by Ralph, first Duke of Montague, for the sole purpose of constructing this splendid mansion."

The ground-floor consisted of twelve rooms, and was devoted to the Library of Printed Books, to which "strangers were not admitted, as the mere sight of the outside of books cannot convey either instruction or amusement."

"The companies, on being admitted, according to the regulations," says the "Synopsis" of the year 1808, "are immediately conducted up the great staircase, the decorations of which have been lately restored. The paintings on the ceiling, representing Phaeton petitioning Apollo for leave to drive his chariot, are by Charles de la Fosse, who in his time was deemed one of the best colourists of the French school, and of whom there are many valuable performances in France, amongst which are the paintings on the cupola of the dome of the Invalides, which are ranked among the *admiranda* of Paris. The landscapes and architectural decorations are by James Rousseau, whose particular skill in perspective has at all times been held in high estimation."

"From the great staircase strangers are conducted into the first room of the upper storey, containing a miscellaneous collection of modern works of art, from all parts of the world. The ceiling of this room, representing the Fall of Phaeton, is painted by La Fosse."

On this upper floor were twelve rooms (see "Synopsis," p. 4).

Room I. was devoted to modern works of art. *Room II.* was "empty" in the year 1808, its contents having been removed into other apartments upon the transfer of the collections of Antiquities into the *new building*.

Rooms III., IV., V., VI., and VII. were occupied by the collections of Manuscripts.

The Saloon seems to have been unutilized for exhibition-cases at that time, but it must have been a fine room. We read in the same "Synopsis" (p. 15):—"The dome of this grand apartment was painted by the above-mentioned La Fosse. It has generally been described as representing the Apotheosis of Iris; Walpole, in his "Anecdotes of Painting," deviates still further from the truth by naming the subject the Apotheosis of *Isis*; but the most probable conjecture is that the painter meant it to exhibit the birth of Minerva, that goddess fully attired being the

most prominent figure. Jupiter is immediately above her; and about him are three female figures with stars over their heads, administering to him, one of them pouring nectar, or some healing ointment, upon his head. On one side of Minerva is Vulcan, and close to him Cupid with an axe in his hand; on the other side is Mercury, seemingly starting to announce the happy tidings on earth. The other heathen divinities surround this group in admiration of the event; and in a lower compartment opposite the chimney are the Vices expelled from heaven on the manifestation of Wisdom. In the six medallions near the corners of the room are figured some of the principal achievements of Minerva. In the first, over the door of the MS. Department, she is assisting Perseus in cutting off the head of Medusa; in the second she, with some of the Muses, presides over harmony; in No. 3 she kills a lion (an emblem of her valour); in No. 4 she assists Jupiter in fighting the Titans; in No. 5 she contends with Neptune about the naming of Athens; and in No. 6 is figured the fable of Arachne metamorphosed by her into a spider. Between these medallions are groups of winged boys, emblematically alluding to their several employments, to arts, sciences, commerce, and war.

"The landscapes and architectural decorations are by the same J. Rousseau who painted in the staircase; and the garlands of flowers are by John Baptist Monoyer, the most eminent flower painter of his time."

Over the chimney is a full-length portrait of King George II. by Shackleton, and in the middle stands a table, composed of a variety of lavas from Mount Vesuvius, presented by the Earl of Exeter.

Room VIII. contained the Mineral collections, *Room IX.* the Petrifications and Shells, *Room X.* Vegetable productions and Zoophytes, with Insects, Shells, etc., many being spirit specimens. The Birds were to be found in *Room XI.*, disposed, so far as convenience would admit, according to the Linnæan mode of arrangement, viz., into six great divisions or orders, the separations of which were marked by white lines between each. Some birds, however, on account of the large size of the cases in which they were contained, could not conveniently be stationed in their proper orders, and were therefore disposed on the upper part of the general divisions.

The Birds were classified under the headings of *Accipitres*, *Picæ*, *Ansercs*, *Grallæ*, *Gallinæ*, and *Passeres*. Those selected

for particular notice were a young Adjutant, which was described as "a young Hazgil, or Giant Crane, from India, which, when full grown, is by far the largest of all the Heron tribe"; other birds were the "Argus Pheasant, from Sumatra, the Black or Crested Curassow-bird, the Shining African Thrush, the Long-shafted Goatsucker from Sierra Leone, etc."

"Some birds, on account of their inconvenient size, could not be admitted into the general assortment. Of these the most remarkable is the Cassowary, an Indian bird which some ornithologists place among the *Grallæ*, others among the *Gallinæ*, and others in a particular division distinct from both."

The following interesting account of the painting of the Dodo follows on p. 47:—"We must not omit a curious picture, executed long ago in Holland, of that extremely rare and curious bird the Dodo, belonging to the tribe *Gallinæ*, and a native of the island of Bourbon. The picture was taken from a living specimen, brought into Holland, soon after the discovery of the passage to the East Indies by the Cape of Good Hope, by the Portuguese. It was once the property of Sir Hans Sloane, and afterwards of the celebrated ornithologist George Edwards, who presented it to the British Museum." It is undated, but is probably one of several painted by Roelandt Savery between 1626 and 1678. (*Cf.* Newton, *Dict. B.*, pp. 157, 158.)

There were two table-cases in this Room XI., one containing nests, "amongst the most curious of which are several hanging-nests, chiefly formed by birds of the Oriole tribe; nests of a small species of Asiatic Swallow, resembling isinglass in substance, and considered as a great delicacy by the Chinese, who use it in preparing a rich soup called bird-nest soup; two nests of a small bird called the Taylor-bird, composed of leaves sewed together; bills of various rare birds, of which the most remarkable are several kinds of Rhinoceros-birds' bills, quills, feathers of the great South American vulture called the Condor, a leg of a Dodo, in a glass." (*Cf.* Newton, *l.c.*)

On the second table were deposited a variety of eggs and nests, among them those of the Ostrich, Cassowary, Crocodile, etc. Mammals were in "cases between the windows," the Black Ourang Outang in a young state, the Chestnut Ourang Outang, in a young state, a long-tailed Macauco, etc. "In other parts of the room were to be found the 'Sea Otter, the Musk, from Thibet,' the 'Vampyre, or Great South American Bat,' the '*Platypus anatinus*, or Duck-bill' (by some called *Ornithorhynchus*

paradoxus), from New Holland, the most singular of all quadrupeds, a large Antelope, etc.”

Room XII. was the spirit-room of the time, with “Fishes, Serpents, Lizards, Frogs, etc., as well as many specimens of Quadrupeds, preserved in spirits.”

The edition of the “Synopsis” published in 1813 follows the plan of the earlier 1808 edition, and the arrangement seems to have differed but very slightly during the five years which had elapsed. The Ground Floor was still given up to the Printed Books, and on the Upper Floor Room II. was “appropriated to the use of readers,” as well as Rooms III. and IV., which contained Manuscripts, as did Rooms V., VI. and VII. The Saloon still remained unoccupied, but was to receive the Mineral collections; and the contents of Rooms VIII., IX., X., XI., were the same as in 1808, with nothing particular added to the collection of Birds.

Two years later (ed. 1815) only the *second* Room on the Upper Floor was assigned for the use of readers, but the Greville Collection and the rest of the minerals had now been transferred to the great Saloon. Room IX. still held the collection of Shells, but the Birds were now housed in Room X., and the account of the cases was given more fully than before. Thus we read (p. 59):—“The Birds are arranged after the system of Linnæus. The most interesting part of the collection of Birds, serving to exhibit the general arrangement of the animals of that class, are contained in cases round the room.”

Nos. 1-4. “Accipitres, rapacious birds or birds of prey,” amongst them being “a singular variety of the Pondicherry Eagle,” etc., and the Californian Vulture. This was the type of *Vultur californianus* of Shaw, who was Keeper of the Zoological Department at the time. This specimen is extant in the Museum to-day.

Nos. 5 and 6. The *upper shelf* contained the Horned Owls, etc.; *second shelf*: the Spotted Shrike, the Black and Yellow Shrike, with other birds of that genus; *third shelf*: Thrushes and Orioles, amongst which the Yellow-crowned Thrush, the Spendent [i.e. Splendent] Thrush and the Black-crested Oriole are the most remarkable. The *lower shelf*: the Cape Coly, Nutcracker Crow, Cornish Chough, etc.

No. 7. *Upper shelf*: The Sanguineous Paradise Bird, Abyssinian Hornbill; *second shelf*: various species of Grosbeaks and Sparrows; *third shelf*: Warblers, Flycatchers, and Larks; *fourth*

shelf: Swallows and Goatsuckers, amongst which that rare species, the Sierra Leone Goatsucker, is the most curious.

No. 8. *Upper shelf*: Toucans, the Smooth-billed Pogonius, Barbets; *second shelf*: White-bellied Coucal, Variegated Coucal, Lathamian Coucal, Cuckoos; *third shelf*: Woodpeckers; *fourth shelf*: Woodpeckers, Kingfishers, and Jacamars.

No. 9 contains the Columbine birds or Pidgeons, the most conspicuous of which are the Crowned Pidgeon and the Green Pidgeon of Africa.

Nos. 10 and 11. *Upper shelf*: Small African Bustard, Argus Pheasant; *second shelf*: the Ring Pheasant; *third shelf*: varieties of the Common Pheasant, the tail of an unknown species [!]; *lower shelf*: the Pencil and Golden Pheasants, the Jungle Cock of India, which some have supposed to be the original stock from whence our domestic fowls have sprung.

Nos. 12 and 13. *Upper shelf*: Horned Screamer, Wood Grouse, etc.; *following shelves*: various species of Partridges, Grouse and Quails, amongst which the Lineated Partridge, the Streaked Partridge, the Tufted Quail, and the Crowned Quail are the most interesting. On the *lower shelf* is likewise a specimen of the Pintado, from Africa, in its wild state.

Nos. 14 and 15. The Adjutant Crane, Tiger Bittern, Night Heron, Boatbill, Tufted Umber, and the White and Rose-coloured Spoonbills, etc.

Nos. 16 and 17. *Upper shelf*: Scarlet Curlew, the common African Curlew, etc.; *second shelf*: Long-legged Plover, Scarlet Flamingo, etc.; *third shelf*: African Snipe, varieties of the Ruff, a Ruff in its young state, and the Reeve, which is its female, etc.; *lower shelf*: Spur-winged Jacana, American and common Avoset, etc.

Nos. 18 and 19. *Upper shelf*: Great Northern Diver, several varieties of Darters, etc.; *second shelf*: Etherial Tropic-bird, Terns, etc.; *third shelf*: Ducks, amongst them the Lobated Duck from New Holland is the most remarkable; *lower shelf*: different species of Merganser.

"No. 20 contains some curious nests and eggs of birds; the Soup-nests, formed by two species of Swallow; the nest of the Taylor-Bird, etc.; in the lowermost division is deposited the supposed leg of the Dodo, etc."

The remaining cases, Nos. 21 to 58, were devoted to the Invertebrata (Shells, Crabs, etc.).

Such was the report on the collection of Birds in 1815. We

learn also from the same guide-book or "Synopsis" that the ornithological series, consisting chiefly of the Sloanean specimens, was "insensibly becoming retrograde in its comparative value ; in order to supply the former of these deficiencies, the Trustees being, in the year 1769, informed that a large collection of stuffed Birds, in uncommon preservation, had been brought over from Holland by a person of the name of Greenwood, who, having for a time exhibited them to the public, became desirous to dispose of them at a reasonable price, they readily availed themselves of the opportunity and purchased the whole for the sum of £460. Many additions were afterwards made by purchases and donations ; and the aggregate soon formed, not indeed a complete, but an extensive and curious a collection as any perhaps at that time extant."

It will be noted by the ornithologist who knows anything of the commencement of the Bird-collection in the British Museum, that no particular mention is made in the foregoing account of any specimens obtained by Captain Cook and Sir Joseph Banks during their voyages round the world ; and yet it seems likely that some specimens had been given by Sir Joseph Banks, who is included in the list of those Trustees who were often Donors ; but ornithological specimens were apparently not among his gifts at that time.

The account of this great naturalist is as follows :—"To the list [of Trustees who were donors] must be added the name of the Right Hon. Sir Joseph Banks, Bart., K.B., who, after his return from his circumnavigation, deposited at different times in the Museum numerous collections of natural and artificial curiosities from the newly discovered islands in the South Seas, which, with considerable additions since made by the Admiralty, Captain Cook, and other officers who had performed similar distant and perilous voyages, form now a very conspicuous part of the Museum. Among the many donations of various kinds which Sir Joseph Banks has since bestowed, and still continues to confer upon the establishment, we must not omit to mention a large set of Icelandic books, both printed and manuscript, which he collected in a voyage he made in the year 1772 to that island. Nor can the public be uninformed of the indefatigable zeal he has ever displayed in his endeavours, as a Trustee, to advance the honour and advantages of this Institution, which, together with his many other exertions for the benefit of science, must ever rank him among her best friends and strenuous promoters."

Room VIII. contained further Mineral exhibitions, and Room IX. was devoted partly to Geology and to the Invertebrata, with a very perfect specimen of the skull and horns of the Irish Elk on the walls. Room X. contained the Bird collection, which has been described above, and also Crustacea, Arachnides, Insects, etc., while the collection of Mollusca was arranged in table-cases in the centre of the room.

Room XI. held the Quadrupeds, among them the Black Ourang-outang and the Chestnut Ourang-outang, both in a young state, a large Antelope, a small ditto, etc., while on the walls were cases containing Sword-fish, etc.

Room XII. was the spirit-room of that day, and had Reptilia and Fish in spirit, as well as many Mammals.

We are informed in the "Synopsis" (p. xv) that "the original building being by no means sufficiently spacious for the reception of this and the Egyptian collections, Parliament has from time to time voted sufficient supplies for the purpose of erecting an additional edifice, which is now completed, and a magnificent collection of ancient sculpture is at length opened for the inspection of strangers as well as for the improvement of artists, an advantage which the students in the fine arts have never before enjoyed in this country." The collection of Antiquities occupied thirteen rooms, the Portland Vase being exhibited in the ante-room to Room XII.

The next edition of the "Synopsis" in our library at the Natural History Museum is the fourteenth, printed by Richard and Arthur Taylor, Shoe Lane, in 1818. The "Introduction" was now omitted from the "General Guide," but it could be obtained from the messenger at the Museum.

Considerable modifications seem to have been made in the arrangement of the different collections. The ground floor is still devoted to the Printed Books, but on the upper floor the 1st Room is devoted principally to Ethnology. The articles of dress and weapons from the South Sea Islands must have been mostly from Cook's voyages and Banks' donations, though the fact is not stated.

Room II. (for the use of readers) is now "empty." Rooms III.-VII. do not appear to have been altered, and contained the Manuscripts. The "Saloon" is still devoted to the collection of Minerals, of which a full account is once more given, with certain improvements and italicisation, and a plan of the "order of the table cases in the Saloon." An "Alphabetical List of the

Minerals is also given, with references to the Table Cases and the Diagram," by which anyone could refer without difficulty to specimens exhibited.

In this year we find that the Birds have been moved to Room VIII. The classification has been changed, and the wall space seems to have been more ample, as the collection of Birds and nests occupied only thirteen cases, instead of twenty. The collection of Mollusca occupied table-cases on the floor of the room as before, and the *Echinoderma*, Star-fishes, and some Corals were also in table-cases in this room.

Room IX. was filled with Geological and Palæontological specimens, and Room X. with the "British Oryctognostic Collection," or British simple mineral substances.

Room XI. is to be "appropriated to British Zoology," and is at present under arrangement.

The spirit collection and the stuffed Mammals, which were housed in Rooms XI. and XII. in the previous Synopsis, are not mentioned in the edition of 1818.

The "Synopsis" of 1819 is almost a reprint of the previous edition, and it is curious that in neither of these editions is any reference made to the purchase of Colonel Montagu's British collection, acquired by the Trustees in 1816. It must have been this collection which required Room XI. for its exhibition, and in 1819 we find that the arrangement of the British Birds was completed, and in the cases between the windows were to be placed the spirit-specimens of Reptiles, Fishes, etc. The "Synopsis" by this time has grown in size, as the collections increased and were more minutely described, and the 15th edition had risen to 162 pages instead of 92 pages as in the previous year.

The 14th edition, of 1818, and the 17th edition, of 1820 (printed by Richard and Arthur Taylor, Shoe Lane), vary but little from the preceding ones, but the descriptions of the various collections are improved in many instances. Four years later, in 1824, the size of the "Synopsis" has been somewhat increased; it was printed by G. Woodfall, Angel Court, Skinner Street. The arrangement, however, is the same, and the Second Room on the Upper Floor, which was empty in 1820, now contains "miscellaneous objects under arrangement." In the Third Room, the Lansdowne Library of Manuscripts, acquired in 1807, is not yet finally arranged, the same announcement having been made four years before. The collection of Minerals in the Saloon

appears to have been increased somewhat, as the plan of the Table-cases shows an addition of two to their number.

In *Room VIII.* the order of the Birds is once more slightly changed, and some additions have been made since the last "Synopsis," such as the "*Manura*" from New Holland, and the Argus Pheasant. The "Scarlet Curlew" of previous editions is now correctly called the "Scarlet Ibis." Dr. J. E. Gray was appointed assistant in the Zoological Department in 1824, and a change in the classification and arrangement in the Mollusca in the Bird-room appears to have taken place.

Rooms IX. and X. contained Petrifications and the British Oryctognostic collection.

Room XI. The British Birds are housed here, and the collection of eggs is arranged along with the birds, in separate glass cases, their numbers corresponding to those affixed to the mounted specimens. Cases 23 and 24 contain nests, windpipes, and other parts of various British Birds. An "Alphabetical List of the English names of the Birds in this room" is also printed.

The 23rd edition of the "Synopsis," 1826, is almost a verbatim reprint of that of 1824 (also called the 23rd edition), as far as the natural history collections are concerned.

The next edition of the "Synopsis" in our Museum Library is that of 1832 (twenty-sixth edition), and the book has now grown to be a small volume of 236 pages, being again printed by G. Woodfall, Angel Court, Skinner Street. C. König was Keeper in 1832, and J. E. Gray and G. R. Gray were both assistants. This "Synopsis" shews a great improvement in descriptive work, and the collections have been much advanced, particularly as regards the Mammalia, many additions from Sir E. Parry's Arctic voyages being recorded.

On the first landing-place of the great staircase are a Musk Ox, from Melville Island, and a Polar Bear, "procured in the late Arctic expeditions, and presented by the Lords of the Admiralty." On the upper landing are a male and female Giraffe, or Camelopard, from South Africa, presented by W. J. Burchell, Esq.; a Great Seal, said to be from the north-west coast of Britain, and an Ursine Seal, presented by Capt. Fitzroy, R.N.

In this account of the Museum attention is drawn to the various ethnological collections presented to the nation by Captain Cook and Sir Joseph Banks, whose names are specially mentioned as donors, as well as that of Mr. Archibald Menzies.

Rooms II., III. and IV. are devoted to the Sloanean and Banksian collections of Plants, and to Sir William Smith's collection of English Fossils, "arranged according to the strata in which they were found."

Rooms V., VI., VII. were occupied by Sir Joseph Banks' Library, with some cabinets of Insects in Room VI.

The Birds have been removed from Room VIII. to Room XII., the place of the birds being taken by ethnological specimens.

The Saloon is now occupied by the collection of Mammalia, in which appears, as a curiosity, "a Mule-whelp between the Lion and Tiger, born at Atkins' travelling menagerie at Windsor." In Room IX. are stated to be portraits of Sir Hans Sloane, the founder of the collection of Natural History, and an original picture of John Rae, one of the earliest and most illustrious of scientific British Naturalists. The latter is now in the Natural History Museum. In the same room are deposited the collections of Amphibious and Invertebrate Animals, preserved in spirits, and the overflow of large Mammals from the Saloon. The Batrachia and Crustacea, with other Invertebrata, were also exhibited, many of them in spirits.

Room X. contained the collection of Reptiles in spirits, Tortoises, Crocodiles, etc. A full description is given of these collections (pp. 47-68). "In the Table Cases, in the centre of the room, are arranged the Collection of Foreign Radiated Animals."

Room XI. is now dedicated to the general collection of Fish and Crabs, and the table-cases contain the remainder of the Radiated Animals.

Room XII. is now the home of the Bird collection, arranged in glazed cases, with the collection of Shells in table-cases. There are 42 cases for the Birds, instead of 22 as in 1826.

The Royal collection of books having now been received, there appears to have been a "Long Gallery" above the "King's Library," and to this the collection of Minerals was transferred.

The series of native Birds, of which Dr. Leach had published a catalogue in 1816, was chiefly composed of the Montagu Collection, and even at the time when I succeeded George Robert Gray, the British collection mainly consisted of the Montagu series.

Two years later the 28th edition of the "Synopsis" (1834) gives evidence of continued progress in the natural history collections.

Beside the Giraffes on the first landing was now a River Horse, or Hippopotamus, from South Africa. The contents of the various rooms were much as before, but Room XII. is given over to the British Collection of Birds and their eggs, shells, etc. The general series of Birds is exhibited in Room XIII.

No striking alteration in arrangement of the Birds is shown in any of the following: 29th edition (1835), 31st (1836), 33rd (1837), 36th (1838), 38th (1839). In 1840, however, when Sir Henry Ellis was Principal Librarian, and Dr. John Edward Gray was Keeper, considerable changes have been made. The 42nd edition of the "Synopsis" is now a bulky little volume of 370 pages, and the descriptions of all the collections are much enlarged, and we find the names of Darwin, Rüppell, Burchell, and other well-known explorers, whose collections have contributed to the increase of the series. The Saloon contained the Mammalia, both the mounted specimens as well as those in spirit being in "upright glazed cases round the room, the smaller in those between the windows, and the Bats in shallow cases affixed to the others." Shells, Corals, Insects, and Crustacea were "arranged in a series in the table-cases of the several rooms."

Room IX. had additional stuffed Mammalia, as well as spirit-specimens, Reptilia, Mollusca, etc., and in Room X. was the collection of Reptilia in spirits, with a full account of them, and a table of their classification, doubtless the work of Dr. J. E. Gray himself. The mounted collection of Fish, as well as the specimens in spirits, occupied Room XI.

The "Northern Zoological Gallery" had apparently not long been finished, as Sir Henry Ellis, in his introduction, describes the additional buildings and galleries gradually ordered by the Government for the large collections as they were purchased or presented. In 1823, on "the donation, of His Majesty King George IV., of the library collected by King George III., the Government ordered drawings to be prepared for the erection of an entire new Museum, a portion of one wing of which was to be occupied by the recently acquired library. This wing, on the eastern side of the then Museum Garden, was finished in 1828; and the northern, and a part of the western compartment of a projected square, have since been completed. The Townley Gallery at present joins on to the centre of the western compartment; and Montague House, the old building of the Museum, continues to form the general front."

In the Northern Zoological Gallery, separated into five rooms, were all kinds of lower animals—Sponges and Corallines in the table-cases of Room I., Echinoderma, Holothurians, Star-fishes, etc., in Room II., Radiated animals, Zoophytes, etc., in Room III., Insects and Crustacea in Room IV., and “Annulose animals” in Room V. Considerable information concerning the objects in all these rooms is given, with tables of classification : all this was doubtless Dr. Gray’s work.

In the “Eastern Zoological Gallery” was the collection of mounted Birds, the British species being distinguished by a letter “B” printed at the end of the pedestal. The account of the bird-collection is also very full, with a tabular classification at the end. This part of the guide was certainly written by George Robert Gray. Down the Bird-Gallery were the table-cases containing the Shells.

The Mollusca were personally under the charge of the Keeper, who with Mrs. Gray arranged the collection. A very full description, with a table of classification, is given by Dr. J. E. Gray of this portion of the collection.

The 43rd edition of the “Synopsis,” published in 1841, is again a bulky little volume of nearly 400 pages, but does not differ very much from the edition of 1840, though it is amplified in many respects. Rooms XII.–XIII. of the upper floor have now become the “Mammalia Room” and the “Mammalia Saloon.”

The Bird-Gallery was the same as I remember it when I took charge of the ornithological collections in 1872, and the shell-cabinets occupied the floor space, having a separate gallery apportioned to them on the removal of the Natural History collections to the new Museum at South Kensington.

The British Birds and the collection of British Birds’ Eggs, the latter including two specimens of the egg of the Great Auk (*Plautus impennis*), were at some time or other transferred to the British Room in the Northern Gallery, and the eggs, which were stuck down on wooden tablets and exposed to the light, soon became bleached and rotten. In 1842, however, the collection of eggs was exhibited in table-cases in the Bird-Gallery, as we learn from the 44th edition of the “Synopsis.” There is nothing new to remark upon in this edition, excepting that a catalogue is given of the paintings which used to hang on the walls of the old Bird-Gallery at Bloomsbury. Some of these portraits are extremely interesting, among them being those of Sir Hans Sloane, John Ray, and others.

The Museum Library does not contain quite all the successive editions of the "Synopsis" after the 44th edition of 1842. Those examined by me have been the 46th (1844), 47th (1844), 48th (1845), 49th (1846), 50th (1847), 52nd (1847), 53rd (1848), 54th (1849), 55th (1850), 57th (1851). After 1842 the descriptions of the zoological objects were much curtailed in the "Synopsis," as a separate "Guide to the Zoological Collections" was to be obtained in the Hall (*cf.* 46th ed., p. 10, *note*). The 46th and 47th editions are apparently identical, and both were issued in 1844. Those of 1845, 1846 and 1847 (edds. 48, 49, 50) differ only in small particulars from the previous issues. The 51st edition is not in the Library, but doubtless did not differ from the others published in the same year, as the 52nd to the 55th editions show little change as far as the Birds are concerned. The 56th edition is unfortunately missing from the set in our Library, but the 57th is interesting as showing some alterations in the case of the British Birds and their eggs, which were removed from the Eastern Gallery to the 3rd Room of the Northern Gallery, to join the general British Collection as there arranged.

This plan of exhibition remained unaltered till the time of the removal of the collections to the Natural History Museum at Kensington.

Since the early voyages had enriched the British Museum with their valuable but ill-prepared results, many collections had been added. Leaving aside for the moment several valuable additions, which are duly chronicled below, one of the principal donations was that of General Hardwicke, who during his service in the Indian army made a collection of drawings of Eastern birds by native artists, which afterwards formed the basis of Gray and Hardwicke's "Illustrations of Indian Zoology."

He likewise presented to the British Museum a number of mounted specimens of birds from all parts of the world, and many of these specimens were so well mounted that they would not have disgraced the best of modern taxidermists. General Hardwicke seems to have been endued with extraordinary enthusiasm for the study of natural history, and to have been a god-send to the Museum in its earlier development. An oil-painting of this "grand old man" of zoology is to be found in the Natural History Museum. Sir John Richardson gives the following account of General Hardwicke (*see* Report Brit. Ass., 1845, p. 188, *note*):—

“General Hardwicke began his collections of illustrations of Asiatic zoology in the last century, and continued them till his final return to this country in 1818. He lost many specimens and the fruit of much labour by three several shipwrecks; but this, instead of damping his ardour, roused him to fresh exertions, and he was busy up to the time of his death in preparing his collections for publication, the scientific part having been undertaken by Mr. Gray. Among the drawings of fish which he procured, there are some by Major Neeld, others by Major Farquhar, and a considerable number copied from the drawings of Buchanan Hamilton, by that gentleman's consent, and by the same artists whom he employed. This is mentioned because a charge of piracy has been made in the ‘*Calcutta Journal*’ against General Hardwicke, who was however too high-minded to appropriate to himself the labours of others without due acknowledgement; and the careful references in his own writing on the drawings of Buchanan Hamilton show that he had no intention of claiming anything that belonged to that distinguished naturalist. The General bequeathed his specimens, and the whole of his collections of drawings, amounting to twenty folio volumes, to the British Museum, and also set apart a sum of money to defray the expenses of publishing the scientific description of them. His collections have been deposited, as he wished, in the national institution, but his intentions respecting the publication have been entirely frustrated by a Chancery suit which was instituted soon after his death.”

The great collections presented by Mr. Bryan Hodgson, from Nepal, Sikhim and Tibet, marked an era in the history of the Zoological Department; but the scientific value of this collection depended mainly upon the series of coloured drawings of the birds executed by native artists, while the skins from which the drawings had been taken were apparently of secondary account, and were very roughly prepared, with a label generally tied round the neck of the specimen, bearing a number which corresponded with the coloured picture of the species. The Hodgson donation dealt mainly with the birds of the Himalayas, with the exception of one collection of skins from Behar; and for many years the Museum lacked a representative series from the greatest dependency of the Empire.

Thanks to the donations of Mr. Allan Hume, C.B., Colonel Wardlaw Ramsay, Dr. F. D. Godman and Mr. Osbert Salvin, Mr. Radcliffe Saunders, and the bequests of Mr. Henry Seebohm

and Mr. Philip Crowley, the ornithological collection of the British Museum has gradually been raised to the foremost position, and one of its most formidable rivals, the Honourable Walter Rothschild, is at the same time one of its most generous patrons. I believe that the utmost estimate of the number of birds' skins and eggs in the year 1872, when I first took office, would be 30,000, or 35,000 at the most. At the present moment, the series is more than 400,000 in number, of which the eggs alone number close on 100,000. The donations are chronicled in detail below.

One more remark may be permitted. The collection of the British Museum must always be of priceless value, as it contains the material on which was founded the "Catalogue of Birds," being a description of all the known species of birds in the world. The great collections presented or bequeathed to the Museum during the past twenty years were formed with the distinct idea of illustrating the natural history and geographical distribution of birds, and these collections afford material for exact study unequalled by any other museum in the world.

In the following pages are given the details of the gradual progress of the Ornithological Section, as far as it has been possible to compile the record from existing documents.

II. CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF BIRDS TO THE END OF 1905.

In the foregoing pages I have given an account of the formation of the bird-collection so far as it could be gathered from different publications. No actual registers were kept during the early days of the Museum, and it was not until 1837 that a formal register was started. Before that date G. R. Gray had commenced a MS. catalogue of the collection of Birds, and this exists in several vellum-bound books, most of which are still to be found in the bird-room. They are occasionally of service in hunting up the history of some of the ancient specimens.

As already stated, the specimens from Sir Hans Sloane's collection have long ago perished, and of those presented by Sir Joseph Banks but one specimen now survives, as far as I can discover. Some few birds were afterwards received from the Northern Land expeditions, being presented by Sir John Richardson, Admiral Sir George Back, and others; but the specimens described by Swainson and Richardson in the "*Fauna Boreali-Americana*" do not appear to have been presented to the nation in their entirety. During the time that the Zoological Society of London possessed a museum of its own, most of the birds collected by the exploring voyages, such as the *Beagle*, the *Sulphur*, and other ships, were given to the Society, instead of to the British Museum. When the Zoological Society decided to give up its museum these valuable collections were acquired by the British Museum, but the task of selection (presumably by G. R. Gray) was not too carefully performed, and several types were overlooked, which ultimately found their way into private museums, such as that of the late T. C. Eyton, for instance.

When the Banksian collection of birds was presented I have no record. It is certain that some of the specimens procured during Captain Cook's voyages were presented, on the return of the ships, to the Leverian Museum, Bullock's Museum, etc., while others still remained in Sir Joseph Banks' possession. Thus much we may gather from a study of Latham's "*General Synopsis of Birds*," which mentions several species as being in the above-named collections.

Although the disappearance of the actual specimens is never sufficiently to be regretted, some little compensation for their loss is to be found in the collection of drawings made by the artists whom Banks employed during the voyages of Capt. Cook. These "Drawings" came into the possession of the British Museum with the rest of the Banksian Library, and they are now preserved in the Natural History Museum at South Kensington.

PARKINSON'S DRAWINGS.

The earliest of these collections is that of SYDNEY PARKINSON, who accompanied Sir Joseph Banks as draughtsman, on Capt. Cook's first voyage round the world (1768-1771). See Hist. Coll. Brit. Mus., I. (Libraries), p. 44.

The figures of birds are 32 in number (Plates 7-38). Many of them are mere pencil outlines, and it is tolerably certain that all the artists who accompanied Banks on Captain Cook's voyages, Parkinson, George Forster, and Ellis, were in the habit of drawing an outline, sometimes colouring the bill and feet from the freshly shot bird, but much of the colouring was left to be filled in at home from the actual specimens, and in many cases this was never done.

Pl. 7. "No. 12, Falco. The colour of the beak pale bluish-grey, the feet dirty grey blue. Terra del Fuego."

This plate, which is a pencil sketch only, is apparently intended to represent *Ibycter chimango* (Vieill.); Sharpe, Cat. B., i., p. 41 (1874).

Pl. 8. "No. 5, Green Peroquet, Otaquite. Aa."

= *Cyanorhamphus erythronotus* (Kuhl.) (cf. Salvad., Cat. B., xx., p. 579).

Kuhl's type of his *Psittacus erythronotus* was in Bullock's Museum, and thence came into the British Museum, but is no longer to be found there (cf. Salvad., t.c., p. 580, note). It is not mentioned in G. R. Gray's list of *Psittacidæ* (p. 12, 1859).

Pl. 9. "No 3, Blue Perroquet. The face, throat and breast white, romp and neck dirty grey, turning blue towards the edge, the feet and beak a bright orange, claws black, all the rest of the body w^t dark ultra[marine], shaded w^t P[ale] B[ue], like shining blue steel. Avinne."

This plate, which is only a pencil sketch, most probably represents the Otaquite Blue Parrakeet of Latham, Gen. Syn., i., p. 255

(*Psittacus taitianus*, Gm.), *Coriphilus taitianus*, Salvad., Cat. B. Brit. Mus., xx., p. 46 (1891).

Pl. 10. "The whole bird black, spots on the head and on the shoulders dirty white, the breast feathers waved with pale brown, the outer feathers of the tail scarlet and yellow with narrow fascia of black, the iris dark brown, the pupil black, the beak dirty white, with the point of the upper mandible dark grey. Black Cockatoo."

This plate, which is also a pencil sketch, represents one of the Black Cockatoos (*Calyptorhynchus*). Parkinson in his *Journal* (p. 144) writes: "Large black Cocatoos, with scarlet and orange-coloured feathers on their tails, and some white spots between the beak and the ear, as well as one on each wing." Latham, describing his Banksian Cockatoo (*Gen. Syn.*, Suppl., p. 63, pl. cix.) refers to Parkinson's Black Cockatoo as being probably identical.

Pl. 11. "The beak very dark brown, changing gradually into yellowish toward the base of the upper mandible; the feet purple brown, the length of the wing in the natural size $7\frac{1}{2}$ inches. *Anas antarctica*. Terra del Fuego."

A pencil sketch apparently referable to *Necton flavirostre* (V.); Salvadori, Cat. B., xxvii., p. 261.

Pl. 12. "The head, neck, breast and back soot colour, which gradually grows paler on the coverts of the wings to their edges, which are bordered with white; the large wing feathers and the tail are the same sooty colour but shaded with M. blk. The upper coverts of the tail and the sides pure white; the beak blk., as are the feet, with a spot of yellow on each web. Dec. 22, 1768."

= *Oceanites oceanicus* (Kuhl); cf. Salvin, Cat. B., xxv., p. 358.

Kuhl (*Beitr.*, p. 136, 1820) gives the first description of this species, but calls it "*Procellaria oceanica*, Banks," and quotes Tab. 12 of Banks' pictures, this being of course the above-mentioned drawing of Parkinson's. It is not, however, Kuhl's actual type of the species, as the specimen was described by him as having been formerly in Ridell's collection, but now in that of Temminck. It does not appear in the Catalogue of the "Muséum des Pays Bas."

- Pl. 13. "No. 6, *Procellaria æquorea*; Dec. 23, 1768; Lat. 37° South. The throat, breast and belly white; the Remiges, Rectrices, and beak black; the feet black, on the webs marks of yellow as mark'd out in the figure."
- Is *Pelagodroma marina* (Lath.); Salvin, Cat. B., xxv., p. 362. *P. æquorea* is the name (unpublished) given by Solander to this species in his MS. notes, as related by Mr. Salvin (Orn. Misc., i., p. 227).
- Pl. 14. "The large feathers of the wing, the tail, beak and feet are black, the belly and coverts of the tail white. December 23rd, 1768. Lat. 37° South."
- Is *Cymodroma grallaria* (Vieill.); cf. Salvin, Orn. Misc., i., p. 238; *id.*, Cat. B., xxv., p. 366.
- Pl. 15. "The beak a pale blueish lead-colour, the legs and toes pale blue w^t a east of purple; the webs dirty white. Feb. 1st, 1769. Lat. 59° 00'."
- Most probably = *Prion desolatus* (Gm.); Salvin, Cat., xxv., p. 434.
- Pl. 16. "The beak black, the legs and toes pale violet grey on the outermost toe, the webs dirty white and partly grey, veined with dirty purple. Feb. 15, 1769. Lat. 48° 27', Long. 93°."
- May be *Halobæna cærulea* (Gm.); cf. Salvin, Orn. Misc., i., p. 328; *id.*, Cat. B., xxv., p. 431.
- Pl. 17. "Feb. 2nd, 1769. Lat. 59° South. Giant Petrel," Lath., Gen. Syn., vi., p. 397 (1785). *Ossifraga gigantea* (Gm.); cf. Salvin, Orn. Misc., i., p. 238; *id.*, Cat. B., xxv., p. 422. A pencil outline only.
- Pl. 18. Coloured figure, *Ossifraga gigantea*; cf. Salvin, *l.c.*
- Pl. 19. "Feb. 2nd, 1769. Lat. 58°." *Procellaria fuliginosa*, Solander MSS.; cf. Salvin, Orn. Misc., i., p. 238.
= *Majaqueus æquinoctialis* (Linn.); Salvin, Cat. B., xxv., p. 395.
- Pl. 20. "The beak is black, the legs and upper part of the feet pallid white, the lower part, where marked off, dark brown; the claws black; the under part of the whole bird white. Dec. 23, 1768."
- Procellaria sandaliata*, Solander MSS.; cf. Salv., Orn. Misc., i., p. 328.
= *Æstrelata arminjoniana*, Gigl. and Salvad. (cf. Salvin, Cat. B., xxv., p. 413).

Pl. 21. "Bill entirely black, the iris of the eye brown, pupil black. Feb. 1st, 1769. Lat. $59^{\circ} 00'$."

Procellaria lugens, Banks MSS. (ef. Kuhl, Beitr., p. 144).
= *Æstrelata brevirostris* (Less.); ef. Salvin, Cat. B., xxv., p. 409.

Pl. 22. The same as 21.

Kuhl gives the MS. name of *P. lugens*, Banks, but he himself refers the figures to *Procellaria grisea* [nec Gmelin]. The earliest published name seems to be that of *Æstrelata brevirostris* (Less.).

Pl. 23. "The beak fuscus, the lower mandible paler and blueish; the feet of the same colour. Feb. 15, 1769. Lat. $48^{\circ} 27'$, Long. 93° ."

Neetris fuliginosa, Solander MSS.

= *Puffinus griseus* (Gm.); ef. Salvin, Cat. B., xxv., p. 386.

Pl. 24. "The beak blue grey towards the back, and the point black; the legs and feet the same colour as in the *Procellaria cyanopedo*. *Neetris munda*. Feb. 15, 1769. Lat. $48^{\circ} 27'$, Long. 93° ."

The late Mr. Osbert Salvin was of opinion that this pencil-sketch represented the species described by Giglioli and Salvadori as *Puffinus elegans* (Ibis, 1869, pp. 67, 68); ef. Salvin in Rowley's Orn. Misc., i., pp. 256, 257, pl. xxxiv. (1876); *id.*, Cat. B., xxv., p. 385.

Pl. 25. "The face and throat white as marked off[f] on the figure; the whole body above and below fusco-palido; the belly, the feet, whitish w^t a cast of blue, the nails white. Dec. 23rd, 1768. Lat. 37° South. *Diomedea exulans*."

This figure probably represents the young of *Diomedea exulans* (ef. Salvin, Orn. Misc., i, p. 238; *id.*, Cat. B., xxv., p. 442).

Pl. 26. "The bill entirely black, the iris of the eyes yellow-brown, the pupil black; the skin that goes along the beak from the head pale violet clouded w^t pale brown. Feb. 1st, 1769. Lat. $59^{\circ} 13'$. *Diomedea antarctica*."

= *Phaebetria fuliginosa* (Gm.); ef. Salvin, Orn. Misc., i., p. 238; *id.*, Cat. B., xxv., p. 453.

Pl. 27. "The beak, excepting the back of the upper mandible and part of the under one, is a dirty greenish white. Feb. 3rd, 1769. Lat. $57^{\circ} 30'$."

Is *Diomedea profuga*, Solander MSS., which is *Thalassogeron*

chlororhynchus (Gm.); cf. Salvin, Orn. Misc., i., p. 238 ;
id., Cat. B., xxv., p. 451.

- Pl. 28. "The beak is of a lead colour, whitish towards the base of the upper mandible ; the bag is of a dirty orange ; the feathers of the whole body is quite black, having a cast of purple on the back ; the feet and claws lead colour." "Rio Janeiro. Specimen lost. To be coloured from No. 3 in log No. . *Pelecanus aquilus*."

This is no doubt *Fregata aquila* (Linn.), Cat. B., xxvi., p. 443.

- Pl. 29. "The beak and all the bare part round the eye is a brownish grey, the point only excepted, which is whitish ; the iris of the eyes grey, pupil black, the feet something reddish."

"Terra del Fuego. *Pelecanus antarcticus*."

It is difficult to say what this pencil sketch actually represents. It may be intended for *Phalacrocorax atriceps*, King ; Grant, Cat. B., xxvi., p. 390. In Solander's MSS. in the Museum library there is a fuller description of *Pelecanus antarcticus*.

- Pl. 30. "*Pelecanus serrator*."

= *Sula serrator*, G. R. Gray ; cf. Grant, Cat. B., xxvi., p. 428.

Solander's MS. refers to a specimen being procured on the 24th of December, 1769. He gives a full description of the bird.

- Pl. 31. *Phaëton erubescens*, Banks' MSS.

= *Phaëthon rubricauda*, Bodd. ; cf. Grant, Cat. B., xxvi., p. 451.

A complete coloured figure inscribed "Sydney Parkinson pinx. 1769. Tawai" [Otaheite Islands]. It bears the name of *Phaëton erubescens*, of which a full account is given in Solander's MSS. This name is first published by G. R. Gray in his "List of Anseres," p. 182. A life-sized drawing of the head is also figured on this Plate 31.

- Pl. 32. "*Larus gregarius*. Terra del Fuego."

"The beak and feet the col^r of minium ; the breast and belly white w^t a cast of red, the same as in the Cocatoo w^t the red crest ; the claws dark brown ; the length of the wing in the natural size 11 inches."

Mr. Howard Saunders, who has examined this Plate, which is only a pencil outline, is of opinion that it is intended to represent *Larus glaucodes*, Meyen ; cf. Saunders, Cat. B., xxv., p. 203.

In Solander's MSS. there is a fuller description : "gregarius, LARUS, albus, supra canus, abdomine pallide incarnato, rectricibus nonnullis apice nigris, rostro pedibusque rubris.

"Habitat : juxta littora Terræ de Fuego, ubi gregatim volitant, et sæpe totas scopulas cooperiunt."

Pl. 33. "Eperia." "No. 2. Egg Bird. Otahite."

"The whole bird interely white ; the beak a lead colour, as are also the toes ; the webs between white ; the Rachi of the wing feathers pale brown and those of the tail black."

Mr. Howard Saunders thinks that this sketch, which is named "Egg Bird," is intended for *Gygis candida* (Gm.). It may be noted, however, that the name "Egg Bird" is also applied to *Sterna fuliginosa* ; cf. Saunders, Cat. B., xxv., p. 106.

Pl. 34. "*Columba porphyracea*, Forster. Oopaa." "Green Dove. Otahite."

The Tahiti bird is *Ptilopus purpuratus* (Gm.), according to Salvadori, Cat. B., xxi., p. 105.

Pl. 35. "Amahò, *Columba pectoralis*, Otahite. The red on the neck brighter : some of a fine shiny purple."

= *Phlogænas*, sp. ; cf. Salvad., Cat. B., xxi., p. 601, note.

This bird is only known from Latham's description, which was founded on a specimen in the Banksian Collection (cf. Salvadori, l.c.). It is apparently not mentioned in Solander's MSS.

Pl. 36. "No. 11, Turdus. Terra del Fuego."

A pencil outline, probably intended for *Turdus magellanicus*, which is the only species of true Thrush found in the island by Captain Crawshay.

Pl. 36, fig. 2. "The whole wings and tail black and little inclining to brown ; the feathers of the back at their bases are black and their edges scarlet, which makes it look darker : the scarlet of the Belly is more yellow than the rest : the legs fusca : the beak black excepting the oblong space mark'd off[f] on the base of the under mandible, which is white. Rio Janeiro."

This pencilled figure is intended for *Xipholena atropurpurea*.

Pl. 37, fig. 1. "Rio de Janeiro."

There is no name given to this figure, but I should say it very fairly represents *Spermophila cæruleseens* (Vieill.) ; cf. Sharpe, Cat. B. Brit. Mus., xii., p. 126.

Pl. 37, fig. 2. "*Loxia nitens*, of the Coast of Brazil. Nov. 8th, 1768. Sydney Parkinson pinx. ad vivum, 1768. Brasil."

This figure is undoubtedly intended to represent *Volatinia jacarini* (Linn.), Sharpe, Cat. B., xii., p. 152, though the name *Loxia nitens* has not previously been associated with it. This same title is given in Solander's MSS. and may be a name attached to the drawing either by himself or by Banks.

Pl. 38, fig. 1. "*Motacilla avida*, Sept. 28th, 1768. Lat. 19° 00' North."

This figure is evidently intended for *Motacilla flava* (Linn.), and is a young bird, probably procured when the species was on its southward migration.

Solander's MS. contains an account of the same specimen. The name *avida* is bestowed by him on the species.

Pl. 38, fig. 2. "*Motacilla velificans*, of[f] the Coast of Spain. Sydney Parkinson pinx. ad vivum, 1768, Sept.; T. 10, P. 6, Sept. 4, 1768."

This figure is evidently that of a female Wheatear, *Saxicola oenanthe* (L.); cf. Seebohm, Cat. B., v., p. 383.

FORSTER'S DRAWINGS.

The most important of the sets of Drawings from the Banksian Library are undoubtedly those of JOHANN GEORG ADAM FORSTER, who accompanied his father, Johann Reinhold Forster, on Capt. Cook's second voyage (cf. Hist. Brit. Mus. Coll., Libraries, pp. 36, 37). His drawings are mostly on folio sheets of paper. After fifty years a description of them was published by Heinrich Lichtenstein in 1844.* The Birds commence with:—

Pl. 32. *Falco serpentarius*, Miller.

= *Serpentarius secretarius* (Scop.); Sharpe, Cat. B. Brit. Mus., i., p. 45 (1874).

Serpentarius serpentarius (Miller); Sharpe, Hand-list B., i. p. 241 (1899).

This is a large coloured figure, but no mention is made of this or the next bird in the "Descriptiones Animalium."

Pl. 33. "*Falco plancus*, Gm."

= *Polyborus tharus* (Mol.); Sharpe, Cat. B., i., p. 31.

This is a large full-sized figure, identified in a MS. hand-writing as *Falco plancus*, under which name it is figured by Shaw in Miller's "Cimelia Physica" (Pl. 17), 1796. It is the "Plaintive

* Descriptiones Animalium quae in itinere ad maris australis terras per annos 1772, 1773, et 1774 suscepto collegit, observavit, et delineavit Joannes Reinholdus Forster, etc., curante Henrico Lichtenstein. Svo. Berolini, 1844.

Eagle" of Latham, Gen. Syn., i., p. 34 (1781). He quotes Miller's plate 17, so that part of the "Cimelia" must have appeared before 1781. It is *Vultur plaucus* of Forster's Deser. Anim., p. 321.

Pl. 34. *Falco leucurus*.

= *Ibycter australis* (Gm.); cf. Sharpe, Cat. B., i., p. 38.

"Statenland, ♂, Jan. 3rd, 1775."

This bird is described by Latham as the "Statenland Eagle," and he quotes some notes given him by Forster.

Pl. 35. *Falco leucaëtos*, Forst., Deser. Anim., p. 70.

= *Astur novæ-hollandiæ* (Gm.); cf. Sharpe, Cat. B. Brit. Mus., i., p. 118.

From New Holland.

Pl. 36. (Adult male) *Falco harpe*, Forst., Deser. Anim., pp. 68, 69.

= *Harpa novæ zealandiæ* (Gm.); cf. Sharpe, Cat. B. Brit. Mus., i., p. 372.

Pl. 37. (♂, juv.). Ditto.

Pl. 38. (♀). Ditto.

Pl. 39. *Strix fulva*, Forst., Deser. Anim., p. 71.

= *Ninox novæ-zealandiæ* (Gm.); cf. Sharpe, Cat. B., ii., p. 172.
From Queen Charlotte Sound.

Pl. 40. "*Lanius leucorhynchus*, Linn."

= *Artamus leucogaster* (Valenc.); cf. Sharpe, Cat. B., xiii., p. 3. "Pœmanghee, Sept. 7th, ♀, 1774."

Pl. 41. "*Lanius cafer*, Forst.,"; *id.*, Deser. Anim., p. 398,
Cape of Good Hope (= *Lanius ferrugineus*, Gm., S. N., i., p. 306).

= *Laniarius rufiventris* (Swains.); cf. Reichenow, Vögel Afrikas, ii., p. 582.

The bird from which this coloured figure was taken is mentioned by Latham (Gen. Syn., i., p. 163) as being in Sir Joseph Banks' collection.

Pl. 42. "*Psittacus hysginus*, Forst."; *id.*, Deser. Anim., p. 159.

Count Salvadori is of opinion that this figure represents *Pyrrhulopsis koroensis*, Layard; cf. Cat. B., xx., p. 496. It is a better figure than that of Ellis, but both probably represent the same bird.

Pl. 43. "*Psittacus bisetis*, Lath." *Psittacus bisetis*, Forst., Deser. Anim., p. 258.

= *Nymphicus cornutus* (Gm.); cf. Salvadori, Cat. B., xx., p. 591.

"N. Caledonia, 11th September, 1774."

Pls. 44-47. *Psittacus pacificus*, Gm.

= *Cyanorhamphus novæ-zelandiæ*, Sparrm.; cf. Salvad., Cat. B., xx., p. 581.

The bird figured on Plate 46 is said to be from "Dusky Bay, April 6th, 1778."

Pl. 47. Is a Parraquet similar to the foregoing, but with a red rump. It is the Pacific Parrot, var. C, of Latham's "General Synopsis" (i., p. 253).

= *Psittacus pacificus*, var. γ , Gm. Syst. Nat., i., p. 329.

Count Salvadori identifies this with *C. auriceps* (Kuhl); cf. Salvad., Cat., xx., p. 587.

Pl. 48. *Psittacus palmarum*, Gm.; Forst., Descr. Anim., p. 259.

= *Hypocharmosyna palmarum*; cf. Salvadori, Cat. B. Brit. Mus., xx., p. 78.

"Tanna, ♂, 16th Aug., 1774."

Pl. 49. *Psittacus sapphirinus*, Forst., Descr. Anim., p. 201 (1844: Tahaité).

= *Coriphilus taitanus* (Gm.); cf. Salvadori, Cat. B., xx., p. 46.

Pl. 50. *Psittacus hypopolius*, Forst., Descr. Anim., p. 72 (1844: New Zealand).

= *Nestor meridionalis* (Gm.); cf. Salvadori, Cat. B., xx., p. 5.

Pl. 51. *Psittacus poliocar*, Forst., Descr. Anim., p. 399 (1844).

= *Agapornis cana* (Gm.); cf. Salvadori, Cat. B., xx., p. 507.

"Madagascar, May 4, 1775."

Pl. 52. *Callæas cinerca*, Forst., Descr. Anim., p. 74 (1844: New Zealand).

= *Glaucopis cinerea* (Gm.); cf. Sharpe, Cat. B., iii., p. 142.

Said to have been found in both islands of New Zealand by Forster (*l.c.*), who does not seem to have noticed the difference in the colour of the wattles between the two species of *Glaucopis*. The bird figured is *G. cinerea*.

Pl. 53. *Corvus cinereus*, Forst., Descr. Anim., p. 260 (1844: New Caledonia).

This is the type of the "New Caledonian Crow" of Latham (Gen. Syn., i., p. 377), "from a drawing in the collection of Sir Joseph Banks."

= *Artamides caldonicus* (Gm.); cf. Sharpe, Cat. B., iv., p. 10.

Pl. 54. *Coracias pacifica*, Forst., Descr. Anim., p. 261 (1844 : New Caledonia).

= *Aplonis striata* (Gm.); cf. Sharpe, Cat. B., xiii., p. 127.

This is the "Blue-striped Roller" of Latham (Gen. Syn., i. p. 414, pl. xvi.). He does not say whence he described the specimens, but the Plate seems to have been adapted from Forster's drawing.

Pl. 55. *Oriolus musæ*, Forst., Descr. Anim., p. 163 (1844).

= *Tatare longirostris* (Gm.); cf. Sharpe, Cat. B., vii., p. 525.

Pl. 56. *Cuculus fasciatus*, Forst., Descr. Anim., p. 160 (1844 : Huaheine et Otahaitee).

= *Urodynamis taitiensis* (Sparrm.); cf. Shelley, Cat. B., xix., p. 314.

"Taheitee. Tayarabboo."

Pl. 57. *Cuculus nitens*, Forst., Descr. Anim., p. 151 (1844 : Charlotte Sound, New Zealand).

= *Chalcococcyx lucidus* (Gm.); cf. Shelley, Cat. B., xix., p. 295.

Pl. 58. *Alcedo collaris*, Forst., Descr. Anim., p. 162 (1844 : Otaheitee).

= *Todirhamphus veneratus* (Gm.); cf. Sharpe, Cat. B., xvii., p. 288.

"Erooro at Taheitee."

Latham's "Venerated Kingfisher" (Gen. Syn., i., pt. 2, p. 623, 1782) was described from a specimen in the Leverian Museum. It is said to "inhabit Apye, one of the Friendly Isles, where it is held as sacred among the natives as that of Otaheite." His "Respected Kingfisher" (*t.c.*, p. 624) "inhabits Otaheite, where it is called 'Erooro.' It is accounted sacred." As Latham does not state where he found the specimen he described, it seems to me extremely probable that he took his description from Ellis' Drawings, No. 23, from "Otaheite"—"Erooroo."

As Forster's figure shows a dark band across the chest, a feature not mentioned by Latham in his description of the "Venerated Kingfisher," it is evident that the latter was not described from the actual bird figured by Forster. Both the "Venerated" and "Respected" Kingfishers of Latham seem to be the same species, and hence *Todirhamphus tutus*, Sharpe (*nec* Gm.), Cat. B., xvii., p. 291, will require another name, which I propose should be *Todirhamphus wiglesworthi*, in memory

of the young explorer who did such good work as the historian of the Pacific Avifauna.

Pl. 59. *Alcedo cyanea*, Forst., Descr. Anim., p. 76 (1844 : New Zealand).

= *Halcyon vagans* (Less.) ; cf. Sharpe, Cat. B., xvii., p. 271.

"Nr. Dusky Bay, April 4, 1773."

Pl. 60. *Alcedo cancropaga*, Forst. (nec Lath.), Descr. Anim., p. 4.

Halcyon erythrogaster, Gould ; Sharpe, Cat. B., xv., p. 234

[= *H. actæon* (Less.) ; Oustalet, C. R., iii., Congr. Intern. Ornith., Paris, p. 228 (1891)].

[St. Jago.]

Pl. 61. *Certhia cincinnata*, Forst., Descr. Anim., p. 78 (1844 :

Queen Charlotte's Sound, N.Z.).

= *Prosthemadera novæ-zealandiæ* (Gm.) ; cf. Gadow, Cat. B., ix., p. 257.

Pl. 62. *Certhia olivacea*, Forst., Descr. Anim., p. 79 (1844 : New Zealand).

= *Anthornis melanura* (Sparrm.) ; cf. Gadow, Cat. B., ix., p. 255.

Pl. 63. *Certhia cardinalis*, Forst., Descr. Anim., p. 262 (1844 : Tanna, New Hebrides).

= *Myzomela cardinalis* (Gm.) ; cf. Sharpe, Handl. B., v., p. 66 (1906).

"Tanna, ♂, 16th August, 1774."

Latham's "Cardinal Creeper" was described from a specimen in the Leverian Museum (Gen. Syn., i., pt. 2, p. 733, pl. 33, fig. 2) ; it may well have been the actual specimen figured by Forster.

Pl. 64. *Certhia carunculata*, Forst., Descr. Anim., p. 165 (1844 : Tonga-Tabu).

= *Ptilotis carunculata* (Gm.) ; cf. Gadow, Cat. B., ix., p. 225.

Latham called this bird the "Wattled Creeper" (Gen. Syn., i., pt. 2, p. 732), and described it from a specimen in the Leverian Museum.

"Tonga-tabu or Amsterdam Isle."

Pl. 65. *Anas picta*, Forst., Descr. Anim., p. 333 (1844 : Statenland).

= *Chloephaga inornata* (King) ; cf. Salvadori, Cat. B., xxvii., p. 134.

Pl. 66. *Anas ganta*, Forst., Descr. Anim., p. 336 (1844 : Tierra del Fuego).

= *Chloephaga hybrida* (Molina) ; cf. Salvadori, Cat. B., xxvii., p. 130.

Pl. 67. *Anas chcneros*, Forst., Descr. Anim., p. 92 (1844 : Dusky Bay, New Zealand).

= *Casarca variegata* (Gm.); cf. Salvadori, Cat. B., xxvii., p. 183.

"Dusky Bay, N.Z., April 7, 1773."

Pl. 68. *Anas pteneres*, Forst., Descr. Anim., p. 338 (1844 : Straits of Magellan).

= *Tachyeres cinereus* (Gm.); cf. Salvadori, Cat. B., xxvii., p. 373.

"Statenland, Jan. 2, 1775."

Pls. 69, 70. *Anas montana*, Forst., Descr. Anim., p. 44 (1844 : Cape of Good Hope).

= *Casarca cana* (Gm.); cf. Salvadori, Cat. B., xxvii., p. 182. Pl. 69 is a pencil sketch only.

Pl. 71. *Anas xanthorhyncha*, Forst., Descr. Anim., p. 342 (1844 : South Georgia).

= *Nettion georgicum* (Gm.) (cf. Salvadori, Cat. B., xxvii., p. 264); *Nettion georgicum*, Sharpe, Handl., i., p. 219.

[♂, Jan. 17, 1775.]

On this plate is founded Latham's description of the "Georgia Duck" (Gen. Syn., iii., pt. 2, p. 478) "from the drawings of Sir Joseph Banks."

Pl. 72. *Anas xanthorhyncha*, Forst., Descr. Anim., p. 45 (1844 : Cape of Good Hope).

= *Anas undulata*, Dubois (cf. Salvadori, Cat. B., xxvii., p. 212).

These two plates, named *A. xanthorhyncha* by Forster, represented two very different species.

Pl. 73. *Anas pyrrhorhyncha*, Forst., Descr. Anim., p. 45 (1844 : Cape of Good Hope).

= *Pacilonetta erythrorhyncha* (Gm.) (cf. Salvad., Cat. B., xxvii., p. 285).

Although Latham (Gen. Syn., iii., pt. 2, p. 507) does not state where he found the specimen of his "Crimson-billed Duck," there can be no doubt that it was from Forster's Drawings, or from a specimen in Banks' collection, that it was described.

Pl. 74. *Anas malacorhynchus*, Forst., Descr. Anim., p. 94 (1844 : New Zealand).

= *Hymenolæmus malacorhynchus* (Gm.) (cf. Salvad., Cat. B., xxvii., p. 455).

"Dusky Bay, New Zealand, April 3, 1773." "He-weeyo."

Gmelin founded his specific name on Latham's "Soft-billed Duck" (Gen. Syn., iii., pt. 2, p. 522). This was undoubtedly founded on Forster's Plate 74, with some details taken from the account in Cook's Voyage (vol. i., pp. 72, 97), and the specimen figured was no doubt in the Banksian collection.

Pl. 75. *Anas assimilis*, Forster, Descr. Anim., p. 46 (1844 : Cape of Good Hope).

= *Nettion capense* (Gm.) (cf. Salvadori, Cat. B., xxvii., p. 259) ; *Nettion capense*, Sharpe, Handl. B., i., p. 219.

Latham (Gen. Syn., Pt. 2, p. 519, 1785) described his "Cape Wigeon" from the Drawings of Sir Joseph Banks. This plate of Forster's is, therefore, the type of the species.

Pl. 76. *Anas viduata*.

= *Dendrocygna viduata* (Linn.) (cf. Salvad., Cat. B., xxii., p. 145).

"Cape of Good Hope."

Pl. 77. *Anas leucophrys*, Forst., Descr. Anim., p. 93 (1844 : Queen Charlotte Sound, New Zealand).

= *Anas superciliosa*, Gm. (cf. Salvadori, Cat. B., xxvii., p. 206).

Latham's "Supercilious Duck" (Gen. Syn., iii., pt. 2, pl. 497) was taken from this figure of Forster's, which is consequently the type of the species.

"Dusky Bay. *He-tarrera*."

Pl. 78. *Anas lophyra*, Forst., Descr. Anim., p. 340 (1844 : Staten-land).

= *Anas cristata* (Gm.) (cf. Salvad., Cat. B., xxvii., p. 216).

Latham (Gen. Syn., iii., pt. 2, p. 543, 1785) describes his "Crested Duck" from Forster's Drawings, and the figure is, therefore, the type of the species.

Pl. 79. *Anas atricilla*, Forst., Descr. Anim., p. 95 (1844 : New Zealand).

= *Fuligula novæ zealandiæ* (Gm.) (cf. Salvadori, Cat. B., xxvii., p. 368).

"Dusky Bay. *He-patek*."

This is another species, described from the Forster Drawings, being the "New Zealand Duck" of Latham (Gen. Syn., iii., pt. 2, p. 543), on which Gmelin founded his *Anas novæ zealandiæ*.

Pl. 80. *Aptenodytes chrysocome*, Forst., Descr. Anim., p. 99 (1844 : New Holland).

= *Catarrhactes chrysocome*, Forst. (cf. Grant, Cat. B., xxvi., p. 635).

A pencil outline.

- Pl. 81. "*Aptenodytes patagonica*." *A. patagonica*, Forst., Descr. Anim., p. 347 (1844: Falkland Islands and South Georgia and islands of New Guinea*); cf. Ogilvie-Grant, Cat. B., xxvi., p. 627.
 "♂. Jan. 17, 1775."
- Pl. 82. *Aptenodytes antarctica*, Forst., Comment. Götting., iii., p. 141, pl. iv., 1781; *id.*, Descr. Anim., p. 349.
 = *Pygoscelis antarctica* (Forster); Grant, Cat. B., xxvi., p. 634.
- Pl. 83. *Aptenodytes magellanica*, Forst., *t.c.*, 1781; *id.*, Descr. Anim., pp. 348, 351 (1844: Tierra del Fuego, Statenland, Falkland Islands).
 = *Spheniscus magellanicus* (Forst.); Grant, Cat. B., xxvi., p. 651.
 "Staten Land."
- Pls. 84, 85. *Aptenodytes minor*, Forst., *t.c.*, 1781; *id.*, Descr. Anim., p. 101 (1844: Dusky Bay, New Zealand).
 = *Eudyptila minor* (Forst.); Grant, Cat. B., xxvi., p. 646.
 "New Zealand. 'Korora.'"
- Pl. 86. *Procellaria similis*, Forst., Descr. Anim., p. 59 (1844: Antarctic Ocean).
 = *Halobæna cærulea* (Gm.); Salvin, Cat. B., xxv., p. 431.
- Pl. 87. *Procellaria vittata*, Forst., Descr. Anim., p. 21 (1844: Southern Ocean).
 = *Prion vittatus* (Gm.); Salvin, Cat. B., xxv., p. 432.
- Pl. 88. *Procellaria tridactyla*, Forst., Descr. Anim., p. 149 (1844: Queen Charlotte Sound, New Zealand).
 = *Pelecanoides urinatrix* (Gm.); cf. Salvin., Cat. B., xxv., p. 437. "Tcetee."
- Pls. 89-90. *Procellaria nivea*, Forst., Descr. Anim., p. 58 (1844: Antarctic Ocean).
 = *Pagodroma nivea* (Gm.); Salvin, Cat. B., xxv., p. 419
 "Dec. 30, 1772." Pl. 90 is only a pencil outline.
- Pl. 91. *Procellaria glacialis*, Forst., Descr. Anim., p. 25 (1844: Southern Ocean).
 = *Priocella glacialoides* (Smith); Salvin, Cat. B., xxv., p. 393.

* Doubtless a misprint for New Zealand.

Pl. 92. *Procellaria hæsitata* (nec Kuhl), Forst., Descr. Anim., p. 208 (1844: Lat. 48° S. Pacific Ocean); Gould, B. Austr., vii., pl. 47.

= *Priofinus cinereus* (Gm.); Salvin, Cat. B., xxv., p. 390.

Latham (Gen. Syn., iii., pt. 2, p. 405, 1785) founded his description of his "Cinereous Petrel" on a specimen in the British Museum. From his description of the colours of the bill and feet, it is evident that he had also Forster's Drawings in his mind.

Pl. 93. *Procellaria fuliginosa*, Forst., Descr. Anim., p. 23 (1844: Southern Ocean).

= *Æstrelata macroptera* (Smith); cf. Salvin, Cat. B., xxv., p. 453.

Pl. 93A. Head of *Ossifraga gigantea*.

Pl. 94. *Procellaria fuliginosa*, Forst. (nec pl. 93).

= *Puffinus griseus* (Gm.); cf. Salvin, Cat. B., xxv., p. 386.

The type of Latham's "Grey Petrel" (undè *Procellaria grisea*, Gm.) was in the Leverian Museum.

Pl. 95. *Procellaria antarctica*, Forst., Descr. Anim., p. 60 (1844: Antarctic Seas).

= *Thalassæca antartica* (Gm.); cf. Salvin, Cat. B., xxv., p. 392.

Pl. 96. *Procellaria capensis*, Forst., Descr. Anim., p. 20 (1844: Southern Ocean).

= *Daption capensis* (Linn.); cf. Salvin, Cat. B., xxv., p. 428.

Pl. 97. *Procellaria gularis*.

This plate represents a Flying Petrel, and it has been referred to *Procellaria hæsitata* by Kuhl and Temminck. The type of the latter species was purchased by Temminck from Bullock's sale, and was described by Kuhl: it is now in the Leyden Museum. This is the well-known "Capped Petrel," but Forster's plate represents *Æstrelata gularis*, of Peale, 1848: cf. Salvin, Cat. B., xxv., p. 414. It seems to me also that *Procellaria inexpectata*, of Forster (Descr., p. 204), refers to this Plate 97, in which case the species would bear the name of *Æstrelata inexpectata* (Forster, 1844).

Pl. 98. *Procellaria leucocephala*, Forster, Descr. Anim., p. 206 (1844).

= *Æstrelata lessoni* (Garnot); cf. Salvin, Cat. B., xxv., p. 401.

This drawing is referred to *P. hæsitata* by Kuhl, but it represents quite a different species.

Pl. 99. *D. albatrus* (nec Pall.), Forster, Descr. Anim., p. 27 (1844).

= *Diomedea exulans*, Linn.; Salvin, Cat. B., xxv., p. 442.

Pl. 100. *Diomedea chrysostoma*, Forst., Descr. Anim., p. 24 (1844: Southern Ocean).

= *Thalassogeron chlororhynchus* (Gm.); cf. Salvin, Cat. B., xxv., p. 451.

Pl. 101. *Diomedea chrysostoma*, Forster, *l.c.* This pencil drawing appears to have been taken from a specimen of *Thalassogeron culminatus*, Gould; cf. Salvin, *t.c.*, p. 451.

Pl. 102. *Diomedea palpebrata*, Forst., Descr. Anim., p. 55 (1844: Antarctic Ocean, 25 Jan. 1773).

= *Phæbetria fuliginosa* (Gm.); cf. Salvin, Cat. B., xxv., p. 453.

Pl. 103. *Pelecanus punctatus*, Forst., Descr. Anim., p. 104 (1844: Queen Charlotte Sound, New Zealand).

= *Phalacrocorax punctatus* (Sparrm.); cf. Ogilvie-Grant, Cat. B., xxvi., p. 354. "Pa-degga-degga."

Pl. 104. *Pelecanus carunculatus*, Forst., Descr. Anim., p. 102 (1844: Queen Charlotte Sound, New Zealand).

= *Phalacrocorax carunculatus* (Gm.); cf. Ogilvie-Grant, Cat. B., xxvi., p. 384.

Latham's "Carunculated Shag" (Gen. Syn. iii., p. 2, p. 603; undè *P. carunculatus*, Gm.), was described from a specimen in the Leverian Museum. It may have been the bird that Forster painted. Forster considered that he saw the same species in Tierra del Fuego, but he evidently confused *P. albiventer* with the New Zealand bird.

Pl. 105. *Pelecanus magellanicus*, Forst., Descr. Anim., p. 312 (1844: Straits of Magellan).

= *Phalacrocorax magellanicus* (Gm.); cf. Ogilvie-Grant, Cat. B., xxvi., p. 388.

"Tierra del Fuego, December 28, 1774."

This bird was also described by Latham as the "Magellanic Shag" (Gen. Syn., iii., pt. 1, p. 604), from a specimen in the Leverian Museum.

Pl. 106. *Pelecanus pica*, Forst., Descr. Anim., p. 104 (1844: New Zealand).

= *Phalacrocorax varius* (Gm.); cf. Ogilvie-Grant, Cat. B., xxvi., p. 394.

Latham's "Pied Shag" (Gen. Syn., iii., pt. 2, p. 605) was also described from a specimen in the Leverian Museum, but he

likewise mentions having seen the species in the drawings in Sir Joseph Banks' possession. The egg is figured on the plate, and described by Latham.

Pl. 107. *Pelecanus piscator*, Forst. (*nec* Linn.).

= *Sula cyanops* (Sund.); *cf.* Ogilvie-Grant, Cat. B., xxvi., p. 430.

"Norfolk Island, Oct. 9, 1774."

Pl. 108. *Pelecanus plotus*, Forst., Descr. Anim., p. 278 (1844 : New Caledonia).

= *Sula sula* (Linn.); *cf.* Ogilvie-Grant, Cat. B., xxvi., p. 436.

"New Caledonia, ♀, 16 Sept., 1774."

Pl. 109. *Larus scopulinus*, Forst., Descr. Anim., p. 106 (1844 : New Zealand); Saunders, Cat. B., xxv., p. 238.

"New Zealand. He-talla."

Pl. 110. *Sterna serrata*, Forst., Descr. Anim., p. 276 (1844 : New Caledonia).

= *Sterna fuliginosa* (Gm.); *cf.* Saunders, Cat. B., xxv., p. 106.

"New Caledonia, ♀, Sept. 16th, 1774."

Pl. 111. *Ardea ferruginea*, Forst., Descr. Anim., p. 274 (1844 : New Caledonia).

= *Nycticorax caledonicus* (Gm.); *cf.* Sharpe, Cat. B., xxvi., p. 158.

"New Caledonia, Sept. 11th, 1774."

A figure of this Night Heron is given in Cook's "Voyage" (vol. ii., pl. 50). Latham founds his "Caledonian Night Heron" (Gen. Syn., iii., pt. 1, p. 15, 1785) on a description supplied to him by Forster, whose drawing thus represents the type of the species.

Pl. 112. Is apparently *Demiegretta sacra*.

Pl. 113. Is a pencil sketch of a Heron, but there is no clue as to its identification.

Pl. 114. *Ardea jugularis*, Forst., Descr. Anim., p. 172 (1844 : Queen Charlotte Sound, New Zealand).

= *Demiegretta sacra* (Gm.); *cf.* Sharpe, Cat. B., xxvi., p. 137.

Pl. 115. *Ardea palearis*, Forst., Descr. Anim., p. 47 (1844 : Cape of Good Hope).

= *Bugeranus carunculatus* (Gm.); *cf.* Sharpe, Cat. B., xxiii., p. 267.

The figure of the Wattled Crane is by "Shumacker," according to Lichtenstein, but the drawing is signed "G. Forster, 1773."

The picture was taken from a living bird in the Indian Merchants Society's Gardens at the Cape, and on this drawing in the collection of Sir Joseph Banks Latham founded his description and figure of the "Wattled Crane" (Gen. Syn., iii., pt. 1, p. 82, pl. lxxviii.), which thus becomes the type of the species.

Pl. 116. *Tantalus capensis* [*Tantalus cafer*, on plate], Forst., Descr. Anim., p. 48 (1844 : Cape of Good Hope).

= *Geronticus calvus* (Bodd.); cf. Sharpe, Cat. B., xxiii., p. 17.

"G. F., 1773."

Pl. 117. *Tantalus melanops*, Forst., Descr. Anim., p. 332 (1844 : Staten Land).

Is the "Black-faced Ibis" of Latham (Gen. Syn., iii., pt. 1, p. 108, pl. lxxix.) described from a specimen in Sir J. Banks' collection, procured by Dr. Forster "in New Year's Island, near Staten Land."

= *Theristicus melanopis* (Gm.); cf. Sharpe, Cat. B., xxvi., p. 21.

"Staten Land, Jan. 3, 1775."

Pl. 118. *Scolopax cafra*, Forst., Descr. Anim., p. 49 (1844 : Cape of Good Hope).

= *Ancylochilus subarquatus* (Güld.); Sharpe, Cat. B., xxiv., p. 586.

Pl. 119. *Scolopax phæopus*, Forst. (nec Linn.), Descr. Anim., p. 242 (1844 : Otaheitee).

= *Numenius tahitiensis* (Gm.); cf. Sharpe, Cat. B., xxiv., p. 367.

"Otaheite, May 3, 1774. Tewa."

The Otaheite Curlew was described by Latham (Gen. Syn., iii., pt. 1, p. 122) from a specimen in the collection of Sir Joseph Banks, doubtless the identical one figured in Forster's drawings.

Pl. 120. *Tringa pyrrhetrea*, Forst., Descr. Anim., p. 174 (1844 : Otaheitee).

= *Prosobonia leucoptera* (Gm.); cf. Sharpe, Cat. B., xxiv., p. 525.

"Taheitee. Torow."

The type of this now extinct species is in the Leyden Museum.

It is curious that the three figures of this bird do not agree with each other. Latham does not tell us much of the actual specimen which he described as the White-winged Sandpiper (Gen. Syn., iii., pt. 1, p. 172, pl. lxxxii.). He appears to have seen three specimens, which must all have been in Sir Joseph Banks'

possession. The only one extant to-day is the example in the Leyden Museum, which I consider to be the bird figured by Forster, and described by me in 1896 (Cat. B., vol. xxiv., p. 525). The bird figured by Latham (pl. lxxxii.) differs somewhat from Forster's painting, in that it is shown with a rufous eyebrow, white lores, and a single rounded patch of white on the bend of the wing. Forster's specimen, it will be seen, came from Tahiti, but the bird figured by Ellis is quite different from Forster's and Latham's figures, and came, moreover, from Eimeo or York Island, where it was called "*Te-te*." Ellis' figure certainly represents a different bird from Forster's. It has a circlet of rufous colour round the eye, it has a double patch on the wing-coverts, and the median and greater wing-coverts are *pale ferruginous like the rump*. I propose to call this bird *Prosobonia ellisi*.

Pl. 121. *Charadrius torquatus*, Forst., Descr. Anim., p. 108 (1844: Dusky Bay).

= *Thinornis novæ zeelandiæ* (Gm.); cf. Sharpe, Cat. B., xxiv., p. 304.

"Queen Charlotte Sound, New Zealand." "Doodoorroo-attoo."

Latham's "New Zealand Plover" was described from the collection of Sir Joseph Banks, and Forster's drawing was no doubt taken from the same specimen.

Pl. 122. *Charadrius glareola*, Forst., Descr. Anim., p. 109 (1844: S. Island, New Zealand).

= *Ochthodromus obscurus* (Gm.); cf. Sharpe, Cat. B., xxiv. p. 211.

"Ha poho-èra," April 4, 1773.

The "Dusky Plover" of Latham (Gen. Syn., pt. 1, p. 211) was described from a specimen in Sir Joseph Banks' collection, and was doubtless the original of Forster's sketch.

Pl. 123. *Charadrius glaucopus*, Forst., Descr. Anim., p. 176 (1844: Otaheitee).

= *Charadrius dominicus*, P. L. S. Müll.; cf. Sharpe, Cat. B., xxiv., p. 195.

"Tonga Tabboo or Amsterdam Island."

Pl. 124. Is also *Charadrius dominicus*, but in more full plumage.

"Poemanghec. New Caledonia, ♂, Sept. 6th, 1774."

Pl. 125. *Chionis lactea*, Forst., Descr. Anim., p. 330 (1844).

Is *Chionis alba* (Gm.); cf. Sharpe, Cat. B., xxiv., p. 710.

"Staten Land, Jan. 2nd, 1775."

- Pl. 126. *Rallus troglodytes*, Forst., Descr. Anim., p. 110 (1844 : New Zealand).
 = *Ocydromus australis* (Sparrm.); cf. Sharpe, Cat. B., xxiii., p. 64.
- Pl. 127. *Rallus pacificus*, pt. Forst., Descr. Anim., p. 177 (1884, Otaheitee).
 = *Hypotænidia philippensis* (Linn.); cf. Sharpe, Cat. B., xxiii., p. 39. Namoka, ♀, July 1, 1774.
- Pl. 128. Also named *Rallus pacificus*, but evidently a distinct bird from the preceding one. It has a red bill, and agrees with Forster's diagnosis of his *Rallus pacificus*, so that it must be the type of the species.
- Pl. 129. *Rallus caffer*, Forst., Descr. Anim., p. 50 (1884 : Cape of Good Hope).
 = *Rallus cærulescens*, Gm.; cf. Sharpe, Cat. B., xxiii., p. 25.
 Latham's Blue-necked Rail (Gen. Syn., iii., pt. 1, p. 234) is taken from the Drawings of Sir Joseph Banks, so that this plate is the type on which the species was founded.
- Pl. 130. *Rallus minutus*, Forst., Descr. Anim., p. 178 (1844 : Otaheitee and Tonga-Tabu).
 Is *Porzana tabuensis* (Gm.); cf. Sharpe, Cat. B., xxiii., p. 111.
 "Tana, ♀, 12th August, 1774."
- Latham, speaking of a *variety* of his Tabuan Rail (Gen. Syn., iii., pt. 1, p. 235), says:—"Inhabits the Island of Tanna. *Sir Joseph Banks*." His remarks apply either to a specimen, or to the drawing in the Banksian Library, probably the former, as there are no colours given in Forster's Drawing, which is only a pencil sketch (cf. Wigglesworth, Av. Polyn., p. 61, 1891; Sharpe, Cat. B., xxiii., p. 111, note).
 "Taheitee Maho."
- Pl. 131. *Rallus tannensis*, Forster, Descr. Anim., p. 275 (1844).
 "Tana, ♀, 12th August, 1774."
 = *Poliolimnas cinereus* (V.); Sharpe, Cat. B., xxiii., p. 130.
- Pl. 132. *Rallus æthiops*, Forst., Descr. Anim., p. 400 (1844 : Cape of Good Hope).
 = *Limnocorax niger* (Gm.); cf. Sharpe, Cat. B., xxiii., p. 150. April 24, 1775.
- Latham's Black Rail (Gen. Syn., iii., pt. 1, p. 236) was founded on a specimen in the British Museum, but he does not mention the Banksian collections in connection with the species.

Pl. 133. *Otis afra*, Forst., Descr. Anim., p. 51 (1844 : Cape of Good Hope).

Is *Compsotis afra* (Forst.) [♂]; Sharpe, Cat. B., xxiii., p. 293.

Latham's White-eared Bustard (Gen. Syn., ii., pt. 2, p. 802, pl. lxi.) is founded on "a pair in the possession of Sir Joseph Banks" (undè *Otis afra*, Gm. Syst. Nat., i., p. 724).

Pl. 134. The two figures on this plate are apparently the female and young male of *Compsotis afra*.

Pl. 135. *Tetrao capensis*, Forst., Descr. Anim., p. 400 (1844 ; South Africa).

= *Francolinus capensis* (Gm.) (cf. Ogilvie-Grant, Cat. B., xxii., p. 165).

The type of Latham's "Cape Partridge" (Gen. Syn., ii., pt. 2, p. 756) was in the British Museum.

Pl. 136. *Columba leucophrys*, Forst., Descr. Anim., p. 168 (1844 : Otaheitee).

= *Phlogoenas erythroptera* (Gm.); cf. Salvad., Cat. B., xxi., p. 600 [vide postea, p. 205, for Latham's Garnet-winged Pigeon, described from a specimen in the Leverian Museum].

"Tahiti."

Pl. 137. *Columba argetræa*, Forst., Descr. Anim., p. 80 (1844 : New Zealand).

= *Hemiphaga novæ zealandiæ* (Gm.) (cf. Salvad., Cat. B., xxi., p. 236).

"Dusky Bay, N.Z., April 3, 1773. Harrèroo."

This seems to be the type of Latham's "New Zealand Pigeon" (Gen. Syn., ii., pt. 2, p. 640), as he gives Forster's note, but does not mention the Banksian specimens or drawings.

Pl. 138. *Columba xanthura*, Forst., Descr. Anim., p. 264 (1844 : Tanna).

Latham describes this species as among Sir Joseph Banks' drawings, but he refers to it as a variety of his "Hooked-billed Pigcon," with which it has nothing to do. He names it *Columba tannensis* in his "Index Ornithologicus," vol. ii., p. 600, = *Ptilopus tannensis* (Lath.) (cf. Salvad., Cat. B., xxi., p. 127).

Pl. 139. *Columba globicera*, Forst., Descr. Anim., p. 166 (1844 : Tonga-Tabu et Eavowe : Otaheitee).

I am inclined to think that this figure represents *Columba pacifica*, Gm. (*Globicera pacifica*, Salvad., Cat. B., xxi., p. 173), though Count Salvadori seems to entertain some doubt about it.

The plate is the type of *Columba forsteri*, Wagler, Isis, 1829, p. 739.

Pl. 140 = ♀ *Columba porphyracea*, Forst., Descr. Anim., p. 167 (1844: Tropical Islands).

Is *Ptilopus porphyraceus*, Salvad., Cat. B., xxi., p. 100.
"Taheiti. Oo-oò-pa."

Pl. 141. Ditto, ditto. Male.

Pl. 142. *Columba ferruginea*, Forst., Descr. Anim., p. 265 (1844: Tanna).

"Tanna, ♀, 17th August, 1774."

This plate was examined by Count Salvadori, who was unable to identify the species (*cf.* Salvad., Cat. B., xxi., p. 605).

Pl. 143. *Alauda littorea*, Forst., Descr. Anim., p. 90 (1844: New Zealand).

= *Anthus novæ zealandiæ* (Gm.); *cf.* Sharpe, Cat. B. Brit. Mus., x., p. 616.

"Kogoo uròare."

The "New Zealand Lark" of Latham (Gen. Syn., ii., pt. 2, p. 384, pl. li.) was founded on this plate, "from Sir Joseph Banks' Drawings." The figure is therefore the type of *A. novæ zealandiæ* (Gm. *ex* Lath.).

Pl. 144. *Sturnus carunculatus*, Forster, Descr. Anim., p. 81 (1844: New Zealand).

= *Creadion carunculatus* (Gm.); Sharpe, Cat. B., iii., p. 144.

See Latham's description of his "Wattled Stare," where he refers to Dr. Forster's notes.

Pl. 145. *Loxia turdus*, Forst., Descr. Anim., p. 85 (1844: New Zealand).

= *Turnagra crassirostris* (Gm.); *cf.* Sharpe, Cat. B., vii., p. 4.

"Dusky Bay, Queen Charlotte's Sound, April 4, 1773."

Pl. 146. *Turdus badius*, Forst., Descr. Anim., p. 239 (1844: Oriadea).

= *Turdus ulietensis*, Gm.; *cf.* Seebohm, Cat. B., v., p. 276, note. *Aplonis inornata*, Sharpe, Cat. B., xiii., p. 135, note.

"Raitea, ♀, June 1, 1774."

Mr. Seebohm (*l.c.*) considered this figure to be that of a *Merula*, and he gave a figure of it in the fifth volume of the "Catalogue," adding a yellow eyelid, which is not in Forster's picture. I cannot identify the species for certain (*cf.* Cat. B., xiii., p. 276, note), but I have little doubt that it is the "Bay

Thrush" of Latham's "General Synopsis" (ii., pt. 1, p. 35), und *Turdus ulietensis*, Gm. The specimen is said to be "in the collection of Sir Joseph Banks."

Pl. 147A. *Turdus phœnicurus*, Forst., Descr. Anim., p. 404 (1844: Cape of Good Hope).

= *Cossypha caffra* (Linn.); cf. Sharpe, Cat. B., vii., p. 39.

Pl. 147B. *Turdus sordidulus*, Forst., Descr. Anim., p. 404 (1844: Cape of Good Hope).

= *Saxicola familiaris*, Stephens.

Pl. 148. *Turdus ochrotarsus*, Forst., Descr. Anim., p. 82 (1844: New Zealand). "No. 3. N.Z., Dusky Bay, March 28th, 1773."

Sir Walter Buller, in his "Supplement" to the "Birds of New Zealand" (p. 123), separates *Miro ochrotarsus* from *M. albifrons* (Gm.) (cf. Sharpe, Cat. B. Brit. Mus., iv., p. 235).

He admits two distinct forms of *Miro* as inhabiting the South Island of New Zealand, viz., *M. albifrons*, Gm., "with the under parts rufescent," and *M. ochrotarsus* (Forster), "with almost the entire under parts pale lemon-yellow, and a conspicuous spot of white on the forehead."

Forster's *Turdus ochrotarsus* is described as having the breast, abdomen and vent pale "rufescent."

Latham's White-fronted Thrush (Gen. Syn., ii., pt. 1, p. 71) is described from a specimen, in Sir Joseph Banks' collection, from "Dusky Bay, New Zealand." It is said to have "the under parts dirty yellowish buff-colour." From this it would appear that *Miro ochrotarsus* (Forster) is identical with *M. albifrons* (Gen. Syst. Nat., i., p. 822) founded on Latham's "White-fronted Thrush," both having rufescent or buff under parts. Sir Walter Buller's *M. ochrotarsus* (*nec* Forster) with the lemon-coloured belly requires a new name, which I propose to call *M. bulleri*.

Pl. 149. *Turdus minutus*, Forst., Descr. Anim., p. 83 (1844: New Zealand).

= *Petroeca macrocephala* (Gm.); cf. Sharpe, Cat. B., iv., p. 176. "Queen Charlotte Sound, New Zealand."

The type of the "Great-headed Tit" of Latham (Gen. Syn., ii., p. 557, pl. lv.) is founded on specimens in Sir Joseph Banks collection.

Pl. 150. "*Turdus diabaphus*."

Muscicapa diabapha, Forst., Descr. Anim., p. 267 (1844: Norfolk Island).

= *Petræca multicolor* (Gm.), founded on the Red-bellied Flycatcher of Latham (Gen. Syn., ii., pt. 1, p. 343, pl. 50), "in Sir Joseph Banks' collection," probably the same specimen as was figured by Forster; cf. Sharpe, Cat. B., iv., p. 168.

"Norfolk Island, ♂, 11th Oct., 1774."

Pl. 151. *Turdus xanthopus*, Forst., Descr. Anim., p. 266 (1844: New Caledonia).

= *Merula xanthopus* (Forst.); cf. Seebohm, Cat. B., v., p. 276; Sharpe in Seebohm's Monogr. Turdid., ii., p. 139, pl. 126.

This figure represents the type of the species.

Pl. 152. *Loxia oryx*, Forst., Descr. Anim., p. 53 (1844).

= *Pyromclana oryx* (Linn.); cf. Sharpe, Cat. B., xiii., p. 230.

Pl. 153. "*Loxia pulchella*." *Fringilla pulchella*, Forst., Descr. Anim., p. 273 (1844: New Caledonia).

= *Erythrura psittacea* (Gm.); cf. Sharpe, Cat. B., xiii., p. 382. "New Caledonia."

The "Parrot Finsch" of Latham (Gen. Syn. ii., part 1, p. 287, pl. xlviii.) is founded on Forster's specimens. "This is a most beautiful species, and was shot by Dr. J. R. Forster at New Caledonia."

Pl. 154. *Fringilla bicincta*, Forst., Descr. Anim., p. 405 (1844: Cape of Good Hope).

This is the figure on which Latham founded his description of the White-cheeked Finch (Gen. Syn., ii., part 1, p. 278, 1783, = *Fringilla nævia*, Gmelin, Syst. Nat., i., part 2, p. 911, 1788). Latham says: "Inhabits the Cape of Good Hope. From a drawing in the possession of Sir Joseph Banks." This is *Fringillaria capensis* (Linn.).

Pl. 154. *Muscicapa dubia*, Forst., Descr. Anim., p. 406 (1844: Cape of Good Hope).

= *Sphenæacus africanus* (Gm.); cf. Sharpe, Cat. B., vii., p. 95.

Pl. 155. *Muscicapa ventilabrum*, Forst., Descr. Anim., p. 86 (1844: New Zealand).

= *Rhipidura flabellifera* (Gm.); cf. Sharpe, Cat. B., iv., p. 308.

"Dusky Bay, N.Z., March 28, 1773."

A note on the plate says: "Fan-tailed Flycatcher, Lath., Gen. Syn., ii., p. 340, no. 33, tab. 49, from this drawing." Latham seems to have seen more than one specimen, and does not specify where his type came from.

Pl. 156. Luteous Flycatcher, Lath., Gen. Syn., ii., pt. 1., p. 342 (founded on Forster's drawing), *Muscicapa lutea*, Gm., S. N., p. 944 ; Forst., Descr. Anim., p. 169 (1844 : Otaheitee), and *M. atra*, Forst., *t.c.*, p. 171.

Is *Pomarea nigra* (Sparrm.) ; cf. Sharpe, Cat. B., iv., p. 434.

Pl. 157. *Muscicapa chloris*, Forst., Descr. Anim., p. 87 (1844 : New Zealand).

= *Clitonyx ochrocephala* (Gm.) ; cf. Sharpe, Hand-list B., iv., p. 1.

"Queen Charlotte's Sound."

Latham specifically mentions that his description of his Yellow-headed Flycatcher (Gen. Syn., ii., pt. 1, p. 342) was taken from a drawing in the Banksian Collection.

Pl. 158. *Muscicapa heteroclita*, Forst., Descr. Anim., p. 271 (1844 : Tana).

= *Zosterops flavifrons* (Gm.) ; cf. Sharpe, Cat. B., ix., p. 187.

"Tana, Aug. 7, 1774."

Latham's "Yellow-fronted Flycatcher" was founded on Forster's drawing, or on specimens in Sir Joseph Banks' Museum.

Pl. 159. *Muscicapa nævia*, Forst., Descr. Anim., p. 269 (1844 : New Caledonia).

Is *Symmorphus nævius* (Gm.) ; cf. Sharpe, Cat. B., iv., p. 110.

This is the figure on which the name of the species was founded. It is the "Nævous Flycatcher," Lath., Gen. Syn., ii., pt. 1, p. 343 (1783), = *Muscicapa nævia*, Gm., Syst. Nat., p. 944.

Pl. 160. *Motacilla gracula*, Forst., Descr. Anim., p. 324 (1844 : Tierra del Fuego).

= *Cinclodes patagonicus* (Gm.) ; Selater, Cat. B., xv., p. 22.

Latham's "Patagonian Warbler" is described from a specimen in the Leverian Museum.

Pls. 161, 162. *Motacilla seticauda*, Forst., Descr. Anim., p. 328 (1844 : Tierra del Fuego).

A MS. note on Plate 161 quotes Latham's reference, and adds : "From this figure and the following."

Is the Thorn-tailed Warbler, Lath., Gen. Syn., ii., part 2, p. 463, tab. 52. "Inhabits Tierra del Fuego. In the collection of Sir Joseph Banks." *Motacilla spinicauda*, Gm., Syst. Nat., i., part 2, p. 978 : *Oxyurus spinicauda*, Sel., Cat. B., xv., p. 30 : *Aphrastura spinicauda*, Sharpe, Hand-list B., iii., p. 51.

"Tierra del Fuego, December 21, 1774."

Pl. 163. *Motacilla magellanica*, Forst., Descr. Anim., p. 326 (1844 : Tierra del Fuego).

= *Scytalopus magellanicus* (Gm.); cf. *Scl.*, Cat. B., xv., p. 338).

"Tierra del Fuego, ♀, 28th December, 1774."

This drawing is the type of the Magellanic Warbler, Lath., Gen. Syn., ii., part 2, p. 464 (from Sir J. Banks' drawings).

Pl. 164. *Motacilla citrinella*, Forst., Descr. Anim., p. 89 (1844 : New Zealand).

Citrine Warbler, Lath., Gen. Syn., ii., part 2, p. 464 (from Sir J. Banks' drawings).

"Dusky Bay, New Zealand."

This is the type of *Motacilla citrina*, Gm., founded on Latham's "Citrine Warbler." The drawing would appear to represent an adult female, according to the identifications of Mr. Ogilvie-Grant ("Ibis," 1905, pp. 595, 596).

Pl. 165. *Motacilla longipes*, Forst., Descr. Anim., p. 88 (1844 : New Zealand).

= *Xenicus longipes* (Gm.); *Scl.*, Cat. B., xiv., p. 452.

This figure is the type, on which Latham founded the name and description of his "Long-legged Warbler"; cf. Gen. Syn., ii., part 2, p. 465 (= *Motacilla longipes*, Gm., ex Lath.). He says that it was taken from Sir J. Banks' drawings. He also gives the locality, Dusky Bay, New Zealand, and the native name, *E Teetee tee poinom*, evidently copied from this plate.

Pl. 166. *Parus urostigma*, Forst., Descr. Anim., p. 90 (1844 : New Zealand).

= *Certhiparus novæ zealandiæ* (Gm.); cf. Gadow, Cat. B., viii., p. 76.

"Dusky Bay. Native name Tòe tòe."

This figure represents Latham's description of the New Zealand Titmouse, Gen. Syn., ii., part 2, p. 558 (undè *Parus novæ zealandiæ*, Gm.). Latham mentions that it was taken from Banks' Drawings, and therefore Forster's plate becomes the type of the species.

Pl. 167. *Hirundo pyrrholæma*, Forst., Descr. Anim., p. 241 (1844 : Otahaitee).

= *Hirundo tahitica*, Gm.; cf. Sharpe and Wyatt, Monogr. Hirundinidæ, i., p. 275.

"Taheitee."

Latham speaks of having seen a specimen in the collection of Sir J. Banks, and on this he founded the description of his "Otahaitee Swallow."

Pl. 168. *Hirundo peruviana*, Forst., Descr. Anim., p. 240 (1844 : Otaheitee).

This figure is intended to represent *Collocalia francica* (Gm.); cf. Hartert, Cat. B. Brit. Mus., xvi., p. 502 (note).

ELLIS' DRAWINGS.

WILLIAM W. ELLIS accompanied Capt. Cook on his third voyage, as an artist. His Drawings of Birds consist of 96 illustrations, mostly coloured, and are very passably executed (cf. Hist. Coll. Brit. Mus., I., Libraries, p. 35).

Pl. 7. Oriental Falcon, Lath., Gen. Syn., i., p. 34 (1781);
"in the possession of Mr. Banks."

undè *Falco orientalis*, Gm., Syst. Nat., i., p. 264 (1788)
(cf. Sharpe, Cat. B., i., p. 376).

"Flew on board off Japan. W. W. Ellis ad viv. del. et pinx., 1779."

A young Peregrine Falcon.

Pl. 8. *Strix funerea*.

= *Surnia funerea* (Linn.) (cf. Cat. B., ii., p. 131).
Sandwich Sound, N.W. Coast of America.

Pl. 9. Tabuan Shrike, Lath., Gen. Syn., i., p. 164 (1781).

undè *Lanius tabuensis*, Gm., Syst. Nat., i., p. 306 (1788).
Aplonis tabuensis, Sharpe, Cat. B., xiii., p. 130.

"The Friendly Isles, 1778."

The Tabuan Shrike was described by Latham from a specimen from Tongatabu in the Leverian Museum, probably the identical one figured by Ellis.

Pl. 10. "Pulo Condore. W. Ellis ad viv. delin^t et pinx., 1780."

= *Cittocinchla suavis* (Sc.) (cf. Sharpe, Cat. B., vii., p. 85).

Pl. 11. Parrakeet. "From Middleburgh."

On the plate is written in MS.: "Lath., vol. i., p. 214, no. 16." On referring to this volume we find the Tabuan Parrot figured (Pl. vii.), = *Psittacus tabuensis*, Gm., Syst. Nat., i., p. 317 (1788), = *Pyrrhulopsis tabuensis* (Gm.); cf. Salvad., Cat. B., xx., p. 494.

Another MS. note on Ellis' plate refers the species to *Psittacus hysginus*, of Forster, which Count Salvadori thinks may have been intended for the bird now called *Pyrrhulopsis kordoensis*, Layard (cf. Salvad., t.c., p. 496). This may be the case, but Ellis' figure is not *P. tabuensis*, as there is no sign of a blue collar.

Pl. 12. A red-fronted Parrakeet. Identified in MSS. as *Psittacus pacificus*, Forster, which is *Cyanorhamphus novæ zealandiæ* (Sparrm.) (cf. Salvad., Cat. B., xx., p. 581).

"New Zealand." "W. W. Ellis ad viv. delin. et pinx., 1777.

Latham founded his "Pacific Parrakeet" (Gen. Syn., i., p. 252, 1781) on a specimen in the Leverian Museum. His "Var. A" came from New Zealand.

Pl. 13. Identified as *Psittacus euchloris*, Forster. It is the "Blue-crested Parrakeet" of Latham, Gen. Syn., i., p. 254 (1781), described from a specimen in the Leverian Museum, probably the same as that figured by Ellis.

= *Vini australis* (Gm.) (cf. Salvad., t.c., p. 43).

"Friendly Isles." "W. W. Ellis ad viv. etc., 1778."

Pl. 14. Identified as *Psittacus sapphirinus*, Forster.

Otaheitan Blue Parrakeet, Latham, t.c., p. 255, = *Psittacus taitianus*, Gm., Syst. Nat., i., p. 329 (1788).

= *Coriphilus taitianus* (Gm.) (cf. Salvad., t.c., p. 46).

"Otaheitee. W. W. Ellis del^t, etc., 1778."

Pl. 15. Identified as *Psittacus hypopolius*, Forster.

Is the "Southern Brown Parrot" of Latham (Gen. Syn., i., p. 264), from the Leverian Museum.

= *Nestor meridionalis* (Gm.) (cf. Salvad., t.c., p. 5).

"New Zealand."

Pl. 16. Named, apparently by G. R. Gray, and quite correctly, *Platyercus flaviventris* (Temm.) (cf. Salvad., Cat. B., xx., p. 545).

"Adventure Bay, New Holland. W. W. Ellis ad vivum delin: pinxit: 1777."

Pl. 17. A pencil sketch of a Drongo (*Dissemurus*). "Princes Island and Pulo Condore."

Pl. 18. Pacific Thrush, Lath.

= *Lalage pacifica* (Gm.) (cf. Sharpe, Cat. B., iv., p. 97).

"Friendly Isles. W. W. Ellis ad vivum delin. et pinx., 1778."

The Pacific Thrush was described by Latham (Gen. Syn., ii., pt. i., p. 38, 1783), from a specimen in Banks' collection, doubtless the one from which Ellis drew his figure.

Pl. 19. Is *Colaptes auratus* (Linn.) (cf. Hargitt, Cat. B., xviii., p. 12).

"King George's Sound. W. Ellis del., etc., 1778."

Pl. 20. Is *Picoides americanus*, Brehm. (cf. Hargitt, Cat. B., xviii., p. 279).

"Norton Sound. W. W. Ellis ad viv. del., etc., 1778."

Pl. 21. Is *Sitta europea*, Linn., from "Kamtschatka. W. Ellis del., etc., 1779."

This would be the form named by Taczanowski *Sitta albifrons*, which Dr. Hartert (Vög. Pal. Fauna, Heft iii., p. 331) recognises as *Sitta europea albifrons*.

Pl. 22. Is apparently a figure of *Todirhamphus wiglesworthi*, Sharpe, which is *T. tutus*, Sharpe et auct. passim (nec Gm.), and is the same as *T. veneratus* (Gm.). See my remarks.

"Otaheite. W. W. Ellis ad viv. delin., etc., 1777."

Latham's description was taken from a specimen in the Leverian Museum, probably the very one drawn by Ellis.

Pl. 23. Is the "Respected Kingfisher," Lath., Gen. Syn., i., pt. 2, p. 624 (1781).

= *Todirhamphus tutus* (Gm.) (cf. Sharpe, Cat. B., xvii., p. 291) = *T. veneratus* (Gm.).

"Friendly and Society Isles. Otaheitee—Erooroo. Ulietea—Tautoria. W. Ellis" (no date).

Latham's description may have been taken from Ellis' Drawing, but does not quite agree.

Pl. 24. Is *Promerops cafer* (Linn.) (cf. Gadow, Cat. B., ix., p. 283).

"Cape of Good Hope."

Pl. 25. Is *Prosthemadera novæ-zealandiæ* (Gm.) (cf. Gadow, Cat. B., ix., p. 257). "*Certhia circinnata*, Forst." is written in pencil on the plate.

Pl. 26. Is *Moho nobilis* (Merrem) (cf. Gadow, Cat., ix., p. 284).

"Sandwich Isles. W. W. Ellis delin. et pinx. ad viv., 1779."

Described as the "Yellow-tufted Bee-eater" by Latham (Gen. Syn., i., pt. 2, p. 683 (1784)).

= *Merops niger*, Gm., Syst. Nat., i., p. 465 (1788).

Cf. *Acrulocereus nobilis*, Wilson and Evans, Av. Hawaienses, p. 105, pl. 40.

Pl. 27. Is *Drepanis pacifica* (Gm.) (cf. Sharpe, Cat. B., x., p. 5).

"Sandwich Isles. W. W. Ellis ad vivum delin. et pinx., 1779." Cf. Wilson and Evans, Av. Hawaienses, p. 3, pl. 3).

Pl. 28. *Hemignathus obscurus* (Gm.) (cf. Sharpe, Cat. B., x., p. 4).

"Sandwich Isles. W. W. Ellis, ad viv. delin : et pinx : 1779."

Gmelin's *Certhia obscura* (Syst. Nat., i., p. 470, 1788), is founded on the "Hook-billed Creeper" of Latham, Gen. Syn., i., pt. 2, p. 703, pl. xxxiii., fig. 1 (1782). The type was in the Leverian Museum, and at the sale of the latter was purchased by the Earl of Derby, and is now in the Liverpool Museum.

On this plate is founded Gray's name of *Drepanis ellisiana* (Cat. B., Trop. Isl., p. 9). Cf. Wilson and Evans, Av. Hawaienses, p. 67, pl. 28.

Pl. 29. Is *Vestiaria coccinea* (G. Forster) (cf. Sharpe, Cat. B., x., p. 6).

"Sandwich Isles. W. W. Ellis ad viv. delin. et pinx., 1779." Cf. Wilson and Evans, t.c., p. 9, pls. 5, 6.

Pl. 30. Crimson Creeper, Latham, Gen. Syn., i., pt. 2, p. 739 (1882).

= *Himatione sanguinea* (Gm.) (cf. Sharpe, Cat. B., x., p. 8).

"Sandwich Isles. W. W. Ellis ad viv. delin. et pinx., 1779."

Described by Latham from a specimen in the Leverian Museum, doubtless the same one as that drawn by Ellis. Cf. Wilson and Evans, t.c., p. 19, pl. 8.

Pl. 31. Olive-green Creeper, Lath., Gen. Syn., i., pt. 2, p. 740 (1782; specimen in Leverian Museum).

= *Himatione virens* (Gm.) (cf. Sharpe, Cat. B., x., p. 9).

"Sandwich Isles. W. W. Ellis ad viv., etc., 1779." Cf. Wilson and Evans, t.c., p. 29, pl. 14.

Pl. 32. Is *Selasphorus rufus* (Gm.) (cf. Salvin, Cat. B., xvi., p. 392).

"King George's Sound."

Pl. 33. "*Anas hyemalis*. Kamtschatka. W. W. Ellis ad viv., etc., 1779."

Is *Harelda glacialis* (Linn.) (cf. Salvad., Cat. B., xxvii., p. 389).

Pl. 34. "*Anas histrionica*. Kamtschatka."

= *Cosmonetta histrionica* (Linn.); Salvad., Cat. B., xxvii., p. 395.

Pl. 35. "*Anas stelleri*. Kamtschatka."

= *Heniconetta stelleri* (Pall.); Salvad., Cat. B., xxvii., p. 419.

Pl. 36. Is *Merganser serrator* (Linn.); Salvadori, Cat. B., xxvii., p. 479.

"Sandwich Sound, N.W. coast, America."

- Pl. 37. Is *Lunda cirrhata* (Pall.) ; Grant, Cat. B., xxvi., p. 612.
 "Coast between Asia and America. W. Ellis ad vivum delin. et pinx., 1778."
- Pl. 38. Is *Simorhynchus cristatellus* (Pall.) ; Grant, Cat. B., xxvi., p. 601.
 "Bird Island, between Asia and America. W. Ellis ad vivum, etc., 1778."
- Pl. 39. Giant Petrel, Lath., Gen. Syn. iii., pt. 2, p. 396, pl. c. (1785).
 = *Ossifraga gigantea* (Gm.) ; Salvin, Cat. B., xxv., p. 422.
 "Island of Desolation. W. Ellis ad vivum, etc., 1776."
- Pl. 40. Is a species of *Puffinus*.
 "Amongst the ice."
- Pl. 41. Apparently a *Diomedea* of some sort (cf. Salvin, Cat. B., xxv., p. 441).
 "Amongst the Ice. W. W. Ellis ad vivum, etc., 1779."
- Pl. 42. A grey *Ossifraga gigantea*.
 "Amongst the Ice. W. W. Ellis, etc., 1779."
- Pl. 43. Is *Prion desolatus* (Gm.) (cf. Salvin, Cat. B., xxv., p. 434).
 "Island of Desolation. W. W. Ellis ad viv., etc., 1776."
- Pl. 44. *Diomedea exulans* (Linn.) (cf. Salvin, Cat. B., xxv., p. 441).
 "At sea between Van Diemen's Land and New Zealand."
- Pl. 45. Two figures of *Catarrhactes chrysocome* (Forst.) ; Grant, Cat. B., xxvi., p. 635.
 "Island of Desolation. W. W. Ellis ad vivum, etc., 1776."
- Pl. 46. *Aptenodytes patagonica*, Forst. ; Grant, Cat. B., xxvi., p. 627.
 "Island of Desolation."
- Pl. 47. Head of *Sula cyanops*, Sundev. ; Grant, Cat. B., xxvi., p. 430.
 "Turtle Island. W. W. Ellis ad vivum, etc., 1777."
- Pl. 48. A small figure with head and egg (full-size) of *Phaëthon rubricauda*, Bodd. ; Grant, Cat. B., xxvi., p. 451.
 "Palmerston Island. W. Ellis ad vivum, etc., 1777."
- Pl. 49. Is *Uria grylle* (Linn.) ; Grant, Cat. B., xxvi., p. 573.
 "Unalashka. W. Ellis ad vivum, etc., 1778."
- Pl. 50. Is *Uria lomoia* (Pall.) ; Grant, t.c., p. 577.
 "Unalashka. W. Ellis ad vivum, etc., 1778."
- Pl. 51. Is *Rissa tridactyla* (Linn.), Saunders, Cat. B., xxv., p. 305.
 "Kamtschatka. W. Ellis ad vivum, etc., 1778."

Pl. 52. Is apparently *Larus vegæ*, Stejn.; Saunders, Cat. B., xxv., p. 270.

"Kamtschatka. W. W. Ellis ad viv., etc., 1779."

Pl. 53. Is *Anous stolidus* (Gm.); Saunders, Cat. B., xxv., p. 136.
"Palmerston Island."

Pl. 54. Is apparently *Sterna vittata*, Gm.; Saunders, Cat. B., xxv., p. 51.

"Island of Desolation. W. W. Ellis ad viv., etc., 1776."

Latham's "Wreathed Tern" (Gen. Syn., iii., pt. 2, p. 359 1785), on which Gmelin founded his *Sterna vittata*, was said to be from Sir Joseph Banks' collection. Christmas Island is a misprint for Christmas Harbour, Kerguelen Land, as has been pointed out by Mr. Howard Saunders (*l.c.*).

Pl. 55. *Sterna serrata*, Forst.

= *Sterna fuliginosa*, Gm.; Saunders, Cat. B., xxv., p. 106.

"Turtle Island. W. W. Ellis ad viv., etc., 1778."

Pl. 56. White Tern, Lath., Gen. Syn., iii., pt. 2, p. 363 (1785, from a specimen in the Leverian Museum).

Is *Gygis candida* (Gm.); Saunders, Cat. B., xxv., p. 149.

"Turtle Island. W. W. Ellis ad viv., etc., 1778."

Pl. 57. *Sterna frontalis*, Gray; Saunders, Cat. B., xxv., p. 97.

"At Sea between New Zealand and Modieu. W. W. Ellis ad viv., etc., 1777."

The name of *Sterna striata* of Gmelin is founded on the "Striated Tern," Lath., Gen. Syn., iii., p. 358, pl. 98. The bird is described from Sir Joseph Banks' Drawings, and Latham's figure is certainly adapted from Ellis' Drawing. *S. striata* appears to supersede *S. frontalis* as a name for the species.

Pl. 58. Is *Demiegretta sacra* (Gm.) (white phase); Sharpe, Cat. B., xxvi., p. 137.

"Friendly Isles."

The Sacred Heron of Latham (Gen. Syn., iii., pt. 1, p. 92, 1785), was described from a specimen in the collection of Sir Joseph Banks, from Otaheite.

Pl. 59. Is *Chionarchus minor* (Hartl.); Sharpe, Cat. B., xxiv., p. 712.

"Kerguelens Land. W. Ellis ad viv., etc., 1776."

Pl. 60. Is probably *Limonites minutilla* (Vieill.); Sharpe, Cat. B., xxiv., p. 548.

"King George's Sound. W. Ellis ad vivum, etc., 1778."

Pl. 61. Is *Pelidna americana* (Cass.); Sharpe, Cat. B., xxiv., p. 608.

"King George's Sound. W. W. Ellis ad viv., etc., 1778."

Pl. 62. Is *Heteractitis incanus* (Gm.); Sharpe, Cat. B., xxiv., p. 453.

"King George's Sound. W. W. Ellis ad viv., etc., 1778."

Pl. 63. Is *Phalaropus hyperboreus* (Linn.); Sharpe, Cat. B., xxiv., p. 698.

"Between Asia and America. W. Ellis ad vivum, etc., 1778."

Pl. 64. Is *Rhyacophilus glareola* (Gm.); Sharpe, Cat. B., xxiv., p. 491.

"Christmas Isle. W. W. Ellis ad viv., etc., 1778."

Pl. 65. *Prosobonia ellisi*, Sharpe.

"Eimeo or York Isle. 'Tete.'"

This species is now believed to be extinct, and the only specimen of *Prosobonia* known is in the Leyden Museum; cf. Schl., Mus. Pays Bas, Scolopaces, p. 18 (1864); see *antea*, p. 190, where I have described Ellis' figure as *P. ellisi*.

Pl. 66. Is *Aphriza virgata* (Gm.); Sharpe, Cat. B., xxiv., p. 208.

"Sandwich Sound."

Pl. 67. Is *Ægialitis cucullatus* (Vieill.); Sharpe, Cat. B., xxiv., p. 302.

"Adventure Bay. W. Ellis, ad vivum, 1777."

Pl. 68 = *Charadrius dominicus*, P. L. S. Müll.; Sharpe, Cat. B., xxiv., p. 195.

"Christmas Isle. W. W. Ellis ad viv., 1778."

Pl. 69 = *Gallinula sandwichensis*, Streets.; Sharpe, Cat. B., xxiii., p. 180.

"Sandwich Isles." Cf. Scott Wilson and Evans, Av. Hawaienses, p. 156, pl. 55 (1893).

Pl. 70. *Pennula sandwichensis* (Gm.).

"Sandwich Isles. W. W. Ellis ad viv., etc."

Cf. Wilson and Evans, Av. Haw., p. 175, pl. 57. Here the whole question of these small Crakes (*Pennula*) is discussed, and Ellis' plate is reproduced for comparison with *P. wilsoni*, Finsch.

Pl. 71. Is *Phlogœnas erythroptera* (Gm.); Salvad., Cat. B., xxi., p. 600.

"York Isle or Eimeo." "Oo-oo widou. W. W. Ellis ad viv., etc., 1777."

The plate has been identified as *Columba pectoralis* by some one, probably G. R. Gray (cf. Cat. B., Trop. Isl., p. 44). Latham's type of his "Garnet-winged Pigeon" was from Eimeo,

and was in the Leverian Museum; it was probably the actual specimen figured by Ellis from Sir J. Banks' collection.

Pl. 72. Is *Globicera pacifica* (Gm.); Salvad., Cat. B., xxi., p. 173.

"Friendly Isles. W. W. Ellis ad viv., etc., 1778."

Pl. 73. Is the "Wattled Stare," Latham, Gen. Syn., ii., part 1, p. 9, pl. 36 (1783), described from a specimen in the Leverian Museum.

= *Creedion carunculatus* (Gm.); Sharpe, Cat. B., iii., p. 144.

"New Zealand. W. W. Ellis ad vivum, etc., 1777."

Pl. 74. Fig. 1 = *Hesperocichla nævia* (Gm.); cf. Seebohm, Cat. B., v., p. 176.

"King George's Sound. W. Ellis ad vivum, etc., 1778."

Pl. 74. Fig. 2 is *Turdus migratorius*, Linn.; cf. Seebohm, Cat. B., v., p. 220.

"King George's Sound."

Pl. 75. Is *Calliope calliope* (Pall.); cf. Seebohm, Cat. B., v., p. 305.

"Kamtschatka. W. Ellis ad viv., etc., 1779."

Pl. 76. Is *Tatara longirostris* (Gm.); cf. Sharpe, Cat. B., vii., p. 525; *id.*, Handl. B., iv., p. 189.

"Eimeo or York Island."

The type of Latham's "Long-billed Thrush" was from Eimeo, and he mentions several other specimens as being in Sir J. Banks' collection from York Island. The species was described from a specimen in the Leverian Museum. From one of these birds Ellis' figure was doubtless taken.

Pl. 77. Is *Phæornis obscura* (Gm.), founded on the Dusky Flycatcher of Latham, Gen. Syn., ii., pt. 1, p. 344 (1783), described from a specimen in the Leverian Museum, probably the very specimen figured by Ellis.

"Sandwich Isles."

Pl. 78. Is *Graucalus parvirostris*, Gould; Sharpe, Cat. B., iv., p. 32.

"Adventure Bay, Van Diemen's Land. W. W. Ellis ad viv., etc., 1777."

Pl. 79. Is the "Parrot-billed Grosbeak" of Latham (Gen. Syn., ii., pt. 1, p. 108, pl. 42, 1783), described from a specimen in the Leverian Museum.

= *Psittirostra psittacea* (Gm.); Sharpe, Cat. B., x., p. 51.

"Sandwich Isles. W. W. Ellis, etc., 1779."

Pl. 80. Is *Calcarius lapponicus* (Linn.); Sharpe, Cat. B., xii., p. 579.

"Unalaschka. W. W. Ellis, etc., 1778."

Pl. 81. Is *Zonotrichia coronata* (Pall.); Sharpe, Cat. B., xii., p. 600.

"Sandwich Sound. W. Ellis ad vivum, etc. 1778."

Pl. 82. Represents the ♀ of *Z. coronata*, with nest and eggs figured.

Pl. 83. Is *Montifringilla brunneinucha* (Brandt); Sharpe, Cat. B., xii., p. 278.

"Off the coast of Japan. W. W. Ellis ad viv., etc., 1775."

Pl. 84. Is a ♀ Brambling, *Fringilla montifringilla*, L.; Sharpe, Cat. B., xii., p. 178.

"Off the coast of Japan. W. W. Ellis ad viv., 1779."

Pl. 85. Is a ♂ *Loxops coccinea* (Gm.); Sharpe, Cat. B., x., p. 50.

"Sandwich Isles. W. W. Ellis ad. viv., etc., 1779."

Pl. 86. This figure has been identified in MSS. on the plate as *Turdus minutus* of Forster.

= *Petroeca macrocephala* (Gm.); Sharpe, Cat. B., iv., p. 176.

"New Zealand. W. W. Ellis ad. viv., etc., 1777."

This identification seems to me to be wrong, and Ellis' figure is more like *Petroeca toitoi* (Garn.), though the white used for colouring the under parts has changed to a dull brown.

Pl. 87. Is *Chasiempis sandvicensis* (Gm.); Sharpe, Cat. B., iv., p. 232.

"Sandwich Isles. W. W. Ellis ad. viv., etc., 1779."

The "Sandwich Flycatcher" of Latham (Gen. Syn., ii., pt. 1, p. 344, 1783) was founded on a specimen "in the collection of Sir Joseph Banks," perhaps the identical one figured by Ellis.

Pl. 88. Is apparently *Wilsonia pusilla* (Wils.); Sharpe, Cat. B., x., p. 435.

"Between Asia and America. W. W. Ellis ad. viv., etc., 1778."

Cf. Ridgw., Birds, N. and Middle America, ii.

Pl. 89. Is *Cyanecula succica* (Linn.).

Erythacus cœruleculus, Seeböhm, Cat. B., v., p. 308.

"On the ice."

Pl. 90. Is *Saxicola œnanthe* (Linn.); Seeböhm, Cat. B., v., p. 391.

"On the ice. W. Ellis ad viv., etc., 1778."

Pl. 91. Young Wagtail.

"Caught on board, lat. 66°. W. W. Ellis ad viv., etc. 1778."

Apparently a young *Motacilla flava*.

Pl. 92 = *Tatare æquinoctialis* (Lath.); Sharpe, Cat. B., vii., p. 528.

Acrocephalus æquinoctialis, Sharpe, Handl. B., iv., p. 190.

"Christmas Isle. W. W. Ellis ad viv., 1778."

Latham described this bird (Gen. Syn., Suppl. i., p. 187) from the papers of Mr. Anderson, and does not mention Ellis' Drawings or Sir Joseph Banks' collection.

Pl. 93. Fig. 1. *Parus insularis*, Hellmayr (cf. Hartert, Vög. Pal. Fauna, i., p. 359).

Fig. 2. *Parus minor*, Temm. (cf. Hartert, t.c., p. 346).

"Coast of Japan. W. W. Ellis ad viv., 1779."

Pl. 94. Is *Parus hudsonicus*, Forst. (cf. Hellmayr, Tierr. Paridæ, p. 71).

"Norton Sound. W. W. Ellis ad viv., 1778."

Pl. 95 = *Malurus cyaneus* (Ellis); Cat. B., iv., p. 286.

"Adventure Bay. W. W. Ellis ad viv., 1777."

This is the Tasmanian Superb Warbler, described by me in 1879 in the "Catalogue of Birds" (iv., p. 287) as *Malurus gouldi*. This must now be called *Malurus cyaneus* (Ellis), and the Australian species, hitherto called *M. cyaneus* by authors, must bear the name of *M. superbus* (Shaw).

Pl. 96. Is *Collocalia leucophæa* (Peale); Hartert, Cat. B., xvi., p. 502.

"Friendly Isles."

Forster's Drawing represents a different species to that figured by Ellis, which shows a white rump.

1809-1820.

THE BULLOCK COLLECTION.

When Dr. Leach was Keeper of the Zoological Department, he represented the British Museum at the sale of Bullock's great collection, and several birds were bought for the National Museum. Unfortunately many of the most valuable specimens, including a number from Captain Cook's voyages, were allowed to pass into the hands of purchasers from abroad, and left the country. These specimens were probably acquired by Bullock at the dispersal of the Leverian Museum.

Professor Newton possesses a copy of the Sale-Catalogue of Bullock's Collection, and he has most generously lent it to me, thus enabling me to trace the history of many important

specimens from the collections made during Cook's voyages. As we gather from Latham's "General Synopsis," quite a number of Sir Joseph Banks' birds must have been given by him to Sir Ashton Lever, instead of to the British Museum.

Professor Newton's copy is marked with the names of the purchasers and the prices paid for the specimens.* It is a most interesting little volume, showing that the sale was attended by naturalists from various countries, Dr. Leach being the purchaser for the British Museum. From the copy lent me by Professor Newton, we learn that Dr. Adams attended for the Edinburgh Museum, Professor Temminck for Leyden, Mr. Fector for Vienna, while Baron Laugier represented Paris, and Professor Lichtenstein, Berlin.

The sale commenced on the 29th of April, 1819, and the Catalogue has, as a frontispiece, a sketch of the "Interior of the Great Room of the Egyptian Hall." The following is the title of the "Catalogue":—

PART FIRST, | containing the first six days' sale. |
Catalogue | (*without which no Person can be admitted to the*
View or Sale) | of the | ROMAN GALLERY, | of | ANTI-
 QUITIES AND WORKS OF ART, | and the | LONDON
 MUSEUM of NATURAL HISTORY: | (unquestionably the most
 extensive and valuable in Europe) | at the | EGYPTIAN
 HALL IN PICCADILLY; | WHICH WILL BE SOLD BY
 AUCTION, | positively without the least reserve, | BY
 MR. BULLOCK, | on the premises, | on Thursday the 29th of
 April, 1819, | And continue every Tuesday, Wednesday,
 Thursday, and Friday, till the whole | is sold. | *To commence*
precisely at ONE o'clock.

The remaining Parts of the Catalogue, about Twenty days, will be published with all possible | speed; the Articles to be viewed THREE Days previous to that on which they are respectively | sold.

William Bullock was, according to the "Dictionary of National Biography" (vol. vii., p. 256), in 1808 a jeweller and goldsmith in Liverpool, and it was in this town that his Museum was originally started. In the Zoological Library in the Natural History Museum is a small octavo tract, being the seventh

* Since Professor Newton drew my attention to the importance of this "Sale-Catalogue" and lent me his copy, on which I have founded my notes, I have discovered another copy of the same Catalogue among the Tracts in the Natural History Museum. It is practically identical with Professor Newton's volume, but differs in a few minor details.

edition of a guide-book to Bullock's Museum.* It bears the following title:—

A | COMPANION | to the | LIVERPOOL MUSEUM, |
 containing | A brief Description of upwards of Seven
 Thousand | NATURAL AND FOREIGN CURIOSITIES, | ANTI-
 QUITIES, | and *Productions of the Fine Arts*, | collected during
 several Years of arduous Research, and at an Expense | of
 upwards of Twenty Thousand Pounds, | by | WILLIAM
 BULLOCK, | of *Liverpool*; | And now open for Public
 Inspection, in the Great Room, | *No. 22 Piccadilly, London*,
 | which has been fitted up for the Purpose in a manner
 entirely new.

“O Nature! how in every charm supreme!
 Whose vot’ries feast on raptures ever new,
 O! for the voice and fire of Seraphim
 To sing thy glories with devotion due.”—BEATTIE.

The Seventh Edition. | Printed for the Proprietor, | by |
 Richard Cruttwell, St. Jame’s-street, Bath. | 1809.

There is an engraved frontispiece, with three figures of men in armour of different periods, each figure having a compartment to itself, under a canopy on which appears the word “MVSEVM.” It may have been intended to represent the entrance to the show, which must have been in existence for some years, if the “Companion” had reached its *seventh* edition in 1809. The title-page, on its reverse, publishes an announcement that the Proprietor is willing to give the “full value for rare and uncommon Quadrupeds, Birds, Fishes, Reptiles, Shells, Old Paintings, Carvings on Wood or Ivory, Stained Glass, ancient and foreign Arms and Armour, or any uncommon Production of Art or Nature.”

Then follows a list of “Names of the Ladies and Gentlemen who have presented curiosities to the Liverpool Museum,” but I do not detect any familiar name among the number of patrons, though a “George Bullock” will be referred to later on. The list of donors “non-residents in Liverpool” includes a few more familiar names, such as S. Polito, Dr. J. E. Smith, *President of the Linnæan Society*, Lord Stanley (*Knowsley*), and a certain J. Bullock of *Surinam*.

A Preface, composed after the manner of the time, occupies

* On the cover is a printed label:—“DESCRIPTIVE CATALOGUE | of the |
 LIVERPOOL MUSEUM, | now open | AT THE GREAT ROOM, | *22 Piccadilly*,
 near the Haymarket.”

three pages (v-vii), and is dated from the "Liverpool Museum, July 10, 1809." It concludes as follows:—"If this Treatise then, under all its imperfections, should afford one hour of entertainment, or assist the researches of those patrons and friends who have so liberally countenanced its Proprietor since the establishment of his Collection, his hopes are in some degree exceeded, and his wishes accomplished."

The "curiosities" from the South Seas contain many specimens brought by Captain Cook, and are said to have been once his property, as we are informed in a foot-note; some were purchased at the sale of the "late Leverian Museum." Some feather-cloaks from the Sandwich Islands are specially mentioned.

Among the "Works of Art" were a "beautiful Equestrian Model of Edward the Black Prince in Armour, finely executed by Mr. G. Bullock, of Liverpool"; and "a small Anatomical Figure, from the original of Dr. Hunter, done in rice paste of its natural colour."

The "Companion to the Liverpool Museum" then proceeds to the section of "Natural History" (p. 12). Among the "Quadrupeds" described, mention is made of a "beautiful and gentle animal, brought from the Slave Coast of Africa . . . its manners were quite gentle and mild. It died in the collection of Mr. Polito, in the winter of 1808, owing probably to the severity of the weather." This was the "Palatine Monkey" (*Simia Roloway*). Among the rarities of Bullock's Museum were "the Porcupine Ant-Eater" (*Myrmecophaga aculeata* of Shaw), "lately discovered in New Holland," and the Platypus (*Platypus anatinus*). Of the Hunting Leopard (*Felis jubata*) we learn (p. 19) that "three living ones were shown a few years since in the Tower, that were part of a pack belonging to the late Tippoo Sultan."

With respect to the Beaver (p. 21), Bullock speaks of a pair purchased by Mr. Polito, for the purpose of exhibiting in his collection. The latter gentleman also presented the skin of a Panther to the Liverpool Museum (p. 23). Some of Bullock's notes on the Mammals are very interesting, as, for instance, the fact that "the Kangaroo may be considered in some degree as naturalised in England, several having been kept for many years in the Royal domains at Richmond, which have, during their residence there, produced young, and promise to render this most elegant animal a permanent acquisition to the country."

On the Birds many notes are given, which at that time must have been very interesting, though they now read a little old-

fashioned. A Golden Eagle (p. 28) is recorded as "finely preserved in the act of preying on the white hare of Scotland." The specimen is figured by Bullock in his "Companion to the London Museum" in 1812 (plate to p. 41), and did duty for many pictures in popular works on Natural History. Many of us can still remember this Eagle, with its wings outspread, and the bloodstains (sealing-wax) on the stomach of the Hare which it held under its feet. The group was purchased at Bullock's sale for nine guineas by Dr. Leach, and long held a place of honour in the British Gallery of the old British Museum.

The Proprietor of the Liverpool Museum apparently had also a small menagerie; he speaks of certain animals which he kept alive, and a Mocking Bird lived for some time with him (p. 32). He gives an elaborate account of the Birds of Paradise in his collection, and in view of the extinction of some of these beautiful birds in the present day by the plume-traders who supply the ornaments for ladies' hats, it is interesting to read that even in Bullock's time "the extreme elegance of the tail-feathers of this bird have made them expensive articles of female decoration."

The Humming Bird warrants a long descriptive note on its plumage and nest, Bullock's conclusion being as follows: "Such is the history of this little being, who flutters from flower to flower, breathes their freshness, wantons on the wings of the cooling zephyrs, sips the nectar of a thousand sweets, and resides in climes where reigns the beauty of eternal spring."

In 1807 he visited the Bass Rock and procured several Gannets in different plumages, which he describes (p. 38).

From the Leverian Museum Bullock appears to have purchased a specimen of the Crowned Pigeon (*Goura coronata*), which "when living, was many years in the possession of her present Majesty, who presented it to the Leverian Museum" (p. 39).

The Lyre Bird is spoken of as the "Botany Bay Bird of Paradise" (p. 39).

The "Companion" ends with the following announcement: "In a short time will be published by subscription, in two vols., 8vo (dedicated by permission to Lord Stanley), price to subscribers 1*l.* 4*s.*, An accurate DESCRIPTION of the SUBJECTS OF NATURAL HISTORY, Foreign and other CURIOSITIES, &c., &c., &c., in the LIVERPOOL MUSEUM, illustrated by upwards of Thirty Etchings, by Howitt, and comprising such Articles of Natural History and Antiquity as have been found in Lancashire and the adjoining Counties."

In 1809, or about that time, Bullock removed the "Liverpool

Museum" to London, and in 1812 he published another guide-book to his collection, now called the "*London Museum.*" The title is as follows:—

A Companion | to | Mr. Bullock's | LONDON MUSEUM
| and | PANTHERION; containing | a Brief Description | of
upwards of fifteen thousand | Natural and Foreign Curio-
sities, | *Antiquities*, | and | **Productions of the Fine Arts**,
| *collected during seventeen Years of arduous Research, and* |
at an Expense of | **Thirty Thousand Pounds**; | and
now open for Public Inspection in the | **Egyptian**
Temple, | just erected for its reception, in | Piccadilly,
London, | opposite the end of Bond Street; | by W^m
Bullock, | Fellow of the Linnean Society, and Honorary
Member of | the Dublin Society. | [Then follows Beattie's
verse, "O Nature!" *etc.*] The Twelfth Edition. | Printed
for the Proprietor. | 1812.

It will be noticed that he now states that his Museum had cost him £30,000, being £10,000 more than was stated in 1809. In the "Address" which takes the place of the "Preface" of 1809, "Mr. Bullock respectfully begs leave to solicit the attention and patronage of the Nobility, Gentry, and the Public, to an Establishment for *the advancement of the Science of Natural History*, which in magnitude and expense, he presumes, is unparalleled, as the work of an individual."

"The very flattering and general approbation which honoured the exhibition of his Museum on its first opening in a temporary situation in London, was a convincing proof that his future efforts for the extension and improvement of the Collection would be duly appreciated. His exertions to obtain articles of rarity and interest have, therefore, been unceasing. In most departments, the subjects have been doubled in number; the specimens are choice, in the highest possible preservation, and are arranged according to the Linnean system. They consist of about Fifteen Thousand species of Quadrupeds, Birds, Reptiles, Fishes, Insects, Shells, Corals, *etc.*, *etc.*, collected during twenty years of unwearied application, and at an expense exceeding thirty thousand pounds.

"In adapting the edifice which Mr. Bullock has just completed for his present Collection, by displaying it advantageously for the Study of the Naturalist, the Instruction of the Curious, and the Amusement of those who are delighted in viewing the

Beauties of Nature, or the Curiosities of Art, he has endeavoured to render it worthy of the British Metropolis, whilst he has also provided this means for enlargement, as future additions shall accumulate.

“One department of the Museum (the Pantherion), completed with much labour and great expense, is entirely novel, and presents a scene altogether grand and interesting. Various animals, as the lofty Giraffe, the Lion, the Elephant, the Rhinoceros, *etc.*, are exhibited as ranging in their native wilds and forests; whilst exact models, both in figure and colour, of the rarest and most luxuriant Plants from every clime, give all the appearance of reality; the whole being assisted with a panoramic effect of distance and appropriate scenery, affording a beautiful illustration of the luxuriance of a torrid clime.

“The Museums of France have been enriched with the spoils of nearly the whole Continent, and the Gallery of the Louvre contains more treasures in Painting and Sculpture than perhaps will ever again be amassed in one Collection. But though her active and persevering Ruler, desirous of making his capital the centre of attraction, has contributed to the Museum Naturelle every specimen of Natural History which in the present state of the Continent could be procured, our unrivalled Navy, and the extension of our Colonies throughout the habitable world, present such advantages to this country, that the writer feels confident, that if his exertions are seconded by the Public as they have hitherto been, he will very shortly be enabled to make a collection of Natural History far surpassing anything of the kind at present in existence; and he pledges himself to exert his utmost power in accomplishing this important work.

“To the numerous Royal, Noble, and liberal Contributors to his Museum, by whose kindness his Collection has been enriched by so many valuable articles, which could not have been procured by pecuniary means, Mr. Bullock returns his unfeigned thanks.

“When the information and delight which may be derived from this Exhibition, especially by the rising generation, are considered, the great sum expended in forming it, and the erection of the present large and commodious building for its reception, the Proprietor trusts that the terms will be approved of.

“Admission to each Exhibition, one shilling Annual Ticket, not transferable 1*l.* 1*s.* Subscriber for Life 10*l.* 10*s.*

“MUSEUM, PICCADILLY,
March 28, 1812.”

As in his "Companion to the Liverpool Museum" of 1809, so in the "Companion to the London Museum" of 1812, Bullock gives a list of the "Names of the Ladies and Gentlemen who have presented curiosities to the Museum." Among the names of these donors are those of "Her Majesty"; H.R.H. the Princess Charlotte of Wales, T.R.H. the Duke and Duchess of York, Lady Banks and Sir Joseph Banks, Capt. Barrow, H.G. The Duke of Bedford, J. Bullock (Surinam), General Davies, John Francillon, the late B. Gurney of Norwich, J. Irby of Britwell House, Maidenhead, A. B. Lambert, *V.P. Linnean Society*, W. E. Leach, Sir John Leicester of Tabley, Mrs. Mawe, Mrs. Polito (*Exeter Change*), Jonathan Salt of *Sheffield*, Dr. J. E. Smith, *President of the Linnean Society*, Mr. Sowerby, Lord Stanley, M.P. (*Knowsley*).

In contrast to the "Companion to the *Liverpool Museum*" of 1809, which commences with a description of the "Curiosities," the "Companion to the *London Museum*" of 1812 commences with the Natural History specimens.

The number of species exhibited has very largely increased since 1809, but the descriptive notes of the last edition are reproduced, save that when Bullock formerly spoke of a specimen having been sent "to the Proprietor of this Museum," he speaks, in 1812, of the identical specimen as having been sent "to me."

Bullock was his own auctioneer, and prefaced his Sale-Catalogue with an "Address" of three pages, which is somewhat amusing reading, as, for instance, when he deplores that the size of the collection renders it impossible for the Proprietor to "publish the whole of the Auction Catalogue, with that descriptive accuracy which the subject requires, in time for the requisite circulation previous to the commencement of the sale, etc.

"In submitting the whole of this valuable collection to the hammer, without the smallest reserve or purchasing in, either directly or indirectly, Mr. Bullock trusts to the liberality of the Public, and confidently expects to receive a fair remuneration for the articles which now compose the London Museum; a collection, which is the result of thirty years of unremitting attention, under the auspices of the most scientific characters, not only in this country, but in various other parts of the world; and which has been formed at an expense considerably exceeding £30,000.

"As many of the articles of Natural History in this Museum have been collected in several places, and under a variety of

circumstances, by Mr. Bullock himself, he trusts that his knowledge of many particulars, which may add interest or value to the articles themselves, will be a sufficient apology (if any be necessary for the manner in which a man chooses to dispose of his own property) for his appearing before the public in the new character of an Auctioneer: a character which he hopes to convince those who may do him the honour of attending the sale, he has not assumed from any unworthy pecuniary motive, but from a proper desire to apprise the bidder of the actual circumstances connected with the article he may wish to buy, that he may be fairly and fully in possession of its nature and character.

“Any catalogue of a sale so various and complicated as this, must be necessarily incomplete. A catalogue must rather lead the eye to the article than explain it in detail; but from the nature of even one branch of the collection, the Ornithological department, a detail is utterly impossible within the limits of any printed statement intended for general perusal. The almost exclusive command of the seas, during a protracted war, successively filled this country from every part of the world with the most novel and extraordinary specimens in this branch of Natural History, which generally centred in this Museum, and formed an important part of its extensive attractions. There are many thousands of birds unknown (chiefly owing to what we have already said of the maritime nature of the late war) to Continental Naturalists, and for which names are not to be found in the Linnean classification. The Proprietor is aware of what he must suffer from the impossibility of describing in detail a very large part of this branch of his collection; but as he repeats his fixed determination to sell without reserve, he relies that the liberality of the lovers of Natural History, who must be aware of the value of particular articles in their branch of study, which he cannot describe as they deserve, will give him that assistance on this occasion to which they may think his labours entitle him, and his collection deserves: he neither asks nor expects more. The Proprietor, as they must see, availed himself of the great opportunities his country possessed during the late war of enriching this branch of his collection at a great expense. He now confidently relies that the result of his labours will not prove an eventual bar to the laudable enterprise of future collectors.”

It will be noted that Bullock claims to have an important series of specimens from the ships engaged during the late war,

and many objects from Captain Cook's voyages are included in the Catalogue.

The FIRST DAY'S SALE (Thursday, April 29, 1819) consisted of Roman antiquities, models in rice paste by Mr. Geo. Bullock, *etc.* Most of these lots were purchased by a Mr. Davis, including Lot 44, which fetched 33s. and consisted of "Portraits of various British Birds, executed in feathers, and a copy of Tenniers in coloured straw." A "curious model of a Man-of-War, near three feet long, made entirely of glass, in a mahogany glazed case," having a MS. note added, "made by the proprietor when a boy," was sold for seven guineas. Several "models of Animals finely executed from life in a manner entirely new," included those of a "Lion and Lioness, very spirited and fine," which was bought by Mr. Mathieson for £7, and "a large Elephant, a correct copy of the one lately living at the Jardin des Plantes at Paris," went to the same gentleman for £5; while a Rhinoceros, a Camel, and a Buffalo and Roman Bull were purchased by Lord Mountmorres for £19 14s.

Mr. Davis, of Bond Street, purchased Lot 66 for £39. It consisted of "Fifteen different Animals, appropriately displayed on a rock, modelled in cork, with foliage carved in ivory, and inclosed in a large glazed mahogany case; the animals consist of the Elephant, Panther, Wild Boar, Zebra, Stag, and Hind, White Stag, Spotted Axis, Wood Goat (male and female), Chamois (male and female), Roe Buck, Blood Hound, and Italian Greyhound, all copied from life, and forming a fine group for a public exhibition." "The original model of the Colossal Statue of Napoleon, twelve feet high, which was taken from the top of the celebrated Column of Peace in the Place Vendôme, when the Allies entered Paris in 1814," was bought for £33 12s. by Mr. Beckford of Fonthill.

The SECOND DAY'S SALE (April 30, 1819) consisted of pictures, a few birds, property of Napoleon, *etc.*

Lot 19. A "Virgin and Child and St. Anthony—Corregio" fetched £16, and a MS. note says: "Cost him 10*d.* and 5*d.* carriage. Bought at Tivoli, near Rome, where he found it stopping up the window of a cow-house."

Lot 11 was a "portrait of Titian, extremely spirited," by Giorgione, and fetched 23 guineas. A MS. note informs us that it was "declared as above by Mr. West, P.R.A."

The birds were contained in Lots 37 to 44, and are only

remarkable for the prices they fetched. They were "arranged in bell Glasses for Chimney-Piece ornaments."

Lot 37. "A Glossy Thrush—extremely rare," was purchased by Lord Stanley for £6, and he bought, for 3 guineas, Lot 43—"the Spotted Tanager and Blue Creeper from Senegal; very rare." These birds would not fetch as many shillings in the present day.

Among the Napoleonic treasures was the "Eagle carried before the Emperor on State occasions." A picture of the meeting of the Emperors of France and Russia on the raft at Tilsit, said to have cost 100 guineas, fetched £16.

The THIRD DAY'S SALE, May 4, 1819, consisted of "Birds." In addition to the private buyers, Dr. Leach purchased for the British Museum, Professor Temminck for Holland, Mr. Fector for Vienna, Baron Logier (Laugier) for Paris, Dr. Adams for Edinburgh. Among the names of the private purchasers occur the names of Sabine, Swainson, Vigors, Yarrell, Leadbetter, Calvert, Hale, Lincoln, Riddell, Lord Stanley, Lord Temple.

Leach purchased among other specimens:—

Lot 16. *Ardea pavonia*, Crowned Crane (£1).

Lot 29. *Ardea garzetta*, Little Egret; very rare, British (22s.). No longer in the British Museum.

Lot 37. Oyster-catchers (21s.).

None of these appear to be now preserved in the Museum.

Lot 38. New Holland and American Avoset (35s.). Spec. *b* of *Recurvirostra novæ hollandiæ* of my "Catalogue of Birds," vol. xxiv., p. 334, may probably be Bullock's old specimen.

Lot 39. *Procellaria gigantea*, Giant Petrel; very fine (25s.). Spec. *h* of Salvin's "Catalogue of Birds," vol. xxv., p. 424, may be the old Bullock specimen.

Lot 43. *Psophia crepitans*, Gold-breasted Trumpeter (male and female), in glass cases (42s.). Probably spec. *a* of Gray's Catalogue, "*Gallinæ*," p. 73 (1844): not in the Museum in 1894. (*Cf.* Sharpe, Cat. B., xxiii., p. 279.)

Lot 46. Roller, *Coracias garrula*; very rare and fine ["British" added in MS.] (31s. 6d.). (*Cf.* Gray's "Catalogue of British Birds," p. 36.) It seems to have perished. (*Cf.* Sharpe, Cat. B., xvii., p. 17.)

Lot 52. Crowned Crane (the female) (£5).

Lot 59. Black Curassow (15s.). This may be the specimen recorded by Gray under *Crax alector*, spec. *a* (Gray, Cat. "*Gallinæ*," p. 20, 1844).

Lot 70. Nondescript Heron, East Indies (38s.).

Lot 99. *Pelecanus bassanus*, the Soland Goose (18s.). This is still in the collection. (*Cf.* Gray, Cat. Brit. B., p. 245 (1863); Ogilvie-Grant, Cat. B., xxvi., p. 427.)

Lot 109. Cape Penguin (31s. 6d.). This must be spec. *a* of Gray's Catalogue of 1844, p. 154, and spec. *e* of Mr. Ogilvie-Grant's volume (Cat. B., xxvi., p. 650, 1898).

The FOURTH DAY'S SALE (May 5, 1819), consisted of "British Land Birds," a number of which were bought by Sir Thomas Ackland.

Lot 1. *Falco Chrysaetus*, the Golden Eagle (male), killed in Scotland; finely preserved in the act of preying on the white hare. This well-known group, which for many years was a conspicuous object in the British Gallery at Bloomsbury, was purchased by Dr. Leach for 9 guineas.

Lot 2 (the female) was purchased by Dr. Leach for 4 guineas, as was also

Lot 3. The young and egg of ditto, the only one known in any collection (35s.).

Lot 5. A female Sea-Eagle; killed in the park of Sir Joseph Banks, in Lincolnshire (*extent of wing* 8 feet 4 in., MS. note); was bought by Sir Thomas Ackland for nine guineas.

Lot 7, a female White-tailed Eagle, was secured by Dr. Leach for £3 8s., and Lot 8, Two young birds taken in "the Isle of Hoy, one of the Orkneys," were also purchased by him for £4 4s.

Lot 11. *Falco fulvus*, Ring-tailed Eagle (male), went to Mr. Sabine for £7 15s.

Lot 12. The female was bought by Leach for £5 5s.; and Lot 13, Two young of ditto, was also purchased by him for £5 15s. 6d.; *cf.* Gray, Cat. Brit. B., pp. 3, 6 (1863).

Lot 22. *F. Lanarcus*, Lanner (male and female). Bought by Lord Stanley for £2 12s.

Lot 31. *Strix Nyctea*, Snowy Owl (male), killed in Britain, was purchased by Leach for the enormous sum of 25 guineas. This bird is no longer in the Museum.

Lot 32. Another Snowy Owl (*killed in Shetland by Mr. Edmonson*, MS. note) was likewise bought by Leach for £9 10s. It is still in the Museum; *cf.* Sharpe, Cat. B., ii., p. 128.

Lot 34. *Strix bubo*, Great-eared Owl, was purchased by Colonel Bullock for £3 10s.

Lot 36*. *Strix flammea*, White Owl (male, female, and young) (*and tree containing young*, MS. note), fetched 15s. Bought by a Mr. Ashmead.

Lot 37. *Strix stridula*, Tawny Owl, egg and young ones. Purchased by Leach for 7s.

Lot 38. *Strix nebulosa*, Barred Owl. Purchased by Dr. Leach for £2.

What bird this could have been I have been unable to determine. It was not the true *Strix nebulosa*, as in 1875, when I published the second volume of the "Catalogue of Birds," the Museum only possessed one specimen of this species, presented by Lord Odo Russell (*cf.* Cat. B., ii., p. 258, 1875). Bullock's specimen may have been *S. lapponicum*, spec. a. (*cf.* Sharpe, *t.c.*, p. 255).

Lot 52. A nondescript Cuckoo, perfectly white, less than half the size of the common; taken in Cornwall, and sent to Sir Joseph Banks; the only one known. Bought by Mr. Sabine for 3 guineas (the Museum copy says by Dr. Leach).

Lot 58. *Merops Apiaster*, Bee-eater; very rare. Bought by Col. Bullock for 14s.

Lot 66. *Turdus roseus*, Rose-coloured Thrush (female), taken in the Orkneys, 1818; extremely rare. A MS. note states that it was killed in the garden of the Rev. Mr. Hamilton, Isle of Hoy. Lord Stanley bought the specimen for 3 guineas.

Lot 67. *Turdus roseus*, Rose-coloured Thrush (male); very fine. Bought by Sir Thomas Ackland for £5 6s. A MS. note states that it "flew against the light House of Isle of Sanda and was killed. Sent to Mr. B[ullock] by Mr. Strong."

In the Museum copy this specimen is said to have been bought by Dr. Leach, but there is no example recorded by G. R. Gray as being in the British Museum in 1863.

Lot 102. Little Bustard, *Otis tetrax* (male); extremely rare. Purchased by Dr. Leach for the British Museum for £10. This is spec. b of Gray's "Catalogue of British Birds" (p. 134), recorded as from "Norfolk," from Mr. Bullock's Museum. In our official copy I find that I have a MS. note from the Rev. O. Pickard-Cambridge to the effect that this individual was killed by the Rev. G. Pickard-Cambridge, at Walmwell, Dorsetshire. This locality is given by me in the "Catalogue of Birds" (vol. xxiii., p. 290). Professor Newton has added a note to his copy of Bullock's Sale-Catalogue: "The Rev. O. Pickard-Cambridge, says (*in litt.*, Nov. 2, 1877), that his father sent Bullock a female Little Bustard killed at Walmwell in Dorset in the late autumn or beginning of winter about or before 1818." This was probably the female (Lot 103) which was bought for 8 guineas by Mr. Brooks, at whose sale, according to Professor

Newton, it formed No. 43, Lot 6 (Sale-Catalogue, 15th day, August, 1828, p. 95). The specimen in our Museum is a *male*, and it is probable that the locality for it is correct, and that Mr. Pickard-Cambridge was mistaken as regards this Museum specimen.

Of the "British Water Birds," according to the Sale-Catalogue in our Museum, Dr. Leach bought Lot 108, Crane, *A. Grus*, extremely rare, for £6; but Professor Newton's copy says that the bird was "shot by Lord Gage in Britain" and purchased by Mr. Sabine. There is no mention of a Crane in Gray's "List of Grallæ," and the purchase by Mr. Sabine was probably correct.

Lot 110. The Great White Heron, *A. Alba*, very rare, said to have been purchased by Dr. Leach, had not survived till 1844, as it is not mentioned in Gray's "List of Grallæ, etc."

Lot 113. Squacco Heron, *A. Comata*, very rare, seems to have met a similar fate.

Lots 116, 117, Gardenian Heron, were also both purchased by Dr. Leach, but are no longer in the Museum.

The FIFTH DAY'S SALE (Thursday, May 6, 1819) began with the British Water Birds. No. 15, Greenwich Sandpiper, has a MS. note in Professor Newton's copy: "Shot near Edinburgh. Supposed to have been a young Reeve." This was spec. *p* of the Ruff in Gray's "List of Grallæ," 1844, p. 103, and it occurs in his Catalogue of 1863 (p. 164). It could not have been kept, as I did not find it when I wrote the "Catalogue of Birds."

Lot 29 contains the Corn Crane, *Rallus Crex*, with its egg; "Common Gallinule, *Gallinula chloropus* (male and female). These species were taken in the Isle of Tristan d'Ancuna." The latter bird must have been *Porphyriornis nesiotis*, described by Dr. Sclater in 1861 from living specimens presented by Sir George Grey to the Zoological Gardens (*cf.* Sharpe, Cat. B., xxiii., p. 166). Professor Newton's copy of Bullock's Sale-Catalogue has a note that this Lot 29 was purchased by Dr. Leach, but I cannot trace the specimens in the Museum records. The Museum copy says that a Mr. Winn was the purchaser, and if this were the case, these Moorhens did not come into the Museum.

Lot 43. Great Auk, *Alca Impennis* (male), a very fine specimen of this exceedingly rare bird, killed at Papa Westra in the Orkneys, the only one taken on the British coast for many years; and an egg; in glass case. These specimens were purchased by Dr. Leach for £16 5s. 6d. They are still in the Museum, the bird being a very fine one, but the egg is not a good

specimen, having been bleached by exposure to the light for fifty years in the old British Museum at Bloomsbury.

Dr. Leach also bought the next Lots, 44, 45, 46, 48, 49, including Razor-Bills, Puffins, Guillemots, *etc.* They were mentioned by Gray in 1863 in his "Catalogue of British Birds," but very few were retained by Mr. Ogilvie-Grant when he wrote the twenty-sixth volume of the "Catalogue of Birds."

Lot 61, "An undescribed Gull, much allied to the Arctic [Tern], but much superior in size, killed at Brighton," was apparently the specimen of the Gull-billed Tern (*Sterna anglica*) recorded by Gray as from "Great Britain. From Mr. Bullock's Collection," in his "Catalogue of British Birds," 1863, p. 241. It has since been destroyed, having fallen into bad condition, and was not recognised as the specimen purchased by Leach.

No. 68. The great white-winged Gull, *Larus Glaucus*, lately killed in Shetland and Northumberland; a fine adult male and female, and the young of the first year. These were bought by Leach for £6 16s. 6d. One of the young birds is still in the Museum (*cf.* Howard Saunders, Cat. B., xxv., p. 293).

Lot 78. "An undescribed Petrel with a forked tail, taken at St. Kilda in 1818; the only one known." This was bought by Leach for £5 15s., and is apparently the specimen described by Temminck as *Procellaria leachii* ("Man. d'Orn.," ii., p. 812).

No. 79. *Glariola austriaca*, Austrian Pratincole (male), killed in Shetland. The second specimen killed in Britain. *See Montague and Linnean Transactions.* This is said to have been purchased by Dr. Leach for eight guineas. There is no trace of the specimen at the present time, and it was apparently not in the Museum in 1863 (*cf.* Gray, Cat. Brit. B., p. 137).

Lot 83. Red-breasted Goose, shot near Berwick, was purchased by Leach for £27. It is still in the British Museum (*cf.* Gray, Cat. Brit. B., 1863, p. 185; Salvad., Cat. B., xxvii., p. 126, 1895).

Lot 89. Eider Duck (male and female). Young ones, nest of eider, and eggs, taken on Papa Westra, one of the Orkneys, in 1812. These were purchased by Leach for £2, and are most probably the series mentioned by Count Salvadori as having "no locality" (Cat. B., xxvii., p. 429).

Lot 97. Rufous Duck (*A. Nyroca*); rare (male and female). Purchased by Leach for £4 8s. They are recorded by Gray in 1863 as having been from the London market, but the only one now remaining seems to be the male recorded from "England" by Count Salvadori (Cat. B., xxvii., p. 348).

Lot 114. A white variety of the Shag, and a ditto of the Jay. The Shag has disappeared, but the Jay is mentioned by Gray in 1863 (p. 85) and by me (Cat. B., iii., p. 94).

ELEVENTH DAY'S SALE, May 18, 1819. This day was again devoted to birds.

Lot 4, "Crimson-breasted Woodpecker, *Picus Olivaceous* (*sic*!), the specimen brought by Capt. Cook," was bought by Baron Laugier for 12*s.*, who also purchased Lot 5 (male and female Sacred Kingfisher) for 13*s.*

Lot 6, Gigantic Heron ("female," in Prof. Newton's Catalogue), was bought by Dr. Adams for Edinburgh for 39*s.* The same gentleman purchased the next, Lot 7, a male of the same species, "a noble specimen in the finest plumage," but he had to pay £8 for it.

Mr. Vigors and Mr. Swainson likewise purchased specimens on this occasion, and a good many were secured by Mr. Fector for Vienna.

Lot 19. Belted Kingfisher, *Alcedo Aleyon*, and an undescribed species from the Sandwich Islands, were bought by Dr. Leach for a guinea. I have been unable to trace them, so far, in the British Museum cabinets.

Lot 31. Pigmy Auk, *Aptenodytes pygmæa*, "very rare: the only specimen in Britain," fetched 35*s.* from Mr. Leadbeater.

Lot 32. A Beef-eater, *Buphaga africana*, from Africa, fetched £2 4*s.* from a Mr. Hobart—an enormous figure.

Lot 33. A Black-bellied Darter or Anhinga, *Plotus melanogaster*, was purchased by Mr. Vigors for 53*s.*

Lot 35. A "beautiful undescribed Roller from Africa; the only one known," was bought by a Mr. Riddell for £4.

Leach purchased a number of the Petrels, spending more than £25 on the following numbers:

Lot 39. Stormy Petrel (10*s.* 6*d.*).

Lot 41. Pintado Petrel, *P. capensis* (16*s.*).

Lot 42. Black Petrel, *Æquinoctialis* (£6 16*s.* 6*d.*!).

Lot 43. Great Petrel or Mother Carey's Goose, *P. gigantea*; a fine specimen, 3 feet long (£10!).

Lot 44. Sooty Petrel, *P. grisea* (male and female) (£3 6*s.*).

Lot 45. Cinereous Petrel, *P. cinerea*, "from Tristan d'Acunha," MS. note in Professor Newton's copy (£2 16*s.*).

Lot 46. Two Petrels, undescribed, "brot. home by Cook," MS. note in Professor Newton's copy (19*s.*).

Lot 47. Two ditto, ditto (24*s.*).

The next lot was bought by Mr. Fector for 27s. It is described as

Lot 48. A Scallop Toad Darter, undescribed, from Cayenne. It was doubtless an example of the *Heliornis fulica*, which has *scalloped toes*, but is hardly a Darter!

Lot 56. Grey Tern, Latham MS., was bought by Professor Temminck for 18s.

Lot 57. Wreathed Tern, S. Vittata, "from Sir Jo. Banks" (MS. note in Professor Newton's copy), went to Dr. Leach for 16s.

Lot 60. Tern, unknown, Leach bought for 8s.

Lot 61. "The Tailor Bird, with its curious nest, from the Leverian Museum; the only ornithological specimen from that collection in the sale." This was purchased by a Mr. Ledbrook for £2 7s. On the 17th day's sale a pair of the same species with nest (Lot 91) was bought by Lord Stanley for £3 15s.

Lot 62. Peacock Pheasant, East Indies, very rare. Bought by Dr. Leach for 5 guineas.

Lot 64. Jungle Cock, *Phasianus varius*, very rare; supposed to be the original stock of our domestic fowls. This was secured by Baron Laugier for 6 guineas.

Lot 65. Short-tailed Crow, *Corvus Brachyurus*; very rare (£2 2s.).

Lot 66. Hawkesbury Duck, New Holland (30s.).

The above were purchased by Dr. Leach.

Lot 67, Lobated Duck, New Holland, was bought by the Linnean Society for £2 13s. The Society also bought Lot 97, Emew (£10 10s.), and 98, Lesser Emew (£7 10s.), Lot 106, *Ardea Antigone*, 5 feet high (£6 6s.).

Lot 80, the Jacamarciri, or Great Jacamar, *Galbula grandis*, was bought by Dr. Adams for 10 guineas.

Lot 81. Guinea Tody, Latham MS.

Lot 83. African Tody, ditto.

Lot 85. Sharp-tailed Nuthatch, ditto.

Lot 86. Boat-billed Tody, ditto.

None of these lots were purchased by Leach, and several birds marked as "unknown" or "undescribed" were also passed by him.

Lot 93. Three-toed Ostrich, *Struthio camelus Americanus* (an early instance of the employment of trinomial nomenclature in Great Britain!). Bought by Dr. Adams for the Edinburgh Museum, for £2 4s.

Lot 94. The Ostrich, S. *Camelus* (a fine full-grown male),

10 feet high ; beautifully preserved, and in the highest preservation. Bought by Professor Temminck for £38 6s. 6d.

Lot 105. Wattled Heron, *Ardea Carunculata* ; a noble specimen, near 6 feet high ; from the French Museum. Purchased by Mr. Leadbeater for 7 guineas. The reference to the "French Museum" probably means that it formed part of the loot taken by the Allies on the occupation of Paris.

Lot 116 was a "Beautiful nondescript diminutive species of Woodpecker, from Africa ; the smallest known." This was bought by Mr. Fector for 12s. for Vienna.

Lot 117. A Ditto was bought by Mr. Vigors for 13s.

Lot 118. A Scarlet Ibis, *Tantalus Ruber* ; an adult bird, in the finest plumage. This was bought for 4 guineas by "Mr. Ledbrook for Lord Temple," as a MS. note in Professor Newton's copy informs us.

The TWELFTH DAY'S SALE, Wednesday, May 19, 1819, consisted of "Foreign Birds." A certain Mr. Bell, "of Buckingham Street," bought many of the lots, as did also Mr. Vigors and Lord Stanley. Dr. Leach does not appear as a bidder on this day, but many specimens were purchased by Professor Temminck, Baron Laugier, and Mr. Fector. The latter secured Lot 121 for £2 15s., consisting of the "Red-breasted Roller from Mexico, extremely rare. Latham's Supplement, vol. ii., p. 125."

For Lot 111, a "Beautiful Blue Crow, from Mexico," undescribed, Lord Stanley paid £16 5s. 6d., and for the previous Lot 110, a "Peruvian Jay, *C. Peruvianus* ; very rare," Baron Laugier paid the enormous sum of 17 guineas !

"Part Third" of the Sale-Catalogue announces a further auction of six days' duration, commencing on Thursday, the 20th of May, 1819, the FIFTEENTH DAY. Leach appeared again on the scene, but bought very little. The bidders from Holland, France, and Austria were as keen as ever, and Mr. Vigors and Mr. Swainson purchased some lots, principally South American birds undetermined, and some Toucans.

Lot 35, Puff-backed Shrike, Latham MS. (male and female), went to Mr. Fector for £1 11s. 6d.

Lot 64. "A splendid nondescript species of *Lanius* [altered to *Corvus* in MS. in Prof. Newton's copy], the largest and most beautiful known ; sent to Europe by Pérouse, and perhaps the only remaining memento of his voyage." This specimen fell to Mr. Leadbeater for £7 17s. 6d.

Lot 71, Genoese Eagle, Latham MS., killed in 1814 near Genoa, was purchased by Mr. Vigors for 32s.

Many species of the Accipitres are said to be "unknown."

Lot 79 was in the latter category, but Professor Newton's copy has a MS. note "brot by Sr Joseph Banks." The Lot was bought by Dr. Leach for 4 guineas.

Lot 97. Zone-tailed Eagle, bought by Leach for 30s.

Lot 113, an Egyptian Vulture (female), was also purchased by him for £2 12s. 6d.

Lot 121. "White Jer Falcon, *Falco Islandicus*; a beautiful specimen of this exceeding rare British bird, in its snow white plumage." For this specimen Leach gave £10, but it is no longer in the British Museum.

Although many of his purchases were afterwards found in the last-named Museum, there is no absolute proof that he was acting on behalf of that institution. As Professor Newton observes in his copy of Bullock's Sale-Catalogue, "The specimen of the Jer Falcon is not included in the List of Birds in the British Museum. Hence Dr. Leach may have bought other things not for the Museum, or some may have been destroyed since, *e.g.* the Aust. Pratincole." From the evidence of his "Catalogue of Mammals and Birds," 1816, it would seem as if Leach had a private collection.

For Lot 126, a pair of the "Cærulescent Hawk," *i.e.* the Small Falconet, of Java, Baron Laugier gave the extravagant (according to our notions of the present day) price of £5 15s. 6d.!

The FOURTEENTH DAY'S SALE took place on the 21st of May, 1819, and consisted of "Birds of the *Psittacus* or Parrot Genus; of which this collection contains perhaps a greater variety, and more undescribed species, than any other; many of them were brought by Sir Joseph Banks, in his Voyage of Discovery with Captain Cook; and are in no other collection."

It is difficult to understand why Banks, who was a Trustee of the British Museum and a liberal donor to our institution, should have parted with his specimens of birds to Bullock and the Leverian Museum.

The following were bought by Dr. Leach:—

Lot 15. Yellow-winged Parrakeet, *P. verescens* (15s.).

Lot 19. Horned Parrakeet, *P. cornutus*; brought by Sir Joseph Banks from the South Sea; the specimen described by Doctor Latham (£5 10s.). This was doubtless the typical bird

from which Forster's sketch was taken. The specimen is mentioned in Gray's List of *Psittacidæ* (p. 7), 1859, but seems to have been discarded by Count Salvadori in 1891 (*cf.* Cat. B., xx., p. 501).

Lot 27. Great Pacific Parrot, Latham MS., unique (34s.).

Lot 30. Pacific Parrot, *P. Australis*; very rare; South Seas (26s.).

Lot 32. Undescribed Parrot; brought by Sir Joseph Banks. Bought by Lord Stanley for £3.

Lot 33. Undescribed Parrot. "This and the last are not known in any other collection." Dr. Leach brought this lot for £2 12s. 6d. In the Museum copy of the Catalogue, Lord Stanley is noted as the purchaser.

Lot 42. Parrot undescribed; from the South Seas; brought by Sir Joseph Banks. Purchased by Dr. Leach for £3 10s.

No. 43. Beautiful Small Parrot, undescribed; it was killed on a vine in the garden of Colonel Johnson, at Port Jackson, and is the only one ever seen in the colony. This lot was purchased by the Linnean Society for £4 18s.

Lot 56. Wave-headed parrot, Latham MS.; new. Fetched £2 13s.

Lot 60. Sanguine-bellied Parrot, Latham MS.; new. Fetched 27s.

Both the above were bought by Lord Stanley.

Lot 69. Crimson-winged Parrot, *P. Erythropterus* (male and female), a most beautiful species; brought in Captain Flinders' voyage of discovery from the north coast of New Holland. Bought by Sir T. Coates for £5 18s. [In the Museum copy the name is given as Sir C. Coote].

Lot 71. Lesser Sulphur-crested Cockatoo, *P. Sulphureus*. Bought by Dr. Leach for £2 10s.

Lot 77. Banksian Cockatoo, *P. Banksi*. Linnean Society, for £3.

Lot 78. A splendid species of Black Cockatoo, with scarlet tail (male and female); undescribed.

Lot 93. A pair of beautiful Yellow Macaws (male and female), from the Spanish main; undescribed. Purchased by Lord Stanley for £21.

Lot 114. Southern Parrots (male and female), *P. Nestor*, very fine, and extremely rare; brought by Sir Joseph Banks from the South Seas. Bought by Dr. Leach for 16 guineas. This specimen is apparently still in the Museum, as Count Salvadori

in his "Catalogue of Birds" mentions a specimen of *Nestor meridionalis* from New Zealand, from Capt. Cook's voyages (*cf.* Cat. B., xx., p. 5 (1891)).

The FIFTEENTH DAY'S SALE took place on Tuesday, May 28, 1819. It still consisted of Birds—"Heron, Ducks, Woodpeckers, Bee-eaters, &c."

A certain Captain Laskey bought several lots, as did a Mr. Molinari, who had purchased a few lots in the sales of the previous days. Lots 7, 14, 37, 39, 41, 52 are marked as "sold," having apparently been disposed of before the sale commenced.

Lot 8. Undescribed Heron. Purchased by Mr. Fector for Vienna (£2 2s.).

Lot 9. Beautiful Heron; unknown. Bought by Prof. Temminck (13s.).

Lot 10. Rousful Heron, undescribed; from "New Holland," corrected in MS. in Professor Newton's copy to "S. America." Bought by Prof. Lichtenstein (14s.).

Lot 16. Unknown Heron. Bought by Lord Stanley (17s.).

Lot 17. Small Bittern; undescribed. Bought by Prof. Temminck for 1 guinea.

Lot 27. Ibis; unknown. Lord Stanley (28s.).

Lot 28. Patagonian Penguin, *A. Patagonica*. Mr. Ledbrook (21s.). He also bought several other lots, presumably for Lord Temple.

Lot 51. Albatross, *Diomedea Exulans*. A MS. note in Professor Newton's copy adds: "From Tristan d'Acunha." Lord Stanley bought this lot for £6.

Lot 54, Spotted Shag, is entered twice. [See No. 64.]

Lot 59. A Harlequin Duck, *A. Histronica*. A MS. note in Professor Newton's copy adds: "Killed in Orkneys." It was bought by Dr. Adams for Edinburgh for a guinea.

Lot 79. Grey-headed Woodpecker, *P. Canus*. The locality is entered in Professor Newton's copy as "Siberia." Swainson gave 16s. for the specimen.

Lot 88. A "Pair of Brown Woodpeckers; undescribed." Bought by Baron Laugier for 22s.

Lot 90. Unknown [Woodpecker]. Bought by Swainson for 8s.

Lot 91. Ditto. Bought by Molinari for 7s.

Lot 92. Undescribed (11s.). Lot 93. Ditto (20s.). Both bought by Swainson.

Several lots of Honey-eaters follow, the species being described (evidently by Latham) as Gold-winged *Bee-eater*, etc.

Lot 104. Blue-cheeked Bee-eater, *Merops cyanops*. "New Zealand" (according to the MS. note in Professor Newton's copy). Bought by Temminck for 20s. This specimen is *Entomyza cyanotis*, and formed the subject of Plate 471 of the "Planches Coloriées." Dr. Finsch, writing to Professor Newton in 1900, states that it is still in the Leyden Museum.

No. 109. Yellow-tufted Bee-eater, *M. fasciculatus*, was bought by Lord Stanley for 19s. A MS. note in Professor Newton's copy adds: "Brot by Capt. Cook."

No. 112. Swallow-tailed Bee-eater, Latham MS.; "from Abyssinia" (MS. note in Professor Newton's copy). Bought by Prof. Lichtenstein for 26s.

Lot 120. [Following on several "unknown" and "undescribed" Bee-eaters] Two undescribed species [of Bee-eaters]. Bought by Temminck for 20s. Professor Newton thinks that one of these may have been *M. bullocki* (cf. Donovan, Nat. Repository, i., p. to pl. cxxxvii). A MS. note in his copy adds that these birds were from New Holland.

Dr. Leach does not seem to have been present at this day's sale.

The SIXTEENTH DAY'S SALE took place on Wednesday, May 26, 1819. Still more birds put up to auction, and Dr. Leach was present, all the other purchasers being there as usual. Many "unknown" Pigeons were bought by Baron Laugier, Professor Temminck, Lord Stanley, Mr. Vigors, Mr. Molinari; and Lot 1 by Mr. Fector.

Lot 22. Dr. Leach bought an "unknown Pigeon," which is said, in a MS. note to Professor Newton's copy, to have come from the "S. S. Voyages" (10s.).

No. 28. Hook-billed Pigeon (female) from Senegal, purchased by Swainson for 8s., may well have been his type of *Treron nudirostris*.

Lot 30. A Crowned Pigeon, C[olumba] Coronata, purchased by a Mr. Lincoln for 35s., is stated in a MS. note to Professor Newton's copy to have been the "property of late Princess Charlotte."

Lot 40. A magnificent undescribed species of Pigeon, from the north coast of New Holland, "in Flinders' Voyage" (MS. note in Professor Newton's copy). This was bought by Baron Laugier for £4 14s. 6d.

Lot 70. Buff-breasted Partridge, Latham's MS. ["and of his book," MS. note]. Bought by Professor Temminck for 20s.

Lot 73. Dusky-breasted Partridge (female), Latham MS. Bought by Lord Stanley for £2 4s.

Lot 81. Spotted-necked Quail, Latham MS., also bought by Lord Stanley, for £1 11s. 6d.

Dr. Leach does not seem to have bought more than one lot at this day's sale. Perhaps his money was exhausted and the prices were too high. On this occasion Mr. Ledbrook was bidding for the Marquess of Buckingham, as Professor Newton's copy records that he gave £30 for a pair of cases (Lot 110) with Crocodiles, Lizards, *etc.*

Lot 119, which concluded the sale, contained a magnificent specimen of the Japan Peacock (male and female) and a Wild Turkey, in the mahogany glass case; the whole of the birds in which were presented by her late Majesty to the Museum. The lot was separated "by desire," and Mr. Warwick bought the male Peacock for £9, and Baron Laugier secured the female Peacock for £3 9s., and the Turkey for 7 guineas.

The SEVENTEENTH DAY'S SALE took place on Thursday, May 27, 1819, and Dr. Leach was not present.

Lot 24. Several species of American Fringillas, "four all different" (MS. note). Purchased by Mr. Vigors for 11s.

Lot 32. Pair of beautiful Goatsuckers; unknown (£2 16s.).

Lot 33. A beautiful Long-tailed Goatsucker, undescribed; from Africa (£3 3s.). These two lots were bought by Colonel Brewer or Bruen.

A pair of Argus Pheasants in a mahogany case fetched £29 18s. 6d. (Warwick).

Lot 46. A Red-legged Partridge, T[etrao] Rufous (*sic*), "killed in Suffolk on grounds of Lord Rendlesham," fetched 27s., and was bought by Mr. Ledbrook.

Lot 54. Chinese Jacanu, P[arra] Sinensis. Bought by Baron Laugier for 4 guineas. A MS. note in Professor Newton's copy adds: "Sent to B. [*i.e.* Bullock] from French Museum. Unique in this kingdom."

Lot 60. White Gallinule, F[ulica] alba. New Zealand, rare; brought by Sir J. Banks. Purchased by Lord Stanley for 3 guineas. It is an albino of *Porphyrio melanonotus*, and of the specimen a full history is given by Dr. H. O. Forbes in the "Bulletin" of the Liverpool Museums for May 1901 (vol. iii., No. 2, pp. 62-68).

Further remarks are to be found in Sir Walter Buller's "Supplement to the 'Birds of New Zealand'" (vol. i., p. 73, note)

Lot 68*. Pair of Dusky Rails. Purchased by Prof. Temminck for 9s.

Lot 77, containing Birds of Paradise in a case, the most complete collection known. This case was broken up and the birds sold in lots on the nineteenth day of sale.

Lot 85. Pair of great cases of Warblers, *Motacilla*. This case also was divided and sold on the twenty-fourth day of sale.

Lot 86. The "collection of Buntings, *Emberiza*," was likewise divided up into lots.

Lot 87. "A magnificent species of Turkey, from the Bay of Honduras, undescribed; it was sent as a present to Sir Henry Halford, and died on its passage: the only one known. Baron Laugier bought it for £34 12s.

Lot 101. Hook-billed Green Creeper, *C[erthia] Obscura*, was bought by Prof. Temminck (£2 2s.).

Lot 102. Great Hook-billed Creeper, *C. Pacifica*; also bought by Prof. Temminck (£4 4s.).

Lot 103. Hook-billed Red Creeper, *C. Vestiaria*. Bought by Mr. Fector for 24s.

Lot 104. Ditto (male and female), bought by Mr. Molinari.

A note informs us that "The last four lots are used by the natives of the Sandwich Islands in the manufacture of their beautiful dresses." There can scarcely be any doubt that some of these specimens were from Capt. Cook's voyages and were doubtless the originals of those figured by Ellis.

The EIGHTEENTH DAY'S SALE, May 28, 1819, was principally devoted to Shells, Corals, *etc.* Dr. Leach bought several lots, but none of the Birds, of which there were a few.

Lot 66. White-crowned Thrush, new; Latham MS. Lord Stanley (33s.).

Lot 68. A Crimson and Black Thrush, from Mexico; undescribed. Lord Stanley (£5).

Lot 69. Rose-coloured Thrush, *Turdus Roseus*; rare; a fine male. "Shot in Scotland" (MS. note). Mr. Vigors (£2 3s.).

Lot 91. Pair of Chinese Swallows; very rare; with specimens of their curious Nest, of which the Chinese make soup. "Brot. home by St J. Banks" (MS. note). A Mr. Buckingham bought this lot for £5.

Lot 95, Thrushes, and Lot 96, Grosbeaks, were, by consent of all parties, to be divided into smaller lots.

In the Museum copy there is a title-page to the next part of the Sale-Catalogue, which is missing in Professor Newton's copy. It is entitled "Part Fourth, containing the 19th, 20th, 21st and 22nd days' sale," etc. etc.

The NINETEENTH DAY'S SALE occurred on June 1, 1819.

Dr. Leach bought a few birds, as follows :—

Lot 16. Fine specimen of Mother Carey's Goose (£5 5s.).

Lot 66. Chocolate Falcon, "Amer. Orn." (£1 1s.).

Lot 78. Two Hawks, from North America (12s.).

Lot 79. One Hawk and a Butcher Bird (12s.).

On the TWENTIETH DAY'S SALE, Wednesday, June 2, 1819, more birds were sold, but Dr. Leach does not seem to have put in an appearance; all the other buyers were present, and some new names added to the list.

Lot 94. Fifteen Bird-skins, from Sierra Leone, were bought by Mr. Swainson for £6 18s.

Lot 95. Kingfisher from East Indies, bought by Temminck may be the *Dacelo coromandeliana* of Schlegel's Catalogue ("Mus. Pays Bas," *Alcedines*, p. 25) as Professor Newton suggests. Against this lot (p. 124) is a MS. note signed "J. S.," which Professor Newton thinks may have been originally written by James Sowerby, but I am inclined to think it is J. L. (= John Latham), to whose hand-writing all the MS. notes in Professor Newton's copy of the Sale-Catalogue bear a strong resemblance.

Lot 114. *Larus Atracilloides*, a rare Gull. Bought by Mr. Sabine for 2 guineas.

Lot 115. Undescribed Grosbeak, from Tristan d'Acunha; and the Mosambique Finch. Bought by Professor Lichtenstein for 29s.

Lot 119. Northern Finch (male and female), Latham MS., and the Snow Flake. Bought by Lord Stanley for 17s.

Lot 127. Fourteen various specimens of Birds, from New Holland; collected by Capt. Flinders. Bought by Lord Stanley for £7 17s. 6d.

Lot 128. Ten ditto, ditto. Bought by Mr. Molinari for 35s.

Lot 130. Great Rail, from New York; Blue-necked Rail; and another, unknown. Bought by Professor Temminck for 25s.

The TWENTY-FIRST DAY'S SALE, on Thursday, June 3, 1819, contained some various articles, but there were a goodly

proportion of birds offered for sale, some of them of great interest. Dr. Leach bought only a few lots of no great importance.

Lot 6. An "undescribed Barbet, of the new genus *Pogonius*." Purchased by Baron Laugier for 30s.

Lot 16. *Larus Atraciloides* ; rare. Bought by Lord Stanley for 20s.

Lot 23. White-winged Crossbill ; rare, and the Snow Flake. A MS. note in Professor Newton's copy adds for the first-named, "shot several times in New Forest lately." This lot was purchased by Lord Valentia for 10s.

Lot 31. Beautiful small Plover, from the River Gambia. Prof. Temminck (16s.).

No. 32. A ditto, from the River Gambia. Mr. Swainson (17s.).

Lot 33. Pair of small Plovers, from New Zealand. Prof. Temminck, for 30s.

Lot 34. Chestnut-breasted Plover of Latham MS., and another. Lord Stanley (16s.).

Lot 36. Curious small Plover of New Holland, and a Cream-coloured Plover. Baron Laugier (£3 3s.).

Lot 37. Rail, undescribed ; from the voyage of Captain Cook. Bought by Prof. Temminck for 35s., apparently *Pennula sandwicensis*.

Lot 39. Two fine specimens (various) of the Spur-winged Plover ; unknown. Prof. Temminck (29s.).

Lot 40. Black-breasted Plover of Latham MS., and Chestnut-breasted of ditto. Prof. Temminck (31s.).

Lot 44. The Yellow Shank, Norfolk Plover, and a Sandpiper. Capt. Laskey (7s.). The Museum copy of the Catalogue says that the purchaser was Dr. Leach.

Lot 45. Black-throated Plover of Latham MS., pair of Ring Dottrels ; Capt. Laskey (7s.). This lot is also booked to Dr. Leach in the Museum copy.

Lot 46. A "Singular undescribed Lizard, from the north coast of New Holland." "Flinders Voyage" (MS. note in Professor Newton's copy, where the specimen is said to have been bought by Leach for 22s.). The Museum copy agrees with the price fetched, but gives the purchaser as Dr. Adams, who bought for the Edinburgh Museum.

Lot 48. Shear Water Petrel and Stormy Petrel. Prof. Temminck (£4 10s.).

Lot 50. Woodcock, and curious variety of the Lark. Dr. Leach (11s.).

Lot 52. Little Owl, shot in Yorkshire; rare. Professor Newton's copy adds a MS. note, "By Mr. Fothergill." The lot was bought by Mr. Ryall for 12s.

Lot 54. Common Gallinule from Tristan D'Ancunha, and the Red-necked Grebe. Also bought by Mr. Ryall, for 7s.

Lot 56. Carrier Pigeon, Wild Stock-Dove, and a Blackbird. Bought by Dr. Leach for £1.

Lot 57. Two rare Sandpipers, and the Turnstone. Bought by Dr. Leach for 30s.

Lot 58. Dusky Sandpiper, nest and eggs, taken in Scotland. Bought by Dr. Leach for 10s. 6d.

In Professor Newton's copy the word "Sandpiper" has been erased, and the word "Lark" substituted by the scribe who annotated the catalogue. Professor Newton adds a note: "On the origin of Yarrell's mistake, Br. B., vol. i, ii, p. 666."

At this day's sale Dr. Leach bought some Quadrupeds and Insects, and among the "Fossils" were some eggs.

Lot 123. Egg of the Great Auk, *Alca impennia*; and other rare British eggs. Purchased by Dr. Leach for 17s.!

Lots 124, 126. Boxes, "containing a quantity of the Eggs of British Birds," were also purchased by him for a guinea each.

It is of interest to note that several curios were purchased by "Walter Scott, Esq." Such were a "large dish of Persian ware," *etc.* It would be interesting to know if these are still at Abbotsford. He also purchased most of the armour offered for sale on this day.

The TWENTY-SECOND DAY'S SALE, Friday, June 4, 1819, commenced with a number of ethnographical curios, many of them evidently from Cook's voyages, and it is sad reading to see how many of these were bought by Professor Lichenstein for Berlin. Swainson purchased a few lots, as did Colonel "Brien" or "Brewin."

"Walter Scott, Esq.," bought Lots 36, 37, 38, and 40, consisting of "Two very curious ancient Reading Desks, and a Lady's Head-dress of Elizabeth's time; pair of velvet shoes which belonged to Addison, the Poet, and his wig-case; two ancient Leather Bottles, and a Lochabar Axe, *etc.*"

Then followed a sale of the British Birds, with a few Foreign Birds (beautifully displayed under Bell-Glass). Some of the most interesting lots sold as follows:—

Lot 44. The Black Eagle, "shot in Ireland" (MS. note in Professor Newton's copy). Mr. Ryall (14s).

Lot 46*. The Lanner, *Falco Lannarius*. Colonel Bullock (19s.).

Lot 52. Rose-coloured Ouzle. Mr. Swainson (22s.).

Lot 54. The Crested Titmouse ; rare. Mr. Vigors (11s.).

Lot 54*. The White-winged Crossbill (male and female) ; very rare. Lord Stanley (22s.).

Lot 64. The Mountain Partridge ; "a pair of them were lately killed in Cheshire by J. Davenport, Esq., M.P." Mr. Bates (£4 10s.). A MS. note in Professor Newton's copy adds :—"This specimen from France."

Lot 65. A pair of the curious small variety of the Common Partridge, which rarely occurs in France. Lord Stanley (£4 4s.).

Lot 66. Curious variety of the Arctic Gull ; killed in the Orkneys "by Mr. Sands" (MS. note in Professor Newton's copy). Baron Laugier (34s.).

Lot 68. *Larus Glaucus* ; killed on Loch Lomond ; very rare as a British bird. "Shot by Dr. Stuart of Lugs" (MS. note in Professor Newton's copy). Lord Stanley (19s.).

Lot 113. A case containing Twenty Birds, from Sierra Leone ; nearly the whole of which are undescribed ; a most interesting lot to the naturalist. Professor Temminck (£16 10s.).

Lot 125. Doubtful Barbet ; very rare and fine. Professor Temminck (£2 4s.).

Lot 128. Yellow-pinioned Finch, Latham MS., not described. Mr. Molinari (24s.).

Lot 128. Two beautiful Pigeons, supposed male and female ; shot by Sir Joseph Banks, in his voyage with Capt. Cook ; the only ones known. Mr. Ledbetter (£7 7s.).

Dr. Leach did not appear at this stage of the sale, and the principal British buyers were Lord Stanley, Mr. Vigors, Mr. Swainson, Mr. Molinari [or Molinaire, as the Museum copy has the name], Colonel Bullock, Mr. Sabine, Mr. Riddell, Captain Laskey, Mr. Ryall, Mr. Ashmead. Many specimens went abroad with Professor Temminck, Baron Laugier making only a few purchases. The Marquis of Buckingham bought, for £47 5s., Lot 111, "The Great Boa Constrictor, thirty-two feet long, in the act of seizing a Deer ; most beautifully set up, and considered as the finest subject in the Museum." A MS. note in Professor Newton's copy declares that "the Boa was only 20 feet long, but much thicker."

THE TWENTY-THIRD DAY'S SALE took place on the 8th of June, 1819, and commenced with "foreign birds."

Lot 1. Black Cuckow of Africa, "brot. by Sr J. Banks" (MS. note in Professor Newton's copy). Captain Laskey (5s.).

Lot 10. Manakin unknown (3s.).

Lot 11. Beautiful Manakin, unknown (19s.). Both lots bought by Mr. Swainson.

Lot 13. Manakin, unknown. Lord Stanley (12s.).

Lot 14. White-crowned Manakin, unknown; very rare. Mr. Riddle (11s.).

Lot 15. Olive Manakin; rare (male and female) (14s.).

Lot 16. A beautiful Manakin, undescribed (12s.). Both lots bought by Mr. Swainson.

Lot 18. Black-headed Chatterer, Swainson's MS., Brazil; very rare. Lord Stanley (21s.).

Lot 33. A beautiful White-winged Heron, from India; unknown. Lord Stanley (21s.).

Lot 26. Woodpecker, unknown. Prof. Temminck (£2).

Lot 30. A fine specimen of the Blue-vented Bee-eater; very rare. Prof. Lichtenstein (30s.).

Lot 33. Great Ivory-billed Woodpecker. Prof. Temminck (19s.).

Lot 36. Two Green Manakins, unknown. Mr. Swainson (7s.).

Lot 40. Long-tailed Black Grosbeak, from the South Seas; unknown. Lord Stanley (£2).

Lot 42. Great Red Grosbeak of Guiana (male and female). To this and Lot 43 are applied in MS. the name "Tanager Divaricata" in Professor Newton's copy. Prof. Temminck bought Lot 42 for 2 guineas, and Lot 43 cost Prof. Lichtenstein 15s.

Lot 45. Little Bullfinch, from Brazil; rare. Mr. Swainson (9s.).

Lot 50. Large Black Grosbeak, from Guiana; unknown (male and female). Mr. Riddell (21s.).

Lot 58. Large African Grosbeak, unknown (male and female). Lord Stanley (39s.).

Lot 65. Parrot-billed Grosbeak. In both copies of the Catalogue, Professor Lichtenstein is said to have purchased this lot for a guinea. But, as Professor Newton very justly points out, this may have been a mistake for Temminck, as the species is not mentioned by Lichtenstein in his "Nomenclator." Temminck, on the other hand, says that two specimens from the Bullock collection are in the Leyden Museum.

Lot 66. Grosbeak, unknown. Lord Stanley (20s.).

Lot 67. Grosbeak, from the Cape ; unknown. Prof. Temminck (16s.).

Lot 69. Pair of Large Black Grosbeaks, with white throats, from Guiana. Prof. Lichtenstein (29s.).

Lot 70. Gold-back Grosbeak, from the Cape. Lord Stanley (8s.).

Lot 71. Black Grosbeak [said in MS. note in Professor Newton's copy to be an "Oriole"], unknown. Mr. Molinari (5s.).

Lot 72. A beautiful small Grosbeak, unknown, from Africa. Mr. Riddell (9s.).

Lot 73. Ditto. Mr. Molinari (10s. 6d.).

Lot 74. Red-rumped Grosbeak from New Holland. Prof. Lichtenstein (6s.).

Lot 75. Pair of small Black-and-white Grosbeaks, from Africa. Prof. Temminck (10s.).

Lot 76. Ditto. Mr. Molinari (6s. 6d.).

Lot 77. Unknown. Lord Stanley (16s.).

Lot 78. Another Black-and-white Grosbeak ; new. Lord Stanley (8s.).

Lot 79. Pair of Fine Grosbeaks, from Canada (male and female). Unknown. Lord Stanley (£2 12s. 6d.).

Lot 83. Grosbeak, unknown. Molinari (3s.).

Lot 84. Two Grosbeaks, unknown. (15s.)

Lot 87. Two small Grosbeaks, from Africa. Prof. Temminck (15s.).

Lot 88. Grosbeak, from the Brazils ; unknown. Prof. Temminck (22s.).

The rest of the twenty-third day's sale consists of Flycatchers and Thrushes, apparently those which it was agreed to sell in separate lots on May 28th.

No. 89. Orange-breasted Flycatcher, from New Holland. Lord Stanley (22s.).

Lot 90. Scarlet-breasted ditto, from ditto. Prof. Lichtenstein (14s.).

Lot 91. Flycatcher, from the Cape (24s.).

Lot 92. Ditto. Lord Stanley (8s.).

Lot 94. Crested Flycatcher, from America. Prof. Lichtenstein (22s.).

Lot 96. White-eyed Flycatcher, from America ; rare. Mr. Swainson (12s.).

Lot 97. Yellow Flycatcher ; unknown. Prof. Lichtenstein (10s.).

Lot 98. Blue Flycatcher, from America. Prof. Temminck (10s.).

Lot 99. Unknown. Prof. Temminck (9s.).

Lot 100. Beautiful White Flycatcher, from the Cape ("River Plata," MS. note in Professor Newton's copy). Lord Stanley (£2 10s.).

Lot 101. Fan-tailed Flycatcher, from New Holland (male and female). Prof. Temminck (15s.).

Lot 102. Long-tailed Flycatcher, from Madagascar (male and female). Prof. Lichtenstein (38s.).

Lot 103. Ditto. Professor Newton's copy has a MS. note, "the fem. another species." Mr. Swainson (£2 4s.).

Lot 104. A ditto; "the male bird" (MS. note). Prof. Temminck (26s.).

Lot 105. Round-crested Flycatcher, from Peru. Lord Stanley (£4). Probably a *Muscivora*.

Lot 106. Red-eyed Flycatcher, from Africa. Mr. Riddell (9s.).

Lot 107. Ditto. Mr. Molinari (12s.) Probably a species of *Platystira*.

Lot 108. Curious Short-tailed Fly-catcher, unknown. Lord Stanley (17s.).

Lot 109. Yellow-breasted Flycatcher from the Cape (male and female). Prof. Temminck (32s.). Professor Newton's copy has the word female crased, and a MS. note, "another species."

Lot 110. Flat-crowned Flycatcher from New Zealand (male and female). Prof. Temminck (28s.).

Lot 112. A beautiful specimen of the Pied Flycatcher; a very rare British specimen (*sic*). Mr. Taylor (21s.).

Lot 113. Flycatcher, unknown. Mr. Swainson (6s.).

Lot 117. Two Flycatchers. Prof. Temminck (9s.).

Lot 118. White-crowned Thrush. Prof. Temminck (17s.).

Lot 119. Red-bellied Thrush, Latham MS. (male and female). Prof. Temminck (15s.).

Lot 120. Round-tailed Thrush, Latham MS. Mr. Riddell (19s.).

Lot 121. Rufus-bellied Thrush. Corrected in a MS. note in Professor Newton's copy to "Ditto" (*i.e.* the preceding species). Prof. Temminck (21s.).

Lot 122. Red-breasted Thrush; Cook's voyages (male and female); "from Sr J. Banks" (MS. note in Professor Newton's copy). Mr. Swainson (15s.).

Lot 123. The Rust-bellied Glossy Thrush, Latham. Professor Lichtenstein (20s.).

Lot 124. Sky-blue Thrush, L'Echénilleur gris of Le Vaillant, Ois. d'Afrique. Professor Temminck (19s.).

Lot 125. Glossy Thrush. Lord Stanley (£4 14s. 6d.).

Lot 128. Tetuan Thrush, Latham MS. Mr. Molinari (6s. 6d.).

Lot 129. Blue Thrush (in Professor Newton's copy altered to "Blue-tailed Thrush"). Lord Stanley (32s.).

Lot 136. Embroidered Thrush, from the Cape, L'Echénilleur jaune of Le Vaillant. Mr. Fector (20s.).

Lot 131. Sooty Thrush. Lord Stanley (10s.).

Lot 137. Unknown. Lord Stanley (22s.).

Lot 138. Red-vented Thrush. Lord Stanley (16s.).

Lot 139. Male and female Thrush, unknown. Mr. Molinari (12s.).

Lots 140 to 145 were all unknown species, and were purchased by Lord Stanley, Mr. Molinari, and Mr. Swainson. The latter bought three lots, one being Lot 143, unknown Thrush, from Tristran D'Ancunha, for 18s. He also bought two large cases (£5 8s. 6d.).

The TWENTY-FOURTH DAY'S SALE took place on Wednesday, June 9, 1819. The Thrushes were continued, and Mr. Swainson bought several lots.

Lot 1. Gutteral Thrush, new (in Professor Newton's copy the word "Holland" is added in MS. to "new"). Mr. Swainson (4s.).

Lot 3. Pensive ditto (male and female). Prof. Lichtenstein (10s.).

Lot 4. Ferruginous Thrush. Prof. Temminck (8s.).

Lot 5. Unknown Thrush. Prof. Temminck (33s.).

Lot 6. Olive-backed Thrush. Mr. Swainson (7s.).

Lot 7. Black-breasted Thrush. Prof. Temminck (19s.).

Lot 8. Black-eyed Thrush, New Holland. Prof. Temminck (8s.).

Lot 9. Black-browed Thrush, New Holland (male and female). Mr. Swainson (8s.).

Lot 10. White-cheeked Thrush, New Holland. Prof. Temminck (9s.).

Lot 11. Chiming Thrush. Mr. Swainson (6s.).

Lot 12. Senegal Thrush. Prof. Temminck (9s.).

Lot 13. Ditto. Mr. Swainson (6s.).

- Lot 14. A Rufus Thrush, unknown. Mr. Molinari (8s.).
- Lot 15. Pair of Rufus-headed ditto. Mr. Fector (13s.).
- Lot 16. Black-cheeked ditto, "Latham MSS." (note in Prof. Newton's copy). Mr. Swainson (12s.).
- Lot 19. Red-vented Thrush, of the Cape. Mr. Swaynson (*sic*) (11s.).
- Lot 20. Rufous-bellied Thrush, Latham MS. Mr. Warwick (5s. 6d.).
- Lot 21. Ditto, a very fine specimen. Mr. Artis (14s. 6d.).
- Lot 22. Long-tailed Glossy Thrush, a noble specimen. Prof. Lichtenstein (£4 10s.).
- Lot 23. Shining Thrush, of Senegal. Mr. Fector (30s.).
- Lot 24. Ditto. Mr. Molinari (22s.).
- Lot 25. Another species of ditto. Mr. Molinari (18s.).
- Lot 26. Another, quite distinct. Lord Stanley (15s.).
- Lot 27. A Cinereous Thrush, of New Holland. Mr. Swainson. (5s.).
- Lot 28. A pair of the Spotted-shouldered Thrush, of New Holland. Professor Lichtenstein (17s.).
- Lot 29. Pair of the Red-breasted Thrush. Professor Temminck (14s.).
- Lot 30. Mocking Bird or Mimic Thrush, of North America (male and female), with nest and eggs. Mr. Vigors (22s.).
- Lot 31. Golden-crowned Thrush (male and female). Mr. Swainson (9s.).
- Lot 34. Golden Thrush [altered in a MS. note to Professor Newton's copy to "Oriole"]. East Indies. Mr. Molinari (15s.).
- Lot 35. White-backed Black Thrush; rare. Mr. Fector (6s.).
- Lot 36. Ditto. Professor Temminck (8s.).
- Lot 37. Pectoral Thrush, Latham MS. Professor Temminck (9s.).
- Lot 38. Scarlet-throated Thrush, from the Cape; rare. Professor Temminck (30s.).
- Lot 39. Brown-headed Thrush, unknown; "New Holland" (MS. note in Professor Newton's copy). Mr. Molinari (5s.).

Then followed the sale of the "Warblers, Motacilla."

- Lot 40. Yellow Red-pole Warbler. Professor Lichtenstein (11s.).
- Lot 41. Hooded Warbler ("fig. in Amer. Ornith.," MSS. note in Professor Newton's copy). Professor Lichtenstein (15s.).

Lot 42. Black-throated Blue Warbler (male and female). Professor Temminck (13s.).

Lot 43. Bar-tailed Warbler. Lord Stanley (10s.).

Lot 45. Blue Warbler, or Blue Robin of America (male and female). Professor Temminck (28s.).

Lot 46. Yellow-breasted Warbler (male and female); "fig. in Amer. Orn." (MS. note in Professor Newton's copy). Professor Lichtenstein (11s.).

Lot 47. Olive Warbler (male and female). Professor Temminck (9s.).

Lot 48. Worm-eating Warbler. Mr. Swainson (6s.).

Lot 49. Æquatorial Warbler. Mr. Swainson (15s.).

Lot 50. Ruby-crowned Warbler (male and female). Mr. Swainson (10s. 6d.).

Lot 51. Grey-pole Warbler. Mr. Warwick (7s. 6d.).

Lot 52. Æquinoctial Warbler (male and female). Lord Stanley (19s.).

Lots 53 (10s.) and 54 (16s.). Soldier Warbler, of New Holland. Professor Lichtenstein.

Lot 55. Black-and-green Warbler (male and female). Mr. Vigors (16s.).

Lot 57 [56 omitted]. A ditto, different from the last ("Black and Blue," MS. note in Professor Newton's copy). Mr. Vigors (16s.).

Lot 58. Blue-breasted Warbler. Mr. Molinari (10s.).

Lot 59. Crested Olive Warbler (male and female). Professor Temminck (7s.).

Lot 60. Rufus-tailed Warbler. Mr. Swainson (5s.).

Lot 61. Three different species of Wren from America. Mr. Swainson (10s.).

Lot 62. Pair of Buff-headed Warblers, of New Holland. Professor Temminck (20s.).

Lot 63. Thick-bellied (*sic*) Warblers, and another. Professor Temminck (8s.).

Lot 64. Two different Warblers, unknown. Professor Temminck (15s.).

Lot 65. Two ditto. Professor Temminck (35s.).

Lot 67. Yellow-rumped Warbler (male and female). Mr. Swainson (9s.).

Lot 68. Rufus-vented Black Warbler, unknown. Mr. Swainson (7s. 6d.).

Lot 69. Pair, unknown. Mr. Swainson (10s.).

- Lot 70. Buff-rumped Warbler (male and female). Mr. Swainson (10s.).
- Lot 71. Two Warblers, unknown. Mr. Swainson (7s.).
- Lot 72. Undescribed. Professor Lichtenstein (14s.).
- Lot 73. Yellow-breasted Warbler, and another. Professor Temminck (10s.).
- Lot 74. Three Warblers, unknown. Mr. Molinari (12s.).
- Lot 75. Two ditto. Mr. Swainson (4s.).
- Lot 76. Spotted-winged Warbler, and another. Mr. Swainson (16s.).
- Lot 77. Two ["Three," MS. note in Professor Newton's copy]. Captain Laskey (7s.).
- Lot 78. Tyrant Flycatcher (male and female). Mr. Swainson. (18s.).
- Lot 79. Male ditto. Mr. Vigors (6s. 6d.).
- Lot 80. Pair of Flycatchers, unknown. Professor Temminck. (13s.).
- Lot 93. Red-winged Flycatcher; rare. Lord Stanley (18s.).
- Lot 95. Pair of African Larks. Mr. Swainson. (5s.).
- Lot 96. Pair of White-throated Larks, from Africa. Lord Stanley (13s.).
- Lot 97. Two Larks, unknown. Mr. Molinari (9s.).
- Lot 98. Two Black Larks ("var. of the Common Sky Lark," MS. note in Professor Newton's copy). Mr. Riddell (6s.).
- Lot 99. Grasshopper Lark; rare. Mr. Molinari (6s.).
- Lot 100. Titlark and Grey Wagtail. (In Professor Newton's copy, the word "Grey" is erased, and "fem. of the Yellow" inserted in MS.) Mr. Swainson (5s.).
- Lot 101. Black-breasted Lark (male and female). Mr. Vigors (9s.).
- Lot 102. Three various Larks. Mr. Swainson (8s.).
- Lot 103. Purple-rumped Creeper; very rare and fine. Mr. Swainson (£2 4s.).
- Lot 104. Wall Creeper; rare and fine. Mr. Hall (28s.).
- Lot 105. Coloured ["Collared"; MS. note in Professor Newton's copy] Creeper; very fine. Mr. Swainson (30s.).
- Lot 106. Pair of Common Creepers. Mr. Swainson (6s.).
- Lot 107. Purple-breasted Creeper; undescribed, "from Java" (MS. note in Professor Newton's copy). Mr. Swainson (14s.).
- Lot 108. Purple Creeper, unknown. Mr. Swainson (10s.).
- Lot 110. A Blue-headed Creeper, unknown. Mr. Hall (17s.).

Lot 110*. A large Creeper from Africa, and its curious nest Mr. Swainson (30s.).

Lot 112. Three various Creepers. Mr. Swainson (12s.).

Lot 114. The Yew Tanager, from New Holland. Mr. Swainson (10s.).

Lot 117. Senegal Coly. Mr. Molinari (14s.).

Lot 118. Ditto. Mr. Swainson (21s.).

Lot 119. White-backed Coly. Lord Stanley (32s.).

Several species of Whidah Birds follow :—(Lots 121–124), purchased by Mr. Swainson and Lord Stanley. Lot 124, undescribed Whidah Bird, is said in a MS. note to Professor Newton's "Catalogue" to have been "a young bird." Professor Temminck bought it for 12s., as also the next, Lot 125, Curious White-headed Bunting, unknown (12s.).

Lot 126. Green Bunting (male and female); a very rare British bird. In Professor Newton's copy it is said to have been purchased by Mr. Vigors for 18s., a MS. note being added, "The Ortolan in change of plumage." In the Museum copy, the purchaser is given as "Mr. Molinaire."

No. 130. Golden-shouldered Bunting, and another. Lord Stanley (20s.).

Lot 131. Ortolan (male and female). Mr. Hall [in the Museum copy, Mr. Swainson] (9s.) In Professor Newton's copy is a MS. note, "Not the Ortolan from the Alps."

Lot 133. Red-browed Bunting (male and female), "New Holland" (MS. note in Professor Newton's copy). Molinari (9s.).

Lot 134. Orange-crowned Yellow Bunting (male and female). Professor Temminck (31s.).

Lot 135. Beautiful small Bunting, undescribed. Professor Temminck (14s.).

Lot 136. Two Yellow Buntings, different species; unknown. Professor Temminck (22s.).

Lot 137. Pair of Grey Buntings, "from America. See Wilson's Ornith." (MS. note in Professor Newton's copy). Mr. Vigors (5s.).

On the 10th of June, 1819, commenced the TWENTY-FIFTH DAY'S SALE, with some more birds, Ducks, Warblers, and other miscellaneous lots of lesser animals. A Mr. Morgan bought a Buff-head Duck (Lot 2) for 6s., and Lot 6, two Ducks, from America, unknown (17s.).

Lot 1. Small Blue-winged Shoveller Duck of South America. Professor Temminck (18s.).

Lot 3. Whistling Duck of New Holland. Professor Temminck (£1).

Lot 4. Great-billed Shoveller of ditto. Lord Stanley (5s.).

Lot 5. White-fronted Duck of Hudson's Bay. Mr. Ryall (5s.).

Lot 6. Two Ducks from America, unknown. Mr. Morgan (17s.).

Lot 7. Two ditto. Professor Temminck (£2 8s.).

No. 11. Grasshopper Warbler. Mr. Swainson (8s.).

Lot 12. Alpine Warbler (male and female). Mr. Swainson (12s.).

Lot 13. Fantail Warbler, Latham MS.; and the Grey-throated Warbler. Mr. Swainson (11s.).

Lot 14. Guira Warbler (male and female). Professor Temminck (16s.).

Lot 15. Great Brazilian Wren. Professor Temminck (12s.).

Lot 16. Rufus-throated Warbler, Latham MS., from Jamaica. Mr. Swainson (13s.).

Lot 17. Little Flycatcher, and Tawny-breasted Warbler, Latham MS. Mr. Swainson (11s.).

Lot 18. Bearded Warbler; very rare. Professor Temminck (17s.).

Lot 22. Unknown Warbler of New Holland, and the Virescent Warbler, Latham MS. Professor Temminck (12s.).

Lot 23. Tawney-rumped Warbler, Latham MS., and Yellow Warbler. Mr. Molinari (11s.).

Dr. Leach was at this day's sale, as he purchased Lot 25, a very fine Cancer from Tristan d'Acunha, but he bought no birds.

The "Birds in glass cases" were chiefly bought by a Mr. Lincoln, and by Mr. Molinari, though Mr. Swainson and Mr. Vigors secured a few. Swainson also bought some insects, and a skin of the Boquetaire, or Mountain Goat; very rare (30s.). Miss Bullock bought Lot 99, a Black-winged Parrot, for 16s.; it may have been a family pet. Mr. Vigors bought a "Beautiful specimen of the Blossom-headed Parrot" for £2. Swainson bought several of the cases; and one "elegant" case (Lot 118), "the ornaments taken from rails of Notre Dame" (MS. note in Professor Newton's copy) was bought by a Mr. Hailes for £7 17s. 6d.

The TWENTY-SIXTH DAY'S SALE, Friday, June 11, was devoted to Napoleonic relics. It included "the Emperor's carriage, taken

on the eve of Waterloo, and sent, with the officer who took it, by Marshal Blücher, to the Prince Regent, from whom it was purchased by its present proprietor for the sum of three thousand guineas." The carriage was bought by Mr. Hopkinson, coach maker, Holborn, for £168.

Mr. Riddell and Mr. Molinari again appear as purchasers for some of the Napoleonic relics, and Mr. Vigors bought a linen towel. Lot 103, a silver helmet, taken at Waterloo, and Lot 104, a trophy of French arms and colours, from Waterloo, were purchased by "Walter Scott, Esq.," for £5 15s. and £3 13s. 6d. respectively.

Colonel Birch's "small but very fine collection of ORGANISED FOSSILS, from the Blue Lias formation at Lyme and Charmouth in Dorsetshire, consisting principally of bones, illustrating the osteology of the Ichthio-saurus, or Proteo-saurus, etc.," was sold by Bullock, "at his Egyptian Hall in Piccadilly" on Monday, the 15th day of May, 1820, so that it would seem that, after the dispersal of his private Museum, he still continued his business as an auctioneer. Dr. Leach bought some of the lots, but Lot 102, "a skeleton of the Ichthio-saurus," was, according to a MS. note in Professor Newton's copy of the Catalogue, "Bot in ; wants £300 for it." A further MS. note says : "since purchased for £100 for the Surgeon's Museum, London."

We take up once more the authentic record of the bird collections in the year

1816.

In this year the Montagu collection was purchased. It consisted of the most complete series of British birds of the time, but, as I have stated before, owing to the defective preparation of the specimens, many of them have fallen to pieces. Colonel Montagu was the author of the "Ornithological Dictionary," an excellent work in its day, and the specimens purchased by the Museum were doubtless the ones which had served for the descriptions in his work.

The Montagu collection, as it existed in 1816, when Dr. Leach was the Keeper of the Zoological Department, may be determined by his "Systematic Catalogue of the specimens of the Indigenous Mammalia and Birds that are preserved in the British Museum, with their localities and authorities" (8vo, pp. 1-42). This little pamphlet was printed (no doubt for the Trustees) by Richard

and Arthur Taylor, Shoe Lane, who in 1818 printed the "Synopsis of the Contents of the British Museum" (*antea*, p. 155). A reprint of Leach's "Systematic Catalogue" was published in 1882 by the Willughby Society, and was edited by the late Osbert Salvin. The editor points out that, as the catalogue was printed on one side of the paper only, it was probably intended as a label-catalogue for the specimens, and of this, I think, there can be no doubt. It is very useful as a catalogue of the Montagu collection of birds, which was obtained from "G. Montagu, Esq., Jun." The "Solitary Stare," represented by a specimen from Yorkshire given by the Rev. James Dalton, was found to be merely the young of the Common Stare. (*Cf.* Leach, *t.c.*, Errata.) Of Leach's "Catalogue," Mr. Salvin says:—"It is also a question if it was ever actually published in the ordinary sense, for though the printer's name is given at the foot of the title page, no publisher is mentioned. (The same may be said of the Guide-book to the Museum, printed by Messrs. R. and A. Taylor, who were then evidently employed by the Trustees, whose name did not appear.) It is impossible to overlook Leach's Catalogue, as his names have been constantly referred to by subsequent authors, and, for good or bad, must take their place in nomenclature."

Sir E. Maunde Thompson has very kindly supplied me with the following memoranda from the archives of the British Museum. On the 14th June, 1816, Leach recommended the purchase of the Montagu collection for £1,200. The purchase was approved by the Trustees, Sir Joseph Banks recommending it, and on the 1st of October, 1816, Leach reported the safe arrival of the collection.

1837.

This was the first year in which a serious attempt was made to keep an official register of the acquisitions. 668 specimens presented; 591 purchased. Total, 1259.

John Gould presented 172 specimens of birds to the Museum, and 111 more were purchased from him. They were from various localities, but included a few Australian species, showing that, even at this early date, he was receiving specimens from someone in that continent.

310 birds were purchased in Paris from the collection of the late Baron Laugier de Chartrouse, who had collaborated with Temminck in the production of the "Planches Coloriées."

187 birds presented by Sir W. Burnett and Captain Fitzroy.

The latter officer had been the commander of the *Beagle*, and this collection was probably made during that expedition.

126 birds from British Guiana, collected by Sir R. Schomburgk, and presented by the Royal Geographical Society.

1838.

434 specimens presented ; 245 purchased. Total number of additions, 679.

Of special interest are the following :—

158 birds from Tasmania ; presented by Ronald Gunn, Esq. For a long time the only collection of Tasmanian birds in the Museum, and of great value at the time of its presentation, but from being mounted for many years in the Gallery, the specimens were ruined by light and dust, and but few now remain.

82 specimens of birds from India and China ; presented by John Russell Reeves, Esq.

111 specimens purchased at the sale of the South African Museum. Dr. J. E. Gray records the fact that they were all “stuffed by Messrs. Verreaux” and were collected during Sir A. Smith’s expeditions into the interior of South Africa. Many types were included in the series.

1839.

225 specimens presented ; 238 purchased. Total number of acquisitions, 463.

No addition of any importance took place this year, but an effort was evidently being made to replenish the collection of British Birds, since 114 young birds of various species were presented by Mr. J. Baker.

1840.

136 specimens presented ; 141 purchased. Total number of additions, 277.

Nothing added of any great importance.

47 British birds, presented by Mr. J. Baker.

52 birds from West Australia. Presented by Capt. [afterwards Sir George] Grey.

These specimens were obtained by John Gould, and doubtless given to Governor George Grey, with whom Gould was on terms of great friendship.

1841.

385 specimens presented ; 583 purchased. Total number of additions, 968.

Only two acquisitions of any note, viz. :—

332 birds from South Australia. Purchased from Mr. Gould.

78 birds from Kerguelen Land, collected by the naturalists of the Antarctic Expedition. Presented by the Lords of the Admiralty.

1842.

492 specimens presented ; 870 purchased ; 92 received in exchange. Total, 1454.

Of special importance were :—

120 birds from Port Essington, North Australia. Presented by Captain Chambers, R.N.

160 birds from the Philippine Islands, including several types of new species. Purchased of Mr. Hugh Cuming.

49 birds from Abyssinia and Shoa, including several co-types of his new species, collected by Dr. E. Rüppell.

119 birds from New Zealand and adjacent islands, collected by the naturalists of the Antarctic Expedition. Presented by the Lords of the Admiralty.

1843.

2027 specimens, presented ; 799 purchased. Total, 2826.

The most important additions were :—

1302 birds from Nepal, including numbers of types. Presented by B. H. Hodgson, Esq.

This is the first instalment of the great Hodgson donation.

302 birds from South Australia. Presented by Captain [afterwards Sir George] Grey.

43 nests of Australian birds. Presented by John Gould, Esq.

50 birds collected in Chili by Mr. T. Bridges.

83 birds from various localities. Presented by Sir E. Belcher.

1844.

969 specimens presented ; 368 purchased. Total, 1337.

Important additions were :—

222 birds from the Antarctic Ocean, the Falkland Islands, Cape of Good Hope, etc., obtained by the naturalists of the Antarctic Expedition. Presented by the Lords of the Admiralty.

139 birds from Tenasserim. Presented by J. D. C. Packman, Esq.

This collection was never worked out by George Robert Gray, the specimens having been somewhat roughly preserved.

With the donation of Mr. Allan Hume's splendid series of Tenasserim birds, many specimens from the old Packman collection have been disposed of as duplicates.

107 birds, mostly from North Australia, collected by Dr. J. Beete Jukes, during the voyage of H.M.S. *Fly*.

222 specimens from Brazil. Presented by M. Claussen.

8 specimens purchased of Leadbeater, duplicates from the Leyden Museum.

1845.

2203 specimens presented; 371 purchased; 10 received in exchange. Total, 2584.

Among the notable accessions were:—

1391 birds from Nepal, and 301 from Behar, being the *second* and *third* instalments of the collections presented by B. H. Hodgson, Esq.

57 birds from the Madras Presidency, including several types of new species figured in the "Illustrations of Indian Ornithology." Presented by T. C. Jerdon, Esq.

30 specimens from New Zealand, including the type of *Ocydromus earli* and other rare species. Presented by Percy Earl, Esq.

52 specimens from Cayenne. Presented by H. C. Rothery, Esq.

35 birds from Port Essington. Presented by Dr. Sibbald.

54 birds from Shoa, duplicates from the collection made by Sir W. Cornwallis Harris. Presented by the Hon. East India Company.

296 specimens from South Africa and Madagascar. Presented by Sir Andrew Smith.

91 specimens from Para. Presented by R. Graham, Esq.

1846.

849 specimens presented; 1072 purchased. Total, 1921.

Among the principal acquisitions were:—

124 birds from Central Australia. Presented by Capt. Sturt.

270 birds from various localities. Presented by Edward Wilson, Esq.

271 birds from Bolivia. Collected by Mr. T. Bridges.

147 birds and eggs from Tunis. Collected by Mr. Louis Fraser.

59 birds from New Zealand, Tasmania, and the Pacific Islands. Presented by Sir Everard Home, Bart.

1847.

563 specimens presented ; 604 purchased. Total, 1167.

The principal additions were :—

44 birds from New Zealand. Presented by Sir George Grey.

134 birds from Jamaica. Collected by P. H. Gosse, Esq.

This collection contains the types of the species described in his "Birds of Jamaica."

171 birds from Australia. Presented by Sir T. Mitchell.

1848.

340 specimens presented ; 185 purchased. Total, 525.

135 birds and eggs from Repulse Bay. Presented by Dr. J. Rae.

307 birds from Sikhim. Presented by B. H. Hodgson, Esq.
The *fourth* instalment of the great Hodgson donation.

1849.

93 specimens presented ; 399 purchased. Total, 492.

147 birds from New Zealand. Presented by Capt. Stokes, R.N., of H.M.S. *Acheron*. Collected by Dr. Lyall.

173 specimens from various parts of the British Islands. Purchased of Mr. J. Baker.

1850.

671 specimens presented ; 532 purchased. Total, 1203.

230 birds from the Pacific coast of America, Galapagos Islands, etc. Presented by Capt. Kellett, H.M.S. *Herald*, and Lieut. Wood, H.M.S. *Pandora*.

204 birds from the Islands of Torres Straits and adjacent parts of Australia. Presented by Capt. Owen Stanley (Voyage of H.M.S. *Rattlesnake*).

36 eggs from Greenland. Collected by Governor Holboell.

37 birds from San Domingo. Collected by Mr. Auguste Sallé. Purchased from Mr. Hugh Cuming.

1851.

284 specimens presented ; 637 purchased. Total, 921.

44 birds from the Falkland Islands and from islands off the Australian coast, the Louisiades, etc. Presented by John Macgillivray, Esq. (Voyage of H.M.S. *Rattlesnake*).

1852.

307 specimens presented ; 419 purchased. Total, 726.

115 eggs, presented by H. F. Walter, Esq.

106 birds from New Zealand. Presented by Captain Stokes,
R.N.

29 birds from Damara Land, collected by C. J. Andersson.

1853.

158 specimens presented ; 488 purchased. Total, 646.

104 birds from Bagdad. Presented by Kenneth Loftus, Esq.

55 Humming Birds, and 86 Toucans. Purchased of Mr.
Gould.

1854.

84 specimens presented ; 540 purchased. Total, 624.

127 specimens from Bogotà. Purchased of Mr. Samuel
Stevens.

1855.

150 specimens presented ; 742 purchased. Total, 892.

403 birds from various localities. Purchased from the
Zoological Society.

On the determination of the Zoological Society to give up its Museum, the first choice of acquiring the specimens was offered to the British Museum, which thus regained the typical examples described from the voyage of the *Beagle* and other exploring vessels, the collections of which should by rights have gone into the national museum. A few seem to have been overlooked by Mr. G. R. Gray and passed into the hands of private collectors, but within the past few years some of these have likewise been regained by the Museum, on the death of the owners, whose collections have been dispersed.

1855.

101 birds from South America. Purchased of Mr. J. Gould.

88 birds from N.W. America. Presented by Captain Collinson, R.N. (H.M.SS. *Enterprise* and *Endeavour*).

1856.

319 birds presented ; 160 purchased. Total, 429.

36 birds from Teheran, Persia, collected by the Hon.
C. Murray. Presented by Charles Darwin, Esq.

5 birds from New Zealand. Purchased of Mr. W. Mantell (through Mr. Gould). Among these were the type-specimens of *Nestor notabilis* and *Spatula variegata*, as well as the first perfect specimen of *Notornis mantelli*.

46 birds from the Fiji Islands, Norfolk Island, *etc.* Collected by Dr. F. M. Rayner (H.M.S. *Herald*). Presented by the Lords of the Admiralty.

23 birds and eggs from Candahar. Presented by Capt. Hutton.

Includes the types of several species described by the donor.

1857.

268 specimens presented ; 660 purchased. Total, 928.

66 birds from Lombok, collected by Dr. A. R. Wallace.

This was the commencement of the long series of collections made by Dr. A. R. Wallace during his celebrated expedition to the Malay Archipelago. Dr. Wallace kept the first set for himself, and only duplicates were sold ; but the collections were submitted in their entirety to Mr. George Robert Gray for description, the actual types of new species being returned, with the first set, to Dr. Wallace's agent, Mr. Samuel Stevens.

25 birds, with 12 types of new species, collected in Cordova, S. Mexico, by M. Auguste Sallé.

249 birds from N.W. Australia, collected by Dr. J. R. Elsey.

347 birds from various localities. Purchased of Mr. John Gould.

1858.

114 specimens presented ; 1112 purchased. Total, 1226.

Specially interesting are the following items :—

38 birds from the Amazons (Rio Javari, *etc.*), collected by H. W. Bates.

150 birds, obtained by Dr. A. R. Wallace in the Key and Aru Islands.

58 birds from Celebes, collected by Dr. A. R. Wallace.

49 eggs of British birds. Presented by Frederic Bond, Esq.

32 birds purchased at the sale of Dr. Van Lidth de Jeude's Museum.

This was one of the most celebrated private collections in Europe at the time. In addition to many specimens of interest to the Museum, a second specimen of the Great Auk (*Plautus impennis*) was acquired for the National Collection.

A specimen of the Whale-headed Stork (*Balæniceps rex*) was acquired by purchase.

1859.

785 specimens presented ; 638 purchased. Total, 1423.

41 birds from the Fiji Islands and other localities in the Pacific Ocean, collected Dr. F. M. Rayner (Voyage of H.M.S. *Herald*). Presented by the Lords of the Admiralty.

91 birds from Vancouver Island. Presented by Dr. Lyall (Voyage of H.M.S. *Plumper*).

598 birds from Nepal. Presented by B. H. Hodgson, Esq. Fifth instalment of the great Hodgson Collection.

132 birds and eggs, including Capt. Abbott's series of eggs from the Falkland Islands. Purchased of Mr. Gould.

6 birds and 15 nests from St. Croix and St. Thomas, W.I. Presented by Professor Newton.

83 birds from Batchian, Amboina, and N.W. New Guinea (Dorey), from Dr. A. R. Wallace's collection.

41 birds from New Caledonia and the New Hebrides, collected by John Macgillivray, including types of several new species.

33 nests with eggs of birds from Natal, collected by Mr. Thomas Ayres.

88 birds from various localities, including types of several species. Purchased of M. Parzudaki.

94 birds from various localities. Purchased of Mr. John Gould.

1860.

1029 specimens presented ; 956 purchased. Total, 1985.

54 birds and 36 eggs from Natal, collected by Dr. Gueinzus.

255 specimens from Dr. Wallace's collections, from Batchian, Halmahéra, Ternate, Celebes, Timor, Ceram, containing many new species.

106 birds from Vancouver Island and 131 birds from British Columbia, collected by Mr. J. K. Lord, the naturalist to the British North American Boundary Commission, and presented by the Foreign Office.

48 birds from Guatemala. Presented by Osbert Salvin, Esq. These specimens were duplicates from Mr. Salvin's expedition to Guatemala.

193 birds from Zambesia, obtained during the Livingstone

expedition, and preserved by Sir (then Dr.) John Kirk. Presented by the Foreign Office.

92 birds from Eeuador. Purchased of Mr. John Gould.

584 birds from various parts of the Indian Empire, and 34 birds from Shoa. Presented by the Secretary of State for India.

1861.

336 specimens presented ; 407 purchased. Total, 743.

172 birds from Shoa. Collected by Sir W. Cornwallis Harris. Presented by the Secretary of State for India.

40 birds from Fort Simpson in N.W. British America. Presented by B. R. Ross, Esq.

116 birds from Dr. A. R. Wallace's Malayan expedition, from Mysol, Ceram, and Waigiou.

26 birds from Gaboon. Purchased of Mr. P. B. Du Chaillu.

17 birds from Upper Burma and Sikhim, with types of 6 new species. Presented by Dr. T. C. Jerdon.

1862.

133 specimens presented ; 328 purchased. Total, 461.

221 birds from Dr. A. R. Wallace's Malayan expedition, from New Guinea, Mysol, Morotai, Timor, Sula Islands, and Bouru.

16 specimens from Camaroons, W. Africa, with the types of 4 new species, obtained by Sir Richard Burton ; presented by Lady Burton.

1863.

874 specimens presented ; 141 purchased. Total, 1015.

398 birds from British Columbia. Presented by J. K. Lord, Esq.

After Mr. Lord had finished his work as naturalist to the British North American Boundary Commission, he remained for some time in British Columbia, and made a considerable collection of birds.

40 birds from Dr. A. R. Wallace's Malayan expedition, from Flores and Buru.

139 birds, 16 nests, and 38 eggs, from the Mackenzie River district. Presented by B. R. Ross, Esq.

84 birds from Pegu. Presented by Dr. W. T. Blanford, F.R.S.

87 birds, presented by the Linnean Society. The Linnean

Society determined in this year to hand over its collection of birds to the British Museum. It was a very important donation, containing the types of the Australian birds described by Vigers and Horsfield (Tr. Linn. Soc., xv., pp. 180-330), and the Parrots described by Temminck (Tr. Linn. Soc., xiii., pp. 111-129).

39 birds collected by Sir John Kirk during the Livingstone expedition. Presented by the Foreign Office.

44 birds from the Zambesi and Shiré Rivers. Collected and presented by the Rev. Charles Livingstone, including the type of the Livingstone Touraco (*Turacus livingstonei*).

An adult specimen of the Whale-headed Stork (*Balæniceps rex*), obtained by Consul Petherick.

1864.

79 specimens presented ; 394 purchased. Total, 473.

265 birds from Palestine. Collected by the Rev. Canon Tristram.

1865.

216 specimens presented ; 323 purchased. Total, 539.

88 birds from Guatemala, duplicates from Mr. Osbert Salvin's collection.

115 sets of eggs. Purchased of Mr. John Gould.

160 birds from Malacca. Presented by W. Harvey, Esq.

At this time the Museum had very few specimens from the Malay Archipelago, and the collection was of great use. By the presentation of the Hume and Tweeddale collections, Mr. Harvey's series, which had no exact localities or dates, was superseded, and most of the specimens have been given away to other Museums.

29 birds from Halmahéra, and other islands in the Malay Archipelago, collected by Dr. A. R. Wallace.

1866.

122 specimens presented ; 336 purchased. Total, 458.

In this year were acquired :—

66 birds from Upper Amazonia, from Mr. Edward Bartlett's expedition to the River Amazon, being the first set of his collection [*cf.* *Sci. and Salv.*, P.Z.S., 1867, pp. 748-759].

68 nests from North America. Presented by Osbert Salvin, Esq.

1867.

Specimens presented, 95 ; purchased, 266. Total, 361.

66 Domestic Pigeons and Ducks. Presented by Charles Darwin, Esq.

These specimens were valuable, as having served the celebrated author as evidence for his work on the "Variation of Animals and Plants under Domestication."

1868.

Specimens presented, 18 ; purchased, 274. Total, 292.

The only noteworthy acquisition in this year was that of 126 birds, duplicates from Mr. Osbert Salvin's expedition to Central America.

1869.

628 specimens presented ; 217 purchased. Total, 845.

476 birds from Abyssinia, collected by Dr. W. T. Blanford. Presented by the Government of India.

This was the second set of specimens from the collection made by Dr. Blanford, the naturalist appointed to the Abyssinian expedition. After the storming of Magdala he visited the Anseba Valley in Bogos Land accompanied by Mr. W. Jesse. The first series resulting from this expedition was retained by the Indian Museum in Calcutta, but a very generous selection was presented by the latter institution to the National Collection.

106 eggs of South African birds. Presented by E. L. Layard, Esq., at that time the Director of the South African Museum at Cape Town.

1870.

261 specimens presented ; 184 purchased. Total, 445.

135 birds from the Pacific Islands. Presented by Julius Brenchley, Esq.

Mr. Brenchley accompanied Sir William Wiseman on the cruise of the *Curacao* in the Pacific. The vessel visited several islands hitherto unexplored, and many new species were procured.

66 birds from the West Indian Islands. Presented by Mrs. Bryant.

Dr. Bryant was a celebrated American naturalist, who travelled throughout the West Indies, and, on his death, be-

queathed his collection to be divided between certain museums and well-known ornithologists, in order that these should benefit by his labours. In England, the British Museum, Dr. Slater, Mr. Salvin and Dr. F. D. Godman were selected, and thus a full series from Dr. Bryant's collection is now in the Natural History Museum.

1871.

14 specimens presented ; 94 purchased. Total, 108.

23 birds from Hainan, collected by Consul Robert Swinhoe.

These were duplicate specimens from Consul Swinhoe's Hainan collection, recorded by him in the "Ibis" for 1870 (pp. 77-97, 230-256, 342-367). The full collection was bequeathed by Mr. Henry Seebohm in 1897.

40 birds from Central Chili, collected by Mr. E. C. Reed.

1872.

368 presented ; 596 purchased. Total, 964.

In September of this year I was appointed Assistant in the Zoological Department of the British Museum, in charge of the ornithological collection, in succession to Mr. George Robert Gray, who died in May, 1872. My first care was to enlist the aid of all my personal friends for the increase of the national collection, with the results recorded in the succeeding years.

44 birds from Southern Spain. Presented by Colonel L. H. Irby.

68 birds from South Africa. Bequeathed by the late Sir Andrew Smith.

178 birds from Archangel, and other localities. Presented by Dr. Bowdler Sharpe.

22 Gyr-falcons and Peregrine Falcons. Purchased of Mr. John Gould.

23 birds from Accra, W. Africa, and 17 birds from Avington, Hampshire. Presented by Capt. G. E. Shelley.

1873.

1571 specimens presented ; 4707 purchased. Total, 6278.

This year was celebrated for the acquisition of the Wallace and Monteiro collections, and for several other donations from my personal friends, Captain Shelley, Mr. A. Swanzy, Colonel J. Hayes Lloyd, Commander Sperling, and Dr. Blanford, all of

them contributing towards the accomplishment of the "Catalogue of Birds," which Dr. Günther had then inaugurated.

2474 specimens from the Malay Archipelago, collected by Dr. A. R. Wallace, and containing the types of all the new species described by Mr. G. R. Gray and Dr. A. R. Wallace himself.

27 Hawks and Owls from the River Amazon, collected by Dr. A. R. Wallace (*cf.* Sclater and Salvin, P.Z.S., 1867, pp. 589, 590).

Dr. Wallace allowed the Museum to acquire his Amazonian collection of *Accipitres* for the purposes of the "Catalogue of Birds." The remainder of his South American collection passed into the possession of Dr. F. D. Godman, and was afterwards presented by him with the rest of his great collection.

671 birds from various localities. Presented by Dr. Bowdler Sharpe.

33 birds from Avington, Hants, and 117 from Egypt, etc. Presented by Captain G. E. Shelley.

18 specimens from the Fanti country in Western Africa. Presented by Andrew Swanzy, Esq.

41 specimens from Bogos Land, collected by Mr. Esler. Purchased.

97 specimens from various localities. Presented by John Gould, Esq.

107 birds from Kattiawar. Presented by Colonel J. Hayes Lloyd. This collection was described by the donor in the "Ibis" for 1873 (pp. 397-421), and his memoir is still the only detailed account of the ornithology of this part of India.

62 birds from Belgium. Presented by the Brussels Museum.

42 birds from Bahia (*Wucherer*), S. Ural (*Strader*), and other localities. Purchased of Mr. Gerrard.

39 birds from the Lower Congo. Presented by Commander R. M. Sperling. This collection was described by me in the "Proceedings of the Zoological Society" for 1873 (pp. 716-717). A new Goatsucker was named *Macrodipteryx sperlingi*, but it afterwards proved to be only the female of *Cosmetornis vexillarius*.

179 birds from Angola and Benguela, collected by Mr. J. J. Monteiro. This collection contained types of the new species, described by the late Dr. G. Hartlaub and myself.

18 specimens from various localities, including the type of a new species of Owlet, *Glaucidium tephronotum*. Presented by W. Wilson Saunders, Esq.

1874.

1227 specimens presented ; 1084 purchased ; 325 received in exchange. Total, 2636.

The most important accessions were :—

683 birds from various localities. Presented by Dr. Bowdler Sharpe.

321 specimens from Baluchistan and Persia, collected by Dr. W. T. Blanford. Presented by the Indian Museum, Calcutta.

603 specimens of African birds. Purchased.

These were the first and second instalments of my collection of African birds, which I had to dispose of on entering the Government service, no officer of the British Museum being allowed to keep a private collection of the group of animals of which he is in charge in the Museum.

99 birds from Sweden, collected by Mr. Meves. Purchased.

35 specimens of *Accipitres* from the collection of Consul Robert Swinhoe. Purchased.

11 birds from Zambesia. Presented by Sir John Kirk.

59 birds from Peru and Siberia. Received in exchange from the Warsaw Museum.

25 birds from Egypt and the Egyptian Sudan. Presented by Sir Samuel Baker.

The types of a new species of Raven from Morocco (*Corvus tingitanus*, Irby). Presented by Colonel L. H. Irby.

45 birds from the Cape Verde Islands, Gaboon, and Senegambia. Purchased of Mr. A. Bouvier.

62 specimens in spirits from Gaboon. Presented by H. T. Ansell, Esq.

1875.

Specimens presented, 908 ; purchased, 1194. Total, 2102.

440 birds from various localities. Presented by Dr. Bowdler Sharpe.

156 birds from Kamptee, Central India. Presented by Dr. R. B. Hinde.

81 birds from New Zealand. Received in exchange from the Colonial Museum, Wellington.

180 birds from the Transvaal and Orange River Colony. Collected by F. A. Barratt, Esq.

591 African birds from Dr. Bowdler Sharpe's collection. Purchased.

1876.

Specimens presented, 2372 ; purchased, 1656. Total, 4028.

100 specimens from Europe and Asia. Purchased of Mr. John Gould.

1246 birds from the North-Western Himalayas and Malacca. Presented by Capt. Stackhouse Pinwill.

110 specimens of birds, nests, and eggs, collected in the Island of Rodriguez during the Transit of Venus expedition by the Rev. H. H. Slater and Mr. G. Gulliver. Presented by the Royal Society.

200 birds from Upper Burma, collected by Dr. John Anderson during the Yun-nan expedition. Presented by the Indian Museum, Calcutta.

300 birds from Western North America, collected during the North American Boundary Commission (49th parallel), by Professor G. Dawson. Presented by the Foreign Office.

151 birds from British North Borneo, and the Island of Labuan, collected by Sir Hugh Low.

750 African birds, being the fourth instalment of Dr. Bowdler Sharpe's collection. Purchased.

22 birds and 114 eggs collected in Kerguelen Island by the Rev. A. E. Eaton during the Transit of Venus expedition. Presented by the Royal Society.

77 birds from the Philippine Islands. Collected by Professor J. B. Steere.

1877.

Specimens presented, 845 ; purchased, 1006. Total, 1851.

Of special interest were :—

138 birds from Kingwilliamstown, East Cape Colony. Presented by Major H. Trevelyan.

53 birds from China. Presented by the Shanghai Museum.

25 birds from British New Guinea, collected by O. C. Stone, Esq.

12 birds from British New Guinea, collected by Dr. James.

3 birds, all new to the collection. Received in exchange from the Darmstadt Museum.

600 African birds, being the fourth instalment of Dr. Bowdler Sharpe's collection. Purchased.

144 birds from Labuan and North West Borneo, collected by Governor Ussher.

265 birds from various localities. Presented by Dr. Bowdler Sharpe.

87 birds from the Pacific Islands. Purchased from the Godeffroy Museum.

87 birds from Queensland and Abeokuta, West Africa. Presented by Francis Nicholson, Esq.

54 birds collected by Colonel H. W. Feilden, C.B., during the voyage of the *Alert* and *Discovery* to the Arctic Regions. Presented by the Lords Commissioners of the Treasury.

1878.

Specimens presented, 989 ; purchased, 1936. Total, 2925.

The acquisitions of special interest were :—

163 birds from the Elliee Islands, Fiji Islands, and Samoa. Purchased of the Rev. S. J. Whitmee.

115 birds from various localities. Presented by Dr. Bowdler Sharpe.

108 birds from Uruguay and Argentina, collected by Mr. Alan Peel.

82 birds from the Congo River, West Africa, and from Kessang, Malay Peninsula. Purchased of M. A. Bouvier.

308 birds from Cochin China. Presented by M. E. Pierre.

46 birds from the Arctic Regions, collected by Colonel H. W. Feilden, C.B. (H.M.S. *Alert*). Presented by the Lords Commissioners of the Treasury.

82 birds and eggs from Discovery Bay, collected by Mr. H. Chichester Hart (H.M.S. *Discovery*). Presented by the Lords Commissioners of the Treasury.

88 birds from Ceylon. Presented by Colonel Vineent Legge

121 birds from West Java. Presented by Francis Nicholson, Esq.

12 birds from the interior of Viti Levu, collected by Dr. Kleinschmidt. Purchased from the Godeffroy Museum.

1038 African birds, being the fifth instalment of Dr. Bowdler Sharpe's collection. Purchased.

200 birds from Western Siberia and Turkestan, being the first set of the specimens obtained by Dr. Finsch on his expedition into Siberia.

1879.

Specimens presented, 3128 ; purchased, 332. Total, 3460.

Of special interest were the following items :—

52 birds from East Africa, collected by Dr. Hildebrandt.

68 birds from South Eastern New Guinea, collected by Mr. Kendal Broadbent. Purchased of Mr. Gerrard.

1858 birds from various localities in the Old World. Presented by Dr. F. Du Cane Godman, F.R.S., and Mr. Osbert Salvin, F.R.S.

360 birds from Matabeleland and the Zambesi, collected by the late Mr. Frank Oates. Presented by his brothers, W. E. and C. G. Oates, Esqrs.

700 birds from the British Indian Empire, including several types from the Indian Museum. Presented by the Secretary of State for India.

65 birds from the Straits of Magellan, collected by Dr. Coppinger (Voy. H.M.S. *Alert*). Presented by the Lords of the Admiralty.

1880.

Specimens presented, 6002; purchased, 1080. Total, 7082.

4731 birds from the British Indian Empire, including 112 types of species from the Indian Museum. Presented by the Secretary of State for India.

201 birds from Travancore, collected by Mr. Frank Bourdillon.

91 skins and skeletons of birds from the Straits of Magellan, collected by Dr. Coppinger (Voy. H.M.S. *Alert*). Presented by the Lords of the Admiralty.

43 birds collected by Carl Hunstein in South East New Guinea. Purchased of Mr. Gerrard.

1021 birds and eggs, collected during the Voyage of H.M.S. *Challenger*. Presented by the Lords of the Treasury.

318 nests and eggs of birds from North West Borneo. Presented by Sir Hugh Low.

12 birds from Duke of York Island, New Britain, New Caledonia and Loyalty Islands, including 9 species new to the Museum, collected by E. L. and L. C. Layard, Esqrs.

1881.

Specimens presented, 3032; purchased, 7102. Total, 10,134.

108 skeletons and 205 skins of birds from the collection of the late T. C. Eyton, Esq.

56 specimens of Thrushes. Presented by Henry Seebohm, Esq.

123 birds from Nepal and Gilgit. Presented by Dr. J. Scully.

83 birds from various localities. Presented by Dr. Bowdler Sharpe.

66 birds from the Island of Socotra, collected by Professor I. Bayley Balfour. Presented by the British Association.

97 birds from Duke of York Island, collected by the Rev. G. Brown.

6315 skins of birds, being the private collection of the late John Gould.

The mounted series of Humming Birds from the collection of the late John Gould.

The collection of skins of Humming Birds from the collection of the late John Gould.

9 specimens from the Eastern Narra, Sind. Presented by Scrope Doig, Esq.

68 birds from various parts of Great Britain. Presented by Theodore Walker, Esq.

17 specimens of *Timeliidæ* from Burma, collected by Colonel R. G. Wardlaw Ramsay.

260 additional specimens from the North West Himalayas and Malacca. Presented by Capt. Stackhouse Pinwill.

85 birds from the North West Provinces, India. Presented by Colonel Way.

19 birds from various localities. Presented by Dr. Coppinger.

48 birds from Egypt and Algeria. Presented by J. H. Gurney, Esq., jun.

1394 birds from Queensland, collected by Mr. T. J. Cockerell. Presented by Dr. F. Du Cane Godman, Esq., F.R.S.

21 birds from the Solomon Islands and Seychelles, collected by Lieut. G. H. Richards, R.N.

11 birds from the New Hebrides. Purchased from the Godeffroy Museum.

341 birds from Kandahar. Presented by Colonel Charles Swinhoe.

106 birds from California. Presented by Lord Walsingham.

200 birds from Gilgit. Presented by Colonel John Biddulph.

1882.

Specimens presented, 1293 ; purchased, 2593. Total, 3886.

Of special interest were the following accessions :—

31 nests, 392 eggs, and 31 sterna of birds from Pegu. Presented by Eugene W. Oates, Esq.

1544 birds from Pegu, including 32 new species to the Museum, collected by Eugene W. Oates, Esq.

127 birds from the Islands of Torres Straits and Queensland, collected by Dr. Coppinger (Voy. H.M.S. *Alert*). Presented by the Lords of the Admiralty.

546 birds, eggs, and skeletons from Madagascar, collected by the Rev. Deans Cowan.

190 birds from various localities. Presented by Henry Seebohm, Esq.

1883.

Specimens presented, 622 ; purchased, 327 ; exchanged, 107. Total, 1056.

Specially important were :—

13 specimens of *Timeliidæ* from the Philippine Islands and Burma. Presented by Colonel R. G. Wardlaw Ramsay.

28 birds from South East New Guinea, collected by Mr. A. Goldie.

95 birds from Tenasserim, collected by Colonel C. T. Bingham.

103 birds from the Tenimber Islands, with types of 21 new species, collected by Dr. H. O. Forbes. Presented by the British Association.

40 birds from the Nilghiri Hills. Presented by W. Davison, Esq.

77 birds from the Lawas River in North West Borneo, collected by Mr. F. Burbidge. Presented by Harry Veitch, Esq.

13 specimens of Malayan birds, including 8 species new to the collection. Presented by the Leyden Museum.

64 birds from various localities. Presented by Dr. R. Bowdler Sharpe.

44 birds from Brighton. Purchased of Mr. Henry Swaysland.

23 birds from the Gold Coast. Presented by Sir Alfred Moloney.

74 specimens of British birds, chiefly *Limicolæ*, from the collection of Mr. J. Edmund Harting.

107 specimens from New South Wales. Received in exchange from the Australian Museum, Sydney.

32 birds from Japan. Presented by Captain Blakiston.

1884.

Specimens presented, 3954 ; purchased, 1320. Total, 5274.

426 birds from Nigeria, and a collection of Weaver-Birds (*Ploceidæ*) and Finches (*Fringillidæ*). Bequeathed by the late W. A. Forbes, Esq.

19 birds from Ashanti, West Africa. Presented by Sir Godfrey Lagden.

254 birds from Nagasaki, Japan. Presented by F. Ringer, Esq.

13 birds from the Solomon Islands, including 7 species new to the collection. Purchased from Mr. Cockerell.

27 birds from Japan. Presented by Captain Blakiston.

795 birds from various localities. Presented by Dr. Bowdler Sharpe.

64 birds from Zambesia. Presented by Sir John Kirk.

31 skeletons of Petrels, collected by the naturalists of H.M.S. *Challenger*. Presented by the Lords of the Treasury.

128 birds from the Niam-niam country in Equatorial Africa, collected by Mr. F. Bohndorff.

27 birds from Bouru and other islands in the Moluccas, collected by Dr. H. O. Forbes.

731 specimens of American Passeres from the collection of Dr. P. L. Selater (*Hirundinidæ*, *Mniotiltidæ*, *Cærebidæ*), including 34 types and 56 species new to the Museum. The first and second instalments of the Selater collection.

38 eggs from Tenasserim. Presented by Colonel C. T. Bingham.

25 birds from Italy. Presented by Professor H. H. Giglioli.

69 birds and eggs from Corsica, including the type of a new species of Nuthatch (*Sitta whiteheadi*). Presented by John Whitehead, Esq.

90 birds from the Nilghiri Hills. Presented by W. R. Davison, Esq.

826 eggs from various localities. Presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, F.R.S.

8 birds from Aden. Presented by Colonel Yerbury.

198 eggs from Pegu. Presented by Eugene W. Oates, Esq.

332 birds from Mhow, C. India. Presented by Colonel Charles Swinhoe.

138 specimens of Swallows (*Hirundinidæ*) and American Warblers (*Mniotiltidæ*) from various parts of North America. Presented by the U. S. National Museum.

579 eggs from various localities. From the collection of the late John Gould, Esq.

1885.

Specimens presented, 87,827 ; purchased, 3024. Total, 90,551.

The chief event of this year was the presentation by Mr. Allan O. Hume, C.B., of his famous collection (59,612) of Indian birds, and their eggs (15,965). This was the largest private collection at that time in the world.

Other accessions of great interest were :-

2365 eggs from various localities. Presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, F.R.S.

910 birds from various localities. Presented by Dr. R. Bowdler Sharpe.

36 birds from France. Presented by Edward Hargitt, Esq., R.I.

183 eggs from Betsileo in Madagascar. Presented by the Rev. Deans Cowan.

227 specimens of Finches (*Fringillidæ*) and Hang-nests (*Icteridæ*). Presented by the U. S. National Museum.

24 birds from Aden and Lahej. Presented by Colonel Yerbury.

2281 specimens of American Passeres—(*Icteridæ*, *Tanagridæ*, *Fringillidæ*), the third, fourth and fifth instalments of the Selater collection.

189 birds from Fao in the Persian Gulf. Presented by W. D. Cumming, Esq.

31 birds from the island of Palawan in the Philippines, collected by E. Lemprière, Esq.

75 birds from Mt. Kilimanjaro in German East Africa, collected by Sir Harry Johnston, G.C.B., G.C.M.G. Presented by the British Association.

66 birds from Muscat. Presented by Colonel Miles.

31 birds from Ceylon. Presented by Colonel Vincent Legge.

354 birds from Argentina, collected by the late Henry Durnford, Esq.

1157 eggs from various localities; continuation of the collection of the late John Gould, Esq.

6895 birds (*Turdidæ* and *Fringillidæ*), being the first twelve instalments of their Neotropical collection. Presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, Esq., F.R.S.

1886.

Specimens presented, 2524; purchased, 1496. Total, 4020.

Of special interest were the following:—

480 birds, principally Hawks and Owls. Presented by Henry Seebohm, Esq.

516 birds from various localities, purchased from the collection of the late Sir William Jardine.

802 American birds (*Turdidæ*, *Mimidæ*, *Troglodytidæ*), being the sixth, seventh, and eighth instalments of the Selater collection.

143 birds from various localities. Presented by Dr. Bowdler Sharpe.

35 birds from the South Atlantic, principally from the island of S. Trinidad. Presented by the Earl of Crawford, K.T., F.R.S.

84 birds from Bushire, S. Persia. Presented by A. J. V. Palmer, Esq.

230 birds from Afghanistan, collected by Dr. Aitchison. Presented by the Afghan Delimitation Commission.

45 birds from S. Manchuria. Presented by Sir Evan James.

33 birds from the mountains of Perak. Presented by L. Wray, Esq., jun.

1073 birds from Yucatan and the adjacent islands, collected by Dr. G. F. Ganmer, and presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, F.R.S. (thirteenth instalment).

1887.

Specimens presented, 25,206; purchased, 703; received in exchange, 60. Total, 25,969.

The year 1887 was memorable for the presentation by Colonel R. G. Wardlaw Ramsay of the splendid collection of Asiatic birds bequeathed to him by his uncle, the 9th Marquess of Tweeddale.

Other notable additions were :—

24 birds from the Solomon Islands, including the types of 3 species. Presented by Dr. P. L. Sclater.

35 birds from the Solomon Islands, including 8 species new to the Museum and the type of *Macrocorax woodfordi*, collected by C. M. Woodford, Esq.

241 birds from various localities. Presented by Dr. Bowdler Sharpe.

75 birds from S.E. New Guinea, collected by the Hon. Hugh Romilly. Presented by the Exhibition Commissioners of Queensland.

35 birds from the mountains of Camaroons, W. Africa, collected by Sir Harry Johnston, G.C.B., G.C.M.G. Presented by the British Association.

82 birds from California and Arizona. Presented by G. Frean Morcom, Esq.

23 birds from China, including types of two species described by the donor. Presented by F. W. Styan, Esq.

485 Humming Birds, being the ninth instalment of the Sclater collection.

19 birds from the mountains of Perak in the Malay Peninsula. Presented by L. Wray, Esq., jun.

192 birds from Derby, N.W. Australia. Presented by Captain Bowyer-Bower. Collected by his son, the late T. H. Bowyer-Bower, Esq.

6 birds from New Ireland, including the types of three new species, collected by Dr. Otto Finsch.

37 birds from S. Manchuria. Presented by Sir Evan James.

17 birds from the Congo, collected by Mr. F. Bohndorff.

342 birds from Equatorial Africa. Presented by Emin Pasha.

5 birds from Christmas Island, Indian Ocean, collected during the voyage of the *Flying Fish*. Presented by the Lords of the Admiralty.

60 birds from the Caucasus and other parts of the Russian Empire. Received in exchange from the Imperial Academy of Sciences, St. Petersburg.

539 Cuckoos and 36 Petrels from various localities, including the type of *Cymochorea monorhis*. Presented by Henry Seebohm, Esq.

25 birds from the Sudan. Presented by Colonel Willughby Verner.

183 birds from East Africa, including the types of *Ploccus jacksoni*, *Sylviella minima*, and *Campothera pallida*. Presented by F. J. Jackson, Esq., C.B., C.M.G.

3335 specimens of American *Corvidæ*, *Trochilidæ*, and *Accipitres*, being the fourteenth, fifteenth, and sixteenth instalments of their Neotropical collection. Presented by Osbert Salvin, Esq., F.R.S., and Dr. Du Cane Godman, F.R.S.

1888.

Specimens presented, 20,392; purchased, 1986; received in exchange, 30. Total, 22,408.

Special mention may be made of the following 'accessions':—

1718 specimens of *Tyrannidæ*, *Cotingidæ*, and *Pipridæ*, including no less than 117 types of species, being the tenth instalment of the Selater collection.

44 birds from East Africa. Presented by F. J. Jackson, Esq., C.B., C.M.G.

57 birds from the island of Guadalcanar, Solomon Archipelago, including the types of 13 new species. Collected by C. M. Woodford, Esq.

68 birds from Guadalcanar. Presented by C. M. Woodford, Esq.

5408 specimens of *Tyrannidæ*, *Pipridæ*, *Cotingidæ*, *Strigæ*, *Picariæ*, etc., being the seventeenth to twenty-ninth instalments of their Neotropical collection. Presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, F.R.S.

13,326 specimens of skins and eggs of North American birds, forming the Hanshaw collection. Presented by Dr. F. Du Cane Godman, F.R.S.

13 birds from Muscat. Presented by Surgeon-Colonel Jayakar.

198 birds from various localities. Presented by Henry Seebohm, Esq.

26 birds from Dominica, collected by Mr. Ramage. Presented by the West Indian Committee of the Royal Society.

19 Cormorants and Shags from Fowey, Cornwall. Presented by Dr. A. Günther.

76 birds from the mountains of Perak. Presented by A. Wray, Esq., jun.

52 birds from South East New Guinea, including the types of four new species, collected by Dr. H. O. Forbes.

35 birds, collected by M. Humblot in the Comoro Islands. Purchased of Mr. G. A. Frank.

30 birds and 5 eggs from the Island of Fernando Noronha, including the types of two new species, collected by H. M. Ridley, Esq. Presented by the Royal Society.

85 birds from various localities. Presented by Dr. Bowdler Sharpe.

231 birds from the Island of Cyprus. Presented by Lord Lilford.

23 birds from Christmas Island, Indian Ocean, including the types of five new species. Presented by J. J. Lister, Esq.

54 birds from North West Borneo, and the neighbouring islands, collected by Alfred Everett, Esq.

8 birds from the Comoro Islands, with four species new to the collection. Presented by the Paris Museum.

69 birds from Ichang in Western China, collected by Mr. A. E. Pratt.

44 birds from Benguela, including twenty species new to the Museum collection. Presented by the Lisbon Museum.

195 birds from Fao, Persian Gulf. Presented by W. D. Cumming, Esq.

1889.

Specimens presented, 6936; purchased, 4093; received in exchange, 76. Total, 11,105.

364 specimens of Pigeons, Barbets, Cuckoos, Weaver-birds, Woodpeckers, including types of four species new to the Museum. Presented by Henry Seebohm, Esq.

4947 specimens of *Accipitres*, *Psittaci*, *Columbiformes*, *Cracidae*,

etc., being the thirtieth to thirty-ninth instalments of their Neotropical collection. Presented by Osbert Salvin, Esq., F.R.S., and Dr. F. Du Cane Godman, F.R.S.

48 birds from the Baram district of Sarawak, Borneo, collected by Dr. Charles Hose.

275 birds (mostly Starlings and Larks) from various localities. Presented by Dr. Bowdler Sharpe.

70 birds from Mount Abou, North West India, collected by Colonel A. E. Butler. Received in exchange.

36 birds from the Island of Palawan, Philippine Archipelago, collected by Mr. John Whitehead.

1952 specimens of Woodpeckers, Cuckoos, Toucans, Barbets, *Dendrocolaptidæ*, *Formicariidæ*, being the eleventh, twelfth, thirteenth, and fourteenth instalments of the Selater collection, including 112 types.

1681 specimens of African birds, *Alaudidæ*, *Ploceidæ*, *Picariæ*, etc., being the first to the eighth instalments of the Shelley collection, including thirteen types of species described by Captain G. E. Shelley.

186 birds from the Kilimanjaro district and Teita in East Africa, including seven types of new species. Presented by H. C. V. Hunter, Esq.

44 birds from Kansu in North West China, collected by Mr. Berezowski, including seventeen species new to the collection.

59 birds from the Lower Congo, collected by Mr. L. Petit.

98 Ducks from various localities. Presented by H. J. Elwes, Esq., F.R.S.

11 Gulls from the collection of the late Mr. Vingoe, from Cornwall. Purchased at the Vingoe sale.

148 birds from the collection of the Conte de Riocour, including an example of the extinct Starling (*Fregilupus varius*), of Réunion.

105 birds from Dominica, collected by Mr. Ramage. Presented by the West India Committee of the Royal Society.

121 birds from Tasmania. Presented by C. G. H. Lloyd, Esq.

63 birds and 17 eggs from China, from Mount Kina Balu and North Western Borneo. Presented by John Whitehead, Esq.

40 birds from Yarkand, collected by the Rev. Dr. Lansdell.

57 birds from South Wales. Presented by the Hon. W. Edwardes (afterwards Lord Kensington).

33 Starlings from the vicinity of Lucknow. Presented by George Reid, Esq., Director of the Lucknow Museum.

1890.

Specimens presented, 5055; purchased, 1955; received in exchange, 136. Total, 7147.

A variety of the Snipe and a Reeve's Pheasant. Presented by His Majesty King Edward VII. (then H.R.H. the Prince of Wales).

2835 specimens of American birds, *Accipitres* (Birds of Prey), *Corvidæ* (Crows), *Turdidæ* (Thrushes), *Troglodytidæ* (Wrens), etc., being the fortieth to forty-fifth instalments of the Salvin-Godman collection. Presented by Dr. F. Du Cane Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

834 specimens of Picarian birds, being the final instalment of the Slater collection.

761 specimens of African birds, being the ninth to nineteenth instalments of the Shelley collection.

405 specimens of Larks, Hoopoes, and Kingfishers, mostly from the Swinhoe collection. Presented by Henry Seebold, Esq.

216 eggs from Fao, Persian Gulf. Presented by W. D. Cumming, Esq.

The only known British specimen of the Siberian Thrush (*Cichloselys sibirica*). Frederic Bond Bequest.

47 birds from the Altai Mountains. Presented by St. George Littledale, Esq.

82 birds from Madeira and the Desertas Islands, including the type of a new Sparrow-hawk (*Accipiter granti*). Presented by W. R. Ogilvie Grant, Esq.

Young birds and eggs of the Cream-coloured Courser (*Cursorius gallicus*). Presented by E. G. B. Meade-Waldo, Esq.

17 birds from the Aruwhimi River, collected by the late J. S. Jameson. Presented by Mrs. Jameson.

543 birds from Africa. Presented by J. H. Gurney, jun. This collection was formed by the donor's father, John Henry Gurney, and was a most valuable addition to the National Collection; consisting, as it did, of much of the material on which Mr. Gurney and Mr. Thomas Ayres had founded their memoirs on the Ornithology of Natal and the Transvaal.

168 birds from Turkestan, collected by the late Dr. Severtzow.

100 birds from Labuan and Sarawak. Collected by A. H. Everett, Esq.

28 birds from Equatorial Africa. Presented by Emin Pasha.

240 birds from the Philippine Islands. Received in exchange from E. L. Mosley, Esq.

38 birds from the Bellenden-Ker Range, North East Queensland. Presented by the Australian Museum, Sydney.

136 eggs from Southern Spain. Presented by Lord Lilford.

101 birds from Northern Italy. Presented by Count T. Salvadori.

216 eggs from Fao, Persian Gulf. Presented by W. D. Cumming, Esq.

77 birds and eggs from the Arctic and Antarctic Oceans. Bequeathed by Dr. Robert McCormick.

42 birds from Kiukiang, S. China. Presented by F. W. Styan, Esq.

19 birds from the Sandwich Islands, collected by Mr. Knudsen. Presented by Professor Collett, Director of the University Museum, Christiania.

1891.

Specimens presented, 5095; purchased, 507; received in exchange, 2771. Total, 12,883.

56 birds from Muscat. Presented by Surgeon-Colonel A. S. G. Jayakar.

418 specimens collected during the second Yarkand Mission. In exchange with the Indian Museum, Calcutta.

37 birds and nests from the Pamir. Presented by St. George Littledale, Esq.

97 specimens from Corea, including the Black Woodpecker, *Thriponax kalinowskii*, new to the collection. Presented by C. W. Campbell, Esq.

13 specimens from the Shan States. Presented by E. W. Oates, Esq.

186 specimens from the Philippine Islands, obtained during the Steere expedition, with 20 species new to the Museum. Purchased and exchanged with E. L. Moseley, Esq.

32 specimens from the islands of the Bight of Benin, including six species new to the collection. Presented by the Lisbon Museum.

16 birds from East Africa. Received in exchange from the Berlin Museum.

10 birds from the Phoenix Islands, with two species of Petrels new to the collection. Presented by J. J. Lister, Esq.

22 birds from Montana and Dakota, including some fine examples of North American Buzzards. Presented by E. S. Cameron, Esq.

263 specimens from Central Chili and Tarapacá, including many species new to the collection, among them the rare Avocet of the Andes (*Recurvirostra andina*). Presented by H. Berkeley James, Esq.

34 nests and eggs from Barbados. Presented by Colonel W. H. Feilden, C.B.

65 Arctic and Antarctic birds. Bequeathed by the late Dr. Robert McCormick.

501 eggs of Gulls and Terns (*Laridæ*). Presented by Howard Saunders, Esq. This was a very valuable present, the donor being our greatest authority on the *Laridæ*, which family he described in the twenty-fifth volume of the "Catalogue of Birds."

The first instalment of his collection of bird's eggs, comprising 5017 examples. Presented by H. Seebohm, Esq.

In this year Mr. Seebohm commenced the arrangement of the Museum series of eggs in cabinets.

4787 specimens of American birds, being the forty-sixth to fifty-sixth instalments of the Salvin-Godman collection. Presented by Dr. F. Du Cane Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

451 specimens of African *Galliformes* (Game-birds), *Ralliformes* (Rails), and *Charadriiformes* (Plovers, etc.), being the twentieth to the twenty-second instalments of the Shelley collection.

1892.

Specimens presented, 10,024; purchased, 1013; received in exchange, 119. Total, 11,156.

4013 eggs and specimens of *Charadriiformes* (Wading Birds), *Lariformes* (Gulls and Terns), *Ralliformes* (Rails). Presented by Henry Seebohm, Esq.

4534 specimens, being the fifty-sixth to sixty-sixth instalments of their collection of Neotropical birds. Presented by Dr. F. Du Cane Godman and Osbert Salvin, Esq.

A pair of Newton's Gardener Bower-bird (*Prionodura newtoniana*). Presented by the Queensland Museum.

1042 birds from Central Chili and Tarapacá. Presented by H. Berkeley James, Esq.

19 birds and eggs from the River Gambia. Presented by Dr. Rendall.

16 birds from the island of Engaño, collected by Mr. Modigliani.

98 birds from Eastern Prussia and other parts of Germany. Received in exchange from Dr. E. Hartert.

101 birds from Mount Dulit, Sarawak, including 24 species new to the collection and 13 types. Collected by Dr. C. Hose.

447 birds from Natal and the Bermudas, collected by Capt. Savile G. Reid.

3 rare birds from Benguela and St. Thomas' Island, W. Africa, including the type of a new genus and species, *Amaurocichla bocagei*. Presented by the Lisbon Museum.

58 birds from the neighbourhood of Buenos Aires, collected by F. Withington, Esq.

A pair of the Flightless Rail of Laysan Island, *Porzanula palmeri*. Presented by the Hon. Walter Rothschild, Ph.D., M.P.

180 *Columbiformes* (Pigeons), being the twenty-third instalment of the Shelley collection.

11 birds from the Malay Peninsula. Presented by W. R. Davison, Esq.

145 birds from Mt. Kina Balu and N.W. Borneo, collected by A. H. Everett, Esq.

21 birds from New Zealand and the Chatham Islands, collected by Dr. H. O. Forbes.

27 birds from Anguilla Island, W.I. Presented by the West Indian Committee of the Royal Society.

32 birds, mostly from Peru, with several new to the collection. Presented by Count Branicki.

78 birds from North Australia and the island of Dammar in the Moluccas, collected by Dr. Bassett-Smith during the voyage of H.M.S. *Penguin*. Presented by the Lords of the Admiralty.

477 birds from Hungary. Presented by the Hungarian National Museum, Budapest.

257 birds from Nyasa Land, containing twelve types and fifteen species new to the collection. Presented by Sir Harry H. Johnston, K.C.B., G.C.M.G.

1893.

Specimens presented, 11,062; purchased, 202; received in exchange, 162. Total, 11,426.

Among the important accessions were :—

502 specimens from Nyasa Land. Presented by Sir Harry Johnston, K.C.B., G.C.M.G.

882 specimens of Neotropical birds. Presented by Dr. F. D. Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

44 types of new species of birds discovered by him in Uganda and on Mount Elgon. Presented by F. J. Jackson, Esq., C.B., C.M.G.

289 specimens of Herons (*Ardeiformes*) and Limicoline birds (*Charadriiformes*). Presented by Henry Seebohm, Esq.

54 birds from Suakin. Presented by Surgeon-Major R. H. Penton.

83 birds from Mt. Kalulong and the Baram district of Sarawak. Presented by Dr. Charles Hose.

A third instalment of 8273 eggs was presented by Mr. Henry Seebohm, making, with those previously given by him, a donation of 16,290 specimens.

109 eggs of Australian birds from Gippsland, Victoria. Presented by Judge Philbrick, K.C.

229 birds from various parts of Australia. Presented by Lord Leigh.

Specimens of *Tetraophasis szechenyi*, from Tibet, and *Grus nigricollis*, from Mongolia, both species new to the Museum collection. Presented by Henry Seebohm, Esq.

32 birds from Mt. Kina Balu. Presented by Dr. H. A. Haviland and Dr. D. G. Haviland.

22 birds and eggs from the Chatham Islands, collected by Dr. H. O. Forbes.

63 birds from Chili. Bequeathed by the late H. Berkeley James, Esq.

27 birds from Antigua, Santa Lucia, collected by Mr. Ramage. Presented by the West Indian Committee of the Royal Society.

44 specimens of Pheasants and Grouse from various parts of the Russian Empire. Received in exchange from the St. Petersburg Museum.

95 Herons, being the twenty-fourth instalment of the Shelley collection.

60 birds from Shoa. Received in exchange from the Turin Museum.

24 specimens from Sarawak and N. W. Borneo, collected by Mr. A. W. Everett, including the rare Partridge of Kina Balu (*Hæmatortyx sanguiniceps*, Sharpe), and the type-specimen of Everett's Spider-hunter (*Arachnothera everetti*).

86 specimens from Mount Kalulong and the Baram province of Sarawak, collected by Dr. Charles Hose, including the types of *Glaucidium borneense*, *Turdinus kalulongæ*, and *T. tephrops*.

32 birds from the Lower Congo and other localities. Presented by Dr. Bowdler Sharpe.

31 Neotropical birds. Received in exchange from Graf Hans von Berlepsch.

1894.

Specimens presented, 4505; purchased, 1525; received in exchange, 243. Total, 6273.

1482 specimens of *Tanagridæ*, presented by Dr. F. D. Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

690 birds, viz. 354 *Anseriformes* (Ducks and Geese), 58 *Colymbiformes* (Grebes and Divers), 81 *Ardeiformes* (Heron), 57 *Lariformes* (Gulls), 122 *Charadriiformes* (Waders), 18 *Strigiformes* (Owls). Presented by Henry Seebohm, Esq.

183 birds from Nyasa Land. Presented by Sir Harry Johnston, G.C.B., K.C.M.G.

86 birds from the Shan States, Burma, including the types of two new species. Presented by Eugene W. Oates, Esq.

55 birds and 61 eggs from Foochow, S. China. Presented by C. B. Rickett, Esq.

65 birds from the Sulu Islands, including types of four new species, and nine new to the Museum. Collected by A. H. Everett, Esq.

173 birds from N.W. Borneo. Received in exchange from A. H. Everett, Esq.

171 specimens from the island of Palawan. Presented by A. H. Everett, Esq.

A specimen of the Seychelles Tufted Owl (*Gymnoscops insularis*). Presented by Chevalier Brooks.

A pair of the Flightless Duck of the Auckland Islands (*Nesonetta aucklandica*); a pair of Mantell's Apteryx (*A. mantelli*) from North Island, N.Z.; and a pair of the Emperor of Germany's Bird of Paradise (*Trichoparadisea gularis*) from the Finisterre Mts., New Guinea. Presented by the Hon. Walter Rothschild, D.Sc., M.P.

496 skins of Gulls (*Laridæ*) from Mr. Howard Saunders's collection.

15 specimens from Central Asia. Presented by St. George Littledale, Esq.

124 birds from Kashmir and the Salt Range. Presented by Dr. J. Aitchison.

86 specimens from the Shan States. Presented by E. W. Oates, Esq.

60 bones of birds from the Chatham Islands, including those of *Aphanapteryx* and other extinct species, with types of seven new species. Collected by Dr. H. O. Forbes.

67 birds from Ecuador. Presented by W. H. D. Haggard, Esq.

63 birds from China. Presented by F. W. Styan, Esq.

669 specimens of *Phalacrocoracidæ* (Cormorants), *Anatidæ* (Ducks), *Accipitres* (birds of prey), *Striges* (Owls), and Crows (*Corvidæ*), etc., being the twenty-fifth and twenty-sixth instalments of the Shelley collection.

1895.

Specimens presented, 2687; purchased, 7856; received in exchange, 18. Total 10,561.

Of special interest are :—

2 Little Auks (*Alle alle*) found dead at Sandringham. Presented by H.R.H. the Prince of Wales (King Edward VII.).

247 birds and eggs, from Madeira, Porto Santo, and the Salvage Islands. Presented by the Hon. Cecil Baring, and W. R. Ogilvie-Grant, Esq.

46 Petrels (*Procellariiformes*) and Gulls (*Lariformes*). Presented by Henry Seebohm, Esq.

924 birds with nests and eggs from Rio de Janeiro. Presented by Alexander Fry, Esq.

3124 specimens of African birds, being the twenty-seventh to the thirty-fifth instalment of the Shelley Collection of African Birds.

23 types of new species of birds discovered during his expedition to Lake Rudolf. Presented by Dr. A. Donaldson Smith.

179 birds from Somali Land, including nine types and twelve species new to the Museum, collected by E. Lort Phillips, Esq.

71 birds and eggs from Aden. Presented by Colonel Yerbury.

4426 birds from Assam and Manipur, including many types and species new to the Museum, collected by Colonel H. H. Godwin-Austen, F.R.S.

104 birds from the Philippine Islands, the Sulu Archipelago, and Mt. Kina Balu in N.W. Borneo, collected by A. H. Everett, Esq.

22 birds from the islands of Luzon and Mindoro, in the Philippine Archipelago, collected by A. H. Everett, Esq.

58 birds from New Zealand. Presented by Sir Samuel Scott, Bart.

175 birds from the Hawaiian Archipelago, including twenty-six species new to the Museum, collected by R. C. L. Perkins, Esq. Presented by the Joint Committees of the Royal Society and the British Association.

178 birds from the Rio Pileomayo, collected by J. Graham Kerr, Esq. Presented by Capt. Juan Page.

13 birds, including nine species new to the collection. Received in exchange from the Hon. Walter Rothschild, Ph.D., M.P.

64 birds and eggs from Fao, Persian Gulf, collected by W. D. Cumming, Esq.

19 birds from the Solomon Islands, including types of four new species. Presented by Dr. E. P. Ramsay, Director of the Australian Museum.

109 eggs of Cuckoo, with sets of the eggs of the foster-parents, and the nests. From the collection of Leopold Field, Esq.

1896.

Specimens presented, 19,604 ; purchased, 2210 ; received in exchange, 56. Total, 21,900.

The most important additions were :—

The Seebohm bequest of 16,950 skins and skeletons of birds, being the remainder of the collection formed by the late Henry Seebohm, Esq. During the preceding years, Mr. Seebohm had presented to the Museum his collection of eggs and many of his birds for the purpose of aiding the preparation of the 'Catalogue of Birds' and the 'Catalogue of Eggs.'

420 birds from the Savana of British Guiana. Presented by F. V. McConnell, Esq., and J. J. Quelch, Esq.

35 birds from Mashona Land. Presented by Guy A. K. Marshall, Esq.

77 birds from South Australia. Presented by H. Munt, Esq.

1650 specimens from the Steere expedition to the Philippines, including 44 types and 15 species new to the Museum, collected by Professor J. B. Steere.

97 mounted Humming Birds. Presented by the Hon. Walter Rothschild.

66 specimens from Zulu Land, collected by Messrs. R. B. and J. D. S. Woodward.

104 birds, chiefly from Celebes, collected by A. H. Everett, Esq.

32 birds from Machakos, British East Africa, collected by Dr. S. J. Hinde.

20 birds from Matabele Land. Presented by F. C. Selous, Esq.

1807 birds from the Palearctic Region, from the collection of the late Edward Hargitt, Esq., R.I.

53 birds from Aden and Somali Land. Received in exchange from Capt. Nurse.

41 birds from Luzon, Philippine Islands, including eighteen species new to the Museum, collected by John Whitehead, Esq.

45 birds from Andros Island, Bahamas. Presented by Neville Chamberlain, Esq.

66 specimens of Eider Ducks (*Somateria mollissima*) and Black Guillemots (*Uria grylle*) from the neighbourhood of Christian-sund, N. Norway: illustrating the various moults and changes of plumage. Collected by Nikolai Hanson.

72 birds from Nyasa Land, including the types of three new species. Presented by Sir Harry H. Johnston, K.C.B., G.C.M.G.

37 birds from Nyasa Land. Presented by Sir Alfred Sharpe, K.C.M.G.

49 specimens from the Marianne Islands, including nine species new to the collection. Received in exchange from the Hon. Walter Rothschild, D.Sc., M.P.

98 birds from Somali Land, and 31 from Persia. Collected and presented by F. Gillett, Esq.

1897.

Specimens presented, 6293; purchased, 6359; received in exchange, 131. Total, 12,783.

The following were of special interest:—

972 birds. Presented by Dr. F. D. Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

3045 birds from Gilgit in High Kashmir, Kashgar, Yarkand, etc. This collection, formed by Colonel John Biddulph and presented by him to the Museum, contained also a fine series of skins of Finches (*Fringillidæ*).

28 birds from the Southern Shan States. Presented by Colonel G. Rippon.

81 birds from the Sandwich Islands, collected by R. C. L. Perkins, Esq. Presented by the Joint Committees of the Royal Society and the British Association.

17 specimens from the Cape Verde Islands, including the types of two new species. Presented by Boyd Alexander, Esq.

47 birds from Foochow. Presented by C. B. Rickett, Esq. and J. D. La Touche, Esq.

25 Geese and Ducks from Walcheren, Holland. Presented by T. M. Pike, Esq., and H. L. Popham, Esq.

34 birds and eggs from Spitzbergen. Presented by A. Trevor-Battye, Esq.

614 specimens from the Philippine Islands, including 67 types and 68 species new to the Museum; collected by John Whitehead, Esq. Presented by the subscribers to the Whitehead expedition.

428 birds from Northern Nyasa Land, collected by Mr. Alexander White. Presented by Sir Alfred Sharpe, K.C.M.G.

61 birds from the islands off Lower California. Presented by A. W. Anthony, Esq.

10 types of new species from Equatorial Africa. Presented by F. J. Jackson, Esq., C.B., C.M.G.

224 specimens from Argentina, collected by A. N. Holland, Esq.

36 birds from Christmas Island, Indian Ocean, collected by Dr. C. W. Andrews. Presented by Sir John Murray, K.C.B.

14 specimens, including seven species new to the collection. Received in exchange from the Hon. Walter Rothschild, Ph.D., M.P.

116 specimens from the islands of Luzon, Philippine Archipelago, collected by John Whitehead, Esq.

157 specimens, mostly Humming Birds, from Ecuador. Presented by L. Söderström, Esq.

111 birds from the neighbourhood of Christiansund, N. Norway, collected by Nikolai Hanson.

26 specimens from S.E. New Guinea, including nine species new to the Museum, collected by Dr. L. Loria.

72 birds from the neighbourhood of Bangkok, collected by Capt. Stanley Flower. Received in exchange from the Royal Siamese Museum.

218 birds from Uruguay, collected by O. V. Aplin, Esq.

136 birds from the islands of Savu and Lombok, collected by A. H. Everett, Esq.

135 birds from Northern Celebes, collected by Dr. Charles Hose.

72 eggs of Philippine birds, collected by John Whitehead, Esq.

42 specimens from New Zealand and the neighbouring islands. Received in exchange from the Otago Museum.

5479 specimens of Palearctic birds and the collection of Woodpeckers formed by the late Edward Hargitt, Esq., R.I.

1898.

Specimens presented, 4130; purchased, 2227; received in exchange, 485. Total, 6842.

Of special interest were the following:—

678 eggs of Chilian birds. Bequeathed by the late H. Berkeley James, Esq.

1344 birds from various parts of the Indian Empire. Presented by Dr. W. T. Blanford, F.R.S.

186 birds from Somali Land and South Arabia, including seven types and nine species new to the Museum. Presented by R. McD. Hawker, Esq.

232 birds from Bering Sea. Presented by Capt. G. E. H. Barrett-Hamilton.

40 specimens of Larks (*Alaudidæ*) and other rare species from Morocco and Tunis. Presented by J. I. S. Whitaker, Esq.

116 birds from N.W. Foh-Kien, China, including the types of seven new species. Presented by C. B. Rickett, Esq., and J. D. La Touche, Esq.

77 skeletons and birds in spirit. Presented by Dan Meinertzhagen, Esq.

Types of two new Pigeons from Alligator River, N.W. Australia. Received in exchange from the Christiania Museum.

26 birds from Nyasa Land. Presented by General Manning.

42 birds from Somali Land. Presented by J. Benet Stanford, Esq.

14 birds and eggs from New Zealand. Presented by Capt. R. Snow.

75 birds from Museat. Presented by Surgeon-Colonel Jayakar.

64 eggs of Gulls and Ducks from the Smölen Islands, N. Norway. Presented by Dr. Bowdler Sharpe.

61 birds from Somali Land and the Lake Rudolf district. Presented by Lord Delamere.

118 birds from British Guiana. Presented by F. M. McConnell, Esq., and J. J. Quelch, Esq.

72 birds from N.W. Borneo, collected by J. B. Bell, Esq.

A nest with eggs of Princee Albert's Rifle-Bird (*Craspedophora alberti*). Received in exchange from D. Le Souef, Esq.

93 birds from the Louisiade Archipelago, collected by Albert S. Meek, Esq.

66 birds from Mashona Land, collected by J. L. Sowerby, Esq.

21 birds from Mount Albert Edward, British New Guinea, containing several species new to the collection. Purchased.

33 birds from Franz Josef Land, collected during the Jackson-Harmsworth Expedition. Presented by Capt. F. G. Jackson.

74 birds from the Khin-gan Mountains, Mongolia. Presented by Dr. D. Donaldson Smith, J. E. Farnum, Esq., and G. L. Farnum, Esq.

53 birds from Mozambique, including the type of a new species. Presented by H. S. H. Cavendish, Esq.

28 birds from New Guinea, including 5 species new to the collection. Received in exchange from the Hon. Walter Rothschild, Ph.D., M.P.

238 birds from Nyasa Land. Presented by Sir Alfred Sharpe, K.C.M.G.

95 birds from Machakos, British East Africa. Presented by S. L. Hinde, Esq.

18 birds from Central Australia, obtained during the Horn Expedition. Presented by W. A. Horn, Esq.

565 eggs from Argentina, collected by A. H. Holland, Esq.

76 specimens from the Philippine Islands, collected by John Whitehead, Esq.

348 birds and eggs from the Lesser Sunda Islands and North Western Borneo. Collected by A. H. Everett, Esq.

257 birds from Somali Land, including 7 types and 8 species new to the Museum. Collected by E. Lort Phillips, Esq.

443 birds from Canada. Received in exchange from J. H. Fleming, Esq.

65 birds from Christiansund, N. Norway. Collected by Nikolai Hanson.

1899.

Specimens presented, 13,290; purchased, 2018; received in exchange, 121. Total, 15,429.

Of special interest are:—

9802 specimens of Mexican birds. Presented by Dr. F. D. Godman, F.R.S., and Osbert Salvin, Esq., F.R.S.

1192 birds from Southern China. Presented by C. B. Rickett, Esq.

174 birds from Nyasa Land. Presented by General Manning.

40 birds from Ascension Island and Diego Garcia. Presented by Dr. Frank Penrose.

114 birds, 6 nests, and 11 eggs from the Chilian Andes. Presented by E. A. Fitzgerald, Esq.

242 birds from Argentina and Patagonia. Presented by Dr. F. Moreno.

146 birds from Australia and Canada. Presented by Capt. G. E. Shelley.

30 birds from Museat. Presented by Surgeon-Colonel Jayakar.

9 birds, 29 eggs, and 76 nests from China. Presented by J. D. La Touche, Esq.

16 birds from the Transvaal. Presented by F. C. Selous, Esq.

18 birds from Yarkand. Presented by Capt. P. Deasy.

27 birds and eggs from Nigeria. Presented by Dr. Cuthbert Christy.

209 birds and 12 eggs from the Islands of Sokotra and Abd-el-Kuri, including the types of 8 new species, collected by W. R. Ogilvie-Grant, Esq., and Dr. H. O. Forbes. Presented by the Royal Society.

100 birds from various parts of Italy. Presented by Count E. Arrigoni degli Oddi.

20 birds from Bolivia. Presented by Count H. von Berlepsch.

63 birds and 16 eggs of birds from the Smölen Islands, North Norway. Presented by Dr. R. Bowdler Sharpe.

8 types of new species from Uganda. Presented by F. J. Jackson, Esq., C.B., C.M.G.

664 birds and 53 eggs from the Galapagos Archipelago, collected by the Webster-Harris Expedition.

18 birds from Coruña, Spain. Presented by Dr. Lopez Seoane.

103 birds from Canada. Received in exchange from J. H. Fleming, Esq.

21 birds from the island of Basilan, Philippine Archipelago. Collected by Mr. J. Waterstradt.

177 skins and specimens in spirit from Liberia, collected by A. Demery. Purchased of Mr. G. A. Frank.

55 birds from the Hinterland of the Gold Coast. Presented by the late Colonel H. P. Northcott.

23 birds from Bolivia. Presented by Sir Martin Conway.

41 birds from Mount Moari, New Guinea. Collected by Mr. Dumas.

4 specimens of a new species of Bunting (*Zonotrichia macconnelli*), from Mount Roraima, British Guinea. Presented by F. V. McConnell, Esq.

77 birds from the Louisiade Archipelago. Collected by Mr. A. S. Meek.

45 birds from Cape York. Collected by Mr. A. S. Meek.

90 birds from Ecuador and Puna Island. Collected by the late Mr. Perry O. Simons.

1900.

Specimens presented, 4629; purchased, 1209; received in exchange, 609. Total, 6447.

The principal accessions were:—

953 birds from the Shan States, including the types of seven new species. Presented by Colonel G. Rippon.

90 birds from Equatorial Africa. Presented by Dr. A. Donaldson Smith.

121 birds from the New Hebrides, including the types of twelve new species. Presented by Captain A. M. Farquhar, R.N.

87 birds from Nyasa Land. Presented by Sir Alfred Sharpe, K.C.B.

1360 birds from Southern China. Presented by C. B. Rickett, Esq.

307 birds collected by the late J. S. Jameson, Esq., in Mashona Land and the Upper Congo. Presented by Mrs. Jameson.

18 birds from Hainan, including three types of species new to the Museum, collected by the late John Whitehead. Presented by J. T. Thomasson, Esq.

222 birds from Nyasa Land. Presented by General Manning.

149 birds from Sarawak, collected by Dr. Charles Hose.

7 types of new species from Equatorial Africa. Presented by F. J. Jackson, Esq., C.B., C.M.G.

95 birds from the Zambesi River. Presented by Boyd Alexander, Esq.

213 birds and 40 nests and eggs from Sarawak. Presented by Dr. Charles Hose.

23 specimens of rare species of Birds of Paradise and other valuable birds from British New Guinea. Presented by Sir R. G. Le Hunte, K.C.M.G.

215 birds and 14 eggs from Australia. Presented by Donald McIntosh, Esq.

82 birds from the Zeraf River. Presented by Surgeon-Captain H. N. Dunn.

35 birds from North Queensland. Presented by Herbert C. Robinson, Esq.

568 eggs of North American birds. Received in exchange from the Princeton University Museum, N.J.

12 birds, including six species new to the Museum, collected by Heinrich Kühn.

190 birds from Yun-nan and South Western China, including the types of three new species. Presented by Captain A. W. S. Wingate.

417 birds from Southern Abyssinia, including the types of sixteen new species and examples of ten other species new to the Museum. Presented by H. Weld-Blundell, Esq., and Lord Lovat.

64 birds from Shen-si, North China. Collected by Father Hugh.

243 birds from South Arabia. Collected during the Percival-Dodson expedition.

22 birds from the Egyptian Sudan. Presented by Captain Stanley S. Flower.

200 birds from Ecuador and Peru. Collected by Perry O. Simons, Esq.

1364 birds from South China. Presented by C. B. Rickett, Esq.

307 birds from Mashona Land and the Aruwhimi River, Upper Congo, collected by the late J. S. Jameson, Esq. Presented by Mrs. Jameson.

53 birds from Northern New Guinea, collected by J. M. Dumas.

144 birds and eggs from the island of Hainan. Collected by the late John Whitehead.

85 birds from Mount Kenya, collected during the Mackinder expedition to British East Africa, including the types of four new species.

A collection of mummified birds from Egypt. Presented by the Committee of the Egyptian Exploration Fund.

41 birds from British New Guinea, collected by A. S. Meek.

45 birds from Morotai Island, collected by A. H. Everett, Esq.

102 birds from Mashona Land, collected by Mr. Edward Clarke.

32 birds from the French Congo, collected by G. L. Bates, Esq.

33 birds and 37 eggs from the Rio Ruu, Zambesia; collected by A. Blayney Percival, Esq.

45 birds from the island of Obi Major in the Moluccas, collected by Mr. W. Lucas.

11 birds from the island of Buru, collected by A. H. Everett, Esq.

1901.

Specimens presented, 17,595; purchased, 1165; received in exchange, 298. Total, 19,358.

Some of the most important accessions were the following:—

52 birds from Somali Land. Presented by H. H. the Gaekwar of Baroda.

15,150 eggs, bequeathed by the late Philip Crowley, Esq.

150 birds, 660 eggs, and 20 nests of birds, from Fohkien, South China. Presented by C. B. Rickett, Esq.

122 birds and 64 eggs, collected during the *Southern Cross* expedition to the Antarctic seas by Nikolai Hanson. Presented by Sir George Newnes, Bart.

33 birds from the Persian Gulf. Presented by C. T. Finch, Esq.

970 birds from the interior of British East Africa. Presented by Lord Delamere.

100 birds from Equatorial Africa. Presented by Dr. A. Donaldson Smith.

59 birds from the Lawas River, N.W. Borneo, collected by the late J. S. Jameson. Presented by Mrs. Jameson.

100 birds from Somali Land. Presented by Dr. Donaldson Smith.

226 birds, nests, and eggs from Victoria. Presented by the Government of Victoria.

47 birds from Nyasa Land. Presented by General Manning.

41 birds from Somali Land. Presented by Colonel J. J. Harrison.

107 birds from Queensland. Presented by Herbert C. Robinson, Esq.

103 birds from San Paulo, Brazil, collected by Mr. A. Robert. Presented by Sir William Ingram, Bart.

54 birds from the Shan States, Burma. Presented by Colonel G. Rippon.

81 birds from Deelfontein, Cape Colony, collected by E. Seimund. Presented by Colonel A. T. Sloggett, C.M.G.

4 types of new species from Equatorial Africa. Presented by F. J. Jackson, Esq., C.B., C.M.G.

179 birds from British East Africa, including 4 types of new species and 6 other species new to the Museum. Presented by Sir Harry Johnston, G.C.M.G., K.C.B.

67 birds from New Zealand and the adjacent islands, including the type of a new Cormorant. Presented by the Earl of Ranfurly, Governor of New Zealand.

294 birds and 76 eggs from the White Nile. Presented by R. McD. Hawker, Esq.

37 birds from the Egyptian Sudan. Presented by H. F. Witherby, Esq.

52 birds from North China. Presented by C. W. Campbell, Esq.

66 birds from the Egyptian Sudan, including 3 species new to the Museum. Presented by the Hon. N. Charles Rothschild and A. F. R. Wollaston, Esq.

89 birds from the Camaroons, W. Africa, including 6 species new to the Museum and the types of 5 new species. Collected by G. L. Bates, Esq.

48 birds from Batchian Island, Moluccas, collected by Mr. Heinrich Kühn.

211 birds from Ecuador and Peru, collected by Perry O. Simons.

47 birds and 78 nests and eggs from S.E. New Guinea, collected by Mr. Weiske, containing 23 species new to the Museum, with types of 9 new species.

529 specimens of *Paridæ*, being the collection of Tits formed by Professor M. Menzbier.

41 birds from the Solomon Islands, collected by A. S. Meck.

1902.

Specimens presented, 4812; purchased, 3356; received in exchange, 460. Total, 8628.

The most important accessions were:—

2220 eggs of Palearctic and Nearctic birds. Presented by W. Radcliffe Saunders, Esq.

17 types of new species from Ruwenzori and Toro. Presented by F. J. Jackson, Esq., C.B., C.M.G.

617 birds from Western Yun-nan. Presented by Colonel G. Rippon.

58 birds from New Zealand and the adjacent islands. Presented by the Earl of Ranfurly.

212 birds from Nyasa Land. Presented by Sir Alfred Sharpe, K.C.B.

485 birds and 138 eggs from Foh-kien, South China. Presented by C. B. Rickett, Esq.

385 birds from Somali Land and Southern Abyssinia, including the types of three new species. Presented by Sir Alfred E. Pease, Bart.

402 birds from the Upper Nile. Presented by R. McD. Hawker, Esq.

68 birds from S.E. New Guinea. Presented by H.F. Capt. F. R. Barton, Governor of British New Guinea.

2300 birds from Peru and Bolivia, collected by the late Mr. Perry O. Simons.

231 birds from the Camaroons, collected by G. L. Bates, Esq.

160 birds from the frontier of Yemen, S. Arabia, collected by G. W. Bury, Esq.

32 birds of prey from Western Australia. Presented by the West Australian Museum, Perth.

407 eggs of North American birds. Received in exchange from the Princeton University Museum, N.J.

31 birds from the Aruwihimi River, Upper Congo, collected by Capt. Guy Burrows.

71 birds from Ecuador and Colombia, collected by Messrs. Miketta and Flemming.

48 birds from the Egyptian Sudan. Presented by R. McD. Hawker, Esq.

48 birds from Mashona Land. Presented by J. Ffolliot Darling, Esq.

16 birds from Bosnia. Presented by Dr. Othmar Reiser.

20 birds from the Liu Kiu Islands. Presented by the Hon. N. Charles Rothschild.

20 birds from Shensi Province, N. China, collected by Father Hugh.

43 birds from Surinam. Presented by F. P. and A. P. Penard, Esqrs.

15 Pheasants from Burma, including the type of *Gennæus nisibetti*. Presented by Capt. W. G. Nisbett.

59 birds from the Egyptian Sudan. Presented by Surgeon-Capt. H. N. Dunn.

91 birds from Cyprus, collected by Mr. C. Glazner.

60 birds from the Caucasus, collected by Mr. Schultze.

1903.

Specimens presented, 5583 ; purchased, 3693. Total, 9576.

The most important accessions were as follows :—

973 birds, skeletons, eggs, and nests from Deelfontein, Cape Colony. Presented by Colonel A. P. Sloggett, C.M.G.

260 birds from the islands of the South Atlantic and Pacific Oceans, collected by Mr. M. J. Nicoll during the voyage of the R.Y.S. *Valhalla*. Presented by the Earl of Crawford, K.T., F.R.S.

351 eggs from various localities. Presented by W. Radcliffe Saunders, Esq.

75 birds, 16 eggs, and 3 nests from the Sudan. Presented by Surgeon-Capt. H. N. Dunn.

351 eggs from North Queensland. Presented by W. Radcliffe Saunders, Esq.

457 birds from Namaqua Land, collected by Mr. H. C. B. Grant. Presented by C. D. Rudd, Esq.

64 birds and eggs from Uganda. Presented by Dr. Cuthbert Christy.

260 birds and nests from British East Africa. Presented by A. Blayney Perceval, Esq.

31 birds from the Sudan. Presented by R. McD. Hawker, Esq.

582 birds from Western Yunnan. Presented by Colonel George Rippon.

72 birds from Sierra Leone. Presented by Robin Kemp, Esq.

34 birds from Central Asia. Presented by Capt. H. H. P. Deasy.

22 birds from Fernando Po, including 15 species new to the collection. Presented by Lieut. Boyd Alexander.

286 birds from North Nyasa Land. Presented by Sir Alfred Sharpe, C.B., K.C.M.G.

61 birds, 40 eggs, and 5 nests from Southern Persia. Presented by H. F. Witherby, Esq.

96 birds from New Zealand and the adjacent islands.
Presented by the Earl of Ranfurly.

989 birds from Foh-Kien, South China. Presented by
C. B. Rickett, Esq.

114 birds from Buenos Aires. Presented by Ernest
Gibson, Esq.

46 eggs and 2 nests from the Azores, collected by W. R.
Ogilvie-Grant, Esq. Presented by the Hon. Walter Rothschild,
Ph.D., M.P.

80 birds from British New Guinea. Presented by
H.E. Capt. F. R. Barton, Governor of British New Guinea.

116 birds from Upper Burma. Presented by Capt. A. Mears.

443 birds and 192 skeletons from Matogrosso, collected by
Mr. A. Robert. Presented by Mrs. Percy Sladen.

245 birds from South Arabia, collected by Mr. G. W. Bury.

466 birds from Abyssinia, collected by Mr. E. Degen.

420 birds from Patagonia, collected by Mr. J. Koslowsky.

275 birds from Pernambuco, etc., collected by Mr. A. Robert.

254 birds from Paraguay, collected by Mr. W. T. Foster.

25 birds from the Persian Gulf. Presented by W. D.
Cumming, Esq.

56 from Batchian and the Obi Islands, Moluccas, collected by
Mr. J. Waterstradt.

29 birds from Cyprus, collected by Mr. A. Glazner.

102 birds from Cyprus, collected by Miss Dorothea
M. A. Bate.

302 birds from the Camaroons, West Africa, collected by
G. L. Bates, Esq.

130 eggs of birds from North Cachar, collected by E. C.
Stuart Baker, Esq., and Dr. Coltart.

420 birds and eggs from the Southern Shan States, collected
by H. N. Thompson, and W. H. Craddock, Esqrs.

1904.

Specimens presented, 14,880; purchased, 3005; received in
exchange, 18. Total, 17,903.

The following are of especial interest and value:—

9948 eggs and 165 nests of Palæarctic birds. Presented by
W. Radcliffe Saunders, Esq.

34 birds and 51 eggs from Darjiling. Presented by B. B.
Osmaston, Esq.

333 birds from the Chindwin River in Upper Burma. Presented by Captain A. Mears.

498 birds from the interior of the Malay Peninsula, collected by Mr. H. C. Robinson. Presented by the Royal Society and the Universities of Edinburgh and Liverpool.

154 eggs from the province of Foh-kien in Southern China. Presented by C. B. Rickett, Esq.

59 birds from Victoria. Presented by the Government of Victoria.

45 birds from Entebbe, Uganda. Presented by J. F. Cunninghame, Esq.

60 birds from the Atlas Mountains in Morocco, with types of three new species. Presented by E. G. B. Meade-Waldo, Esq.

43 birds from the Egyptian Sudan. Presented by the Hon. N. Charles Rothschild.

316 birds from the Azores, collected by W. R. Ogilvie-Grant, Esq. Presented by the Hon. Walter Rothschild, Ph.D., M.P.

402 birds and skeletons, nests and eggs, from Fernando Po, collected by Mr. E. Seimund. Presented by Mrs. Percy Sladen, H.G. the Duke of Bedford, K.G., and the Hon. Walter Rothschild, Ph.D., M.P.

65 birds from the Vaal River, collected by R. B. Woosnam, Esq.

630 birds from the Baro River, collected by Mr. P. Zaphiro. Presented by W. N. Macmillan, Esq.

442 skins and skeletons of birds from Uganda, collected during the Anglo-German Boundary Commission. Presented by Colonel C. Delmé-Radcliffe.

11 types of species from British East Africa and the Ruwenzori Mountains. Presented by F. J. Jackson, Esq., C.B., C.M.G.

41 birds from British East Africa. Presented by Surgeon-Capt. R. E. Drake-Brockman.

592 birds from British East Africa and Uganda, collected by F. J. Jackson, Esq., C.B., C.M.G.

102 birds from British East Africa and from Florida. Presented by C. B. Storey, Esq.

483 birds from the West Indies and Venezuela, collected by Dr. R. Bowdler Sharpe. Presented by Sir Frederic Johnstone, Bart., and Laura, Countess of Wilton.

87 eggs from Scotland, St. Kilda, etc. Presented by J. Steel Elliot, Esq.

427 birds and eggs from Bechuana Land and the Orange

River Colony, collected by R. B. Woosnam, Esq., and R. E. Dent, Esq.

44 birds from China. Presented by Charles Nix, Esq.

11 birds from New Zealand, the Kermadecs and other islands in the New Zealand Seas. Presented by the Earl of Ranfurly.

472 birds from the Azores, West Indian Islands and Florida, collected by Mr. M. J. Nicoll during the voyage of the R.Y.S. *Valhalla*. Presented by the Earl of Crawford, K.T., F.R.S.

28 birds from Alaska. Presented by Capt. C. E. Radcliffe.

122 eggs of Costa-Rican birds, collected by Mr. C. F. Underwood.

745 nests and eggs from Paraguay, collected by Mr. W. Foster.

472 birds from Sierra Leone, collected by Robin Kemp, Esq.

83 birds from Batchian and the S.W. Islands in the Moluccas, collected by Mr. Heinrich Kühn.

116 birds from S. New Guinea and the Solomon Islands, collected by Mr. A. S. Meek.

61 birds from the islands of Mindanao and Waigiou, collected by Mr. John Waterstradt.

627 birds from the Camaroons, collected by G. L. Bates, Esq.

1905.

322 birds from Japan, collected by Mr. M. P. Anderson. Presented by H.G. the Duke of Bedford, K.G.

4 types of species from Equatorial Africa, viz. *Apalis ruwenzori*, *Sylviella toruensis*, *Megabias æquatorialis*, *Batis diops*. Presented by F. J. Jackson, Esq., C.B., C.M.G.

46 birds from the West Indies. Presented by D. A. Bannerman, Esq.

162 birds from Nyasa Land. Presented by Sir Alfred Sharpe, K.C.B.

265 birds from the Camaroons, W. Africa, collected by G. L. Bates, Esq. Purchased.

Includes the types of *Smithornis camerunensis*, *Chloropeta batesi*.

52 birds from N.W. Australia. Presented by Dr. Bernard Woodward, Director of the West Australian Museum, Perth, W.A. Several species new to the collection.

18 Pheasants from Upper Burma. Received in exchange from the Bombay Natural History Society.

49 birds from Colorado. Received in exchange from W. Cross, Esq.

43 birds from the Azores. Presented by Major Chaves, Director of the Ponta Delgada Museum, Azores.

745 birds from Argentina, Matto Grosso, Bolivia, etc. From Dr. P. L. Sclater's collection.

498 birds from the Mountains of the Malay Peninsula, collected by Mr. H. C. Robinson and Mr. Annandale. Presented by the Royal Society and the Universities of Edinburgh and Liverpool.

41 birds from the Kermadec Islands, the Snares and Macquarie Islands. Presented by the Earl of Ranfurly.

45 birds from Equatorial Africa. Presented by J. J. Harrison, Esq.

30 birds from Chile. Purchased of D. S. Bullock, Esq.

98 eggs of Australian birds. Presented by A. J. North, Esq.

22 birds from Egypt. Presented by L. Loat, Esq.

60 British birds. Presented by W. R. Ogilvie-Grant, Esq.

1297 birds from Egypt and other countries bordering the Mediterranean, as well as Central America and the West Indies. Bequeathed by the late Edward Cavendish-Taylor.

61 birds from the Camaroons. Collected by G. L. Bates, Esq.

22 birds and 1 nest from California, collected by J. W. Maillard. Presented by Miss Nixon.

14 birds from the Transvaal. Presented by Sir A. E. Pease, Bart.

277 birds from the Kauri Kachin district, Upper Burma. Presented by Colonel G. Rippon.

72 birds from Karakol, Tian Shan Mts., collected by A. A. Kutzenko. Presented by A. B. Bayley Worthington, Esq.

47 nests and eggs of Costa Rican birds, collected by Mr. C. J. Underwood.

1162 birds from Mt. Victoria, Chin Hills, Burma, including 11 types of the new species. Presented by Col. Rippon.

427 eggs of birds from Equatorial Africa. Purchased.

208 birds from the Chindwin Valley, Upper Burma. Presented by Capt. A. Mears.

88 birds from the Syrian Desert, containing the type of *Emberiza citriniventris*. Collected by Douglas Carruthers, Esq.

906 birds and 745 eggs from Paraguay, collected by William Foster, Esq.

63 birds from Jamaica. Presented by D. A. Bannerman, Esq.

954 mounted birds. Presented by Lord Tweedmouth.

232 birds from Benguela, collected by Dr. W. J. Ansorge.

236 birds from Mindanao, collected by Walter Goodfellow.

450 birds from Somali Land, collected by G. W. Bury.

3 nestling Geese and a nestling Swan. Presented by F. E. Blaauw, Esq.

450 birds from the Canary Islands and other localities. Presented by E. G. B. Meade-Waldo, Esq.

1000 birds from Southern China. Presented by C. B. Rickett, Esq.

430 birds from the Baro and Sobat Rivers and the White Nile, collected by Mr. Zaphiro. Presented by W. N. Macmillan, Esq.

200 birds from the Upper Chindwin River, Burma. Presented by Capt. A. Mears.

374 birds from S.W. Australia, collected by G. C. Shortridge. Presented by W. E. Balston, Esq.

396 birds and eggs from Persia, collected by R. B. Woosnam. Presented by Colonel R. C. Bailward.

328 birds from Sikhim and Tibet. Presented by Capt. H. J. Walton. [1905. 12. 31, 1-328.]

248 birds and eggs from the Antarctic, Auckland Islands, Macquarie Island and S. Trinidad Island. Collected by the ship *Discovery* during the National Antarctic Expedition.

32 birds, collected by the relief ship *Morning* during the National Antarctic Expedition.

1952 birds from Cape Colony, Zulu Land and E. Transvaal, collected by H. C. B. Grant. Presented by C. D. Rudd, Esq.

ALPHABETICAL LIST OF THE PRINCIPAL DONORS, COLLECTORS AND AGENTS, FROM WHOM THE SPECIMENS OF BIRDS IN THE BRITISH MUSEUM HAVE BEEN RECEIVED.

Edward VII. (*His Majesty, King*).

A specimen of Reeve's Pheasant from Norfolk. Presented. [90. 3. 16, 1.]

Two specimens of the Little Auk (*Alle alle*) picked up dead at Sandringham. Presented. [95. 6. 12, 1, 2.]

Abadie (*Capt. G. FANSHAWE*), *C.M.G.*

31 birds from Upper Nigeria. Presented. [1900. 8. 4, 1-31.]

Capt. Abadie was a son of General Abadie, himself a keen student of Natural History. His official duties prevented Capt. Abadie from making large collections, but this small series from the Nigerian Sudan was of distinct interest, especially the eggs of the Ostrich (*Struthio camelus*). His early death in Upper Nigeria in 1901 can never be too much regretted.

Abrahams (*J.*).

2 Weaver-finches (*Munia ferruginea*, var.), cage birds. Presented. [1904. 5. 9, 1-2.]

Adams (*Dr. A. LEITH*).

33 birds from "N.E. Africa" (*i.e.* Egypt and Nubia). [64. 3. 30, 1-33.]

An active collector in the middle of the nineteenth century, and a great friend of the late Sir William Jardine, to whom his early collections were sent. He was a good observer, as is shown by his papers on the birds of Kashmir and Ladak (P.Z.S., 1859, pp. 169-190, with a coloured plate of *Montifringilla adamsi*), and especially by his short essay on the birds noticed by him in Egypt and Nubia ("Ibis," 1864, pp. 233-243).

Adeane (*HARRY R. A.*).

A specimen of *Coccyzus americanus*, shot on Colonsay Island, Argyllshire. Presented. [1904. 11. 28, 1.]

Admiralty, The Lords of the.

By the Admiralty have been presented the collections made by various exploring expeditions fitted out by Great Britain. In recent years the co-operation of the Royal Society has been sought, and many collections have been presented through the latter medium. The results of the earlier Antarctic Expeditions seem to have reached the Museum through the Admiralty, and the various collections are noticed under their special headings.

[See Antarctic Expedition; Voyages of H.M.S.S. *Alert* and *Discovery*, *Challenger*, *Erebus* and *Terror*, *Flying Fish*, *Herald*, *Penguin*, *Plumper*, and *Rattlesnake*.]

Afghan Delimitation Commission.

See ARCHERSON.

Aitchison (Dr. J. E. T.).

230 birds. Presented. [86. 9. 16, 1-230.]

This collection, formed in 1884-85 by Dr. Aitchison, the naturalist appointed to the Delimitation Commission, was fully described by me in 1889 (Trans. Linn. Soc., new series, Zoology, vol. v., part 3, pp. 66-93, pls. vi., vii.), with notes on the habits and distribution of the birds by Dr. Aitchison. Two new species, *Gecinus gorei*, Hargitt, and *Passer yatei*, Sharpe, were described and figured, as was also a beautiful new Pheasant (*Phasianus principalis*, Selater).

Alert, H.M.S.

One of the exploring ships on Sir George Nares' Arctic voyage (1875-1876).

See FIELDEN, H. W.

Alexander (Lieut. BOYD), Rifle Brigade.

17 specimens from the Cape Verde Islands. [97. 7. 30, 1-17.]

95 specimens from Zambesia. [1900. 5. 26, 1-95.]

22 specimens from Fernando Po. [1903. 2. 14, 1-22.]

One of the most energetic and capable traveller-naturalists of the present day. His first expedition was to the Cape Verde Archipelago, where he discovered some new species (see "Ibis," 1898, pp. 74-114, 277-85). He presented seventeen specimens to the Museum, adding to our collection two species, *Spizocorys razza* and *Puffinus edwardsi*. [97. 7. 30. 1-17.] He next made a large collection of birds on the Zambesi; this was described by him in the "Ibis" for 1900 (pp. 71-109, 424-458, pl. i.). On this occasion he presented 95 specimens to the Museum. Passing through the Ashanti campaign, he did not neglect his scientific pursuits when the fighting was over, and he made considerable collections of birds in the forests and in the hinterland of the Gold Coast. 1100 skins of birds were obtained on this trip, and the collection was described by him in the "Ibis" for 1902 (pp. 278-333, 335-377, pls. vii.-ix.); and he has presented to the Museum 95 specimens from this expedition. Obtaining leave from the War Office, he next visited the Island of Fernando Po, and having organised a supply of native carriers from the Gold Coast, he cut his way through the virgin forests of the island, and attained an altitude of 10,800 feet. The result of this plucky achievement was the discovery of no less than 39 species of birds. Lieut. Alexander has presented to the Museum 22 specimens from his last expedition, adding thereby 17 species which were not before represented in the National Collection.

Alexander (Sir J. E.).

22 birds from Damara Land. Presented. [38. 4. 16, 1, 89-110.]

Captain (afterwards Sir) James Edward Alexander was one of the early pioneers of travel in Damara Land, and his journey is described in his little work, "An Expedition of Discovery into the interior of Africa" (2 vols. 8vo., 1838). For this expedition he was knighted (Dict. Nat. Biogr. Suppl. vol. i. p. 31). The new species of birds were named by Mr. G. R. Waterhouse, and consisted of a new Rock Thrush (*Petrocincla brevipes*), a new Francolin (*Francolinus adspersus*), and a new form of Flycatcher (*Lanioturdus torquatus*). The register is marked by Dr. J. E. Gray as "Purchased at Stevens's Sale Rooms chiefly from Captain Alexander's collection." The above-mentioned types do not seem to have been acquired, and doubtless went into the Zoological Society's Museum.

Anderson (A.).

Made valuable collections of birds in the N.W. Provinces of India. After his death, the collections were purchased by Mr. Henry Seebohm, who exchanged away a good many specimens, but a fair number were contained in the Seebohm Bequest.

Anderson (Dr. JOHN).

200 birds collected during the Expedition through Burma towards Yun-nan in 1867, 1875-6. [1876. 4. 7, 1-200.]

These collections were described by Dr. Anderson in his large work (2 vols. 4to) entitled "Anatomical and Zoological Researches, comprising an Account of the Zoological Results of the two Expeditions to Western Yun-nan in 1868 and 1875." The first set of specimens went to the Calcutta Museum, of which he was then Director, and the second set of 200 birds passed into the hands of the British Museum, which had up to that time no extensive series from Burma: 13 species were new to the collection, and there were three co-types of new species described by Dr. Anderson.

Andersson (C. J.). [1827-1867.]

See BARTLETT, A. D.; SHARPE, R. BOWDLER; STEVENS, S.

Swedish naturalist, born in Wermeland in 1827. Joined Galton's expedition to Damara Land in 1850. His collections were sent to Mr. A. D. Bartlett, afterwards Superintendent of the Zoological Gardens, but at that time a dealer in natural history objects. Many of the birds obtained on this first expedition were dispersed before any catalogue of them was made, and a portion of this collection was purchased by Mr. G. A. Frank, the well-known dealer of Amsterdam; but about 100 specimens passed into the hands of Mr. H. E. Strickland, and are now in the Cambridge Museum.

Dr. P. L. Selater, who commenced his zoological career under the ægis of Strickland, joined the latter in a description of this remnant of Andersson's first consignment. A memoir, which was entitled a "List of a Collection of Birds procured by C. J. Andersson in the Damara country, with notes," was published in Jardine's "Contributions to Ornithology" for 1852, and the following new species were described:—*Caprimulgus damarensis* (= *C. rufigena*, Smith), cf. Hartert, Cat. xvii. p. 532; *Platystira albicauda* (= *Lanioturdus torquatus*), cf. Sharpe, Cat. iv. p. 237; *Enneoctonus anderssoni* (= *L. collusio*) Grant, Nov. Zool. ix., p. 484; *Erythropygia galtoni* (= *Saxicola familiaris*, Steph.), cf. Sharpe, Handl. iv. p. 175; *Drymæca flavida* (= *Euprinodes flavidus*) cf. Sharpe, Handl. iv. p. 224; *Sphenæacus pycnopygius* (= *Chatops pycnopygius*), cf. Sharpe, Handl. iv. p. 5; *Spreo bispecularis* (= *Lamprocolius bispecularis*), cf. Sharpe, Cat. xiii. p. 181; *Alauda erythrochlamys* (= *Ammomanes erythrochlamys*), cf. Sharpe, Cat. xiii. p. 648; *Alauda spleniata* (= *Tephrocorys spleniata*), cf. Sharpe, Cat. xiii. p. 563; *Alauda naxia* (= *Mirafra naxia*), cf. Sharpe, t.c. p. 617; *Nectarinia anderssoni* (= *Cinnyris leucogaster*), cf. Shelley, Monogr. Nect. p. 39; *Halcyon damarensis* (= *H. chelicuti*, Stanl.), cf. Sharpe, Cat. xvii. p. 239; *Campothera capricorni*; *Charadrius damarensis* (= *Ochodromus asiaticus*), cf. Sharpe, Cat. xxiv. p. 230; *Charadrius pallidus* (= *Ægialitis pallida*), cf. Sharpe, t.c. p. 284; *Sternula balænarum* (= *Sterna balænarum*), cf. Saunders, Cat. xxv. p. 111.

Andersson made several expeditions to Damara Land, discovered the Okavango River, and penetrated to Lake N'gami and the Cunene

River, making large collections of birds. He also obtained a considerable number of specimens during his visits to Cape Town and in the Knysna district. These collections were sent to Mr. Stevens, the celebrated London agent, and after his retirement to Mr. Higgins in Bloomsbury Street. The late Mr. John Henry Gurney, who was a close friend of Andersson's for many years, editing and publishing the posthumous "Birds of Damara Land" from the MSS. left by the traveller, secured the majority of the Birds of Prey from the latter's collections for the Norwich Museum. The Wading-birds were in the same manner purchased by Mr. J. Edmund Harting, who was working out the *Limicolæ*, and possessed a fine collection of these birds, which was afterwards acquired by the late Mr. Henry Seebohm. Andersson's specimens of *Limicolæ* have, therefore, passed by the bequest of that gentleman into the British Museum.

A few specimens were purchased from Andersson's agents for the Museum, and by myself before I entered the service of the Trustees. The latter are duly recorded in the "Catalogue" of African Passeres in my collection (1871), and are now in the Museum. Before Mr. Higgins retired from business, to settle in Tasmania, he came across a considerable collection of birds, from Andersson's later travels, stowed away in a box. These I purchased and presented to the Museum, which now possesses a fairly complete series representing Andersson's indefatigable labours. In his later years he became a trader, and settled at Otjimbingue, being ultimately wounded in a fight between the Namaquas and Damaras, having espoused the cause of the latter, with whom he lived. His knee was shattered by a bullet, and he was crippled ever afterwards, finally succumbing from the effects of this wound and the terrible privations he had undergone during his expeditions through the deserts of South West Africa. I have named some species of birds after him, since his death, but he is best known to ornithologists by the wonderful Bird of Prey called Andersson's Pern, *Machærhamphus anderssoni* (Gurney), a night-flying bat-eating Hawk, the representative in Africa of a genus before supposed to be confined to the Indian region and the Papuan sub-region.

Andrews (C. W.), D.Sc., Assistant in the Department of Geology, British Museum.

Dr. Andrews was sent by Sir John Murray, with the permission of the Trustees, to study the natural history of Christmas Island in the Indian Ocean. The results of his stay there and a full account of the collections made by him have been published by the Trustees in the "Monograph of Christmas Island."

[See MURRAY, Sir JOHN.] [1898. 9. 16, 1-88; 1898. 9. 27, 1-18; 1899. 5. 1, 6-11.]

During his geological explorations in Egypt Dr. Andrews has found time to collect a few birds, sending 20 specimens from Helouan in 1902. [1902. 10. 9, 1-20.]

Andrews (H. D.).

26 birds from Argentina. Presented. [1901. 2. 10, 1-26].

Annandale (NELSON) and Robinson (H. C.).

See ROBINSON, p. 154.

Ansell (H. F.).

106 birds from Gaboon. [73. 9. 10, 1-8; 73. 12. 26, 1-11; 74. 2. 16, 1-28; 74. 2. 17, 1-11; 74. 2. 20, 1-24; 74. 9. 11, 1-13; 74. 10. 1, 2-12.]

Mr. Ansell was a personal friend of my own, whom I requested to send any specimens of birds he might be able to procure. He was a merchant on the River Danger or Ogowé, in Gaboon, and was first introduced to me by Mr. J. J. Monteiro. In the years 1873-1874 the Museum received seven small consignments from him, comprising 106 specimens. He managed to obtain several rare species, one being a remarkable Lark-heeled Cuckoo (*Centropus anselli*, Sharpe), and an interesting Bush-Shrike (*Dryoscopus lühderi*, Reichenow), which had been procured about the same time by Dr. Lühder in the Camaroons, and described by Dr. Reichenow a few weeks before my description of *Dryoscopus ruficeps*, of which the type was sent by Mr. Ansell, appeared.

Ansonge (Dr. W. J.).

26 specimens from Uganda. Purchased. [96. 7. 14, 1-26.]

232 specimens from Benguela. Purchased. [1905. 11. 22, 1-232.]

Dr. Ansonge is an excellent naturalist, and his collections from Equatorial Africa and Angola are in the Hon. Walter Rothschild's Museum at Tring. He has sent some large collections from Benguela to the British Museum. (See his book "Under the African Sun," 1899.)

Anstey (Lieut.).

33 birds from Kingwilliamstown, S. E. Africa. Presented. [77. 8. 1, 1-33.]

This was the only collection received from this gallant young officer, who was associated with Major Trevelyan in his efforts to procure specimens of natural history for the British Museum. A year after the receipt of the above collection, Lieut. Anstey was killed at the battle of Isandhlwana.

Antarctic Expedition.

See ADMIRALTY (LORDS OF THE); ROYAL SOCIETY.

The first collections were received through the Council of the Royal Society.

78 specimens from Kerguelen Land. Presented by the Lords of the Admiralty. [41. 4, 743-791.]

119 specimens from the Antarctic Ocean, New Zealand, Auckland Islands, Tasmania, Campbell Island, St. Paul's Rocks, etc. [42. 12. 16, 1-119.] Presented by the Lords of the Admiralty. Several "duplicates" were "returned," presumably to Dr. McCormick.

224 specimens from the Falkland Islands, Antarctic pack-ice, New Zealand, etc. Presented by the Lords of the Admiralty. [44. 1. 18, 1-218; 44. 3. 20, 1-6.]

No detailed memoir of the birds procured during the Antarctic expedition of the *Erebus* and *Terror* was published at the time of its return, but many species were mentioned in the early Museum Catalogues. Sir Joseph Hooker was naturalist to the expedition, and the doctors on board the two ships were also good collectors and observers, viz., Dr. McCormick, Dr. Robertson, and Dr. Lyall. Dr. McCormick's excellent notes appeared in Gould's "Birds of Australia" and "Hand-book"; and shortly before his death, which only took place a few years ago, the old veteran, who had accompanied Ross on both his Polar voyages, wrote his memoirs.*

The "Zoology of the Voyage of the *Erebus* and *Terror*" gives an account of the birds of New Zealand. It was published in 1844 and

* "Voyages of Discovery in the Arctic and Antarctic Seas." 2 vols. 8vo. 1884.

1845. Thirty-five coloured plates accompanied the memoir, but some of them are not referred to in the letterpress. These plates seem to me to have been drawn by D. W. Mitchell, who was about that date engaged with G. R. Gray in illustrating the "Genera of Birds." Some few are by Wolf. When the "Appendix" was published in 1875 I re-wrote the list of the "Birds of New Zealand" and brought the subject up to date, and was also able to issue some fine plates of Antarctic species. These Dr. J. E. Gray had apparently intended to publish, and they had remained in his room for many years, until Mr. E. W. Janson bought the stock and published the "Appendix."

Antarctic Expedition, British.

See NEWNES, SIR GEORGE.

Antarctic Expedition Committee of the Royal Geographical Society and the Royal Society.

27 birds and eggs from S. Trinidad Island, including the type of *Australata wilsoni*, collected by Dr. E. A. Wilson, of the *Discovery*. [1905. 12. 30, 130-156.]

78 birds from Macquarie Island, Auckland Islands and Antarctic Ocean. [1905. 12. 30, 157-234.]

124 birds and eggs, including those of the Emperor Penguin, from Victoria Land and other parts of the Antarctic continent, collected by Dr. E. A. Wilson. [1905. 12. 30, 235-358, 393-412.]

33 birds from the Antarctic Seas and Victoria Land, collected by Dr. G. A. Davidson on the relief ship *Morning*.

Anthony (A. W.).

61 specimens of birds and eggs, mostly from the Revillagigedo Islands. Presented. [97. 11. 10, 1-61.]

This young American naturalist has done very important work among the birds of the Pacific coast of North America, and especially in California and the islands which lie to the south of this portion of the continent.

Aplin (OLIVER V.).

218 birds and eggs from Uruguay. Purchased. [97. 12. 2, 1-218.]

This collection is described by Mr. Aplin in his paper on the "Birds of Uruguay" in the "Ibis" for 1894 (pp. 149-215, pl. v., eggs), and from the excellence of the author's field-notes on the species observed by him, the collection was of considerable value.

Argent.

38 specimens from	North America.	Purchased.	[43. 7. 20, 1-38.]
16	"	Italy	[43. 12. 1, 1-16.]
24	"	Mexico	[43. 12. 19, 1-29.]
			Type of <i>Chrysotis finschi</i> (Sol.).
36	"	Mexico	[44. 4. 1, 12-47.]
2	"	Shetland Isles	[44. 4. 10, 1-2.]
14	"	Cape Colony	[44. 10. 19, 60-73.]
15	"	Bogotá	[45. 2. 19, 1-15.]
11	"	Africa	[45. 3. 27, 1-11.]
19	"	Natal	[45. 6. 24, 1-19.]
20	"	Australia	[45. 11. 17, 2-21.]
30	"	Brazil	[45. 11. 19, 1-30.]
7	"	Mexico	[46. 1. 16, 1-7.]

3 specimens from Europe	Purchased.	[46. 5. 29, 1-3.]
8 " " Australia	"	[46. 6. 5, 1-8.]
20 " " Mexico	"	[47. 2. 26, 1-20.]
14 " " Mexico	"	[47. 3. 10, 1-14.]
22 " " India	"	[48. 3. 3, 1-22.]
24 " " N. W. America	"	[45. 6. 3, 1-24.]
24 " " India	"	[49. 1. 15, 1-24.]
53 " " West Africa	"	[50. 11. 18, 1-53.]
11 " " Trinidad	"	[52. 2. 3, 1-11.]
The type of <i>Globicera rubricera</i> (Gray).		[52. 5. 14, 1.]
14 specimens from South America	"	[52. 11. 27, 1-14.]
12 " " South America	"	[54. 2. 2, 1-12.]
57 " " Bogotá	"	[54. 4. 6, 1-57.]

504

Most of these specimens, from the vagueness of their locality, have been passed into the duplicates and given away to other museums, only those of historical interest being retained.

Argent was a dealer in natural history objects, but was unknown to me personally. His place of business was in Bishopsgate Street, so Mr. Gerrard, sen., tells me, and he was a great collector of tortoises and reptiles, many of which were bought by Dr. J. E. Gray.

The registers enumerate 500 specimens of birds as purchased from Argent, but the localities were not very precise, though they were considered good enough for the days in which he flourished. Thus we read of "North America" in the first purchase made in July 1843, and he continued to supply specimens until April 1854, when the registers know his name for the last time. In 1845 the first examples (15) from Bogotá are recorded, and in 1854 the Museum bought 57 specimens from the same place. These were the commencement of that endless stream of Bogotá birds, now to be reckoned by millions, which have steadily come to Europe as articles of trade down to the present day. These skins are prepared by Indians in a somewhat rough manner, and are easily recognised by their "make." The locality is worthless, as the hunters in the present day have to go some considerable distance into the different valleys to obtain a supply of skins for millinery purposes, so that Bogotá is synonymous for a very large area.

The first paper on the birds of Bogotá was published by Dr. Sclater in the "Proceedings" of the Zoological Society for 1855, and the collections in the Museum formed the foundation of the paper which he wrote at this time (p. 132).

Argyll (*H.G. the late Duke of*), *K.G.*

7 specimens from Sicily. Presented. [97. 10. 30, 1-7.]

This is apparently the only donation which the late Duke of Argyll made to the collection of Birds; but he was an accomplished ornithologist, and, like the present Duke, an occasional visitor to the Bird room.

Argyll (*H.G. the Duke of*), *K.T.*

3 Gannets from Argyllshire. [98. 4. 12, 1-3.]

Armitage (*Miss*).

24 birds from British Guiana. Presented. [1904. 9. 9, 1-24.]

Arnot (*Capt. G. H.*).

28 specimens from Demerara. Presented. [1900. 8. 31, 1-28.]

Arrigoni degli Oddi (*Count E.*).

100 specimens of Italian Birds. Presented. [99. 8. 12, 1-100.]

Count Arrigoni degli Oddi is one of the most serious students of Palæarctic ornithology of the present day, and his great work, "Atlante Ornitologico; Uccelli Europei con notizie d'Indole generale et particolare," published in 1902 (pp. 166, xxvi., 568, tav. i.-L.), is a monumental volume which deals with the ornithology of the Western Palæarctic Region in a wonderfully complete manner, at once scientific and popular.

Ashmore (*G. P.*).

21 birds from High Peru. Presented. [99. 10. 3, 1-21.]

Aubinn (*ST. THOMAS DAVID*).

A native collector on the Gold Coast, who obtained many rare species for Governor Ussher, and also sent collections to the Museum.

Austen (*E. E.*).

See CAMBRIDGE (*F. O. PICKARD*).

20 birds from the River Amazon. [96. 5. 12, 1-20.]

Mr. Austen, who is in charge of the section of "Diptera" in the Zoological Department, has made expeditions to the River Amazon and to Sierra Leone, by the permission of the Trustees. On the former occasion he and his companion Mr. Pickard Cambridge obtained a small series of birds.

Australian Museum (*Sydney, N.S.W., Professor ROBERT ETHERIDGE, Director*).

30 birds from various parts of Australia. Presented.

[77. 11. 15, 1-30.]

107 birds from Australia. In exchange. [83. 12. 18, 1-107.]

This last collection formed part of the mounted series in the Australian Court at the International Fisheries Exhibition.

38 birds from N.E. Queensland. Presented. [90. 9. 19, 1-38.]

Several species were new to the Museum, *Collyriocincla boweri*, *Eopsaltria chrysorthoa*, *Heteromyias cinereifrons*, etc.

Ayres (*THOMAS*).

33 birds from Natal. [59. 5. 16, 1-33.]

Many birds from Mr. Ayres' first collection came to the British Museum; the eggs, obtained at the same time, passed into the hands of Messrs. Salvin and Godman, and are also in the Museum.

The *Accipitres* obtained by Mr. Ayres were retained by Mr. John Henry Gurney, who was then forming the famous series for which the Norwich Museum is so celebrated. Mr. Gurney presented many specimens to the Museum at King's Lynn, for which town he was then M.P., and described the whole collection in the "Ibis" for 1859, together with notes made on the birds sent to Europe by Dr. Gueinzus. Many of these latter had been purchased by the Museum through Mr. Samuel Stevens. Between 1859 and 1873 Mr. Gurney published no less than eleven lists of the birds sent by Mr. Ayres* from Natal. When the latter moved into the Transvaal, he settled at Potchefstroom and continued his collecting, the papers being written by himself, with

* Cf. Ayres, *Ibis*, 1869, pp. 286-303; 1871, pp. 147-157, 253-270, pl. 9; 1873, pp. 280-287; 1874, pp. 101-107, pl. 3; 1876, pp. 422-433; 1877, pp. 339-354; 1878, pp. 281-301, 406-411; 1879, pp. 285-300, 389-405; 1880, pp. 99-112, 257-273.

critical notes by Mr. Gurney. Thirteen in all were published by Mr. Ayres, who in 1881 accompanied the late Mr. J. S. Jameson on his expedition to Mashonaland, and wrote the field-notes on the birds obtained in this country, at that time an untrodden ground for the naturalist. Mr. Ayres' notes on the habits of South African birds are some of the most interesting contributions ever made by an ornithologist, and as an estimate of his integrity as a man, it is only necessary to state that he was allowed to remain in peace at Potchefstroom through both the Boer wars. Cf. Gurney, "Ibis," 1859, pp. 234-252, pl. 7; 1860, pp. 203-221; 1861, pp. 128-136; 1862, pp. 25-39, pl. 3, 149-158, pls. 4-5; 1863, pp. 320-330, pls. 8, 9; 1864, pp. 346-361; 1865, pp. 263-276; 1868, pp. 40-52, pl. 2, 460-471, pl. 10; 1873, pp. 254-259.

Many of Mr. Ayres' specimens have reached the Museum through the acquisition of Capt. Shelley's and my own collections of African birds, and they are remarkable for their fine preservation. After the death of Mr. Gurney, his son John Henry Gurney divided the remaining series bequeathed to him by his father between the British Museum and his old friend, Canon Tristram.

See GURNEY, J. H.; JAMESON, J. S.

Ayres (T. L.).

Son of the foregoing, and an excellent collector. Many of his specimens were in the Shelley and Seeborn Collections, and for some time he occupied himself in procuring a series of birds, in moult, for my especial study; these I gave to the Museum.

Ayscough (Capt. R. F.), H.M.S. *Ring-dove*.

4 specimens from Campbell Island, etc., including the type of *Ocydromus scotti*, Grant, Bull. B.O.C., xv., p. 78 (1905).

Baber (Rev. H. H.).

144 specimens from Madras. Presented. [43. 10. 25, 1-144.]

I have never been able to discover whether Mr. Baber was a missionary or an army chaplain. His skins were of the usual Madras or "Coorg" make, with a paper band round their bodies. The collection must have been of great service to the Museum in 1843, as at that time we possessed scarcely any specimens of Indian birds.

Baikie (Dr.).

23 specimens from Nigeria. Presented. [62. 6. 30, 12-34.]

Cf. Mr. Oldfield Thomas's Report on Mammalian Collections.

Bailey (Col. the Hon. J. H. R.).

2 specimens of the Common Magpie from Brecon. Presented. [1904. 6. 8, 2-3.]

Bailward (W. A.).

31 specimens from Taviuni Island, Fiji Archipelago. Presented. [84. 7. 9, 1-16; 86. 7. 10, 1-15.]

Mr. Bailward, on two occasions, presented small collections of birds from the island of Taviuni, and among them were specimens of *Chrysænas victor*, *Lamprolia victoriæ*, and its nest and eggs.

Bailward (Colonel R. C.).

396 birds from Persia. Presented. [1905. 12. 27, 1-396.]

Colonel Bailward served in the Royal Artillery from 1874 to 1905. He visited Persia in 1886, and again in 1889. In 1904 he made another expedition into Persia, taking with him Mr. R. B. Woosnam, who made an excellent collection of birds, which Colonel Bailward has presented to the Museum.

Baker (E. C. STUART).

22 specimens of eggs from Cachar. Presented. [1902. 8. 23, 1-22.]

87 specimens of eggs from Cachar. Purchased. [1902. 11. 6, 1-79; 1902. 11. 21, 1-8.]

Mr. Stuart Baker is one of the best-known Indian ornithologists of the present day, and has contributed some important articles on the birds of Assam and Cachar to the "Journal" of the Bombay Natural History Society and to the "Ibis." Nearly all the specimens received from him were eggs previously unrepresented in the Museum collection.

Baker (JOSEPH).

114 specimens of young British birds. [39. 8. 3, 1-114.]

73 birds from Cambridgeshire. [40. 6. 23, 5-22; 40. 6. 24, 48-67; 41. 6, 1672-1696; 44. 1. 1, 2-3; 44. 1. 2, 1-6.]

292 birds from England. [49. 12. 24, 2-174; 50. 2. 19, 1-55; 50. 8. 13, 1-57; 50. 8. 21, 1-13; 50. 11. 5, 8-51.]

66 nests of British birds with eggs. [51. 2. 11, 1-28; 51. 11. 25, 1-38.]

15 birds from England. [54. 1. 31, 1-15.]

Joseph Baker was born at Melbourne, Cambridgeshire, and worked for some time for Mr. Gould. Under the direction of the latter the big Giraffe which adorned the Mammal Gallery in the old British Museum was mounted by Joseph Baker, and Mr. Edward Gerrard, sen., lent a hand in completing the work, which was considered a big undertaking in those days. After leaving Mr. Gould, Baker had his workshops in Cardington Street, where my friends the Gerrards, father and son (to whom I am indebted for much information about the naturalists of the middle of the last century), used to visit him.

Towards the end of the forties a determined effort was made by Dr. John Edward Gray to improve the exhibition series of British birds in the public galleries at Bloomsbury, and the task of procuring the specimens was given to Joseph Baker, who collected most of them near his home at Melbourne, where he spent his holidays. The birds were well mounted by him, but in the conventional attitudes of the period, and most of them have been transferred to other Museums, or replaced by more naturally stuffed examples. For many years Baker was employed by Mr. George Robert Gray in mounting birds for the galleries, and as at that time it was considered to be the rôle of a Museum to mount *everything*, without consideration as to its value, the exhibition series was alone thought of, and priceless specimens were recklessly mounted, with the result that types and other valuable specimens were exposed to the light and dust of the public galleries, where they were very soon bleached out of all recognition.

When I was appointed in 1872, one of my first cares was to unmount and remove from the galleries all specimens of historical value. In many instances this interposition came too late, and irretrievable damage had been done. It will hardly be credited that I have found as many as eleven specimens of an Eagle, all in the *same* plumage, and all from the *same* place, mounted in a row on stands, and in one instance the bird had lost

a leg, and the limb had been replaced by a wire prop. In other instances the wings had been removed and stuck on again with glue. Such were the methods of the Museum taxidermy fifty years ago.

Baker (*Sir* SAMUEL).

25 specimens from Egypt and the White Nile. Presented. [74. 6. 5, 5-29.]

Balfour (I. BAYLEY).

66 specimens from Sokotra. Presented by the British Association. [81. 3. 21, 1-66.]

Prof. Bayley Balfour, under the auspices of the British Association, made a scientific expedition to the island of Sokotra, and obtained a very interesting series of birds, as the island had not before been visited by a naturalist. Prof. Balfour's work was largely botanical, and his bird-skins were obtained during his journeys in search of plants. The ornithological collection was described by Dr. Slater and Dr. Hartlaub (Proc. Zool. Soc., 1881, pp. 165-175, pls. xv.-xvii.), and seven new species were described, the types of which are in the Museum, viz., *Cisticola incana*, *Drymæca hesitata*, *Lanius uncinatus*, *Cinnyris balfouri*, *Passer insularis*, *Rhynchostruthus socotranus*, *Amydrus frater*.

The duplicates passed into Capt. Shelley's collection, and have come with the latter into the hands of the Trustees, so that the entire series obtained by Prof. Balfour is now in the National Collection.

See also BRITISH ASSOCIATION; OGILVIE-GRANT, W. R.; FORBES, Dr. H. O.

Balston (W. E.).

5 nests from S.E. Australia. Presented. [1905. 9. 22, 1-5.]

374 birds from S.W. Australia, collected by G. C. Shortridge. Presented. [1905. 12. 26, 1-374.]

Bannermann (D. H.).

46 birds from the West Indies. Presented. [1905. 1. 14, 1-46.]

63 birds from Jamaica. Presented. [1905. 10. 14, 1-65.]

Barclay (G.).

74 birds from Guayaquil. Presented. [41. 2. 4, 441-513, 516.]

Mr. Barclay was botanical collector on board H.M.S. *Sulphur*. [See Hist. Coll., i., Botany, p. 132.]

Baring (*Hon.* CECIL) and **Ogilvie-Grant** (W. R.).

247 specimens of birds, nests and eggs from Madeira, the Desertas, and the Great Salvage Islands. Presented. [95. 7. 1, 1-247.]

Cf. Grant, "Ibis," 1896, pp. 41-55.

Barnard (CHARLES A.).

48 eggs from N. Australia. Purchased. [1900. 7. 3, 1-48.]

27 nests from British New Guinea and N. Australia. Purchased [1900. 8. 14, 1-13; 1900. 8. 16, 1-14.]

Barnes (*Lieut.* H. E.).

10 specimens from Aden. Presented. [92. 10. 20. 1-10.]

Lieut. Barnes was a good soldier, who rose from the ranks. He served in Afghanistan, and wrote some papers for Mr. Allan Hume's journal, "Stray Feathers," the principal ones being "Notes on the nidification of

certain species in the neighbourhood of Chaman, S. Afghanistan" (Str. F., ix., pp. 212-220), and "A list of Birds observed in the neighbourhood of Chaman" (*t.c.*, pp. 449-460). He got together a fine collection of Indian birds' eggs. On being transferred to Aden, he was much interested in the ornithology of that Peninsula, and wrote a noteworthy paper on the results of his studies in that inhospitable spot ("Ibis," 1893, pp. 57-84, 165-181).

He also published a series of articles on the birds of the Bombay Presidency in the "Journal of the Bombay Natural History Society," illustrated by himself [*Cf.* "Ibis," 1896, p. 162].

Baroda.

See H.H. THE GAEKWAR OF BARODA.

Baron (O. T.).

A German naturalist, who collected in California, and made expeditions to Ecuador and Peru. He mounted all his Humming-birds in the field, and a beautiful set of these birds was presented to the Museum by the Hon. Walter Rothschild. A series from his Peruvian collections was acquired by Dr. F. D. Godman and presented by him to the Museum. Other collections were sent to the Hon. Walter Rothschild. A paper was published on these collections by Mr. Osbert Salvin (Nov. Zool., ii., pp. 1-22), and 16 new species were described. Mr. Baron himself contributed some notes on the localities visited by him in Northern Peru to Mr. Rothschild's "Novitates" (vol. iv., pp. 1-10), and some other new species have been described by Mr. Hellmayr (Nov. Zool., xii., p. 503, 1905).

Baroody (S.).

18 specimens from Mount Lebanon. Purchased. [94. 5. 6, 1-18.]

72 specimens from Mount Lebanon. Presented. [94. 5. 7, 1-72.]

An interesting, but somewhat ill-prepared, series from the mountains of Lebanon.

Barratt (F. A.).

119 birds from the Eastern Transvaal. Presented. [75. 9. 30, 1-7; 75. 10. 1, 1-112.]

61 birds from the Eastern Transvaal. Purchased. [75. 10. 7, 3-63.]

This collection contained the types of two new species (*Bradypterus barratti* and *Andropadus* (potius *Bleda*) *flavostriatus*). Mr. Barratt was an old schoolfellow of mine, and we met after many years on his return from South Africa. I described the new species in the "Ibis" for 1876 (pp. 52-54), and Mr. Barratt himself described his collection in the same volume (pp. 191-214), where *Bradypterus barratti* was figured (pl. iv.).

Barrett-Hamilton (Captain G. E. H.).

192 specimens from Bering Island and the North-Western Pacific. Presented. [95. 7. 4, 1-192.]

44 specimens from Bering Island, etc. Presented. [98. 3. 25, 1-3; 98. 11. 11, 1-41.]

21 specimens from Kamtschatka. Presented. [1900. 1. 6, 1-10; 1902. 5. 1, 1-11.]

20 specimens from the Orange River Colony. Presented. [1901. 9. 20, 1-20.]

900 specimens from the Orange River Colony, S.W. Transvaal, Griqualand West, and Cape Colony. Presented. [1905. 12. 28, 1-900.]

Capt. Barrett-Hamilton's early studies were devoted to the Fauna and

Flora of Ireland, and he has also paid much attention to Mammalia especially those of the Western Palearctic region. He is particularly interested in the Pinnipedia, on which he has written chapters in the "Antarctic Manual," and in the British Museum "Report" on the *Southern Cross* collections. He is also a student of the phenomena of colour and sexual dimorphism in the Vertebrata.

In 1896-97 he was selected by the Foreign Office and the Colonial Office to serve on the International Bering-Sea Seal Commission, and obtained some interesting specimens of birds. In April, 1901, he accompanied his regiment, the 5th Battalion Royal Irish Rifles, to South Africa, and remained there till the close of the war. Being in charge of some of the block-houses, he utilised his leisure time in collecting specimens of natural history, and presented to the Museum a fine series of birds.

Bartlett (ABRAHAM DEE).

8 specimens of young Geese. Purchased. [43. 12. 30, 1-8.]

64 eggs of North American birds. Purchased. [51. 6. 12, 1-64.]

29 specimens of birds from Damara Land collected by C. J. Andersson. Purchased. [52. 5. 1, 15-43.]

To this collection reference has already been made (*vide supra*).

Mr. Bartlett, before he became Superintendent of the Zoological Society's Gardens, had a natural history agency in Little Russell Street, Bloomsbury. My old friend Mr. Edward Gerrard remembers it well, but the house has long ago been pulled down. Mr. Bartlett was an able taxidermist, of the school of John Hancock, and presented a few examples of his art to the British Museum, but they do not seem to have been registered. He was wont to mount some of the rare animals which died in the Zoological Gardens, such as the *Ailurus*, which are still exhibited in the galleries, and an Eagle Owl (*Bubo bubo*); these have been the subject of many pictures in popular works on natural history.

He belonged to a little coterie of hard-working field-naturalists, of whom Frank Buckland and Henry Lee were the leading spirits (*cf.* 'Ibis,' 1897, p. 499).

Bartlett (EDWARD).

259 specimens from Upper Amazonia. Purchased. [66. 5. 8, 1-66; 69. 6. 5, 1-16; 69. 4. 10, 1-10; 69. 6. 25, 1-146; 70. 6. 4, 1-21.]

7 specimens from Egypt and South America. Purchased. [72. 12. 23, 1-7.]

10 specimens from Mexico collected by Mr. Dorman. Purchased. [74. 7. 1, 1-10.]

Eldest son of Mr. A. D. Bartlett. Principally known for his natural history explorations on the Upper Amazon, where he experienced considerable hardships, but discovered many interesting birds. His collections were described by Dr. Sclater and Mr. Salvin [P.Z.S., 1866, pp. 175-201, pl. xviii.], and the first set purchased by the Museum in 1869. He had previously accompanied Canon Tristram on an expedition to Syria and Palestine. He was for some years curator of the Maidstone Museum, and afterwards of the Sarawak Museum at Kuching. He has written the life of his father (*vide supra*).

Bartlett (Col. H. W.).

12 birds from Sierra Leone. Presented. [1905. 4. 5, 1-12.]

Barton (H.E. Capt. F. B.), Governor of British New Guinea.

68 specimens from the interior of British New Guinea. Presented. [1902. 7. 20, 1-68.]

22 birds from British New Guinea. [1905. 7. 25, 1-22.]

Capt. Barton, who is the Governor of British New Guinea, has interested himself in the natural history of the colony, and presented to the Museum a valuable collection of birds, including the peculiar Torrent-duck (*Salvadorina waigiensis*) and the rare *Parotia helenæ*, a Bird of Paradise not previously represented in the collection.

Bates (G. L.).

32 birds from French Congo. 1900. 2. 24, 1-32.]

31 " " the Como River, Gaboon. [1901. 4. 24, 1-31.]

12 " " Benito River. [1901. 7. 6, 1-12.]

908 " " Camaroons. [1901. 10. 29, 1-46; 1902. 5. 15, 1-30; 1902. 7. 15, 1-100; 1902. 12. 5, 1-101; 1903. 2. 16, 1-25; 1903. 7. 16, 1-100; 1903. 10. 23, 1-177; 1904. 7. 18, 1-180; 1905. 1. 24, 1-265; 1905. 7. 30, 1-61.]

The importance of the collections made by Mr. Bates cannot be overestimated. The first series of birds from the Como River in Gaboon was interesting enough, but the very complete collections which he has sent to the Museum from the Benito River, the neighbourhood of Efulen, and the River Ja, have proved of the greatest value to science. I entirely agree with my friend Mr. Oscar Neumann, who has gone over these collections with me, and whose experience in African zoology is derived from personal travel in many parts of Equatorial Africa, that in Camaroons are represented at least three zoo-geographical areas, of which the most northern shows an affinity to the Avifauna of Nigeria and the Gold Coast. The mountainous central region exhibits relations to the equatorial chain included in my Camaroonian sub-region, whilst the more southern districts possess a fauna almost identical with that of Gaboon and the Congo district. It is in the latter province of the Camaroons that Mr. Bates has worked. He has discovered several remarkable new species (*Dryotriorchis batesi*, *Accipiter batesi*, *Melittophagus batesi*, *Callene cyornithopsis*, etc.), and the interesting series of birds which he has sent to the Museum will always be a record of sound work performed by this industrious naturalist.

Bates (H. W.).

See STEVENS, S.

The great traveller, whose "Naturalist on the River Amazon" has become an English classic. His collections from Ega and the Rio Javarri (a river which had never been previously explored) were described by Dr. Selater (P.Z.S., 1857, pp. 261-268). *Eubucco aurantiicollis* was described as new.

Cf. Dict. Nat. Biogr., Suppl. i., p. 141.

Battye.

See TREVOR-BATTYE.

Bayne (W. M.).

A specimen of *Anas cristata* from Argentina. Presented. [1904. 5 5, 1.]

Beavan (Capt. R. C.).

An excellent naturalist, who collected in the sixties in India, and did made good work. He was a friend of Dr. Jerdon, and also of the Marquess of Tweeddale, in whose Museum most of Beavan's collections are to be found. A good notice of his career is given in the "Ibis" for 1870 (p. 301).

Beck (R. N.).

13 birds from the Galapagos Archipelago. Purchased. [1902. 12. 11, 1-13.]

A well-known American explorer in the Galapagos and other Pacific islands off the coast of Western America.

Beddington (CLAUDE).

26 birds from Ashanti. Presented. [1900. 9. 8, 1-26.]

Bedford (H.G. the Duke of, K.G.), President of the Zoological Society.

2 specimens of the Ypecaha Rail (*Aramides ypecaha*). Presented. [98. 3. 10, 1, 2.]

A Mute Swan (*Cygnus olor*) from Woburn Abbey. Presented. [98. 3. 29, 1.]

402 birds, eggs and nests, from Fernando Po, collected by Mr. E. Seimund. Presented. [1904. 6. 22, 1-402.]

322 birds from Japan, collected by Mr. M. P. Anderson. Presented. [1905. 8. 7, 1-66; 1905. 12. 21, 1-256.]

A specimen of the rare Duck (*Asarcornio scutulata*). Presented. [1906. 2. 24, 1.]

See SLADEN, MRS. PERCY; ROTHSCHILD, HON. WALTER.

Belcher (Admiral Sir EDWARD).

333 birds collected in various parts of the Pacific and on the coasts of America [no exact localities seem to have been preserved]. Presented. [42. 12. 2, 2; 42. 12. 10, 2-5; 42. 12. 21, 4-7; 43. 7. 22, 1-83 (type of *Calornis nitida*); 47. 3. 4, 92-322.]

14 eggs from Mauritius. [47. 3. 2, 1-14.]

Cf. Diet. Nat. Biogr. iv., p. 142.

Bell (J. B.).

73 birds from the Lawas River and other localities in Northern Borneo. Purchased. [98. 11. 24, 1-73.]

Benzon (A.).

A Danish naturalist, who sent many eggs to Mr. Seeböhm, in whose collection they are recorded.

Berlepsch (HANS GRAF VON).

3 specimens from the Island of Nias, all species new to the collection. Received in exchange. [93. 12. 11, 1-3.]

31 specimens from Colombia and other countries of Northern South America. Received in exchange. [93. 12. 12, 1-31.]

13 specimens from New Guinea and other localities. Received in exchange. [96. 12. 29, 1-13.]

21 specimens from Bolivia and other States of South America. Presented. [99. 8. 2, 1-20; 1900. 2. 3, 5.]

22 birds from Peru and Bolivia. Purchased. [1901. 8. 2, 1-22.]

Count von Berlepsch is one of the greatest living authorities on South American ornithology. He has frequently presented to the Museum valuable duplicates from his collection.

Berezowsky (M.)

44 specimens from Gan-su, in Western China. [89. 3. 25, 1-44. Purchased.]

Mr. Berezowsky took part in the Potanin expedition to Gan-su, and is an excellent collector. No less than 17 of the species obtained from him were new to the Museum. (*Cf.* Bianchi and Berezowski, *Aves, Exped. Potan. Gan-su, 1884-1887: 1891.*)

Berlin Museum.

18 birds from Equatorial Africa. Received in exchange. [91. 6. 25, 1-18.]

2 Francolins (*Pternistes boehmi*) from German East Africa. [1901. 3. 22, 1-2.]

Betton (C. STEWART).

28 birds from British East Africa. Presented. [97. 12. 9, 1-18; 1901. 4. 17, 1-10.]

Biddulph (Colonel JOHN).

The type-specimens of *Podoces biddulphi* and *Suya obscura*. Purchased. [97. 6. 5, 1-2.]

448 birds from Gilgit. Purchased. [81. 4. 29, 1-8; 81. 12. 29, 1-146; 82. 4. 1, 1-294.]

3194 birds from Gilgit, Kashmir, Turkestan and other localities. Presented. [81. 12. 30, 1-154; 97. 12. 10, 1-3040.]

Colonel John Biddulph served during the Indian Mutiny under Lord Clyde, and was afterwards Aide-de-camp to Lord Northbrook, when the latter was Governor-General of India. He accompanied Sir Douglas Forsyth's mission to Yarkand, when the winter was passed in that country, Colonel Biddulph proceeding to Maralbashi, where he discovered a new species of Desert-Chough (*Podoces biddulphi*). He also crossed the two Pamirs and visited Wakhan. In 1877 he was posted at Gilgit, and here he did splendid work in a practically unknown country, being also the first European to penetrate to Hunza and Chitral. His Central Asian collections have been described by me in the Report on the "Scientific Results of the Second Yarkand Mission." Memoirs on the birds of Gilgit were published by Colonel Biddulph himself in the "Ibis" for 1881 (pp. 35-102), and 1882 (pp. 266-290). He also interested himself in the family of *Fringillidae* and made a fine collection of these birds, which he gave to the Museum in 1897 with the rest of his ornithological treasures.

Bingham (Colonel C. T.).

133 birds and eggs from Tenasserim. Presented. [83. 4. 5, 1-30; 83. 8. 20, 1-30; 83. 12. 27, 1-35; 84. 5. 23, 1-38.]

When stationed with his regiment in the N.W. Provinces of India, this indefatigable naturalist made a fine collection of birds from the neighbourhood of Delhi. His specimens, collected and labelled in the most careful manner, formed part of the Hume Collection, and the eggs of birds from the Delhi district are described and enumerated in Hume's "Nests and Eggs of Indian Birds," and in Oates' "Catalogue of the Birds' Eggs in the British Museum." Colonel Bingham's most important work was done when, as an officer in the Forest Department of the Indian Empire, he was in charge of the Thoungyin Valley in Tenasserim (*cf.* "Stray Feathers," ix., pp. 138-198). Papers on the birds of the latter province and Burma have appeared in Mr. Allan Hume's journal "Stray Feathers" (v., pp. 79-86; vii., pp. 25-33; viii., pp. 190-197, 459-463; ix., pp. 471-475).

Recent contributions to our knowledge of the Avifauna of the Shan

States and the Upper Mekong Valley have been published by Colonel Bingham in the "Journal" of the Asiatic Society of Bengal (with Mr. H. N. Thompson) for 1900 (pp. 102-142), and in the "Ibis" for 1903 (pp. 584-606, pls. xi. and xii.).

Blaauw (F. E.).

Eggs of *Aramides ypecaha* and *Ocydromus australis*, laid in his menagerie. Presented. [98. 3. 15, 1, 2.]

Nestlings of *Chen rossii*, *C. hyperboreus*, *Cygnus buccinator*, and *Cloephaga rubridiceps*. Presented. [1905. 12. 8, 1-4.]

Blakiston (Capt. T. A.).

59 birds from Japan. Presented. [83. 12. 29, 1-32; 84. 1. 25, 1-27.]

Capt. Blakiston's early papers were on the birds of the Saskatchewan region in western Canada (*Ibis*, 1861, p. 314; 1862, p. 3; 1863, pp. 39, 121). He was a captain in the Royal Artillery, and his North American collection appears to have been presented to the Royal Artillery Institution at Woolwich (*cf.* Whitely, "Catalogue of North American Birds and Eggs arranged in cabinets in the Museum of the R. A. Institution" 1865). In 1862 Capt. Blakiston commenced his papers on Japanese ornithology in the "Ibis," and he became an intimate correspondent of Consul Robert Swinhoe, who described several new and rare species. Ultimately Blakiston summed up the results of his labours in a little pamphlet, "The Birds of Japan, Amended List" (1884), in which he emphasised the fact that the fauna of Yezo was defined from that of Hondo by a line of demarcation at the Strait of Tsugar, the animals found to the south of this strait being Japanese, while the northern islands were more truly Siberian. Thus "Blakiston's Line" has become as important a feature in the zoo-geography of Northern Asia as "Wallace's Line" is to the student of the Avifauna of the Moluccas.

Blancanaux (F.).

A resident in British Honduras, who made some valuable collections of the birds of that country. The results are recorded in the "Biologia Centrali-Americana," by Dr. F. D. Godman and Mr. Osbert Salvin.

Blanford (W. T.), LL.D., F.R.S., C.I.E.

84 birds from Burma. Presented. [63. 5. 15, 1-84.]

476 birds collected by Dr. Blanford during the Abyssinian Expedition. Presented by the Government of India. [69. 10. 16, 1-476.] The first set went to the Calcutta Museum.

72 birds from various localities, Sikhim, Godavery Valley, Sind, etc. Presented. [73. 6. 16, 1-33; 80. 8. 12, 1-3; 80. 9. 29, 1-13; 80. 11. 11, 1-7; 1900. 8. 13, 1-16.]

325 birds from Baluchistan and Persia collected by Dr. Blanford during the visit of the Boundary Commission (*vide infra*). Received in exchange from the Indian Museum, Calcutta. [74. 4. 23, 1-325.]

1344 birds from various parts of India. Presented. [98. 12. 12, 1-1344.] This was Dr. Blanford's private collection of birds formed during his many years' service in India and Burma. An invaluable present, supplementing the great Hume collection.

This well-known naturalist and traveller was born in London on October 7, 1832, and was educated at private schools. He studied at the Royal School of Mines in 1852, receiving an Associateship, afterwards passing a year at the Mining Academy at Freiburg, in Germany. In October, 1855, he joined the Geological Survey of India in Calcutta, and

during his term of service worked in various districts of India and Burma, Bengal and Orissa (1855-60), Trichinopoly, Madras (July to September, 1859), Pegu (1860-2). Here it was that Dr. Blanford first began to collect birds (*cf.* "Ibis," 1870, p. 462), in the Bombay Presidency (1862-5), and in the Central Provinces (1865-7). In the latter part of 1867 he was attached as Zoologist to the Abyssinian Expedition, and went to Magdala with the army. He afterwards made an excursion into Bogos Land with Mr. W. Jesse, the expedition lasting till August 1868, and for more than a year he was engaged in Calcutta and in London in working out his collections (*cf.* his "Geology and Zoology of Abyssinia," 1870).

From 1869-71 he was stationed in the Central Provinces, principally in the Godavery Valley (*cf.* J.A.S.Beng., xxxviii., pp. 164-91, 1869), and in the last-named year and 1872 he was attached to the Perso-Baluch Boundary Commission, and travelled through Persia (*cf.* "Eastern Persia: An account of Journeys of the Persian Boundary Commission, 1870-71-72"). This book was prepared during furlough from 1872-4 and published in 1876. An expedition to Sikhim with Mr. H. J. Elwes (*q.v.*) was undertaken in 1872, and an account of it given in the "Journal of the Asiatic Society of Bengal" (xli., pp. 41-73), when *Montifringilla ruficollis* and *Otocorys elwesi* were described as new species. He was at work in Sind and the desert country from 1874-7 (*cf.* Stray Feathers, vii., pp. 99-101, 526, 527, 1878), and was on duty at the Survey Office in Calcutta from 1877 to 1879. After a furlough till 1881, he visited the North-West frontier, Quetta to Dehra Ghazi Khan, in 1881-2, and retired from the Indian Service at the end of the latter year. After his return to England his principal work was the editing of the "Fauna of British India," of which sixteen volumes have appeared, and of these he himself has written the volume on Mammalia and Vols. III. and IV. of the Birds. He was awarded one of the Royal Society's Medals in 1901.

Blewitt (F. R.).

Collected in Central India. Many birds and eggs are in the Hume collection from Saugor and Raipur.

Blewitt (W.).

His collections of birds and eggs from the Hansi district in the Punjab are in the Hume collection.

Blundell (H. WELD), and Lovat (Lord).

416 birds from South Abyssinia. Presented by the above-named travellers. [1900. 1. 3, 1-416.]

16 new species were described by them and by Mr. Ogilvie-Grant, who has written an account of the collection in the "Ibis" for 1900 (pp. 115-178, 304-387, pl. ii.-vi.).

Blyth (EDWARD).

6 birds from the neighbourhood of Calcutta. Presented. [44. 3. 4, 1-6.]

11 birds from Tenasscrim and Burma. Presented. [62. 6. 29, 1-11.]

A man of enormous knowledge, and one of the cleverest all-round naturalists of the Victorian era. His edition of Cuvier's "Règne Animal" is quite one of the best, as is also his edition of White's "Selborne." He was appointed Curator of the Indian Museum in Calcutta in 1841, and worked there incessantly, without any furlough, for nearly twenty-

two years, raising the position of his Museum to one of the first importance. From 1841 to 1864, his monthly reports published in the "Journal of the Asiatic Society of Bengal," on the accessions received by the Museum, were of the highest scientific quality, and often contained monographic articles on certain groups of Mammals and Birds. Shortly before retiring from the Calcutta Museum he made a brief excursion to Burma and Tenasserim.

[See Hume's appreciation of his work in 'Stray Feathers,' vii., p. 528 (1878). Biography—'Ibis,' 1874, p. 465; J.A.S.Beng., extra no., 1875, pp. 1-167; Dict. Nat. Biog., v., p. 276.]

Blyth & Co. (Messrs.).

21 birds from British New Guinea. Purchased. [98. 5. 31, 1-21.]

Some rare species were in this collection, including an example of *Eulacestoma nigripectus*, De Vis.

Boate (A.)

48 birds from Ceylon. Purchased. [76. 5. 31, 1-48.]

Bocage (Prof. BARBOZA DU), Director of the Lisbon Museum [q.v.].

Under the direction of Prof. Barboza du Bocage, a large amount of scientific exploration has been done in the Portuguese possessions in Africa by means of collectors (Anchieta, F. Newton, etc.) Prof. Bocage has always been a good friend to the British Museum, to which he has presented many rare species of birds.

Bock (CARL).

See RAMSAY, Colonel R. G. WARDLAW.

Collected in Sumatra for the late Marquess of Tweeddale. His book on the "Head-hunters of Borneo" is a well-known work.

Bohndorff (F.).

128 specimens from the Niam-Niam country. Purchased. [84. 5. 1-128.]

A most important collection, containing five new species and others not previously in the Muscum, of great value as showing the extension of the purely West African Avifauna to the western watershed of the Nile. New species described: *Crateropus bohndorffi*, *Sigmodus mentalis*, *Pionias crassus*, *Ceuthmochares intermedius*, *Syrnium bohndorffi* (cf. Sharpe, Journ. Linn. Soc. Zool., 1884, pp. 419-441). Bohndorff had served in the Sudan with Gordon, and returning from Dr. Junker's expedition to the Niam-Niam country, was nearly cut off by the Mahdi. He met Gordon in the middle of the Korusko desert, as he was hurrying to his fate, and was the last European who spoke to him. See my paper (*l.c.*).

17 birds from the Congo River, including nine species new to the collection. Purchased. [87. 8. 12, 1-17.]

After his return from the Sudan, Bohndorff collected on the Congo and in East Africa. Some of his skins, subsequently obtained in the Zanzibar district, were presented to the Museum by Emin Pasha.

Bombay Natural History Society.

18 Kalij Pheasants from Upper Burma. Received in exchange. [1905. 1. 25, 231-248.]

A specimen of *Podoces pleskei* from Kain, Persia. Presented. [1905. 7. 20, 1.]

Bond (FREDERIC).

49 eggs of British birds. Presented. [58. 12. 3, 1-49.]

18 British birds and nests. Presented. [73. 11. 7, 1-18.]

A hybrid between *Dafila acuta* and *Anas boscas*. Bequeathed. [89. 12. 21. 1.]

A Spotted Sandpiper (*Tringoides macularius*) from Kingsbury Reservoir, and other rare British-killed specimens. [90. 5. 26, 1-11.] Purchased at Mr. Bond's sale at Stevens's.

3 specimens bequeathed. A hybrid between a Pochard (*Aythya ferina*) and a Scaup Duck (*Fuligula marila*), a hairy variety of the Moorhen, and the only known British specimen of the Siberian Thrush (*Cichloselys sibirica*) from Surrey (cf. Howard Saunders, Man. Brit. Birds, 2nd ed., p. 12, 1899). [90. 5. 11, 1-3.]

One of the best known of the British school of naturalists. He had a wonderful collection of British birds and Lepidoptera, some of the latter, obtained by himself in past years, having now become extinct. In 1858 he gave many valuable specimens when Mr. G. R. Gray was trying to renovate the British exhibition series, and at his death left to the Museum his British specimen of the Siberian Thrush and some other rare birds. He had an extraordinary collection of albinos, which was dispersed by auction after his death. [Cf. Harting, Zoologist, 1899, pp. 401-422, with portrait.]

Bone (H. P.).

4 eggs of the Aquatic Warbler (*Acrocephalus aquaticus*) from the Rhine Provinces. Presented. [1904. 10. 12, 1-4.]

Bonhote (J. LEWIS).

14 embryos of birds in alcohol. Presented. [1900. 8. 11, 1-8; 1901. 4. 1, 1-6.]

2 birds from the Bahamas, including the type of *Mimus insularis*. [99. 6. 20, 1; 99. 8. 9, 68.]

Mr. Bonhote is well known for his explorations in the Bahama Islands, of which he has given an interesting account in the "Avicultural Magazine" (viii., pp. 278-85; (2) i., pp. 19-24, 54-62, 87-95); and the "Ibis," 1903, pp. 273-315.

Another important paper on migration as observed at the Bahama lighthouses was published in the "Auk" (vol. xx., pp. 169-179).

Boucard (ADOLPHE).

35 birds from Guatemala and Senegambia. Purchased. [72. 12. 12, 1-35.]

Some very interesting Accipitrine birds from Guatemala, purchased by Dr. Günther to aid me in the preparation of Vol. I. of the "Catalogue of Birds." The specimens from Senegal were collected by the well-known traveller-naturalist Leon Laglaize, who afterwards did splendid work in New Guinea.

14 birds, chiefly from Laglaize's Senegambian expedition, with a few collected by Olcese in Morocco. Purchased. [73. 4. 5, 1-10, 13-16.]

18 birds, chiefly Accipitres, from Panama. Purchased. [73. 6. 28, 11-16; 74. 5. 19, 58-69.]

29 specimens of Owls from different localities. Purchased. [74. 7. 1, 11-24; 75. 1. 23, 1-15.]

61 birds from various localities (Madagascar, Panama, China,

Marocco, etc.) Purchased. [74. 10. 12, 1-13; 74. 11. 11, 1-7; 75. 4. 20, 1-10; 75. 6. 24, 1-8; 75. 10. 15, 1-10; 75. 11. 6, 1-13.]

50 birds from Colorado, Central and South America. Purchased. [76. 2. 29, 1-39; 76. 12. 15, 1-11.]

70 birds, 20 new to the collection, from New Guinea, mostly collected by Leon Laglaize, and Bruijn's hunters. Purchased. [76. 12. 17, 1-2; 78. 2. 9, 1-47; 78. 3. 29, 1-5; 80. 6. 8, 7-12; 88. 4. 3, 1-10.]

37 birds from Central America; two species being new to the Collection. Purchased. [80. 12. 15, 1-37.]

40 starlings from Marocco. Purchased. [89. 1. 24, 1-40.]

148 birds from the Riocour collection. Purchased. [89. 5. 30, 1-148.]

Mr. Boucard acquired this celebrated collection, which contained many of Vieillot's types, and we went in company to see it in the museum attached to the Château of the Riocour family at Vitry, near Châlons. All the birds were mounted, and among them were specimens of the Great Auk and the extinct Starling of Mauritius (*Fregilupus varius*). This, and all the types of Vieillot that I could identify, were added to the National Collection. The Château, which had been occupied by the Germans during the war of 1870, had been but little damaged by them, and was a beautiful place. The old servants were quite overcome with grief at seeing the dismantlement of the museum, which had been valued as a priceless possession by the old Comte de Riocour. I have never seen a collection more carefully protected from the glare of the sun, and the specimens were all in first-rate condition, even though some had been mounted for the best part of a century. The MSS. notes by Vieillot, Bonaparte, Jules Verreaux and the Comte de Riocour himself were most interesting. The transporting of the *Fregilupus* to England caused me no little anxiety, seeing that it was infinitely more valuable than a Great Auk, and I was glad when I handed it into Dr. Günther's custody, as I had not quitted my hold of the case for some days and nights.

34 birds from Madagascar and the Comoro Islands. Purchased. [90. 1. 30, 1-34.]

75 birds from the Molucca Islands, Australia and South America. Purchased. [91. 2. 12, 1-75.]

Boucard's early collections in Mexico were described by Dr. Schater (see P.Z.S., 1857, p. 226; 1858, p. 95, 294; 1859, p. 369; 1860, p. 250). He afterwards settled in London, and was a very successful agent, from whom the Museum acquired some valuable collections, especially from Central America, New Guinea, and Madagascar. He made a special study of Humming Birds, and published his own journal, the "Humming Bird," in which he wrote a monograph of the *Trochili*. Gradually he amassed a fine private collection of birds, all of which he presented to the Paris Museum, where the Boucard Collection is kept separate, and is invaluable for reference. He also prepared a hand-list of birds, which he published as a "Catalogus Avium."

In 1904 he presented to the Paris Museum a second large collection of birds, comprising many species not contained in his first donation, and he was appointed Curator of the Boucard Collection for his life, which unfortunately was then near its close. He gave 10,000 specimens to the U.S. National Museum at Washington, and about 8,000 more to the museums of Lisbon and Madrid. An obituary notice of this excellent naturalist appears in the "Ibis" for 1905, pp. 299, 300.

Boundary Commissions.

Afghan Boundary Commission. See ARCHISON, J. E. T.

Anglo-German Boundary Commission. See DELMÉ-RADCLIFFE, Colonel.

Perso-Baluch Boundary Commission. See BLANFORD, W. T.

Boundary Commissions, North American.

106 birds from British Columbia, collected by J. Keast Lord, Esq. [60. 2. 23, 1-106.] Presented by the Foreign Office.

Mr. Lord appears to have remained in British Columbia for some time after the Commission had finished its labours, for a fine collection was presented by him in 1862 and 1863; it consisted of more than 400 specimens (*cf.* his book, "The Naturalist in British Columbia"), and others were presented by him to the Royal Artillery Institution at Woolwich (*cf.* Whitely's Catalogue, 1865).

300 birds and 77 eggs from the 49th parallel. Presented by the Foreign Office. [76. 4. 15, 1-300; 91. 2. 16, 1-77.]

The late Prof. George Dawson was the naturalist on the British staff of the Commission, and the late Prof. Elliot Coues on the American side. See the Report by the latter (Bull. U.S. Geol. and Geogr. Survey, vol. iv., no. 3, pp. 545-662, 1878). Six species were at that time new to the Museum collection.

Bourdillon (F.).

201 specimens from Travancore. Purchased. [80. 8. 19, 1-201.]

Mr. Bourdillon's first collection made in the then little known province of Travancore was described by Mr. Hume in "Stray Feathers" (vii., pp. 33-9, 172, 524; ix., pp. 299, 300). His second collection was purchased by the Museum, and so the whole results of his ornithological work have passed into the National collection.

Bourgeau (M.).

A collection of 25 eggs from North America. Presented. [60. 2. 6, 1-25.]

Bouvier (A.).

11 specimens from the Cape Verde Islands. Presented. [74. 1. 16, 1-11.]

18 specimens of Accipitres from Gaboon, Senegal, etc. Purchased. [74. 1. 12, 1-18.]

34 specimens from Gaboon and Senegal. Presented. [74. 2. 11, 1-34.]

158 specimens from Gaboon, the Congo, and Kessang in the Malay Peninsula. Purchased. [75. 6. 14, 1-76; 78. 2. 23, 1-82.]

6 types and 22 species new to the Museum were included in these collections.

Bouvier was naturalist to the ill-fated French expedition to Mexico. After visiting the Cape Verde Islands, and making good collections, he settled down in Paris as a natural history agent, and when I first visited him at his house in the Quai des Grands Augustins, in 1876, he had quite a large collection of birds. The idea of founding the Zoological Society of France arose with Bouvier, and the meetings were at first held at his flat. He promoted the expeditions of Marche to Senegambia, and those of the Marquis de Compiègne and Marche to Gaboon, from which country he received several fine specimens of Gorillas, Kooloo-Kambas, and Chimpanzees, all of which I saw mounted in his house, before they passed into the possession of the Museum of Science and Art in Dublin.

He also received the early collections of Dr. Lucan and Louis Petit

from the Lower Congo; these were described by us conjointly in the "Bulletin de la Société Zoologique de France," I., pp. 36-53, 300-14, II., 470-81, III., 73-80. Among the remarkable novelties were *Scotopelia bouvieri*, *Lophotriorchis lucani*, *Psalidoprocne petiti*, etc. Most of the types from these collections are in the British Museum, but my descriptions of a certain number of new species were taken by Bouvier to Paris after one of his visits to London, and published in his own name, a proceeding I should not have resented, if the typical specimens from which the diagnoses were derived had been sold, according to promise, to the British Museum. This unfortunately was not the case, and the types of some of them, such as *Cisticola lundana*, exist somewhere to further puzzle ornithologists, until their validity shall be established.

Bower (Capt. T. H. BOWYER).

4 specimens from Queensland. Presented. [85. 11. 19, 1-4.]

192 specimens from N.W. Australia. Presented. [87. 5. 2, 1-192.]

Capt. Bowyer Bower presented the collection made by his son in the Derby district of Northern Australia. Dr. E. P. Ramsay, the Director of the Australian Museum, Sydney, published a list of the Derby collection [Pr. Linn. Soc. N. S. Wales (2) II., pp. 165-73.] The young naturalist, whom I knew personally, started in hopes of achieving great ornithological results, and took with him as assistant Mr. Walter Burton, a first-rate taxidermist. After a successful commencement, Mr. Bowyer Bower died from fever, and Mr. Burton had the mournful task of bringing back to his parents the body of the brave young explorer. The collection was beautifully prepared, and, when presented by his father, proved a very valuable acquisition to the Museum. (Cf. Ibis, 1887, p. 479.)

Bowring (Sir J.).

31 birds from Egypt. Presented. [41. 1. 14, 58-88.]

Cf. Dict. Nat. Biogr., vi., pp. 76-80.

Bradshaw (Dr.).

14 specimens from the neighbourhood of Upington, Orange River. Presented. [82. 9. 21, 1-14.]

See also DAVIS and SOPER.

During his furlough in England I met Dr. Bradshaw several times. He was then a medical officer in the Frontier Police Force, stationed at Upington in the north of Cape Colony, and he was suffering from some affection of the lower larynx. He had to rejoin in South Africa just as he was beginning to feel better, and died, as he had himself predicted to me, very shortly after.

Not only was Dr. Bradshaw an excellent observer, but no man ever made better skins of birds. He had been through Matabeleland to the Zambesi, and had visited the Victoria Falls. On this expedition he made a fine collection of birds, which he seems to have consigned to a London firm for disposal. Luckily the firm appealed to the Museum, and we were able to acquire a series of Dr. Bradshaw's specimens, and Capt. Shelley bought the remainder, so that the early collections of this excellent naturalist are now in the British Museum. Unfortunately the collection was never labelled, and was sold as from the Zambesi River. Dr. Bradshaw, however, told me that scarcely any specimens were obtained on the river itself, and that his series of birds was almost without exception from the Makalaka country.

He presented some specimens to the Cape Museum, and a few from

the Orange River were given by him to the British Museum during his stay in England.

Brandt.

33 specimens from various parts of Russia, Siberia, and Central Asia. Purchased. [42. 3. 14, 14-22; 42. 4. 26, 6-9; 44. 3. 14, 5-6; 45. 4. 21, 16-23; 45. 7. 22, 5-14.]

81 skeletons of birds from Chili. Purchased. [50. 11. 14, 1-38; 54. 1. 28, 1-10; 58. 11. 20, 1-33.]

Brandt was a well-known dealer in Hamburg, and (so I have been told) a brother of Prof. Brandt, the Director of the Imperial Museum in St. Petersburg. Through the latter he received for disposal many duplicates from the expeditions of the Russian Government, and thus the Museum was able to acquire many interesting specimens. Who collected the Chilian skeletons of birds I have not been able to discover.

Branicki (*Count*).

10 specimens from Poland and 22 from Peru, including 9 species new to the collection. Presented. [92. 12. 24, 1-32.]

13 specimens from Peru and Bolivia. Received in exchange. [1903. 10. 12, 1-13.] Contained several species new to the collection.

When Dr. Taczanowski was Director of the Warsaw Museum, the two brothers, Counts Branicki, organised several expeditions to South America, especially to Peru. Hence Taczanowski was able to write his standard work, the "*Ornithologie du Pérou*," in furtherance of which he visited England and the principal Museums of Europe. Mr. Jelski, who had previously collected on the River Oyapock in Cayenne for the Maison Verreaux, and Dr. Stolzmann were the naturalists selected, and both did splendid work. Many of the duplicates passed into the Selater and Salvin-Godman collections. Afterwards Count Branicki decided to found the Museum Branicki at Warsaw, of which Dr. Stolzmann is now the Director, and the collections made by Kalinowski in Peru and Ecuador have been described by Count von Berlepsch and Dr. Stolzmann (*P.Z.S.*, 1896, pp. 322-88, pls. xiii. and xiv.; 1902, vol. ii., pp. 18-60).

Brazier (*John*).

25 eggs from New Britain and the Solomon Islands. Presented. [74. 11. 18, 38-62.]

Mr. Brazier is principally known as a Conchologist, but on his expeditions to the islands now known as the Bismarck Archipelago, he was in the habit of collecting birds in spirits, which he sent to his friend Gerard Krefft, the Director of the Sydney Museum, and the predecessor of Dr. E. P. Ramsay. Mr. Krefft forwarded the collections to Dr. P. L. Selater at the Zoological Society (*cf.* *P.Z.S.*, 1865, pp. 620-22, pl. xxxv.).

Breadalbane (*Marquess of*).

8 specimens of *Tetrao urogallus* and other Game-birds from Killin and Tyndrum, N.B. Presented. [92. 12. 18, 1-8.]

4 Ptarmigan from Blackmount, Perthshire. Presented. [1905. 8. 10, 1-6.]

Bremen, Geographical Society of.

222 birds from Siberia and Central Asia. Purchased. [78. 12. 31, 20-222.]

This collection was the result of the expedition to Central Asia promoted by the Geographical Society of Bremen.

The naturalists attached to the expedition were the celebrated German zoologist, the late Dr. A. E. Brehm, Count Karl von Waldburg-Zeil-Trauchburg, and Dr. Otto Finsch. The latter well-known ornithologist has written a memoir on the birds procured during the expedition (Verh. z. b. Ges. Wien, xxix., pp. 128-280).

Brenchley (JULIUS).

135 birds from the islands of the Pacific Ocean. Presented. [70. 3. 31, 1-135.]

Mr. Brenchley accompanied Commodore Sir William Wiseman on his voyage to the Pacific, and has embodied the results of the expedition in the well-known work, "The Cruise of the *Curaçoa*" ("Birds," pp. 354-94, pls. 1-21). The collection presented by Mr. Brenchley was a truly remarkable one and contained many species new to the Museum, among them being the types of the following species: *Astur albogularis*, Gray, *Eurystomus solomonensis*, Sharpe, *Glyciphila flavotincta*, Gray, *Philemon sclateri*, Gray, *Lalage banksiana*, Gray, *Ptilopus solomonensis*, Gray, *Carpophaga brenchleyi*, Gray, *Rhipidura spilodera*, Gray, and *Megapodius brenchleyi*, Gray.

Brett (Capt.).

20 birds from Valparaiso. Presented. [46. 6. 12, 1-20.]

Brewer (Dr. T. M.).

8 skins and 5 nests of North American birds. Presented. [76. 7. 1, 1-13.]

A celebrated American naturalist, author of "North American Oölogy." He was also joint author, with Professors Baird and Ridgway, of the "History of North American Birds" and the "Water Birds of North America."

Bridges (THOMAS).

See CUMING, H.

60 birds from Chili. Purchased. [43. 7. 21, 1-50; 43. 7. 22, 2-11.]

271 birds from Bolivia. Purchased. [46. 9. 9, 1-271.]

In the early volumes of the "Proceedings" of the Zoological Society the name of Mr. Bridges frequently appears. His collections were subsequently disposed of, and many of his specimens are in the Derby Museum at Liverpool. His first collections from Chile were described by Louis Fraser (P.Z.S. 1843, pp. 108-121), but subsequent work from Panama formed the subject of a paper by Dr. Sclater entitled, "List of Mammals and Birds collected by Mr. Bridges in the vicinity of the town of David, in the province of Chiriqui, in the State of Panama" (P.Z.S., 1856, p. 138). In 1857 Mr. Bridges was a C.M.Z.S., and Dr. Sclater contributes a list of birds collected by him in the Valley of San José, in the State of California (P.Z.S., 1857, p. 125). In the next year Mr. Bridges himself contributed some "Notes on Californian Birds" (P.Z.S., 1858, p. 1).

His important collections in Chili and Bolivia do not seem to have been described in their entirety, though some new species were named after him (*Drymornis bridgesi*, etc.).

Briggs (WILLIAM), the Cookham Naturalist.

See SHARPE, R. BOWDLER.

Briggs was head-gardener to Mr. De Vitre at Formosa, near Cookham. He was a first-rate observer and taxidermist, and much esteemed by Mr.

Gould, who mentions his prowess on more than one occasion in his "Birds of Great Britain."

He was my guide, philosopher, and friend in my early days, and mounted all my birds for me. We were planning excursions to different parts of the coast, when he died suddenly of heart disease: he lies buried in Cookham churchyard. When I was appointed to the Museum, one of my first acts was to present my entire collection of British birds in the name of my old friend, so that he should be connected with the national museum of his native country, of which he was certainly one of the best field ornithologists. Among this collection, mounted by Briggs, are all the birds procured by me as a boy, the first specimen ever shot by me being a Wryneek. It would be difficult, under the present altered conditions of the Thames, to find now the birds which were to be met with in the days of Briggs and myself forty years ago.

British Association for the Advancement of Science.

66 birds from Sokotra, collected by Prof. I. Bayley Balfour (*q.v.*) Presented. [81. 3. 21, 1-66.]

103 birds from the Tenimber Islands, collected by Dr. H. O. Forbes. Presented. [83. 5. 30, 1-103.]

75 birds from Kilimanjaro, collected by Sir Harry Johnston, K.C.B., G.C.M.G. Presented. [85. 6. 14, 1-75.]

35 birds from the Camaroons, collected by Sir Harry Johnston, K.C.B., G.C.M.G. Presented. [87. 3. 7, 1-35.]

The British Association, in conjunction with the Royal Society and the Royal Geographical Society, has often contributed funds for the support of exploration. All the expeditions mentioned above were of the greatest service to zoological science.

Among Professor Balfour's discoveries in Sokotra was the wonderful new genus of Finches (*Rhynchostruthus socotranus*), and many other novelties described by Dr. Hartlaub and Dr. Selater (P.Z.S., 1881, pp. 953-9, pl. lxvii.).

Dr. Forbes' expedition to the Tenimber Islands, full of difficulty and danger, shared in the most heroic manner by his wife, resulted in the discovery of 26 species new to the Museum, of which 21 were also new to science. [*Cf.* Selater, P.Z.S., 1883, pp. 48-58, pls. xi.-xiv.; Forbes, "Naturalist's Wanderings in the Malay Archipelago."]

Sir Harry Johnston's exploration of Mount Kilimanjaro resulted in the acquisition of eleven species new to the Museum, of which six were previously unknown (*Muscicapa johnstoni*, *Pratincola axillaris*, *Cinnyris mediocris*, *Nectarinia johnstoni*, *N. kilimansis*, and *Pinarochroa hypopodia*). [*Cf.* Shelley, P.Z.S., 1884, pp. 554-8, pl. li.; 1885, pp. 222-30, pls. xiii. and xiv.]

The exploration of the Camaroons mountains in West Africa by the same naturalist resulted in the discovery of four new species of birds (*Poliopicus johnstoni*, *Laniarius atroflavus*, *Psalioprocne fuliginosa*, *Ploceus melanogaster*). [*Cf.* Shelley, P.Z.S., 1887, pp. 122-6, pls. xiii. and xiv.]

Broadbent (KENDAL).

See GERRARD, E.

A well-known Australian collector, who has also visited New Guinea. [*Cf.* Sharpe, Journ. Linn. Soc. Zool., xiii., pp. 486-505.]

He was the discoverer of *Sphenura broadbenti*, one of the most interesting of recent discoveries in Australia. Of this the Museum has only recently acquired a specimen presented by Mr. Robert Hall.

Brooke (BASIL).

See GERRARD, E.; SHARPE, R. BOWDLER.

A younger brother of Sir Victor Brooke. Visited with his wife the island of Sardinia on more than one occasion, and discovered there the small Peregrine Falcon which I named *Falco brookei* [Ann. and Mag. Nat. Hist. (4) xi., pp. 20, 222, 1873], and which is now identified with *Falco punicus*, the Mediterranean Peregrine. An excellent paper on the birds of Sardinia was published by him in the "Ibis" for 1873 (pp. 143-55, 235-48, 335-49). He died young, during a visit to Mexico, and his collection was dispersed. Some of the most interesting birds were purchased from Mr. Gerrard, and others were bought by myself and presented to the Museum.

Brooke (H.H. Sir JAMES), Rajah of Sarawak.

104 specimens from Singapore and Sarawak. Presented. [45. 10. 2, 11-15; 45. 10. 2, 1-25; 50. 10. 24, 1-74.]

Early collections from the Malay Peninsula and Borneo, presented by the first Rajah of Sarawak.

Brooke (H.H. Sir CHARLES J.), Rajah of Sarawak.

2 specimens of *Spilornis*, one being the type of *S. raja*, Sharpe. Presented. [1905. 12. 3, 1-2.]

Brown (Rev. G.).

See GERRARD, E.

Mr. Brown was a missionary who collected in New Britain, Duke of York Island, etc. His collections were described by Dr. Sclater. (P.Z.S., 1877, pp. 96-114, pls. xiv.-xvi.; 1878, pp. 289-90, 670-673, pl. xlii.; 1879, pp. 446-451, pl. xxxvii.; 1880, pp. 65-67, pl. viii.; with nineteen new species.)

The early collections were purchased by the Marquis of Tweeddale, and after the death of the latter, the remainder were acquired by the Museum through Mr. Edward Gerrard.

Brown (J. A. HARVIE).

See HARVIE-BROWN.

Brownlow (Earl).

A Peacock (*Pavo cristatus* var. *nigripennis*), died in confinement. Presented. [1904. 5. 7, 1.]

Bruijn (J.).

See BOUCARD, A.

Brusina (Professor SPIRIDION).

24 birds from Croatia. Presented. [89. 12. 20, 1-12; 91. 6. 5 1-12.]

Prof. Brusina is the historian of the birds of his native country. He has presented specimens of his new Croatian Shag (*Phalacrocorax croaticus*) to the Museum.

Brussels (Royal Museum of Natural History).

62 birds from Belgium. Presented. [73-6. 7, 1-62.]

When preparing my first volume of the "Catalogue of Birds," I made an excursion to various foreign Museums to examine types of rare species

of *Accipitres*. At that time the Museum was without any series of continental species, and my amiable and talented colleague, Dr. Dubois, presented an interesting collection of Belgian birds, which I brought home with me.

Bryant (*Mrs.*).

66 birds from the West Indian Islands. Presented. [70. 4. 12, 1-66.]

Dr. Bryant, who was a well-known American ornithologist, made collections in the Bahamas, Jamaica, Porto Rico, and other West Indian Islands, and at his death his widow distributed his collection between various Museums, such as the Smithsonian Institution, the British Museum, and the private collections of Dr. Sclater, Messrs. Salvin and Godman, etc. The specimens received by the British Museum were then, and are still at the present day, extremely valuable, and the intentions of the broad-minded naturalist who gave them have been fully appreciated.

Buck (WALTER J.).

6 specimens of the Great Bustard (*Otis tarda*) from Andalusia. Presented. [89. 12. 16, 1-6.]

Buckley (T. E.).

20 birds from the Transvaal. Presented. [74. 4. 16, 1-13; 74. 5. 15, 1-7.]

Mr. Buckley accompanied Capt. Shelley on an expedition to the Gold Coast, and discovered a new Lark (*Calandrella buckleyi*) on that occasion (*cf.* "Ibis," 1872, pp. 281-93).

He afterwards visited Matabeleland and Swaziland (*cf.* "Ibis," 1874, pp. 355-91). His Swaziland collection forms still the only foundation of our knowledge of the Avifauna of this part of South Africa.

Mr. Buckley ultimately disposed of his collection to his old friend Captain Shelley, and with the Shelley Collection the whole of it has passed into the British Museum. In conjunction with Mr. Harvie-Brown, he wrote several valuable works on the ornithology of Scotland and its isles, *e.g.* the 'Vertebrate Fauna of Sutherland, Caithness, and West Cromarty,' Edinburgh, 1887; *do.* Outer Hebrides, Edinburgh, 1888; *do.* of Argyll and the Inner Hebrides, Edinburgh, 1892; *do.* of the Moray Basin, Edinburgh, 1895.

Bugle (*Capt.*).

36 birds from Demerara. Purchased. [99. 2. 7, 1-36.]

Bullen (*Rev.* R. ASHINGTON).

2 birds from the Shiré River, Zambesi. Presented. [1904. 9. 5, 1, 2.]

Buller (*Sir* WALTER LAWRY), *D.Sc.*, *F.R.S.*

3 specimens (*Platyercus alpinus* and *Larus bulleri*) new to the collection. Presented. [72. 11. 22, 1, 2; 72. 12. 21, 1.]

1 young *Megapodius pritchardi*, Nuia Fooou Isl., Tonga group. Presented. [1904. 7. 29, 1.]

5 birds from Axim, W. Africa. Presented. [1905. 1. 22, 1-5.]

Sir Walter Buller is the historian of the Avifauna of New Zealand, his native country, and two editions of his great work have been published by him. The collections on which his history is based are in the Rothschild Museum at Tring.

Bullock (D. S.).

30 birds from Chile. Purchased. [1905. 4. 12, 1-30.]

Bullock-Webster (Rev. G. R.).

A specimen of *Syrnium funereum* from British Columbia. Presented. [1905. 6. 27, 1.]

Burbidge (F.).

See VEITCH, H.

Mr. Burbidge was a botanical collector, who travelled in the East for Messrs. Veitch. He was at the same time a good ornithological observer, and when in N.W. Borneo he ascended the slopes of Mount Kina Balu, went up the Lawas River, and visited the Sulu islands, where he discovered a new Parrot (*Tanygnathus burbidgei*). His collection was described by me (P.Z.S., 1879, pp. 245-9).

Burls (H. T.).

160 birds from Buxton Co., West Virginia. Presented. [1906. 1. 20, 1-168.]

Burmeister (H.).

8 birds from the Argentine Republic. Purchased. [72. 5. 31, 1-8.]

The Director of the Buenos Aires Museum and author of the "Thiere Brasiliens" and the "Reise durch die La Plata-Staaten, mit besonderer Rücksicht auf die physische Beschaffenheit und den Culturzustand der Argentinischen Republik." He discovered a new species of *Seriama* which has been named after him *Chunga burmeisteri*.

Burnett (Sir W.) and Fitzroy (Admiral).

188 specimens from various parts of South America. [37. 2. 21, 231-417; 37. 3. 15, 1.]

These specimens were collected by Admiral Fitzroy, a celebrated meteorologist of his time (cf. Dict. Nat. Biogr., vii., p. 414). Sir Wm. Burnett was the King's physician, and what he had to do with the presentation of a collection made by the Admiral, I have never been able to discover.

Burrows (Capt. GUY).

31 specimens from the Aruwimi River, Upper Congo. Purchased. [1902. 5. 3, 1-31.]

Among many other interesting specimens, one of *Dryotriorchis batesi*, the West African Serpent-Eagle, is the most noteworthy. The collection acquired by the Museum is but a small portion of that formed by Capt. Guy Burrows, only one box having reached England out of several forwarded to Antwerp for transmission to this country. [Cf. "Land of the Pigmies, etc.," London, 1898.]

Burton (CHARLES).

39 birds in spirit from S. Australia. Presented. [96. 9. 16, 1-39.]

One of the sons of Henry Burton, a well-known taxidermist of Wardour Street, to whom many specimens of Osbert Salvin's youthful collections were due. All the sons were clever taxidermists.

Burton (Sir RICHARD).

16 birds from Camaroons and Fernando Po. Presented. [62. 6. 22, 33; 62. 12. 1, 8-23; 62. 11. 28, 1.]

5 birds from Midian. [78. 8. 20, 1-5.]

35 birds from the Ankobra River, Wasa, Gold Coast. [82. 6. 12, 1-35.]

From Sir Richard Burton, the famous traveller and Orientalist, the Museum received its first collections from the Camaroons, with some new species (*Serinus burtoni*, *Callene isabellæ*, etc.) described by G. R. Gray (Ann. and Mag. Nat. Hist. (3) x., pp. 443-445).

In conjunction with Capt. Cameron he went to the Gold Coast, and the two explorers presented a small collection from the Wasa district. [Cf. "Life of Sir Richard Burton." By his wife, Isabel Burton; 2 vols. 1893.]

Burton (WALTER).

Another son of Henry Burton.

See BOWYER BOWER.

Bury (G. W.).

See OGILVIE-GRANT, W. R.; GERRARD, E.

166 specimens from Southern Arabia. Purchased. [1902. 12. 1-82; 1902. 12. 13, 1-84; 1903. 8. 12, 1-244.]

Mr. Bury was the Political Agent on the Aden Hinterland frontier, and has for some years past been exploring parts of Southern Arabia, where his knowledge of Arabic dialects has enabled him to travel as a native. During these expeditions he has made some collections of birds, which have been described by Drs. Lorenz and Hellmayr (Denkschr. Akad. Wien, lxxi., pp. 103-21, Taf. 1; Bull. B. O. C., xii., p. 80; xiii., p. 21) and by Mr. Ogilvie-Grant. His most notable discoveries have been a new species of *Rhynchostruthus*, *Fringillaria tdthala*, *Serinus rothschildi*, etc. [Cf. Grant, Nov. Zool., vii., pp. 243-273, 591, pl. x.]

Butcher (S.).

108 specimens of birds and eggs from the Persian Gulf. Presented. [94. 11. 13, 1-108.]

Butler (A. L.).

2 birds from Kordofan. Presented. [1904. 6. 12, 1-2.]

2 *Ptilopachus fuscus* young from Kordofan. Presented. [1904. 7. 6, 1-2.]

Son of Colonel A. E. Butler, and, like his father, a first-rate preserver of mammals and birds. He has worked chiefly in the upper regions of Egypt and the Nile, and has contributed to the "Ibis" for 1895 an important paper on the ornithology of the Egyptian Soudan (cf. "Ibis," 1905, pp. 301-401). He is now Superintendent of Game Preservation under the Egyptian Government.

Butler (ARTHUR GARDINER), Ph.D.

A Java Sparrow (*Padda oryzivora*), picd variety, bred in confinement. [1904. 2. 5, 1.]

2 Weaver-Finches (*Quelea quelea*, *Taniopygia castanotis*), bred in confinement. Presented. [1904. 3. 1, 1; 1904. 5. 8, 1.]

A young Diamond Dove (*Geopelia cuneata*), died in captivity. Presented. [1905. 7. 29, 1.]

A white variety of the Common Robin (*Erithacus rubecula*). Presented. [1905. 9. 21, 1.]

Butler (Col. E. A.).

70 birds from Mount Abu, Western India. Presented. [89. 1. 9, 1-70.]

9 birds from Suffolk. Presented. [98. 1. 27, 1-9.]

Colonel Butler is one of the most artistic preservers of specimens that I have ever known, every single skin of his collections having been prepared with the most scrupulous care. His entire Indian series, save a few skins which he presented direct to our Museum, passed into the hands of Mr. Allan Hume, and some important papers were published on the collections ("Stray Feathers," iii., pp. 437-500; ix., pp. 367-442).

During the first Boer War he served with his regiment in Natal, and made a collection of birds, now in the Shelley collection. Interesting notes on these birds were published in the "Zoologist" for 1882 (pp. 165-460).

Colonel Butler has also published two very useful memoirs, viz., "Catalogue of the Birds of Sind, Cutch, etc.," 1879 (pp. 1-83), "Catalogue of the Birds of the southern portion of the Bombay Presidency," 1880 (pp. 1-114).

Büttikofer (Dr. J.).

See FRANK, G. A.

A Swiss naturalist, who was for some years attached to the Leyden Museum as Professor Sehlegel's ornithological assistant. He has travelled extensively in Liberia, where, after enduring great hardships, he procured a fine collection of mammals and birds from this region of West Africa. From this celebrated exploration the British Museum obtained a few duplicates through the agency of Mr. G. A. Frank (*cf.* Büttikofer "Reisebilde," 2 vols., published in 1890).

He also conducted an expedition into the mountains of Dutch N.W. Borneo (*cf.* Notes, Leyden Museum, vii., viii., x., xi., xii.). He is now the Director of the Zoological Gardens at Rotterdam.

Buxton (Rev. H. F.).

68 birds from Mombasa. Presented. [82. 12. 3, 1-68.]

Calcutta Museum.

See INDIA MUSEUM, CALCUTTA; ANDERSON, DR. JOHN; etc.

Cambridge (F. O. PICKARD).

See AUSTEN, E. C.

20 specimens from the River Amazon. [96. 5. 12, 1-20.]

Cameron (E. S.).

12 Birds of Prey and Ducks from Montana. [91. 7. 18, 1-9; 91. 8. 13, 1-3.]

The series includes very interesting specimens, the various plumages of *Buteo swainsoni*, etc.

Cameron (Capt.).

See BURTON, SIR RICHARD.

Campbell (C. W.), H.B.M. Consul in Corea.

96 birds from Corea. Presented. [91. 10. 13, 1-75; 91. 10. 19, 1-21.]

52 birds from the neighbourhood of Peking. [1901. 5. 20, 1-52.]

Cf. Seebohm, "Ibis," 1894, p. 338. *Suthora longicauda*, and other species described. The collection forms part of the Seebohm Bequest to the British Museum.

Campbell (W. McORAN.).

3 young Iceland Falcons. Presented. [1901. 9. 4, 1; 1903. 4. 9, 1-2.]

Canada, Government of.

27 specimens from Canada. [90. 3. 13, 1-27.]

These were some of the birds exhibited in the Imperial Institute by the Canadian Government.

Carruthers (D.).

5 birds from Canada and a Goldfinch from Malta. Presented. [1905. 9. 23, 1-5.]

88 birds from the Syrian Desert, including the type of *Emberiza citriniventris*, Scclater. Purchased. [1905. 10. 11, 1-88.]

Carter (Tom).

9 birds, including 4 species new to the Museum, from Western Australia. Presented. [1900. 5. 3, 1-8; 1901. 1. 24, 1.]

630 eggs of Australian birds. Purchased. [1903. 11. 4, 1-613.]

Mr. Carter is the discoverer of several new species in Western Australia (*Eremiornis carteri*, *Thalassogeron carteri*, etc.).

Cassels (Capt. KENNETT).

A Tragopan (*Cerionis blythi*) from Manipur. Presented. [1904. 4. 22, 1.]

Cavendish (H. S. H.).

53 specimens from Mozambique. Presented. [98. 11. 18, 1-53.]

On this expedition Mr. Cavendish was accompanied by Mr. E. Dodson as his assistant. A new species of Weaver Finch (*Estrilda cavendishi*) was discovered, and a Swallow (*Psolidoprocne percivali*) was new to the collection; cf. Sharpe, Ibis, 1900, pp. 109-115.

Mr. Cavendish's exploration of the Lake Rudolf region is described in the Geographical Journal, xi., No. 4, pp. 372-396 (1898).

Cavendish Taylor (E.).

See TAYLOR.

Cazalet (Rev. A.).

2 Finches from Russia. Presented. [1905. 6. 23, 1-2.]

2 specimens of the Rose-coloured Pastor and Gouldian Finch. Presented. [1905. 7. 7, 1-2.]

2 Weaver Finches. Presented. [1905. 9. 14, 1-2.]

Challenger, Voyage of H.M.S.

1172 specimens of birds, skeletons and eggs. Presented by the Lords of the Treasury. [80. 11. 18, 1-795; 80. 12. 3, 1-226; 81. 4. 16, 4-8; 82. 6. 23, 1; 84. 2. 29, 1-31; 90. 5. 5, 1-18; 90. 11. 3, 1-21; 98. 7. 1, 1-15.]

The results of this celebrated voyage have been recorded in the volumes of the "Challenger Expedition." Vol. ii. deals with the ornithological collections, which were placed in the hands of Dr. Scclater for description. 31 species of birds were added to the British Museum, including the types of 12 new species.

Cf. Tweeddale, "Rep. Sci. Results Voy. Challenger," ii., Zool., Birds, pp. 5-25, pls. i.-vi. (1880). Philippine Islands.

Scclater, *tom. cit.*, pp. 25-34, pls. vii.-xi. Admiralty Islands. Finsch, *tom. cit.*, pp. 34-58, pls. xii.-xvii., Tongatabu, the Fiji Islands, Api (New Hebrides), and Tahiti.

Salvadori, *tom. cit.*, pp. 58-83, pls. xviii.-xx. Ternate, Amboyna, Banda, the Key Islands and the Aru Islands.

Forbes (W. A.), *tom. cit.*, pp. 84-93, Cape York, Australia, and the neighbouring islands (Raine, Wednesday, and Booby Islands).

Slater, *tom. cit.*, pp. 93-99, pls. xxi. and xxii., Sandwich Islands.

Slater and Salvin, *tom. cit.*, pp. 99-109, Antarctic America.

Slater, *tom. cit.*, pp. 110-117, pls. xxiii. and xxiv., Atlantic Islands and Kerguelen Island, and on the miscellaneous collections obtained during the voyage.

Slater and Salvin, *tom. cit.*, pp. 117-132, pls. xxv.-xxx., Steganopodes and Impennes collected during the Expedition.

Saunders, *tom. cit.*, pp. 133-140. *Laridæ* collected during the Expedition.

Salvin, *tom. cit.*, pp. 140-149. *Procellariidæ* collected during the Expedition.

APPENDIX.

Slater, "List of birds' eggs obtained during the Challenger Expedition, *tom. cit.*, pp. 150-152.

Garrod, A. H., "Note on the gizzard and other organs of *Carpophaga latrans*," *tom. cit.*, pp. 152-154.

Watson, M., "Report on the anatomy of the *Spheniscidæ* collected during the voyage of H.M.S. *Challenger*," *op. cit.*, vii., pp. 1-244, pls. i.-xix. (1883).

Chamberlain (NEVILLE).

45 specimens from the Bahama Islands. Presented. [96. 8. 19, 1-45.]

A son of the Right Hon. Joseph Chamberlain, and an enthusiastic student of zoology. The collection presented by Mr. Neville Chamberlain was of great value to the Museum, which had but a poor collection from the Bahama Islands.

Chamberlain (WALTER).

A specimen of *Rhipidura precissi* from King George's Sound, W. Australia, new to the collection. Presented. [91. 11. 9. 1.]

Mr. Walter Chamberlain is a younger brother of the Right Hon. Joseph Chamberlain. He has collected in the Fiji Islands and Australia.

Chambers (Capt.).

126 specimens from Port Essington, N. Australia. [42. 1. 13, 1-120; 42. 1. 15, 4-9.]

Mostly from Port Essington. At that time this collection must have been of great interest, but of the new species not one appears to have been named by Mr. Gould after the explorer who had taken the trouble to collect them.

Chapman (ABEL).

Nestling of *Syrnium aluco*, from Northumberland. Presented. [1904. 5. 10, 1.]

A specimen of the Common Eider Duck (*Somateria mollissima*) from Holy Island. Presented. [1905. 4. 13, 1.]

Mr. Abel Chapman is a very well-known field-naturalist, and is celebrated for his discovery of the nesting of the Flamingo in Southern Spain ("Ibis," 1884, pl. i-iv., pp. 66-99). Cf. also his works, "Wild Spain" and "Wild Norway."

Charlton (Major).

27 birds from the Malay Peninsula. Presented. [46. 3. 4, 10-36.]

This collection was described by T. C. Eyton (Ann. and Mag. Nat. Hist., xvi., pp. 227-230). The genus *Philentoma* was instituted, and 16 species were described as new, among them *Arboricola charltoni*, a fine species of Hill Partridge, since also found in N.W. Borneo.

Chaves (Major).

See PONTA DELGADA MUSEUM (AZORES).

Cheetham (G. H.).

9 specimens from Stornoway. Presented. [1900. 1. 16, 1-9.]

Mr. Cheetham accompanied Mr. R. M. Hawker on his expeditions to the Sudan (cf. "Ibis," 1902, pp. 393-470).

The two friends were in the habit of shooting together in Scotland, and during an excursion to the Hebrides in 1900 they sent to the Museum a few birds from Stornoway.

Chevalier (C.).

14 birds from Aden. Presented. [86. 11. 20, 11-19; 89. 3. 2, 175-179.]

Mr. Chevalier was for a long time the superintendent of the Eastern Telegraph Company at Aden, and devoted much of his time to the study of natural history. He was one of the first Englishmen to send home specimens from South Arabia.

Chill (W. N.).

One of Mr. Hume's collectors in the Delhi district. He made large collections of birds and eggs.

Cholmley (A. J.).

3 specimens from the neighbourhood of Suakin. Presented. [97. 10. 15, 1-3.]

Mr. Cholmley made an interesting collection in Suakin, and presented to the Museum the type of *Ammodperdix cholmleyi*, Grant (Handb. Game-birds, vol. ii., p. 293), and an example of *Saxicola xanthopyrmyna*, new to the Museum. An account of his expedition has been published by Mr. Cholmley in the "Ibis" for 1897 (pp. 196-209).

Christian (J.).

10 birds from the Pelew Islands. Purchased. [99. 5. 18, 1-10.]

Christiania Museum (Prof. ROBERT COLLETT, Director).

103 birds from Norway. Presented and exchanged. [84. 11. 1, 1-43; 86. 3. 19, 1-9; 86. 11. 19, 8-22; 88. 12. 7, 1-17; 89. 1. 16, 1-8; 92. 5. 5, 1-11.]

33 birds from Hawaii collected by V. Knudsen. [90. 10. 3, 1-19; 95. 10. 16, 1-14.]

For many years Professor Collett has been a staunch friend of the British Museum, and he has always procured and presented any specimens required for the work of the "Catalogue of Birds." The collection of Knudsen's duplicates from Hawaii was a very valuable addition to our series, and contained eight species new to the Museum.

Christy (Dr. CUTHBERT).

27 birds and eggs from Upper Nigeria. Presented. [99. 8. 8, 1-23; 99. 9. 7, 1-4.]

64 birds and eggs from Uganda. Presented. [1903. 5. 11, 1-64.]

75 birds from Chagwe, W. Uganda. Presented. [1906. 1. 21, 1-75.]

Dr. Christy has found time occasionally to procure a few birds for the Museum during his travels. He has described his collections from St. Domingo in the "Ibis" for 1897 (pp. 317-343).

Chubb (C.).

See REYNOLDS, H.

Mr. Chubb has been associated with my work in the British Museum for the past twenty-two years, in fact ever since the Natural History collections were transferred from Bloomsbury to Kensington. By incessant work inside the Museum and by devoting all his private time to the study of birds, he has acquired a knowledge of the class *Aves* which has been of the greatest assistance to myself and ornithologists visiting the Museum, while his knowledge of ornithological literature is probably unrivalled. He has been of the greatest help to me in the preparation of the concluding volumes of the "Catalogue of Birds," and has assisted me materially for several years in the compilation of the "Zoological Record." Mr. Chubb prepared the "List of the Birds of Uganda" for Sir Harry Johnston's great work on that country. He has also written a Synopsis and Index to the contents of the eleven volumes of "Stray Feathers."

Churchill (W. A.).

31 specimens from Mozambique. Presented. [97. 2. 26, 1-31.]

Clarke (EDWARD).

104 specimens from Mashonaland. Purchased. [1900. 2. 12, 1-104.]

Clarke (Major R. STEPHENSON).

11 birds from Bloemfontein. Presented. [1903. 3. 8, 1-11.]

These donations formed part of a very interesting collection made by Major Stephenson Clarke during the last Boer war. A new Weaver Finch has been named after him by Capt. Shelley, *Sporaginus clarkei* (cf. Bull. B. O. C., xiv., p. 75).

Claussen (M.).

230 specimens from Brazil. Presented. [44. 3. 7, 12-19; 44. 11. 7, 1-222.]

Dr. Claussen is mentioned in the History of the Collections (Geology, p. 278) as having explored in Minas Geraes. He gave the Museum some interesting birds, which were for many years almost the only Brazilian birds it possessed.

Coale (H. K.).

60 birds from Arizona and other parts of North America. Presented. [87. 1. 24, 1-60.]

An active American naturalist, from whom the Museum received several interesting species. Many of his skins are in the Slater Collection.

Cobbold (Major R. P.).

17 birds from Abyssinia collected by Mr. Zaphiro. [1903. 12. 18, 119-135.]

Coburn (F.).

7 specimens from Northern Iceland. Presented. [1902. 6. 13, 1-7.]

Mr. Coburn made a most successful visit to Iceland a few years ago.

He has described his trip in the pages of the "Zoologist" (1901, pp. 401-419), and a note on his collection is published in the "Bulletin" of the British Ornithologists' Club (xii., pp. 14, 15). He found the American Wigeon (*Mareca americana*) breeding in Iceland, and I also described the Iceland Redwing, of which Mr. Coburn brought three specimens all precisely alike, as *Turdus coburni*.

Cochrane (J. H.).

A companion of Canon Tristram during the latter's visit to Palestine.

Cockburn (J.).

One of Mr. Hume's collectors, who did good work in Assam.

Cockburn (Miss).

A correspondent of Mr. Hume, to whom this lady sent many interesting birds and eggs from the Nilghiri Hills.

Cockerell (J. T.).

13 birds from the Solomon Islands and New Guinea. Purchased. [84. 1. 19, 1-13.]

The Cockerells were well-known Australian collectors, and made beautiful skins of birds. The elder was a correspondent of John Gould's, and he made a fine collection of Australian birds, the bulk of the specimens being from Queensland. His collection was sent for sale to England and was sold by Mr. Higgins to Dr. F. D. Godman, who presented the whole of it to the British Museum in 1881. Many birds from the Cape York Peninsula, collected by Messrs. Cockerell and Thorpe, were also sold in this country from time to time.

J. T. Cockerell, jun., collected in the Solomon Islands, and out of the thirteen specimens acquired in 1884, seven were new to the National Collection, including the type of *Myiagra ferrocyanæa*.

Cohen (J.).

See GERRARD, E.

Mr. Cohen collected in the Pelew Islands, and nearly every specimen purchased from Mr. Gerrard represented a species new to the Museum.

Collett (Prof. ROBERT).

See CHRISTIANIA MUSEUM.

Collinson (Admiral Sir RICHARD).

88 birds from the Arctic Seas. Presented. [55. 7. 11, 1-88.]

20 eggs of birds from Cambridge Bay. Presented. [91. 3. 13, 1-20.]

This collection, made during the voyage of H.M.S. *Enterprise*, contained specimens of the Arctic Peregrine (*Falco pealei*) and other interesting birds. No account of it was ever prepared. Capt. Collinson, as he then was, was also attached to the Voyage of the *Sulphur*.

Cf. Dict. Nat. Biogr. xi., p. 383.

Coltart (Dr.).

7 birds from the inner hill-ranges of Assam. Purchased. [1904. 7. 24, 1-7.]

Conyngham (Mrs.).

56 specimens of British birds, mostly from Torquay. Presented. [81. 8. 5, 1-56.]

These birds were beautifully mounted, and were useful in supplementing our series in the public galleries.

Conrad (Capt.).

See SHARPE, R. BOWDLER.

Capt. Conrad's collection from Siam and other parts of the Malay Archipelago and the China Seas was described by Dr. Otto Finseh. The collection was offered for sale, and I bought it during a visit to Germany and presented it to the Museum.

Comrie (Surgeon), R.N.

27 eggs from Ascension Island. Presented. [82. 6. 18, 1-27.]

Dr. Comrie was a naval surgeon who took great interest in natural history, and was the discoverer of the splendid Manucode from Huon Gulf named after him *Manucodia comriei* (cf. Sclater, P.Z.S., 1876, p. 459 pl. xlii).

Conway (Sir MARTIN).

23 birds from Lake Titicaca and other localities in the Andes. Presented. [99. 10. 4, 1-23.]

Cookson (Commander W. E.).

13 specimens from the Galapagos Archipelago (Charles and Albemarle Islands). Presented. [76. 7. 21, 1-13.]

When in command of H.M.S. *Peterel* Commander Cookson was directed to proceed to the Galapagos by Admiral the Hon. A. A. Cochrane, and the results of his fortnight's stay in the Archipelago were published by Dr. Günther in the "Proceedings of the Zoological Society" for 1877 (pp. 64-68).

Cooper (Sir DANIEL).

96 birds from Australia. Presented. [56. 3. 14, 1-96.]

Coppinger (Dr. R. W.).

91 skins and skeletons of birds from the Straits of Magellan and Western Patagonia, obtained during the voyage of H.M.S. *Alert*. Presented by the Lords of the Admiralty. [80. 8. 3, 1-79; 83. 10. 25, 1-12.]

176 specimens from various localities, Tongatabu, Torres Straits, Glorioso and Aldabra Islands, etc. Presented by the Lords of the Admiralty. [81. 9. 26, 1-19; 82. 2. 18, 1-157.]

The first collection was described by me in 1881 (cf. P.Z.S., 1881, pp. 6-18). The account of the other collections is embodied in the volume on the voyage of H.M.S. *Alert*, published by the Trustees of the British Museum. A new species of Turtle Dove (*Turtur coppingeri*) was discovered by him in Glorioso Island.

Dr. Coppinger was an excellent collector, and gained his first experience with Colonel Feilden in the *Alert* during Sir George Nares' expedition to the Arctic regions in 1875-76.

Cf. Coppinger, "Cruise of the *Alert*," 1883.

Cottle (W.).

23 specimens from the island of Nevis, W. Indies. Presented. [39. 5. 30, 1-10; 40. 5. 13, 1-10; 41. 6, 995-997.]

I have never discovered who Mr. Cottle was, but his small collection is still the only one which has reached the Museum from Nevis.

Coues (Prof. ELLIOT).

One of the greatest of American ornithologists and a first-rate field-naturalist. Many specimens obtained by him are in the Henshaw Collection.

See also BOUNDARY COMMISSION, NORTH AMERICAN.

Cowan (*Rev. W. DEANS*).

See HIGGINS, W.; HARTING, J. E.

529 skins and skeletons of birds and eggs from the province of Betsileo in Madagascar. Purchased. [82. 2. 27, 1-140; 82. 2. 28, 1-33; 82. 3. 4, 1-173.]

183 eggs from Madagascar. Presented. [85. 1. 25, 1-183.]

The Rev. Deans Cowan was a missionary in Madagascar before the French occupation, and was a most energetic naturalist. His explorations in the Ankafana Forests were most noteworthy, and besides many rare species he discovered a new species of Sand-Martin which I named *Cotile cowani* (*cf.* his "Notes on the Natural History of Madagascar," P. Phys. Soc. Edinb., vii., pp. 133-150, 1883).

Cox (*Capt.*).

125 birds from the vicinity of Muscat. Presented. [1905. 12. 30, 1-125.]

Craddock (W. H.) and **Thompson** (H. N.).

420 birds and eggs from the southern Shan States. Purchased. [1903. 12. 24, 1-420.]

Crawford and Balcarres (*Earl of*), *K.T.*

35 specimens obtained during the cruise of the yacht *Venus*. Presented. [86. 2. 1, 1-35.]

The collection was described by Mr. Howard Saunders (P. Z. S. 1880, pp. 161-165).

732 specimens collected during the cruise of the yacht *Valhalla*. [1903. 12. 30, 1-260; 1904. 8. 5, 1-35; 1904. 8. 17, 1-437.]

These collections were formed for the Earl of Crawford by Mr. M. J. Nicoll during the voyage of the R.Y.S. *Valhalla*, and several interesting species were obtained, the most notable being old and young birds of the Pitcairn Reed Warbler (*Acrocephalus vaughani*, Sharpe) (*cf.* Bull. B.O.C., xi., p. ii.), and the types of *Dendroica crawfordi* and *Virco laura* (*cf.* Nicoll, "Ibis," 1904, pp. 32-67, pl. i., pp. 555-591, pl. xi.).

Crawshaw (*Capt. RICHARD*).

8 specimens from Lake Nyasa. Presented. [98. 6. 8, 1-8.]

18 specimens from British East Africa. Presented. [99. 2. 5, 1-8; 1900. 9. 4, 1-10.]

Mr. Crawshaw has discovered some fine new species of Mammals in Nyasaland (*see* Report on Mammalia, p. 24), and is a well-known entomologist. He has also sent to the Museum some interesting birds, including a new Francolin (*Francolinus crawshayi*, Grant).

Crewdson (WILSON).

19 specimens from California. Presented. [88. 2. 25, 1-19.]

Cripps (J. N.).

An energetic collector in Upper Assam, who sent many specimens of birds and eggs to Mr. Hume (*cf.* "Stray Feathers," xi., pp. 1-353).

Cross (W.).

49 birds from Colorado. Received in exchange. [1905. 1. 25, 250-298.]

Crowfoot (Dr.).

8 birds and 24 eggs from Norfolk Island. Presented. [85. 1. 7 1-8; 87. 7. 9, 1-24.]

Dr. Crowfoot, of Beccles in Suffolk, is a first-rate oologist, and the eggs of some valuable species were included in the above donation.

Crowley (PHILIP).

92 eggs of British birds. Presented. [84. 10. 3, 1-92.]

14,657 eggs. The Crowley Bequest. [1901. 2. 25, 1-74 (*Accipitres*); 1901. 7. 6, 1-608 (*Charadriiformes*, etc.); 1901. 8. 12, 1-73 (*Herodiones*); 1901. 10. 15, 1-408 (*Striges*, etc.); 1901. 10. 28, 1-71; 1901. 11. 1, 1-713 (*Ratitæ*, *Galliformes*); 1901. 11. 15, 1-815 (*Pelecaniformes*, *Anseriformes*); 1901. 11. 20, 1-590 (*Columbiformes*, *Ralliformes*); 1901. 11. 30, 1-526; 1901. 12. 5, 1-838; 1901. 12. 11, 1-260; 1901. 12. 15, 1-1000 (*Passeriformes*, *Picariæ*); 1902. 1. 10, 1-1008 (eggs of Cuckoos with those of foster-parents); 1902. 2. 5, 1-287 (*Lariformes*); 1902. 2. 15, 1-10 (skins of birds); 1902. 2. 20, 1-229 (*Pelecaniformes*, *Sphenisciformes*); 1902. 2. 23, 1-120 (*Alciiformes*); 1902. 2. 24, 1-1002 (*Ralliformes*, *Passeriformes*); 1902. 3. 1, 1-828 (*Ploceidæ*, *Fringillidæ*, *Tanagridæ*); 1902. 3. 10, 1-417 (*Charadriiformes*); 1902. 3. 20, 1-1014; 1902. 3. 25, 1-991; 1902. 4. 5, 1002; 1902. 4. 10, 1-1028; 1902. 4. 28, 1-87 (*Passeriformes*).]

The celebrated Crowley Collection, bequeathed by its owner, is one of the most valuable donations ever made to the Museum. It enriched the egg-collection in an extraordinary degree, as is evidenced by the "Catalogue of Birds' Eggs." The series of specimens from Australia, whence the Museum had but few examples, was extremely fine, and one of the treasures was an egg of the Great Auk (*Plautus impennis*), formerly in Canon Tristram's collection, the whole of which had been acquired by Mr. Crowley, and of which the major part has now passed into the cabinets of the Museum. By Mr. Crowley's will the Trustees were permitted to select four clutches of eggs from any locality not previously represented in the Museum, and any eggs of historical interest. The duplicates were afterwards sold at Stevens' on April 17, May 15, and June 5, 1902.

One of the most interesting features of the Crowley Bequest was the remarkable series of Cuckoo's eggs with those of the foster-parents.

Cuming (HUGH).

47 eggs from North America. Presented. [41. 6. 11, 16-57.]

234 specimens from Malacca and the Philippine Islands, collected by Cuming himself. Purchased. [42. 2. 15, 1-234.]

In this collection are several specimens which became types in after years, such as *Baza magnirostris*, *Bubo philippinensis*, *Loriculus melanopterus*, Gray, and *L. hartlaubi*, Frisch (= *L. apicalis*, Souanée; cf. *Salvad. Cat. B.*, xx., p. 528).

35 specimens from Chili. Purchased. [44. 1. 8, 12-18; 44. 10. 7, 1-28.]

Collected by "Renous" [whoever he was!]. The collection was at first ascribed to Bridges.

35 birds from Honduras, collected by Dyson. (See *postea*, p. 343.) [45. 3. 15, 16-25; 45. 5. 3, 1-29; 45. 5. 21, 43-52; 45. 8. 5, 33-37.]

22 specimens from Borneo. [46. 1. 16, 8-29.]

10 specimens from Jamaica, being part of P. H. Gosse's collection.

[46. 10. 26, 1-10, type of *Hirundo pæciloma*, Gosse (= *Petrochelidon fulva* (Vieill.); cf. Sharpe, Cat x., p. 155).]

17 birds from Caracas, Venezuela, collected by Auguste Sallé. [47. 7. 16, 1-17.]

30 specimens from Nicaragua, collected by Sallé. [48. 11. 1, 1-22, 27-34.]

64 specimens from San Domingo, collected by Sallé. [50. 11. 13, 17-52; 51. 11. 14, 1-28.]

140 skins from Ceylon, collected by Thwaites. [52. 2. 5, 6-43; 53. 5. 3, 1-34; 53. 10. 29, 1-20; 54. 1. 13, 1-48.]

39 specimens from the Philippine Islands. [53. 5. 4, 1-19; 54. 5. 8, 1-20.]

17 birds from California, collected by Bridges. [58. 3. 1, 1-9; 58. 25, 1-8.]

19 birds from the Pacific Islands and other localities. [58. 5. 8, 1-19.]

22 birds from New Caledonia, collected by John Macgillivray. [59. 4. 19, 1-22.] Type of *Phænorhina goliath*, Gray.

Cumming (WALTER D.).

634 birds, nests and eggs from Fao in the Persian Gulf. Presented. [85. 3. 7, 1-189; 85. 7. 15, 1-9; 88. 12. 6, 1-95; 90. 11. 1, 1-216; 1903. 2. 17, 1-25.]

64 specimens of birds, nests and eggs from Fao. Purchased. [95. 11. 15, 1-64.]

5 birds from the Mekran Coast. Presented. [1904. 11. 27, 1-5.]

These very valuable collections, from a locality whence the Museum had never received any specimens, were described by me in the "Ibis" for 1886 (pp. 475-493), and 1891 (pp. 103-116), when the nest and eggs of *Hypocolius ampelinus* were made known for the first time. Mr. Whitaker has recently described a new species of Chat from Mr. Cumming's collection, as *Saxicola cummingi* (Bull. B. O. C., x. p. xvii., 1900; figured, Ibis, 1902, pp. 58, 59, pl. iii.). His last donation included specimens of the Red-throated Diver (*Colymbus septentrionalis* and *Merganser serrator*), recorded from S. Persia for the first time.

Mr. Cumming entered the Persian Gulf Telegraph Service in August 1876, and was stationed at Fao in 1883, 1886, 1890-1894, and 1896. Fao proved to be a good collecting ground, being situated at the north end of the Persian Gulf, on the right bank of the River Shat-al-arab, and about fourteen miles from its mouth. It belongs to Turkey, the river forming the boundary between Persian and Turkish territory.

Cunninghame (R. J.)

A Saddlc-billed Jabiru from Fashoda. [1902. 11. 20, 1.]

Cunninghame (J. F.).

54 birds from Western Uganda. Presented. [1904. 6. 27, 1-9; 1904. 7. 17, 1-45.]

Cutter (W.).

32 birds from South America. Purchased. [69. 8. 16, 1-32.]

57 birds from Madagascar. Purchased. [70. 5. 20, 1-31; 72. 10. 12, 1-7; 75. 2. 1, 5. 23.]

7 birds from the Zambesi district. Purchased. [76. 7. 5, 1-7.]

Mr. Cutter was a well-known natural history agent in Great Russell Street, and had a shop at the opposite corner to Mr. John Gould's house

in Charlotte Street, where the business is still carried on by the family. He was Alfred Everett's first agent, and it was from Mr. Cutter that Mr. Gould received the original type-specimen of *Pitta arcuata*, one of the finest of Everett's discoveries. I also knew him as Crossley's agent, and I described many fine things from Crossley's Madagascar collections, the types of which are in my collection now in the British Museum. After I had entered the Museum, I was no longer allowed to keep a private collection of birds, and Crossley's later consignments were purchased by the Museum direct from Mr. Cutter. Thus in 1875 we acquired the types of *Eutriorchis astur*, *Atelornis crossleyi*, *Neodrepanis coruscans*, *Oxylabes xanthophrys*, and *Bernieria zosterops* [75. 2. 1, 5-23], all most interesting species, which were described by me (P.Z.S., 1875, pp. 70-78, pls. xiii., xiv.).

The birds from the Zambesi must, I think, have been collected by Dr. Bradshaw. They were beautiful skins, and two species were described by me as new, *Pinarornis plumosus* (fig., Cat. B., vii., pl. ix.) and *Saxicola shelleyi* (cf. Sharpe's edition of Layard, pp. 230, 246. Figured in Oates' "Matabele Land," App., pl. A.). The latter bird is really a *Thamnodia*, and was named by me in honour of my friend, Sir Edward Shelley, an old Zambesi explorer, who reached Lake Nyasa but a short time after its discovery by Livingstone and Kirk. Sir Edward was one of the pall-bearers at Livingstone's funeral.

Dalgleish (G.).

6 eggs of the Kentish Plover from the Channel Islands. Presented. [1904. 3. 2, 1-3; 1904. 3. 3, 1-3.]

Danckwerts (W. C.).

A specimen of the Grey Lag Goose (*Anser anser*) from Sutherland. [1905. 5. 22, 1.]

Danford (C. G.).

2 Nutcrackers, with nest and eggs, from the Carpathian Mountains. Presented. [1901. 4. 14, 1-8.]

Mr. Danford, with Mr. J. A. Harvie-Brown, wrote a list of the birds of Transylvania, mainly based on their own observations (*Ibis*, 1875, pp. 188-199, 291-313, 412-431). In 1877 he described the birds collected during his travels in Asia Minor (*Ibis*, 1877, pp. 261-274; 1878, pp. 1-35), and again in 1880 (*Ibis*, 1880, pp. 81-99).

Most of the specimens obtained during this last expedition were given by Mr. Danford to various private collections, and thus many have come to the Museum with the Seeböhm Bequest. The type of a new species of Lesser Spotted Woodpecker (*Dendrocopus danfordi*) also came with the Hargitt collection. Mr. Danford has presented the nest *in situ*, with the eggs and parent-birds of the Nutcracker (*Nucifraga caryocatactes*), from Transylvania, and this is one of the most interesting of our bird-groups.

Daniels (Major Cooke).

3 skins and 14 specimens in spirit, from S.E. New Guinea. Presented. [1905. 9. 18, 1-17.]

Daniels (Miss E.).

13 birds from British Guiana. Presented. [1905. 5. 20, 1-13.]

Darling (J.).

Was one of Mr. Hume's collectors.

Darling (J. FFOLLIOT).

66 birds and eggs from Rhodesia. Exchanged. [1902. 2. 1, 1-18; 1902. 3. 14, 1-48.]

An interesting collection, the chief treasure being a specimen of Reichenow's *Pitta* (*Pitta longipennis*, Reichenow), found for the first time in the South African Sub-region (cf. Sharpe, Bull. B. O. C. xii., p. 49, 1902).

Darmstadt Museum.

3 specimens received in exchange. [77. 4. 21, 21-23.]

A new Polyplectron (*P. schliermacheri*) from S. E. Borneo, *Corvus annectens* from Celebes, and *Oriolus formosus* from Sangi Islands, were added to the collection.

Darwin (CHARLES), F.R.S.

A specimen of *Upucerthia dumetoria* from Coquimbo. Presented. [39. 8. 4, 1.]

20 birds from South America. Presented. [56. 3. 15, 1-20.] [Contained the type of *Pyrocephalus parvirostris*, Gould, Zool. Voy. *Beagle*, iii., p. 44.]

26 birds from Persia. Presented. [56. 12. 16, 1-26.]

60 Domestic Pigeons and 6 Ducks. Presented. [67. 12. 9, 1-66.]

The collections made by Darwin during the voyage of the *Beagle* passed into the Museum of the Zoological Society, and were afterwards acquired by the British Museum. Unfortunately, a few of the types had either perished or were overlooked by Mr. G. R. Gray, when he made his selection, since they are not now in the National Collection. From whom Mr. Darwin received his small series of Persian birds, I never knew. The Pigeons and Ducks had served him in his works on Natural Selection.

(Cf. Diet. Nat. Biogr., xiv., pp. 72-84.)

Davidson (J.).

18 birds, mostly from Aden, collected by Lieut. Barnes. [97. 11. 29, 1-18.]

A specimen of *Remiza coronata* from Sind. Presented. [1905. 2. 7, 1.]

Mr. Davidson is the author (in company with Mr. Wenden) of a very important paper on the Avifauna of the Deccan (Stray Feathers, vii, pp. 68-95); "Rough List of the Birds of Western Kandesh" (Stray Feathers, x., pp. 279-327), and his collections are now in the Museum, having been presented by Mr. Allan Hume, with the rest of the Hume collection. When the late Lieut. Barnes wrote a paper on the Birds of Aden (Ibis, 1893, pp. 57-84, 166-181), I was particularly anxious to examine some of his specimens, but they were, unfortunately, in India at the time.

Mr. Davidson afterwards acquired the collections of birds and eggs belonging to Lieut. Barnes, and he very kindly presented to the Museum the specimens which I desired. Another interesting species presented by Mr. Davidson was a specimen of *Erythropus amurensis* from Kanara. [1897. 12. 4, 1.]

Davies (Commander DAYRELL), R.N.

8 birds from Shanghai, 1 from Ascension Island, and 3 from Panama. Presented. [87. 7. 30, 1-12.]

Davies (Capt. H. R.).

8 birds from the Shan States. Presented. [99. 8. 20, 1-8.]

Davis and Soper (Messrs.).

69 birds from the Makalaka country collected by the late Dr. Bradshaw (*q.v.*). Purchased. [80. 1. 30, 1-69.]

Davison (WILLIAM RUXTON).

170 birds from the Nilghiri Hills. Presented. [82. 6. 8, 1-35; 83. 8. 1, 1-40; 84. 7. 28, 1-90.]

14 birds from Travancore. Presented. [85. 7. 30, 1-14.]

11 birds from Pahang. Presented. [92. 9. 1, 1-11.]

Davison was one of the best collectors that the world has ever seen. He was indefatigable as a worker in the jungle, but it was next to impossible to get him to write anything about his experiences, although, in conversation, his stories of the habits of birds were always interesting. Mr. Hume has told me that even when Davison returned to Simla after one of his expeditions, it was difficult to get him to write anything down, as he was always wanting to be out of doors collecting among the hills.

He was entrusted with the conduct of expeditions by Mr. Hume for many years, and his wonderful explorations in Burma, Tenasserim, and the Malay Peninsula are described in 'Stray Feathers,' the most important memoir being the account, by Mr. Hume and himself, of the birds of Tenasserim (*Stray Feathers*, vi., pp. 1-524).

When Mr. Hume gave up his ornithological work, Davison visited England and afterwards settled down for a time at Ootacamund in the Nilghiris, whence he sent some interesting birds to the British Museum. He was afterwards appointed to the Museum at Singapore, and made one more expedition into Pahang. The death of his wife and the hardships he had undergone in his younger days proved too much even for this strenuous man, and he died in January 1893 (*cf.* *Ibis*, 1893, pp. 478-480).

The collections which he made for Mr. Hume's Museum were always beautifully prepared, and he discovered many new species, several of which were named after him (*Cyanops davisoni*, *Spilornis davisoni*, *Geronticus davisoni*, *Iaxus davisoni*, *Brachyurus davisoni*, *Turdulus davisoni*, *Lioptila davisoni*, *Hemixus davisoni*).

Dawson (Prof. G.).

300 specimens obtained during the Boundary Commission on the 49th Parallel, five species being new to the collection. Presented by the Foreign Office. [76. 4. 15, 1-300.]

Prof. Dawson was the naturalist attached to the British Commission, while Dr. Elliot Coues was the American zoologist. The collection was fully described by the latter.

Day (W. S.).

See GERRARD, E.

Deasy (Major H. H. P.).

18 birds from the Pamirs. Presented. [99. 8. 3, 1-18.]

36 birds from Tibet. Presented. [1903. 10. 3, 1-36.]

For an account of Major Deasy's adventurous journeys to Central Asia *cf.* *Geogr. Soc. Journ.* xi., pp. 544, 545, 665, 666, 1898; xvi., pp. 501-527.

Degen (E.).

67 birds' skins and specimens in spirits from South Australia. Purchased. [99. 8. 14, 1-19; 1900. 10. 7, 1-48.]

462 specimens from Abyssinia. [1903. 9. 5, 1-312; 1903. 10. 20, 1-146.]

Mr. Degen was a pupil of the late Professor Rüttimeyer at Basel, and is an accomplished and skilful preparer of skeletons, in which capacity he has for many years done excellent work for the Museum. He is also interested in the moulting and phylogeny of the Class Aves, and has written two elaborate memoirs on these subjects. [Bull. B.O.C., vol. ii.; Trans. Zool. Soc., xvi., pp. 347-418, pls. xxxvi.-xxxviii.]

His recent expedition to Abyssinia resulted in a most valuable collection of fishes, and an interesting series of birds, including two new species, *Melanobucco tsanæ* and *Mirafra degeni*, and a very rare Owl, *Asio abyssinicus*. (Cf. Ogilvie-Grant, Ibis, 1904, pp. 250-280, pls. v., vi.)

Delamere (Lord).

61 birds from Somali Land. Presented. Collected by Dr. Atkinson. [98. 12. 11, 1-61.]

970 birds from Equatorial Africa. [1901. 2. 22, 1-970.]

The last-named collection is one of the most complete ever made on an expedition to Equatorial Africa. Lord Delamere took Mr. Leonard Harwood with him as taxidermist, and consequently the skins were beautifully prepared. At least twelve species were new to the Museum, of which seven were types.

Delmé-Radcliffe (Colonel C.).

405 birds and 37 skeletons from Uganda, collected during the Anglo-German Frontier Commission, including two types of species new to science, collected by the late W. G. Doggett. Presented. [1904. 10. 23, 1-100; 1904. 10. 27, 1-305; 1904. 10. 29, 1-37.] (Cf. Ogilvie-Grant, Ibis, 1905, pp. 199-212.)

Dent (Capt. R. E.).

16 birds from Kronstadt, Orange River Colony. Presented. [1903. 3. 21, 1-16.] Collected during the last Boer War.

See also WOOSNAM, R. B.

De Oca (RAFAEL).

See GERRARD, E.

A well-known Mexican collector, who travelled principally in the state of Jalapa (cf. Selater, P.Z.S., 1859, p. 362).

Derby (Earl of).

94 birds from various localities. Presented. [37. 5. 13, 1-2; 37. 7. 8, 31-53; 38. 5. 12, 102; 42. 12. 6, 19-68; 46. 9. 1, 1-9, 12-21.]

The 13th Lord Derby, the founder of the Derby Museum at Liverpool, gave, from time to time, many interesting specimens of birds to the British Museum.

De Vis (C. W.).

See QUEENSLAND MUSEUM.

De Winton (W. E.)

16 birds from various localities. Presented. [94. 11. 15, 1-7 94. 11. 25, 1; 94. 12. 18, 1-8.]

1 example of the Common Teal (*Nettion crecca*) from Pembroke-shire. Presented. [1904. 10. 17, 1.]

Dickinson (Dr.).

3 specimens from the Zambesi. [64. 12. 7, 1-3.]

Includes the type of *Cerchneis dickinsoni*.

Dismore (WALTER B.).

23 birds from Florida. Presented. [83. 3. 17, 1-23.]

Dixon (CHARLES).

The collections made in St. Kilda and in Algeria by Mr. Dixon passed into the collection of the British Museum along with the rest of the Seebohm collection. The St. Kilda Wren, *Anorthura hirtensis* (Seebohm, Zool., 1884, pp. 333-335) was discovered by Mr. Dixon.

Dixon (Lieut. KENNETT).

12 birds from Antipodes, Bounty and Campbell Islands. Presented. [1903. 3. 20, 1-11.]

This small collection was most interesting, and contained specimens of *Anthus steindachneri* with its nest and eggs (the latter unfortunately broken in transit); also a specimen of the nearly extinct *Mergus australis*.

2 heads and 2 eggs of the Wandering Albatross (*Diomedea exulans*) from Antipodes Islands. Presented. [1904. 6. 16, 1-4.]

2 Australian Grebes (*Podiceps novæ hollandiæ*) from Dauphin Island, New Hebrides. [1904. 12. 25, 1-2.]

Dobrée (E. A.)

A Sabine's Gull (*Xema sabinei*) from Christchurch, Hants. Presented. [1904. 3. 7, 1.]

Doggett (WALTER G.).

See DELMÉ-RADCLIFFE, Colonel; JOHNSTON, Sir Harry.

Doig (SCROPE).

9 birds from Sind. Presented. [81. 7. 11, 1-9.]

Mr. Scrope Doig did valuable ornithological work in Sind, and his series of birds and eggs collected in the Eastern Narra Range are in the Hume Collection (*cf.* Stray Feathers, viii., pp. 369-379; ix., pp. 277-282; x., pp. 503-512).

Done (R. H.).

A Knot and a Ruff, from South Uist. Presented. [1905. 9. 16, 1-2.]

Dorman (R. P.)

10 birds from the Congo Free State. Presented. [1905. 4. 8, 1-10.]

Doubleday (HENRY).

22 birds from Epping. Presented. [41. 1. 18, 1-14; 41. 1. 26, 2-9.]

Doubleday is principally known as an entomologist, and was a brother of the celebrated entomologist, Edward Doubleday, but he was a first-rate naturalist of the old school. The birds which he gave to the Museum were for years the best-mounted specimens in the collection.

Cf. Dict. Nat. Biog. xv., p. 254.

Drake-Brockman (R. E.).

41 birds from British East Africa. Presented. [1904. 4. 4, 1-41.]

34 eggs from East Africa. Presented. [1904. 5. 11, 1-34.]

9 birds from Berbera. Presented. [1905. 6. 1, 1-9.]

18 birds from Somali Land. Presented. [1905. 7. 24, 1-7; 1905. 12. 19, 1-11.]

Dresser (H. E.).

4 birds from Europe and Asia Minor. Presented. [72. 12. 16, 1-4.]

A Pelican (*Pelicanus onocrotalus*) from Dalmatia. Presented [73. 12. 26. 12.]

46 eggs from Central Asia. In exchange for duplicates from the Museum Collection. [1902. 4. 25, 1-46.]

At the time that I entered the service of the Trustees, Mr. Dresser was engaged with me in writing the "Birds of Europe." Being unable to continue this work and at the same time write the "Catalogue of Birds," I preferred the latter work, and surrendered the "Birds of Europe" to my partner. The collection on which this work was founded contained many specimens of birds obtained in my younger days. Mr. Dresser sold his collection to a gentleman, by whom it was presented to the Victoria University, Manchester. The donor is now known to have been Mr. J. T. Thomasson.

Du Chaillu (PAUL B.).

See STEVENS, S.

This celebrated collector, the rediscoverer of the Gorilla, worked in his early days for the Maison Verreaux. Jules Verreaux, who came to England when the German army approached Paris in 1870, was received by the English ornithologists with great sympathy, and lived for some three weeks in my house. He told me that Du Chaillu was not only a first-rate collector, but an absolutely straightforward man, and that after his first efforts at scientific collecting he was entrusted with money for a second expedition into the interior of Gaboon by certain French zoologists. Du Chaillu's second collection was lost in a shipwreck, and when he afterwards arrived in Paris with another consignment, he made known his arrival to Jules Verreaux, and announced his intention of surrendering the collection he had brought with him for the benefit of the former subscribers. The latter, however, were unreasonable, and wanted to prosecute Du Chaillu for the loss of the money contributed towards his second venture, and he therefore sailed away to America; and thus Cassin was able to describe the wonderful novelties which Du Chaillu had brought back from Gaboon. He afterwards went back to the latter country under the auspices of the Academy of Natural Sciences of Philadelphia, and continued his researches [*cf.* Cassin, Proc. Acad. Nat. Sci. Philad., 1855, p. 439; 1856, pp. 156-159 (Moonda river), 316-322 (Cape Lopez); 1857, pp. 33-40 (Muni river); 1859, pp. 30-55, 133-144, 172-176, pls. 1 and 2 (Camma and Ogowé rivers)]. This was the story told me by my old friend, Jules Verreaux.

Cf. Obituary, Geogr. Journ., pp. 680 and 681, 1903.

The following account of the explorer appeared in the "Daily Telegraph" of May 1st, 1903, and, as the best record of Du Chaillu's work, is worth preserving:—

Although the name of Paul Belloni du Chaillu cannot be placed in quite the same category as those of Speke, Grant, Gordon Cumming, Burton, Baker, Stanley, or others of the explorers who, during the past sixty years, unrolled to the knowledge of the civilised world the mysterious wonders of the Dark Continent, yet his work was of great importance, and in some respects his investigations were directed in a more scientific direction than those of many of the men mentioned. M. du Chaillu was a Frenchman, and was born in Paris on July 31, 1835. His father held an official appointment in the French settlement on the Gaboon River on the West Coast of Africa, where he also carried on a

commercial concern, and thither the youth went at an early age. His education by the Jesuits of that colony doubtless tended to create in his mind a taste for exploration, for the members of the famous society have always been noted for the zeal and ability with which they have pursued geographical and ethnological research. When he was about seventeen years of age young Du Chaillu entered his father's trading business, and proceeded to the United States with a cargo of ebony. It was in New York that he took his initial plunge into literature, a very able series of articles on the Gaboon country appearing in the *New York Tribune* from his pen.

In 1855 he was naturalised as an American citizen, and in the same year returned to West Africa, where he immediately set out upon his first long journey in the interior. For nearly four years he pressed onward through a country up to that time untrodden by the foot of the European, travelling on foot or in canoes without white companions, and covering a total distance of about 8,000 miles. During this protracted itinerary M. du Chaillu shot and preserved thousands of specimens of bird and animal life, sixty of which were previously unknown. The great discovery, however, which overshadowed all his other achievements, brought about a very bitter scientific controversy, but finally placed his name on a secure basis, was that of the Gorilla. It is, of course, well known that for many years rumours from native sources had reached the coast of an extraordinary species of man-like apes, gifted with superhuman agility and strength, and endowed with something like human intelligence; and, indeed, certain specimens of the skin and skull of a great Simian had been obtained. But down to the time that Paul du Chaillu returned from his wanderings, no European had ever claimed personal acquaintance with this most remarkable member of the monkey tribe, and it was generally believed that the so-called Gorillas were nothing more than unusually fine specimens of the Chimpanzee or Ourang outang, both of which were familiar enough to zoologists. Therefore, when, in 1860, Du Chaillu came back to civilisation from the gloomy forests of West Africa and gave to the world his news that he had himself seen in its native fastnesses the mysterious creature in question, a war of words arose that has rarely been equalled and never exceeded in the history of science. Du Chaillu, of course, had his opponents and his supporters. On the former side were ranged such men as Dr. Petermann and Dr. Barth, two names to conjure with in Germany, and, indeed, in Europe. On the other were Sir Roderick Murchison and that greatest of modern comparative anatomists, Sir Richard Owen. Magazine and newspaper articles, papers before learned societies, pamphlets followed one another in rapid succession, alternately attacking and defending M. du Chaillu and the statements contained in the book, "Explorations and Adventures in Equatorial Africa," in which he had set forth his experiences. Not only were his zoological researches discounted, but his maps and other geographical data were questioned, and the controversy reached a climax one night at the meeting of a certain scientific body, when a scene of considerable violence occurred between the explorer and his critics.

Intensely irritated by the reception which his statements had encountered, Du Chaillu was not at all discouraged. He went out again to West Africa, and, in 1863, he departed on another journey, by which he hoped to cross the continent. He was delayed by the loss of his outfit through the capsizing of a boat, but eventually a start was made. Passing up the Fernand-Vaz river to Obindji he went on to Olenda, in Astivialand, whence he explored much of the surrounding country, later on proceeding

to the Apono, Ishogo, and Ashango territories, meeting on the way a curious race of negro dwarfs, of nomadic habits and of a very low type. This journey came to an untimely end. At a village over 400 miles from the point of departure one of M. du Chaillu's men had the misfortune to kill a native through the accidental explosion of a rifle. The enraged villagers attacked the party, M. du Chaillu and his companions were obliged to flee for their lives, and practically the whole of his instruments, scientific collections, note-books, and photographs were abandoned and lost in the jungle. The expedition effected its retreat only under great difficulties, but eventually reached the territory of friendly tribes in safety. This second journey, although a brief one, was very fruitful in scientific results, and has always been regarded as of more permanent value than the earlier and more protracted explorations of M. du Chaillu. By the time he returned to London, in 1865, the Gorilla controversy had to a large extent died out, and the fresh evidence which he was able to adduce set the matter definitely at rest. There is little doubt, indeed, that M. du Chaillu had himself largely to blame for the adverse criticism encountered by his earlier statements. His first book was couched in the form rather of a popular work of adventure than of a serious and sober account of a series of learned researches. Not content with recounting what he had himself seen, he embellished his narrative with a good deal of more or less sensational hearsay, probably derived from native sources. Hence matter-of-fact zoological experts, accustomed, above all things, to the precise terms and data of scientific exposition, were prone to put down as mere "traveller's tales" the stories of a man who, although given somewhat to exaggeration, had yet a very solid substratum of truth for his assertions. The matter, however, is now at rest, and no one doubts the existence of the great monkey.

After his expedition of 1865, the results of which were embodied in two further books, M. du Chaillu carried out no more explorations in Africa. For some years he lived in America and England, delivering a large number of public lectures, in which he recounted his experiences with much success. In the seventies and eighties he turned his attention to Scandinavia, and visited many of the more remote parts of Norway and Sweden, as the result of which he published a very fascinating book, entitled, "The Land of the Midnight Sun." During his life in those northern countries he made many researches into their ancient records, buildings, and folklore, and his work, "The Viking Age," published in 1887, dealing with the early history, manners, and customs of the ancestors of the English-speaking nations, is a classic.

In person, M. du Chaillu was well equipped for the arduous toils of exploration. Although his body was short and thick-set, almost to the verge of deformity, he was possessed of great muscular strength, and he enjoyed admirable health. He spoke and wrote English admirably, and his literary style, though florid and diffuse, was vigorous and picturesque. His knowledge of the languages, or dialects, of the many savage races with which he came in contact was considerable, and in coolness, pertinacity, and nerve few explorers have ever equalled him.

Ducie (Earl).

A hybrid Pheasant (*Phasianus colchicus* × *P. reevesi*) from Gloucestershire. [1904. 2. 4, 1.]

Dumas (J. M.).

94 birds from N. New Guinea. Purchased. [99. 11. 3, 1-41; 1900 4. 10, 1-53.]

A companion of Mr. Alfred Everett during his travels in the Molucca Islands. After Everett's death, Dumas visited several islands in the Moluccas, and procured some interesting species. *Geocichla dumasi*, Rothschild, from Buru (Bull. B.O.C. viii., p. xxx.), and other new species were discovered by him (*cf.* Nov. Zool. vii., pp. 226-242).

Dunn (*Surgeon-Captain* H. N.).

234 specimens of birds and eggs from the neighbourhood of Khartum and the White Nile districts. Presented. [1900. 8. 29, 1-82; 1902. 12. 17, 1-59; 1903. 2. 4, 1-48; 1903. 2. 7, 1-46.]

6 birds from Somali Land. Presented. [1904. 6. 14, 1-6.]

These collections contain many interesting species, and should be carefully examined by anyone writing on the ornithology of the Eastern Sudan.

Dunstall (G. K.).

3 birds from British Guiana. Purchased. [1904. 10. 30, 1-3.]

11 Birds of Paradise from New Guinea. Purchased. [96. 3. 16, 1-11.]

10 specimens from New South Wales and New Zealand. Purchased. [96. 5. 1, 1-10.]

Durnford (HENRY).

9 eggs of birds, collected by the late H. Müller, from the Färoe Isles; and 3 from Walney Island. Presented. [75. 1. 5, 1-12.]

354 specimens from Argentina and the Chuput Valley in Patagonia. Purchased. [1885. 11. 20, 1-354.]

This fine young naturalist, whose career was cut short by an early death (*cf.* Ibis, 1878, p. 493), was a nephew of the late Dr. Durnford, Bishop of Chichester. He collected in the Färoes and also in the Frisian Islands (Ibis, 1874, pp. 391-406). He afterwards settled in South America, and his papers on the birds of Buenos Aires were published in the 'Ibis' for 1876 (pp. 157-166) and 1877 (pp. 166-203). In the latter volume also appeared his account of his expedition to the Chuput Valley (Ibis, 1877, pp. 27-46), with a further paper (Ibis, 1878, pp. 389-406). *Porzana spiloptera* was described by him and figured in the 'Ibis' for 1877 (pl. iii.), and I have named an Oyster-catcher (*Hæmatopus durnfordi*) after him (Cat. B. Brit. Mus. xxiv., p. 117, pl. vi.). The account of his last expedition, to Tucuman and Salta, was published in the 'Ibis' for 1880, pp. 351-364, pls. ix. and x. The collection acquired after his death contains all the specimens obtained by Durnford in South America.

Dyer (*Sir* THISELTON), *Director*, Royal Botanic Gardens, Kew (q.v.).

A young White Stork (*Ciconia alba*). Presented. [1904. 5. 31, 1.]

Hybrid Goose (*Chenalopex ægyptiaca* × *C. magellanica*). [1904. 10. 28, 1.]

A Semipalmated Goose (*Anseranas semipalmata*). Presented. [1904. 12. 8, 1.]

A specimen of the White Stork (*Ciconia alba*). Presented. [1905. 5. 27, 1.]

Dyson (DAVID).

. See also CUMING, HUGH.

38 birds from Honduras. Purchased. [45. 11. 2, 1-38.]

127 birds from Venezuela. Purchased. [46. 11. 27, 1-18; 47. 2. 10, 1-25; 47. 3. 22, 1-35; 47. 5. 1, 1-32; 47. 10. 18, 15-31.]

This contains the type of *Nothocercus bonapartei*, Gray, from Aragua Valley, Venezuela.

No list of Mr. Dyson's collections appears to have been published, but a species of *Bucco* was named after him by Dr. Sclater (P.Z.S., 1855, p. 193). Some account of his life is published in the Proceedings of the Manchester Field Club (vol. i., pt. 2, 1900-1901), cf. Britten, Journ. Botany, 1905, p. 134. See also the 'Naturalist,' 1857, pp. 43, 44.

Earl (PERCY).

30 birds from New Zealand. Purchased. [45. 1. 13, 1-30.]

3 nests of New Zealand birds. Presented. [45. 3. 6, 2-4.]

One of the Weka Rails presented by Mr. Earl was described by G. R. Gray in his list of the "Birds of New Zealand" as *Ocydromus earli* (Ibis, 1862, p. 238).

Earle (EDWARD).

See STARES, JOHN.

East India Company (Hon.).

See INDIA MUSEUM, London.

Eaton (Rev. A. E.).

Mr. Eaton was the naturalist to the Transit of Venus expedition, and was stationed in Kerguelen Land. He did excellent work, and his field-notes on the habits of the birds are full of interest. The ornithological collections made by the expedition are described by me in the Report published by the Royal Society (Phil. Trans., vol. clxviii., pp. 101-162, pls. vi.-viii.). The eggs were described by Mr. Howard Saunders (*t.c.*, pp. 163-166).

The Teal of Kerguelen Island proved to be new to science, and was named by me *Querquedula eatoni* ("Ibis," 1875, p. 328; figured Phil. Trans., clxviii., pl. vi.). It has since been made the type of the genus *Dafilula*.

Edinburgh, University of.

See ROBINSON, H. C.; ROYAL SOCIETY.

Edwardes (Hon. W.) [Lord KENSINGTON].

126 birds from St. Brides', South Wales. [88. 11. 14, 1-14; 88. 12. 13, 1-22; 89. 12. 17, 1-57; 91. 4. 28, 1-33.]

Lord Kensington was endeavouring to procure for the Museum a complete series of birds from South Wales. He went with his regiment to South Africa, was severely wounded during the Boer War, and subsequently died of enteric fever at Bloemfontein. He also presented the nesting groups of the Carrion Crow and the Shag.

Egypt, Exploration Fund (through Professor W. M. FLINDERS PETRIE).

Bones of a Crane from Egypt. Presented. [1904. 9. 8, 1.]

Many bones of mummified Mammals and Birds.

Elliot (Dr. EDMUND A. S.).

10 Starlings (*Sturnus vulgaris*) from Devonshire. Presented. [89. 3. 8, 1-10.]

When I was working at the distribution and migration of the Common Starling, Dr. Elliot procured me some interesting specimens. He is a well-known authority on the ornithology of Devonshire, and is

also interested in the birds of North America (*cf.* Bull. B.O.C., v., pp. xxi., xlii.). He is the author of "A Century's Work on Ornithology in the Kingsbridge District" (Rep. Devon. Ass., xxix., pp. 167-174, 1897).

Elliott (GEORGE FRANCIS SCOTT).

8 specimens from Madagascar. Presented. [89. 9. 25, 1-8.]

35 specimens from Ruwenzori and Lake Albert Edward. Presented. [96. 2. 12, 1-35].

Mr. Scott-Elliott is chiefly known as a Botanical Collector, but he procured some specimens of birds during his travels in Equatorial Africa, and discovered a new species of *Zosterops* on Ruwenzori, which has been named after him, *Zosterops scotti*, by Mr. Oscar Neumann (Orn. M.B., vii., p. 24). See Hist. Coll. Brit. Mus., i. (Botany), p. 146.

Elliott (J. STEELE).

A specimen of the Sub-Alpine Warbler (*Sylvia subalpina*) from St. Kilda, being the only known specimen from the British Islands. [1901. 1. 4, 1.]

29 eggs from St. Kilda, Donegal and Shropshire. Presented. [1902. 7. 7, 1-13; 1904. 8. 11, 1-16.]

87 eggs of British birds. Presented. [1904. 10. 20, 1-87.]

Elsey (J. R.).

249 specimens from N.W. Australia. Presented. [57. 9. 18, 1-56; 57. 10. 28, 1-193.]

Dr. Elsey was the medical officer attached to the Gregory Expedition.

Elwes (H. J.), F.R.S.

98 birds (Ducks). Presented. [89. 4. 3, 1-80; 89. 4. 9. 1-18.]

The record of Mr. H. J. Elwes constitutes as fine a display of energy and devotion to scientific work as any in the annals of English science. Born in 1846, he was educated first at Mr. Goldney's school at Tonbridge, where the present Lord Walsingham made the study of natural history the rage, and this doubtless had its influence in the after career of Mr. Elwes. After four years at Eton, he joined the Scots Guards in 1865, and it was in 1863 and 1864 that he made his first expeditions in pursuit of natural history to the Orkney Islands. He stayed at Stromness in the house of the well-known collector, John Dunn, and was nearly drowned during one of their expeditions in the very boat in which Dunn lost his life a few years afterwards. Mr. Elwes visited Islay on several occasions, and again on one of these visits he narrowly escaped drowning through the swamping of the boat in which he was sailing. The ornithological notes which he made were sent to the late Robert Gray, who was at that time engaged in writing his book on the 'Birds of the West of Scotland.'

In 1868, when the Guards were quartered at the Tower, he obtained leave for the summer, and spent three months in the Hebrides, accompanied for the first ten days by T. E. Buckley. In those days the White-tailed Eagle (*Haliaeetus albicilla*) was common in Skye, three nests being found in a couple of days, and to two of these he descended over the cliffs by means of a rope. Sixty of these birds had been destroyed on the farm of Glenbrittle by Mr. Cameron, the tenant, with whom the travellers stayed, and who was afterwards killed by being thrown out of a window in a row which took place at Portree.

In 1869, Mr. Elwes went with the late Mr. T. E. Buckley on an expedition to Greece, Turkey, and the Crimea. While in Attica, the

party narrowly escaped capture by the very same band of brigands who murdered Mr. Herbert, Mr. Vyner and the Secretary of the Italian Legation the year afterwards. (For an account of this expedition, see the "Ibis" for 1870, pp. 59-77.)

Being unable to effect an exchange into a regiment in India, Mr. Elwes left the Army in 1870, and determined to devote his time to travel and the pursuit of natural history. He went to Madras with the late Colonel Barne and Colonel the Hon. F. Bridgman. After hunting Elephants and Bison in the Cardamum Hills of Travancore, and making some notes on birds (Ibis, 1870, pp. 526-528), an expedition was made after Tiger and Rhinoceros in the Terai, with Colonel Sir F. (now General Lord) Grenfell and Colonel Bridgman; but, as the latter was invalided by a bad attack of fever, Mr. Elwes made a trip to Darjiling in April and stayed there till the end of October. He joined with Dr. W. T. Blanford in the well-known explorations of the head-waters of the Tista River in Tibet, a locality only once before visited, viz. by Sir Joseph Hooker, twenty-two years previously. An account of this expedition was published by Dr. Blanford in the "Journal" of the Asiatic Society of Bengal (vol. xli., pp. 41-73), and three new species of birds were described.

In November Mr. Elwes went to Assam with the late Colonel Houghton, C.I.E., the Commissioner of Kuch Behar, but was laid up with fever. After an expedition to Kangra and the north-western Himalayas he returned to England in 1871, and married. The result of his Indian experiences is summed up in his paper on the "Geographical Distribution of Asiatic Birds" (P.Z.S., 1873, pp. 615-682, pl. li., map). He likewise wrote a revision of the genus *Henicurus* (Ibis, 1872, pp. 250-262, pl. ix.).

In 1874 Mr. Elwes started to join the late Lord Lilford in his yacht on an expedition to Cyprus, but the yacht was disabled and could not go, so Mr. Elwes travelled by himself from Smyrna to Lycia, and collected birds and plants. Several new bulbous plants were discovered on this expedition, and one of them, *Galanthus elwesi*, has become a very popular garden-plant in England.

From this date he became especially interested in horticulture, and did little more in ornithology, but in May, 1880, he accompanied the late Henry Seebohm on a collecting trip to Denmark and Holland, when they obtained the eggs of the Black Stork (*Ciconia nigra*), the Kite (*Milvus milvus*), the Avocet (*Recurvirostra avocetta*), and many others (cf. Ibis, 1880, pp. 385-399).

In 1879 he turned his attention to Lepidoptera, and in April, 1882, he went to Algeria, accompanied by Mr. C. Dixon, and discovered a new Chat (*Saxicola seebohmi*) in the Aures Mountains. (Cf. Ibis, 1882, pp. 550-579, pl. 14.)

For the last twenty years Mr. Elwes has devoted himself to the study of Lepidoptera and Botany, and has made many expeditions, in pursuit of insects and plants, in different parts of the world. In 1884 he was at St. Petersburg as the British Delegate to the International Congress of Botany and Horticulture. In 1886 he was appointed by the Government of India a member of its Embassy to Tibet, a mission which came to naught owing to the political difficulties which led to the war in Sikhim, in 1888. Being unable to cross the Tibetan frontier, Mr. Elwes spent six months in Sikhim and the Khasia Hills.

After the death of his father in 1891, he settled down on the family estates, and has since devoted his time to forestry and horticulture, varied by occasional visits to Norway, the Tyrol, etc.

In 1888 we find him, accompanied by Mrs. Elwes, in Mexico, where he joined his brother-in-law, Dr. F. D. Godman, F.R.S., in whose company a very large number of Birds and Lepidoptera were collected. The return journey was made *via* California, Oregon, and the Yellowstone Park. In 1893, and again in 1895, Mr. Elwes was again in North America, when he visited the Rocky Mountains of Colorado, Montana, and Alberta, and discovered several new species of Butterflies. By this time his interests were chiefly centred in the collecting of Lepidoptera, and reviews of several genera, *Aeneis*, *Colias*, *Argynnis*, *Erebia*, etc., appeared in the "Transactions" of the Entomological Society, and in 1900 he disposed of his ornithological collections, consisting of some 4000 specimens, which were transferred to Mr. Rothschild's Museum at Tring.

In 1898 Mr. Elwes made an expedition into Siberia with Mr. W. A. L. Fletcher, D.S.O., the well known oarsman, to hunt wild Sheep. A very fine collection of Lepidoptera was obtained, which was described in the "Transactions" of the Entomological Society for 1899 (pp. 295-367, pls. xi.-xiv.). The principal ornithological discovery was that of the breeding of Stejneger's Scoter (*Oedemia stejnegeri*) on the salt lakes of the Tchuja Steppe, 2000 miles from the sea. A fine collection of dried plants was unfortunately lost in crossing a river.

In the winter of 1901-1902, Mr. Elwes went to Chile and collected plants and butterflies, the latter being described in the Entomological Society's "Transactions."

In 1903 he wrote a paper on the "Habits and present condition of the Elk in Norway" (P.Z.S., 1903, pp. 133-151, text-figures 18-26).

For the past three years he has been engaged in arranging the collection of Lepidoptera in the British Museum, having in 1902 presented to the nation the pick of his collection, amounting to some 30,000 specimens. He is also engaged in a work on the Trees of Great Britain and Ireland, with Dr. A. Henry as his coadjutor.

Emin Pasha.

370 specimens from Equatorial Africa. Presented. [87. 9. 28, 1-342; 90. 7. 1, 1-28.]

The collections presented by Emin Pasha to the Museum were some of the most valuable ever received by the Trustees. They have been described by Captain Shelley (P.Z.S., 1888, pp. 17-50, pl. iii.). An interesting new species of Pratincole was named *Glareola emini*.

A further collection was despatched by Emin Pasha for the Museum shortly before his death. It was entrusted to the ex-missionary trader Stokes, who was hung by Major Lothairc under well-known circumstances. The collection intended for the British Museum found its way to Berlin, thus fulfilling the prophecy uttered by a friend of mine when he heard that Emin Pasha had entrusted a collection for the British Museum into the hands of Stokes. He warned me that the latter would either get rid of the incubus by throwing the cases into the first cataract he came to, or would sell the collection to Germany. The notes relating to the consignment were sent by Emin to the then Director of the Museum, Sir William Flower, and published by him in the "Proceedings" of the Zoological Society for 1894 (pp. 596-606). Whether Stokes sold the collections or not was never discovered, but the fact remains that they went to Berlin instead of coming to London.

"Erebus" and "Terror" (H.M.SS.)

See McCORMICK, Dr. H.

Esler (E.).

See GERRARD, E.

Mr. Esler went to the Sudan for Mr. Carl Hagenbeck to collect the larger Mammalia in pre-Mahdian days. He made collections of birds in Bogos-Land, chiefly in the neighbourhood of Keren. Many of these early consignments were bought by myself and by Capt. G. E. Shelley, and are included in our respective collections of African birds now in the Museum. A few were also bought from Mr. Gerrard in later years.

"Euphrates" Expedition.

46 birds and eggs collected during this expedition. Presented. [50. 10. 21, 40-86.]

Evans (Capt. G. N.).

A specimen of a rare Duck (*Asarcornis scutulata*) from Bhamo. [1900. 5. 20, 1.]

Everett (ALFRED HART).

See GERRARD, E.; HIGGINS, T.

Mr. Everett's whole life was spent in the cause of science, and no man underwent more privations than this brave naturalist, who undoubtedly shortened his days by his devotion to zoological work. From the time that he entered the service of Raja Brooke in Sarawak his whole mind was devoted to the study of zoology. I described several of his early collections from Borneo in the 'Ibis' for 1876, pp. 29-52, pl. ii.; 1877, pp. 1-25; 1893, pp. 550, 559, 560-563, and in the P.Z.S. for 1879, p. 343, where *Prionochilus everetti* is figured (pl. xxx., fig. 1). The results of his explorations in the Philippines, where he travelled for the late Marquis of Tweeddale, were described by the latter (P.Z.S., 1877, pp. 686-703 (Luzon), 755-769 (Cebu), 816-834 (Mindanao); P.Z.S., 1878, pp. 106-114, pls. vi.-viii. (Dinagat, etc.), 280-288 (Negros), 339-346 (Leyte), 379-381 (Panaon), 611-624, pls. xxxvii., xxxviii. (Palawan), 708-712 (Bohol), 936-954, pls. lviii.-lix. (Zamboanga); 1879, pp. 68-73 (Basilan). Several remarkable novelties were discovered by Everett in the Philippines as well as in the Sulu Archipelago (*cf.* Sharpe, 'Ibis,' 1894, pp. 238-259, pls. vi., vii.).

His later work was for the Hon. Walter Rothschild, and consisted of explorations in the Lesser Sunda Islands and in Celebes and the neighbouring islands. The following papers refer to these expeditions: Hartert, Nov. Zool. i., pp. 469-483; ii., pp. 466-478 (Natuna Islands); iii., pp. 69-71, 149-165 (S. Celebes), pp. 591-599 (Lombok); iv., pp. 170-172 (Flores, Djampea Island), 253-273 (Savu), 513-528, pl. ii.; v., pp. 42-50, pl. i. (S. Flores); v., p. 111 (Timor), 455-465 (Lomblon, Pantar, Ombay), 477-505 (Sumba).

Mr. Everett himself published some valuable papers and notes, the most important being his essay on the zoo-geographical relationship of the island of Palawan (P.Z.S., 1889, p. 220), and his "List of the Birds of the Bornean Group of Islands" (J. Straits' Branch R. Asiatic Soc., 1889, p. 91).

173 birds from Borneo. Exchanged. [94. 7. 5, 1-173.]

199 birds from Borneo and Palawan. Presented. [93. 7. 4, 1-18; 94. 8. 6, 1-171; 95. 3. 8, 1-10.]

For obituary notices, see 'Ibis,' 1898, p. 627, Nov. Zool., v., p. 606.

Everett (HAROLD H.).

See HIGGINS, T.

A brother of Alfred Everett and a good collector. I described a collection of his from Sarawak, with some notes on *Cyornis rufifrons*, and a new Bulbul (*Ixidia paroticalis*) in the "Ibis" for 1878 (pp. 417-419).

The Rev. H. H. Slater described another collection of Mr. Harold Everett's from the Bangal Hills in Sarawak, and named *Myiophoneus borneensis* and *Parus cinerascens* (Ibis, 1885, pp. 123, 124). The latter name being preoccupied, he changed it to *P. sarawacensis* (Ibis, 1885, p. 327). It has never been found again, whereas *Myiophoneus borneensis* has been met with on several mountains in N.W. Borneo (Kina Balu, Dulit, etc.).

Exton (Dr. H.).

51 birds and eggs from the Orange River Colony and the Transvaal. Presented. [76. 1. 25, 1-4; 76. 10. 18, 1-23; 77. 2. 5, 1-4; 77. 4. 23, 1-20.]

Petrochelidon spilodera was new to the collection. Dr. Exton collected in Matabeleland when it was still an unexplored country, and resided for some time at Kanye. *Barbatula extoni* was a new Barbet discovered by him.

Eyton (THOMAS CAMPBELL).

See GERRARD, E.

Eyton was a well-known Shropshire naturalist and a coadjutor with Jardine in the days of the "Contributions to Ornithology." He was the author of "A Catalogue of the British Birds," 8vo, vi. + 68 pp. (1836); "History of the Rarer British Birds," 8vo, pp. 1-101 (1836); "Monograph of the *Anatidæ*" (1838); and "Osteologia Avium." One of his principal papers was a "Catalogue of a Collection of Birds from Malaya," with descriptions of new species (P.Z.S., 1839, p. 100), wherein some now very well-known forms were described for the first time.

After his death his collection was purchased by Mr. E. Gerrard, and I made a selection of the types for the Museum. The labelling of the collection was in such an illegible handwriting that I fear I missed identifying a few of them, but the majority of the Eyton types are now in the British Museum.

Cf. Dict. Nat. Biogr., xxviii., p. 107.

Farnum (J. E. and G. L.).

74 birds from the Khingan Mountains, Mongolia. Presented. [98. 11. 15, 1-74.]

See SMITH, DONALDSON.

Faber (VON).

See GERRARD.

Farquhar (Capt. A. M., R.N.).

121 specimens from the New Hebrides. Presented. [1900. 1. 10, 1-121.]

2 specimens of *Ægithalus macedonica*, new to the collection. [1901. 4. 13, 1 and 2.]

This remarkable donation of birds by Capt. Farquhar added 12 new species to the Museum, and these were described by me in the Bulletin of the British Ornithologists' Club, vol. x. (pp. xxxviii, xxxix), and in

the "Ibis" for 1900 (pp. 337-354), when a complete account of the collection was given, with a figure (pl. vii.) of a beautiful new Kingfisher (*Halcyon farquhari*). Some notes on the birds of the New Hebrides are added by Capt. Farquhar himself in the same volume of the "Ibis" (pp. 607-612). His ship having been recently on the Mediterranean station, he has procured specimens of *Ægithalus macedonica* for the Museum, and has written a paper on the nesting of *Falco eleonoræ* in the Levant ("Ibis," 1902, pp. 166-168).

Fayrer (Sir JOSEPH), *Bart., LL.D., F.R.S.*

A Black-headed Gull (*Larus ridibundus*) and Black-throated Diver (*Colymbus arcticus*) from Falmouth. [1904. 2. 6, 1; 1905. 12. 4, 1.]

A Herring Gull (*Larus argentatus*), a Shag (*Phalacrocorax graculus*), and a Great Northern Diver (*Colymbus glacialis*) from Falmouth. [1901. 12. 6, 1; 1902. 12. 28, 1; 1903. 1. 18, 1.]

Sir Joseph, who is one of the survivors of the siege of Lucknow, has always taken a great interest in Natural History, and, since his retirement from Indian service, has continually procured specimens for the British Museum (see "Who's Who," 1905, p. 528).

Feilden (Colonel H. W.), *C.B., C.M.Z.S.*

Visited the Færoe Islands in 1872 (*cf.* Zoologist, 1872, pp. 3210-3225, 3245-3257, 3277-3294). Was naturalist to H.M.S. *Alert* during Sir George Nares' Arctic voyage. Has collected in many countries, and done good work on every occasion. In company with Colonel A. E. Butler and Captain Savile Reid he made an interesting collection of birds near Newcastle, in Natal, during the first Boer War (*cf.* Zoologist, 1882, pp. 165-171, 204-212, 243-258, 297-303, 335-345, 423-430, 460). He has accompanied Mr. Henry J. Pearson on his expeditions to Novaya Zemlya and other parts of Northern Europe (*cf.* Hist. Coll. Brit. Mus., i., p. 288; Pearson, *postea*, p. 439).

100 specimens of birds and eggs from Greenland and the Arctic Regions, obtained during the expedition under Sir George Nares in H.M.S. *Alert* (*cf.* P.Z.S., 1877, pp. 28-32; Ibis, 1877, pp. 401-412). Presented by the Lords of the Treasury. [77. 11. 10, 1-51; 77. 11. 23, 1-3; 78. 7. 2, 1-46.]

Among the specimens obtained by Colonel Feilden on this occasion were three nestlings of the Knot (*Tringa canutus*).

A nest and four eggs of the Dartford Warbler (*Melizophilus undatus*) (*cf.* Zoologist, 1872, p. 3272), and two eggs of the Black Grouse (*Lyrurus tetrix*) from Wolmer Forest. Presented. [78. 9. 20, 1-7.]

31 eggs, 2 birds, and 1 nest from Barbados. Presented. [91. 7. 11, 1-34] (*cf.* Feilden, "Ibis," 1889, pp. 477-503).

29 birds from various localities. Presented. [94. 11. 1, 1-29.]

16 birds and 8 skeletons from N. Greenland and Spitsbergen. Presented. [94. 11. 22, 1-16; 95. 2. 10, 1-8.]

— and **Harvie-Brown** (J. A.).

39 birds from the Petchora River. Presented. [76. 5. 1, 4-42.]

These were duplicates from the collection made on the Petchora River, by Mr. Harvie-Brown, who was Seebohm's companion (*cf.* "Ibis," 1876, pp. 105-126, 215-230, 289-311, 434-456). Colonel Feilden and Mr. Harvie-Brown have joined collections.

Ferguson (HAROLD S.).

22 birds from Travancore. Presented. [1900. 5. 24, 1-12; 1900. 10. 6, 1-10.]

Mr. Ferguson was the Director of the Museum at Trevandrum, and sent some interesting species to the National Collection.

Ferguson (R.).

16 specimens from the Himalayas. Presented. [38. 7. 9, 1-16.]

Ferryman.

See MOCHLER-FERRYMAN.

Ffinch (B. T.), C.I.E.

33 birds from Fao, Persian Gulf. Presented. [1901. 9. 16, 1-33.]

Field (LEOPOLD).

See STEVENS, H.

A well-known oologist, whose collection was dispersed in 1895. A beautiful series of the eggs of *Cuculus canorus*, with the eggs of the foster-parents, was secured by the Museum.

Finckh (H. E.).

2 eggs of the Kagu (*Rhinochetus jubatus*). Purchased. [1904. 7. 25, 1-2.]

Finn (FRANK).

8 specimens from Calcutta. Presented. [1902. 10. 18, 1-8.]

2 specimens. [1903. 7. 2, 2-3.]

Until recently Mr. Finn was the Assistant Director of the Indian Museum, Calcutta, and he has written some interesting papers in the 'Journal' of the Asiatic Society of Bengal and the 'Proceedings' of the Zoological Society.

Finsch (Dr. OTTO).

See BREMEN, GEOGRAPHICAL SOCIETY OF; SCHNEIDER, G.

A few duplicates from Dr. Finsch's ornithological collections have found their way into the British Museum, and the first set of the series from his well-known Siberian expedition was purchased by the Trustees.

A record of the life-work of this diligent zoologist is to be found in his "Systematische Uebersicht der Ergebnisse seiner Reisen und schriftstellerischen Thätigkeit" (1859-1899), published in Berlin in 1899. His voyages to West Siberia (1876), the South Sea Islands (1879-1885), New Guinea (1884-1885), and their results are fully described, and a list of his works and papers (over 400 in number) is given.

Dr. Finsch was until recently the Curator of the Ornithological Department in the Leyden Museum, where he was employed as an Assistant in his young days, when he wrote his celebrated monograph of the Parrots under circumstances of great difficulty. He has done much in recent years to elucidate the treasures of that great Museum, and many valuable memoirs have appeared in the "Notes of the Leyden Museum."

Fisher (THEODORE).

70 British birds collected and mounted by himself. Presented. [88. 5. 20, 1-70.]

Fitzgerald (E. A.).

127 birds from the Andes, collected by P. H. Gosse during the expedition to Aconcagua. Presented. [99. 1. 20, 1-95; 99. 2. 4, 1-32.]

In Mr. Fitzgerald's book "The Highest Andes, 1899," a chapter on the birds of the Aconcagua Valley is written by Mr. Gosse (pp. 342-352).

Fitzroy (Admiral).

See BURNETT, Sir W.

Cf. Dict. Nat. Biog., xix., pp. 207-209.

Fleming (J.).

51 birds from Darjiling. Presented. [77. 2. 20, 1-51.] One (*Suthora ruficeps*) new to the collection.

Fleming (J. H.).

546 birds from Canada. Received in exchange [98. 5. 10, 1-344; 98. 9. 91, 1-99; 99. 4. 4, 1-103.]

A valuable addition to the Museum collection, as there were scarcely any Canadian birds in the series of North American species.

2 examples of Nuttall's Goat-suckers (*Phalacroptilus nuttalli*) from California. Presented. [1904. 8. 10, 1-2.]

Flower (Capt. STANLEY S.).

See ROYAL SIAMESE MUSEUM.

38 birds from Siam. Presented. [98. 10. 30, 11-20; 99. 1. 12, 1-9; 99. 8. 10, 1-19] (cf. Flower, Ibis, 1898, pp. 319-327).

A new Grackle was named by me *Sturnopastor floweri*. [Cf. Bull. B.O.C., vii., p. xvii., 1897.]

22 birds from the White Nile. Presented. [1900. 8. 30, 1-22.]

A female Ostrich from the neighbourhood of Khartum. Presented. [1903. 11. 30, 1.]

A son of the late Sir William Flower, Director of the Natural History Museum. Captain Flower is now the Director of the Zoological Gardens at Ghizeh in Egypt.

"Flying Fish" (Voyage H.M.S.).

See MACLEAR, Admiral.

Forbes (H. O.), LL.D., Reader in Ethnology at the University of Liverpool.

See BRITISH ASSOCIATION; GERRARD, E.; JANSON, O.; OGILVIE-GRANT, W. R.

10 specimens from the Tenimber Islands and Sumatra. Presented. [84. 5. 10, 1-10.]

6 specimens of *Anas superciliosa* from Lake Wakolo, Buru. Presented. [84. 6. 2, 1-6.]

5 specimens of *Hirundo gutturalis* from Kajeli, Buru. Presented. [84. 7. 30, 5-9.]

68 specimens from the interior of British New Guinea, including the types of 4 new species, *Rheetes meridionalis*, *Melirrhopetes batesi*, *Pseudogerygone cinereiceps*, *Rallieula forbesi*; and 7 species new to the collection. Purchased. [88. 3. 24, 1-52; 88. 4. 4, 1-13; 88. 6. 19, 1-3.]

25 birds from the New Zealand and the Chatham Islands. Presented. [94. 2. 20, 1-20; 94. 4. 18, 1-5.]

In this series was the type of a new Fruit Pigeon (*Carpophaga*

chathamica, Forbes, Nature, vol. xlv., p. 252, 1892, = *C. chathamensis*, Rothschild, P.Z.S., 1891, p. 312, pl. xxviii.).

133 skins and bones of birds from the Chatham Islands. Purchased. [92. 10. 31, 1-21; 93. 1. 30, 1-35-78; 93. 6. 24, 1-16; 93. 12. 31, 1-6; 94. 4. 18, 1-5; 94. 5. 1, 1-60.]

While on the Chatham Islands a series of bones of *Diaphorapteryx* and other specimens of extinct forms of birds were procured and described by Dr. Forbes, as well as examples of *Cabalus modestus*, the peculiar Rail of the islands, now believed to be extinct (*cf.* his paper on "The Birds of the Chatham Islands," Ibis, 1893, pp. 521-546, pls. xiv., xv.).

After his adventurous explorations in the Tenimber Islands and other Malayan and Papuan Islands, Dr. Forbes was for some years Director of the Museum at Christchurch, New Zealand, and shortly after his return to England he was appointed Director of Museums at Liverpool, where he has done some excellent work. A recently published volume on the Zoology of Sokotra gives an account of the expedition to that island, which he made in company with Mr. W. R. Ogilvie-Grant.

(*Cf.* Forbes, "A Naturalist's Wanderings in the Eastern Archipelago," 1885, where a complete account of his early labours is published; *cf.* also Nicholson, F., on the birds collected by Mr. H. O. Forbes in the Island of Java, Ibis, 1881, pp. 139-156; in Sumatra, Ibis, 1882, pp. 51-65, 66-71; 1883, pp. 235-257, pl. x.).

Forbes (W. A.).

426 specimens from Nigeria (*vide infra*), and his collection of Weaver-birds (*Ploceidæ*), eight species being new to the collection. Presented by his executors. [84. 1. 10, 1-426.]

Forbes was the successor of Garrod as Prosector to the Zoological Society, and was an equally brilliant man. After a successful expedition to Pernambuco (*cf.* "Ibis," 1881, pp. 312-362), he made a voyage to the Niger, where he unfortunately died—a grievous loss to science (*cf.* Shelley, "Ibis," 1883, pp. 538-562; *Ægialitis forbesi*, n.sp., pl. xiv.). Forbes' last journal is published in the "Ibis" for 1883, pp. 491-537; 1884, pp. 119-120.] His collection he bequeathed to the Nation. His Pernambuco collections are also in the Museum, having been given by Forbes to Dr. Sclater and to Messrs. Salvin and Godman. A complete collection of his memoirs, edited by Mr. F. E. Beddard, with an account of his life by Dr. P. L. Sclater, was issued in 1885.

Foreign Office.

See N. AMERICAN BOUNDARY COMMISSION (p. 316).

Foresman (A.).

21 birds from the Transvaal. Presented. [69. 10. 7, 1-21.]

Forrer (A.).

24 birds, including three species new to the collection, from Vancouver Island and California. [80. 5. 5, 1-24.]

Mr. Forrer was a very good collector who travelled in Western North America, Western Mexico, and also visited the Tres Marias Islands. The first series of his Mexican collections was purchased by Dr. F. D. Godman, and is described by Messrs. Salvin and Godman in the "Biologia Centrali-Americana," where *Chrysomitris forreri* is named after him.

Forrester (T. W.).

19 birds from Spain and other localities. Presented. [1904. 8. 8, 1-19.]

Fortnum (C. D. E.).

39 birds from South Australia. [42. 6. 29, 17-55.]

Foster (W.).

14 birds from Paraguay. Presented. [1902. 3. 24, 1-14.]

253 birds and 312 eggs from Sapucay, Paraguay. Purchased. [1903. 12. 22, 1-114; 1903. 12. 23, 1-139; 1904. 7. 26, 1-312.]

906 birds and 745 nests and eggs from Paraguay. Purchased. [1905. 10. 12, 1-906; 1905. 10. 13, 1-745.]

Fothergill (Major H.).

A skeleton of *Cloephaga magellanica*. [98. 4. 7, 1.]

A specimen of *Crossoptilum manchuricum*. [98. 4. 14, 1.]

A young example of a Magellanic Goose (*Chloephaga magellanica*), died in captivity. Presented. [1904. 7. 4, 1.]

Fotheringham (J.).

20 birds from Darjiling. Presented. [77. 4. 21, 1-20.]

Francis (H. F.).

9 birds from the Transvaal. Presented. [96. 2. 13, 1-9] (cf. W. L. Selater, Ibis, 1899, pp. 111-115).

Frank (G. A.).

143 specimens of skins and skeletons of birds from various localities. Purchased. [45. 6. 3, 1-5; 45. 7. 16, 1-4; 46. 5. 5, 6-36; 49. 3. 2, 41-67; 66. 2. 13, 1-13; 72. 2. 10, 1-23; 72. 10. 4, 7-46.]

Frank was a natural history agent in Amsterdam, from whom the Museum received many fine Mammalia and Birds. For years he received the duplicates from the Leyden Museum, and offered the best of these to the Trustees until the time when Count Turati began forming his splendid Museum at Milan, when most of the birds were sold to him by Frank, as the Count gave prices which no public Museum could afford.

Frank (G. A., jun.).

35 birds from the Comoro Islands. Purchased. [88. 5. 4, 1-35.]

177 birds' skins and specimens in spirit, from Liberia. [99. 7. 1, 1-162; 99. 8. 10, 23-37.]

A son of the above, who succeeded to his father's business, which was transferred to London. After the death of Professor Schlegel, the explorations of the Dutch Government in their East Indian Colonies gradually ceased, and there were no more duplicates from the Leyden Museum for disposal to our Museum.

Frank bought up many of the duplicates of the Humblot collection from the Comoro Islands (cf. Milne-Edwards and Oustalet, "Études sur les Mammifères et les Oiseaux des Îles Comores," Nouv. Arch. Mus. (2) x., pp. 211-297, pls. iv.-ix. 1889), and the set purchased from him in 1888 contained the new genus *Humblotia* and twelve species unrepresented in the national collection. Many duplicate skins and birds in spirits were purchased from Dr. Büttikofer's Liberian collection through Frank.

Fraser (LOUIS).

300 specimens of birds, skeletons, and eggs from Tunis. Purchased. [46. 10. 30, 1-147; 47. 3. 26, 6-28; 47. 10. 21-10, 14-21, 25-53; 48. 1. 10, 1-22.]

19 specimens from West Africa. Purchased. [51. 11. 5, 1-3; 51. 11. 27, 1-12; 53. 1. 26, 1-5.]

76 specimens, registered as from "South America." [59. 1. 12, 1-19; 59. 4. 26, 1-13; 60. 6. 12, 1-4; 60. 11. 9, 1-13; 60. 12. 5, 1-19; 62. 1. 17, 1-7.]

Mr. Gerrard, senior, can remember Fraser as a young man employed at the Zoological Society's Museum in Brewer Street, Golden Square. Here he picked up his knowledge of natural history. He wrote several papers and described various new species of birds in the "Proceedings" of the Zoological Society, from 1839-1845, 1850-1856. Was appointed naturalist on board H.M.S. *Wilberforce* in the expedition up the River Niger, 1841-42 (*cf.* Allen and Thomson, "Narrative of the Expedition to the Niger in 1841," i., p. 467, 1848; list of the species described, *op. cit.*, ii., pp. 488-508).

He was an excellent naturalist, and was a *protégé* of the Earl of Derby, who procured him a consular appointment in 1850 at Whydah, West Coast of Africa. In 1857 he was in Ecuador, collecting for Dr. Sclater (*cf.* P.Z.S., 1858, pp. 449-461; 1859, pp. 135-147; 1860, pp. 73-98, 272-301).

I only remember him in his later life, when his caligraphy was really beautiful, and he was employed by Dr. Sclater to write the labels for the animals in the Zoological Gardens. He afterwards had a shop for living animals at the Polytechnic in Regent Street, and I remember him also in another small shop near Tattersall's, Knightsbridge, after which I heard that he had gone to California, where, I believe, he died.

Cf. Dict. Nat. Biogr., xx., p. 215.

Frere (R. T.).

28 eggs of British birds. Presented. [52. 3. 20, 1-28.]

Fry (ALEXANDER).

947 birds from Rio de Janeiro. Presented. [95. 4. 1, 1-947.]

Mr. Fry was a well-known coleopterist, and was always a good friend to the British Museum. His collection from the neighbourhood of Rio de Janeiro is probably one of the most extensive ever made in that province, and its value to the Museum can scarcely be overestimated.

Fulton (H. T.).

36 birds from Chitral. Presented. [1904. 12. 5, 1-36.]

Gaekwar of Baroda (*His Highness The*).

52 birds from Somali Land. Presented. [1901. 4. 20, 1-52.]

H.H. The Gaekwar is a very keen naturalist, and the Baroda Museum is a feature of the country over which he rules. Dr. Donaldson Smith, the well-known African explorer, made an expedition into Somali Land on behalf of the Gaekwar, who kindly allowed the British Museum to take any specimens of interest for the National Collection. The results of the expedition were described by me in the "Proceedings of the Zoological Society" (1901, vol. ii., pp. 298-316), and a new Warbler (*Camaroptera gaekwari*) was named after His Highness the Gaekwar.

Galton (*Sir* FRANCIS).

34 birds from the 5th Cataract of the Nile. Presented. [49. 2. 8, 1-34.]

Gätke (HEINRICH).

4 birds from Heligoland, mounted by himself and presented. [76. 10. 17, 4-17.]

In company with the late Henry Seebohm and Mr. Frank Nicholson, of Manchester, I visited Heligoland in 1876, and shared with them those wonderful experiences which Seebohm has so graphically described in his books.

Gätke was undoubtedly one of the grandest-looking old men I have ever seen, with the exception of Edward Blyth, who resembled him in his leonine appearance. He had resided in Heligoland for many years, and was an accomplished marine painter. Around his studio he had arranged his collection of birds, all mounted by himself, and mostly first-rate specimens. Several White's Thrushes (*Oreocichla varia*) and other migrants to this wonderful island resting-place were mounted in glass cases. Unfortunately the studio was lighted from the top, and the windows being unprotected by blinds, and exposed to the sun of every North Sea summer, the most lamentable exhibition of damage by light which it has ever been my lot to behold ensued in Gätke's studio. Specimens of unique and priceless value were bleached almost beyond recognition, and I was not sorry that Seebohm's negotiations for the purchase of the Gätke collection fell to the ground. His intention was to buy the collection (after the surrender of the island to Germany) and present it to the British Museum, providing for it a special case, in order to teach the public what the migration of birds to one isolated spot really meant. Considering the faded condition of the specimens, I was decidedly glad that Seebohm's generous offer (far beyond the actual value of the collection) was refused, and that the German Government, in a proper patriotic spirit, decided that the Gätke collection should not be transferred to this country.

(*Cf.* Gätke, "Vogelkarte Helgolands," 1891, 8vo, pp. 1-609. English translation by Rosenstock, Edinburgh and London, 8vo, pp. x and 599, illustrated. *Cf.* also Seebohm, *Ibis*, 1892, pp. 1-32; Cordeaux, *Ibis*, 1875, pp. 172-188. Obituary Notice, *Ibis*, 1897, pp. 291-294).

Gaumer (Dr. G. F.).

Collected in Yucatan, and on the islands of the Bay of Honduras (*cf.* Lawrence Salvin, *Ibis*, 1888, pp. 241-265; 1889, pp. 359-379; 1890, pp. 84-95).

Geale (F.).

10 specimens from Prince's Island, Bight of Biafra. Purchased. [66. 7. 20, 1-10.]

These birds were duplicates from Dr. Dohrn's collection (*cf.* P.Z.S. 1866, pp. 324-332, pl. xxx.). They were prepared by J. G. Keulemans, who as a boy accompanied Dr. Dohrn in his expedition to the Cape Verde Islands and West Africa.

21 specimens from Mexico. Purchased. [66. 12, 21, 1-21.]

Geale was assistant to Hugh Cuming, and carried on the business after the death of the last-named naturalist. When I knew him he had a shop in Drury Lane. I purchased the Kingfishers from the Dohrn collection, and this was my first experience (as a boy) of the high prices it was possible to pay for bird-skins, when necessary for my Monograph of the *Alcedinidæ*!

Gedge (ERNEST).

10 specimens from Uganda, including the type of *Francolinus gedgei*, Grant, "Ibis," 1891, p. 124; Sharpe, "Ibis," 1892, p. 551, pl. xiv. Presented. [93. 12. 1, 46; 94. 2. 24, 1-9.]

Genoa Museum (Director, Professor RAFAELLO GESTRO).

2 specimens from Papuasias, new to the collection. Received in exchange. [76. 7. 18, 1, 2.]

6 specimens from the Arfak Mts. in N.W. New Guinea, including three species new to the Museum. [82. 5. 30, 2-7.]

26 specimens from South-eastern New Guinea, collected by the Marquis L. Loria. Purchased. [97. 8. 29, 1-26.]

9 species new to the collection, 4 specimens being co-types (*cf.* Salvadori, Ann. Mus. Civic. Genoa, (2), xvi., pp. 55-120, 1896).

Gerrard (EDWARD, jun.).

44 specimens from Chile, collected by Mr. E. C. Reed, of Santiago. Purchased. [71. 6. 28, 1-44.]

60 specimens from Panama. Purchased. [72. 2. 8, 1-60.]

15 specimens from Ecuador. Purchased. [72. 5. 27, 25-39.]

3 specimens of *Oreotrochilus chimborazo* from Ecuador and 24 birds from the Rio Negro and Patagonia (*cf.* Sclater, P.Z.S., 1872, pp. 534-550, pl. xxxi.). Purchased. [72. 5. 28, 1-27.]

58 specimens from Costa Rica. Purchased. [72. 5. 29, 1-58.]

11 specimens from Jalapa collected by M. de Oca. Purchased. [72. 10. 25, 15-25.]

11 specimens from South America. Purchased. [72. 10. 28, 1-6; 72. 11. 23, 2-6.]

56 specimens from Bogos-Land collected by Mr. Esler [*q.v.*]. Purchased. [73. 2. 25, 1-41; 74. 11. 13, 4-15.]

12 birds from Yarkand. These specimens are the types of the new species described by Mr. A. O. Hume in the "Ibis" for 1871, pp. 407-411; they were collected by Dr. G. Henderson (*cf.* Henderson and Hume, "Lahore to Yarkand"). [73. 6. 30, 1-12.]

15 birds from the Southern Ural Mountains collected by Dr. Strader. These birds were received from the Moscow Museum by Jamrach, who sold them to Gerrard. Purchased. [73. 7. 2, 1-15.]

89 specimens of Hawks and Owls from various localities. Purchased. [73. 8. 20, 1-42; 73. 10. 31, 2-24; 74. 1. 10, 1-4; 74. 4. 29, 3-19.]

12 specimens, one new to the collection, from the Interior of Queensland, collected by J. B. White (*cf.* Sharpe, P.Z.S., 1875, pp. 337-339). Purchased. [75. 4. 19, 1-12.]

43 specimens, including the type of *Falco brookei*, from Sardinia, collected by the late A. Basil Brooke. Purchased. [75. 5. 1, 6-48.]

93 specimens from various localities, 3 new to the collection. Purchased. [76. 1. 4, 1-6; 76. 1. 31, 1-52; 76. 9. 18, 1-6; 77. 5. 31, 1-29.]

25 specimens from Ceylon, including *Bubo pectoralis*, new to the collection, collected by A. Whyte. Purchased. [77. 11. 9, 1-25.]

10 specimens, adding four species not previously represented in the collection, from Duke of York Island and New Britain, collected by the Rev. G. Brown. Purchased. [78. 3. 14, 1-10.]

4 specimens, including *Micræca papuana*, new to the collection, from New Guinea, duplicates from the celebrated expedition of Dr. A. B. Meyer. Purchased. [78. 4. 27, 1-4.]

15 specimens from N.W. Borneo collected by the late Governor H. T. Ussher. Purchased. [78. 5. 3, 1-15.]

50 specimens from Colombia collected by the late T. K. Salmon. Purchased. [78. 9. 30, 2-51.]

These consisted of a few species required by the Museum at the time, but the bulk of this excellent collector's specimens passed into the hands of Messrs. Salvin and Godman, and Dr. Sclater. With the acquisition of these great collections, the British Museum possesses nearly the entire results of Salmon's work in Antioquia. 468 species were obtained by him, and his collections were described in 1879 by Dr. Sclater and Mr. Osbert Salvin in their paper, "On the Birds collected by the late Mr. T. K. Salmon in the State of Antioquia, United States of Colombia" (P.Z.S., 1879, pp. 486-550, pls. xli.-xliii.). The collection was especially rich in eggs, many of which were figured for the first time. Several new species were described: *Cyphorhinus dichrous* (pl. xli.), *Buarremon elæoprorus*, *Automolus insignis*, *Grallaria rufocinerea*, and *Brachygalba salmoni*. All the types of these species are now in the British Museum.

4 specimens, two new to the collection, from the Arfak Mountains. Purchased. [78. 10. 23, 1-4.]

10 specimens from Angola collected by Mr. A. S. Heath. Purchased. [78. 10. 23, 5-14.] (See Sharpe, R. Bowdler.)

Heath was a clever young man who succeeded to an excellent business as a solicitor, built up by years of labour by his father. He would not stick to the drudgery of a city life, and wanted to go abroad and collect specimens for the Museum, but 22 skins were all that we ever received from him.

40 birds from the Pelew Islands collected by Mr. Cohen. Purchased. [78. 10. 29, 1-40.]

I do not know who Mr. Cohen was, but his collection was purchased by Gerrard and offered to the Museum, whereby we obtained a number of interesting species, of which twelve were new to the national collection.

11 specimens, of which 6 species were new to the national collection, from the Molucca islands. Purchased. [78. 11. 12, 1-11.]

25 specimens of Passerine birds, including 10 species new to the collection, from India and Burma. Purchased. [79. 2. 4, 1-25.]

69 specimens, including 16 species new to the collection, from the neighbourhood of Port Moresby, in British New Guinea, collected by Mr. Kendal Broadbent. Purchased. [79. 3. 6, 1-69.]

This collection was described by me in the "Journal" of the Linnean Society (Zool., xiv., pp. 626-634, 1879). I had named, in April 1879, two new species as *Pacilodryas flavicincta* and *Aprosmictus broadbenti*, in the "Annals and Magazine of Natural History," 1879, p. 313. Mr. Broadbent had, however, sent specimens to the Sydney Museum, and Mr. E. P. Ramsay described the same species as *Aprosmictus chloropterus* and *Pacilodryas placens*, so that my names were pre-occupied.

58 bones of the extinct Goose, *Oncmiornis calcitrans*. Purchased. [79. 3. 11, 1-58.]

36 birds, one species new to the collection, from Borneo and the Philippines, collected by Harold Everett. Purchased. [79. 5. 3, 1-36.]

20 specimens from Burma, Central and South America, containing one species new to the collection. Purchased. [80. 9. 13, 1-20.]

43 specimens, including types of three newly-described species and nine new to the national collection, from S.E. New Guinea, collected by C. Hunstein (cf. Sharpe, Ann. and Mag. N. H. (5), vi., pp. 231, 232, 1880). Purchased. [80. 9. 13, 21-63.]

293 birds and 108 skeletons from the Eyton collection. Purchased. [80. 12. 31, 1-88; 81. 1. 17, 1-108; 81. 2. 18, 1-205.]

To the importance of the Eyton collection, with its 71 types of ancient species and seven new to the collection, I have already referred. The skeletons, being the specimens on which his "*Osteologia Avium*" was founded, were also a most desirable acquisition.

6 specimens from Australia, collected by A. P. Goodwin, and two from S.E. New Guinea, collected by A. Goldie. Purchased. [81. 3. 15, 1-8.]

100 specimens from New Britain and Duke of York Island, collected by the Rev. G. Brown (*cf.* *Slater*, P.Z.S., 1879, pp. 446-451, pls. xxxvi. and xxxvii., and 1880, pp. 65-67, pls. vi.-viii.). Purchased. [81. 3. 29, 1-100.]

This collection contains 8 types of birds described as new to science by Dr. Slater and 21 species hitherto unrepresented in the national collection.

11 birds from Borneo. Three species from the Lawas river, collected by Sir W. H. Treacher, were new to the collection. Purchased. [81. 4. 21, 1-11.]

4 birds from S.E. New Guinea. Purchased. [81. 4. 22, 1-4.]

17 birds from the Gold Coast, collected by the late Governor Ussher. Purchased. [81. 9. 24, 1-17.]

This is a fragment only of the great collection of birds made by Governor Ussher before his death. He was keenly interested in the natural history of the colony over which he ruled, and shortly before his death I received letters from him announcing his return to England with the largest collection of birds he had ever made, with rare species like *Picathartes gymnocephalus* and many other apparent novelties from the interior of the Gold Coast. He had also made a special study of the game-birds from the Accra district, and believed that he had obtained a complete series of these birds. What became of this collection, of which there must have been several cases, was never actually discovered, but a few seem to have found their way to England and to have come ultimately into Gerrard's hands. One of these specimens threw me off my guard on this occasion, and I described a pale moulting bird which looked like a Flycatcher as *Muscicapa ussheri*. It turned out to be a Garden Warbler (*Sylvia simplex*)!

45 birds from various localities. Purchased. [81. 11. 5, 1-45.]

55 birds from Sikhim and other parts of the Indian Empire. Purchased. [81. 12. 28, 3-57.]

These were duplicates from the Hume collection sent home by Mr. Hume for disposal or for exchange. Many of these skins were of the utmost service to me in the preparation of the "*Catalogue of Birds*," as of course at that time I had no idea that four years later Mr. Hume was going to present his wonderful collection to the Museum.

132 birds from South-eastern New Guinea, collected by Mr. A. Goldie. Purchased. [82. 3. 5, 1-5; 82. 3. 8, 1-121; 83. 6. 5, 1-6.]

These collections contained 33 species not previously represented in the Museum, eleven of them being new. I described the collection in the Linnean Society's "*Journal*" (vol. xvi., pp. 317-319, 422-447). Among the novelties were such fine birds as *Trichoglossus goldiei*, *Ethomyias guttata*, *Eupetes pulcher*, *Munia grandis*, *Phonygama hunsteini*, and *Ptilorhis intercedens*.

14 birds from the west coast of Sumatra, collected by Dr. von Faber. Purchased. [82. 7. 24, 1-14.]

516 specimens from the Jardine collection. Purchased. [86. 6. 24, 1-516.]

This important collection, full of historical specimens, was dispersed by auction in London after Sir William Jardine's death. I did my best to identify the type-specimens as the collection lay in a crowded auction room, and eventually the Museum secured twenty-five of the most important ones, but some were purchased over our heads. The fate of this most interesting collection is one of the saddest memories I have. The printed catalogue was simply ridiculous, for if I remember rightly it recorded the types of Linnean species like the Peregrine Falcon and the Common Swift, and the collection ought to have fetched more thousands of pounds than it did hundreds. The Museum did not get half what we wanted, and one of the things I most regret was the series of South African species, which included a set of Sir Andrew Smith's skins. There were many beautiful skins of Bustards, and I felt the want of these when I was writing the "Catalogue of Birds." I fear that the bid offered by the Museum was outdone by someone who wanted the specimens for fly-fishing!

54 birds from N.W. Borneo, collected by A. H. Everett, including the type of *Carpophaga everetti* from Mantanani Island. Purchased. [88. 8. 13, 1-54.]

40 skins from Kashgar and Yarkand, collected by the Rev. Dr. Landsell. Purchased. [89. 7. 3, 1-26; 89. 7. 30, 1-14.]

235 specimens from the Baram Province of Sarawak, collected by Dr. Charles Hose, the Resident of Baram. Purchased. [89. 1. 17, 1-21; 89. 7. 31, 1-14; 89. 9. 21, 1-13; 90. 2. 1, 1-13; 92. 4. 29, 1-51; 92. 8. 25, 1-50; 94. 2. 2, 1-21; 94. 6. 26, 1-21; 1900. 9. 1, 1-31.]

This collection, which was made by Dr. Hose on Mounts Dulit, Mulu, and Kalulong, contains the types of the descriptions given in the "Ibis" for 1892, pp. 322-324, and Bull. Brit. Orn. Club, 1, pp. 4 and 5 (1892).

11 birds from Madagascar, collected by A. Majastre. Purchased. [89. 9. 5, 1-11.]

100 specimens from Labuan and Mount Penrisen, N. W. Borneo, collected by A. H. Everett and Dr. C. Hose. This collection includes the type of *Siphia everetti* and 9 species new to the collection. Purchased. [90. 6. 14, 1-100.]

447 specimens from Captain Savile G. Reid's collection. Purchased. [92. 5. 6, 1-447.]

This collection, which was principally from Bermuda and Natal, forms part of the material on which Captain Reid's "Birds of the Bermudas," and Butler, Feilden and Reid's "Ornithological Notes from Natal," were based (*cf.* "Zoologist," 1877, pp. 393-424, 473-493; *op. cit.*, 1882, pp. 165-171, 204-212, 243-258, 297-303, 335-345, 423-429, 460).

230 specimens from the mountains of N.W. Borneo, principally from Mount Kina Balu, collected by A. H. Everett. Purchased. [92. 10. 30, 1-118; 93. 6. 22, 1-23; 95. 1. 26, 1-7; 95. 11. 19, 1-82.]

These collections contained several species new to the Museum, and types of two undescribed species, *Scops mantananensis* and *Arachnothera everetti*.

34 bones of *Dinornis* and *Harpagornis* from Omeru, New Zealand, from Dr. Forbes' collection. Purchased. [93. 1. 30, 1-34.]

65 birds from the Sulu Archipelago collected by Mr. A. H. Everett. Purchased. [94. 4. 20, 1-52.]

This collection, containing 4 types of species new to science and 5

not previously represented in the national collection, was described in the "Ibis" for 1894, pp. 238-259, pls. vi. and vii.

5 eggs of *Apteryx australis* from South Island, New Zealand. Purchased. [94. 11. 20, 1-5.]

27 birds from N. Mindoro, collected by A. H. Everett. Purchased. [95. 6. 13, 1-27.]

66 birds from Zululand, collected by Messrs. R. B. and J. S. D. Woodward. Purchased. [96. 4. 17, 1-66.]

Includes the type of *Stactolæma woodwardi* (cf. "Ibis," 1897, pp. 400-422, pl. x., 1898, pp. 216-231).

74 specimens from S. Celebes, Bonthain Peak, Mount Kina Balu, etc., collected by A. H. Everett. Purchased. [96. 6. 10, 1-72.] In this collection there were 5 species new to the Museum.

21 Kingfishers for the Public Gallery. Purchased. [96. 6. 11, 1-21.]

32 specimens from Djampea Island, collected by Mr. A. H. Everett. Purchased. [96. 10. 3, 1-32.]

11 species new to the collection (cf. Hartert, Nov. Zool., iii., pp. 165-183).

6 birds from Mount Victoria. Purchased. [96. 10. 4, 1-6.]

6 specimens of *Prionodura newtoniana*, from N. Queensland, collected by W. S. Day. Purchased. [96. 11. 24, 1-6.]

23 specimens from the Talaut Islands. Purchased. [97. 5. 12, 1-23.]

20 mounted specimens of Pigeons, for the Exhibition Gallery. Purchased. [97. 10. 14, 1-20.]

488 birds and eggs from the Lesser Sunda Islands (Savu, Flores, Sumbawa, Lombok, Bali, etc.), collected by Mr. Alfred Everett. Purchased. [97. 11. 1, 1-136; 98. 5. 4, 1-125; 98. 6. 30, 1-39; 98. 12. 5, 1-56; 98. 12. 6, 1-6; 98. 12. 7, 1-15; 98. 12. 7, 18-25; 98. 12. 8, 1-90; 98. 12. 9, 1-13.]

135 birds from N. Celebes, collected by Dr. Charles Hose. Purchased. [97. 12. 14, 1-104; 97. 12. 24, 1-31.]

The collection of birds made by Dr. Hose in the mountains of N. Celebes is described by him (Ornis xii., pp. 77-117 (1903)).

118 birds from Goodenough and Ferguson Islands and from St. Aignan in the Louisiade Archipelago, collected by A. S. Meek. Purchased. [98. 4. 30, 1-93; 98. 6. 28, 1-25.] This collection contained 7 species new to the Museum.

36 specimens from the Owen Stanley Mountains in British New Guinea. Purchased. [98. 11. 20, 1-24; 98. 12. 4, 1-12.]

92 skeletons. Purchased. [98. 12. 3, 3-94.]

37 birds from Borneo, collected by Mr. T. Waterstradt. Purchased. [98. 12. 10, 1-37.]

118 specimens from S.E. New Guinea, collected by Mr. A. S. Meek. Purchased. [99. 5. 17, 1-56; 99. 5. 20, 1-21; 1900. 2. 7, 1-41.]

45 birds from Cape York, N. Queensland, collected by A. S. Meek. Purchased. [99. 5. 21, 1-45.]

21 birds from Basilan, Philippine Islands. Purchased. [99. 5. 22, 1-21.]

12 specimens from New Guinea. Purchased. [99. 5. 23, 1-12.]

51 specimens from Mt. Mada, in the Island of Buru in the Moluccas, and 45 specimens from Morotai Island, collected by A. H. Everett. Purchased. [99. 5. 24, 1-40; 1900. 2. 8, 1-45; 1900. 3. 24, 1-11.]

21 birds from S.E. New Guinea. Purchased. [99. 8. 17, 1-21.]

143 birds and eggs from the Island of Hainan, collected by Mr. John Whitehead. Purchased. [99. 1. 2, 19-162.] Including the types of 7 species new to science (cf. Grant, P.Z.S., 1900, pp. 457-504, pls. xxxiii. and xxxiv.).

56 skeletons of birds, skulls, etc. [1900. 7. 6, 1-56.]

26 eggs from St. Aignan Island in the Louisiade Archipelago, and 41 birds from the Solomon Islands, collected by Mr. A. S. Meek. Purchased. [1900. 8. 1, 1-26; 1901. 11. 5, 1-41.]

32 mounted Birds of Paradise, for the Exhibition Gallery. Purchased. [1901. 1. 12, 1-32.]

48 specimens from Batchian Island in the Moluccas, collected by Mr. Heinrich Kühn. Purchased. [1901. 10. 5, 1-48.]

32 specimens from Nyasaland, collected by Mr. Brown. Purchased. [1901. 11. 6, 1-32.]

29 birds, collected in Pahang, Malay Peninsula, by Mr. John Waterstradt. Purchased. [1903. 5. 1, 1-29.] Included a specimen of *Chalcurus inopinatus*, the new species of Peacock-Pheasant described by the Hon. Walter Rothschild.

56 birds from Batchian and the Obi Islands in the Moluccas, collected by Mr. John Waterstradt. Purchased. [1903. 6. 2, 1-56.]

19 birds from the Solomon Islands, collected by Mr. A. S. Meek. Purchased. [1903. 6. 3, 1-19.]

44 birds from New Guinea, collected by Mr. A. S. Meek. Purchased. [1904. 4. 19, 1-44.]

24 birds from the Malay Archipelago. Purchased. [1904. 4. 23, 1-24.]

27 birds from Batjan, collected by H. Kuhn. Purchased. [1904. 5. 4, 1-27.]

12 birds from Mount Madang, Moluccas. Purchased. [1904. 5. 6, 1-12.]

11 birds from Sarawak. Purchased. [1904. 5. 30, 1-11.]

21 birds from the Solomon Islands, including three species new to the collection, collected by A. S. Meek. Purchased. [1904. 6. 9, 1-21.]

35 birds from the Solomon Islands, collected by Mr. A. S. Meek. Purchased. [1904. 7. 11, 1-35.]

37 birds from the Philippine Islands and Solomon Islands. Purchased. [1904. 7. 13, 1-37.]

180 birds from the Camaroons, collected by G. L. Bates, Esq. Purchased. [1904. 7. 18, 1-180.]

16 birds from Solomon Islands, collected by Mr. A. S. Meek. Purchased. [1904. 11. 16, 1-16.]

592 birds from the Uganda Protectorate, duplicates from Mr. Jackson's collection. Purchased. [1904. 11. 20, 1-592.]

265 birds from Efuler, Camaroons, and River Ja, collected by G. L. Bates, Esq. Purchased. [1905. 1. 24, 1-265.]

230 birds from Sierra Leone. Collected by Robin Kemp, Esq. Purchased. [1905. 1. 25, 1-230.]

427 eggs from Uganda, duplicates from Mr. Jackson's collection. Purchased. [1905. 9. 15, 1-427.]

27 birds and 10 eggs from the Solomon Islands, collected by Mr. A. S. Meek. Purchased. [1905. 11. 25, 1-37.]

450 birds from Somaliland, collected by Mr. G. W. Bury. Purchased. [1905. 11. 27, 1-253; 1905. 12. 23, 1-197.]

236 birds from Mindanao, collected by Mr. Walter Goodfellow. Purchased. [1905. 11. 26, 1-236.]

Mr. Edward Gerrard has been for the last thirty-five years a natural history agent and taxidermist, to whom the Museum has entrusted its most valuable commissions and its most important work. He is the son of Mr. Edward Gerrard, sen., whose honourable career in the British Museum is one of the longest on record in that Institution.

This old gentleman, beloved and respected by every one of us in the Museum, has not long retired from the service. When the Zoological

Society transferred its offices to Leicester Square, he entered its employ on the same day as the late Mr. G. R. Waterhouse, and assisted in arranging the Museum and making skeletons for the latter. Dr. J. E. Gray often visited the Society's Museum, and ultimately wrote to Mr. Gerrard offering him a post in the British Museum. This he accepted, entering the service in April 1841, when Sir Henry Ellis was the Principal Librarian, and the national collection was stored in Montague House, Bloomsbury. Here the collections were arranged in the various rooms in cases standing along the centre, after the manner of the present Bird Gallery at South Kensington. He witnessed the demolition of this historic building and the gradual development of the great British Museum at Bloomsbury under Panizzi, as well as the ultimate removal of the natural history collections to their present home in the Museum in the Cromwell Road. His early duties consisted in assisting Dr. Gray in the arrangement of the old British Museum, and especially looking after the collections of Mammalia, Reptiles and Fish, and keeping the registers.

Mr. Gerrard, sen., is still hale and hearty at the age of 95.

Gestro (PROF. R.).

See GENOA MUSEUM.

Getting (B. H. F.).

35 birds from British-Guiana. Purchased. [97. 10. 16, 5-39.]

Gibson (ERNEST).

114 birds from Argentina. Presented. [1903. 12. 18, 1-114.]

This collection has been described in the "Ibis" for 1879 and 1880.

Gifford (Lord).

29 birds from Tibet. Presented. [51. 7. 2, 1-29.] The types of *Syrhaptes tibetanus* and *Montifringilla hæmatopygia* (cf. Gould, P.Z.S., 1850, p. 92; 1851, p. 115) are included in this collection.

Lord Gifford was the elder brother of the celebrated 9th Marquis of Tweeddale (q.v.).

Giglioli (Professor H. H.), *Director of the Royal Museum of Natural History at Florence.*

40 birds from Italy. Presented. [84. 7. 12, 1-25; 86. 12. 28, 1-15.]

Dr. Giglioli has done a great work in forming a museum of the animals indigenous to the Italian Peninsula and islands.

He has written some important works on Italian Ornithology.

Gillespie (F.).

A specimen of the St. Helena Sand-Plover (*Ægialitis sanctæ-helenæ*) and two eggs. Presented. [79. 6. 10, 1-3.]

Gillett (FRED.).

98 birds from Somali Land. Presented. [96. 4. 18, 1-98.]

31 birds from Persia. Presented. [96. 12. 21, 1-31.]

Mr. Gillett accompanied Dr. Donaldson Smith on his first celebrated expedition to Lake Rudolf, but was summoned home on the death of his father, and was not able to go the entire journey. He afterwards undertook an expedition into Persia by himself. Both collections given by him to the Museum contained specimens of much interest.

Gladstone (HUGH E.).

8 specimens of Black Game in changes of plumage, from Dumfriesshire. Presented. [1902. 9. 2, 1-8.]

33 nestlings and embryos of various birds. Presented. [1903. 7. 31, 1-33.]

4 specimens, Black Game and Red Grouse, Pheasants, etc. Presented. [1903. 8. 6, 1; 1903. 11. 27, 1-2; 1904. 2. 2, 1.]

5 eggs of Red Grouse from Dumfriesshire. Presented. [1905. 5. 13, 1-5.]

A nestling of the Red-necked Phalarope (*Phalaropus hyperoreus*) from Belmullet, Co. Mayo. Presented. [1905. 7. 21, 1.]

Glazner (C.).

142 birds from Cyprus. Purchased. [1901. 8. 20, 1-22; 1902. 8. 2, 1-40; 1902. 19. 6, 1-51; 1903. 7. 5, 1-29.]

30 birds from Cyprus. Purchased. [1904. 4. 18, 1-30.]

Mr. Glazner has made several interesting collections in Cyprus, and discovered some new species in the island. The Museum has received from him a good series of *Parus cypriotes*, *Pisorhina cypria*, *Garrulus glazneri*, and other rare birds.

Glossop (Commander JOHN C. T.).

9 eggs from the Campbell Islands. Presented. [1904. 10. 18, 1-9.]

Godeffroy Bros.

131 birds from the Pacific Islands and the Bismarck Archipelago. Purchased. [77. 11. 17, 1-52; 78. 10. 23, 17-28; 79. 6. 2, 1-4; 81. 11. 22, 1-11; 82. 7. 5, 1-30; 82. 8. 19, 1-21.]

This well-known firm of Hamburg merchants employed a number of collectors in their service, of whom the most celebrated were Andrew Garratt, Kubary, Kleinschmidt, and others whose names are household words among ornithologists. Although the collections of fishes came to the British Museum (*see* Report on Fish Collections), only a few duplicates of birds reached England, but there were some very rare species among them, 26 being previously unrepresented in the national collection.

Godman (FREDERIC DU CANE), D.C.L., F.R.S.

Trustee of the British Museum.

[*See also* SALVIN, OSBERT.]

N.B.—I have not separated the names of these two distinguished naturalists as donors to the British Museum. Mr. Salvin's name will always be associated with that of Dr. F. D. Godman, and in my notes I have pointed out where the donations were jointly made.

8 birds from the Azores. Presented. [78. 7. 30, 5-12.]

These were a few duplicates from his Azorean collection, and added 4 species to the Museum, including a specimen of the new Bullfinch (*Pyrrhula murina*) discovered by him. This species is now nearly extinct. It was at one time so common that it descended in large numbers on the fruit-gardens and did great damage. Unfortunately, in suppressing its ravages the species has been all but wiped out.

1914 specimens from various parts of the Old World. Presented by Messrs. Salvin and Godman. [79. 4. 5, 1-1858; 75. 4. 15, 1-50; 83. 4. 21, 1-6.]

This is a very interesting and historical collection, adding 4 species new to the collection and the type of a species new to science; it proved a welcome gift to the Museum, which at that time possessed a very poor collection of Palearctic birds. There were numbers of interesting specimens procured by well-known naturalists in different parts of Europe. Included in this donation were birds from Northern Norway, obtained by Dr. F. D. Godman and his brother, Mr. Percy Godman (*cf.* "Notes on the Birds observed at Bodö," "Ibis," 1861, p. 77), and the birds collected in Tunis by Mr. Osbert Salvin (*cf.* "Birds'-nesting in the Eastern Atlas," "Ibis," 1859, pp. 174, 302, 352). There were also numbers

of interesting specimens obtained from other collectors, such as those from Palestine (*Canon Tristram*), Turkey (*T. Robson*), Asia Minor (*C. G. Danford*), China (*Consul Swinhoe*), Natal (*T. Ayres*), and many others.

To the ornithologist, however, there will always occur the interest surrounding the British specimens which were acquired by the donors during their school and college days, Mr. Salvin's being mostly collected around Finchley and Hampstead, while Dr. Godman's were chiefly obtained in the neighbourhood of Park Hatch, the family seat near Godalming.

In this Palaearctic collection were likewise all the specimens obtained by Dr. F. D. Godman and Mr. Percy Godman in the Azores, including the types of *Pyrrhula murina* (cf. "Ibis," 1866, pp. 88, 109; also Dr. Godman's work, "The Azores," 1870), as well as the series of birds obtained in Madeira and the Canaries, with the types of the new Pigeon discovered by Dr. Godman and named by him *Columba bollei* (cf. his paper, "Notes on the Resident and Migratory Birds of Madeira and the Canaries," "Ibis," 1872, pp. 156-177, 209-224).

3 young specimens of the Australian Cassowary (*Casuarius australis*). Presented. [80. 3. 24, 1-3.]

These formed part of the Cockerell Collection, which was presented in the next year.

1394 specimens from various parts of Australia. Presented. [81. 11. 7, 1-1315; 81. 13. 7, 1-38; 81. 12. 9, 1-41.]

This was the celebrated Cockerell Collection. It was supposed to contain several new species, but these invariably turned out to be well-known forms from the Aru Islands, where Mr. Cockerell was said to have been engaged in the pearl-fisheries. Whether this fiasco was due to the representations of the collector himself or to his agent in England will never be known, but the result was that the collection, badly labelled in the first place, was purchased by Dr. Godman under the idea that it contained several undescribed species of Australian birds, whereas there was not a single new species to be described. The preservation of the skins was excellent, and to the Museum, possessed of but few Australian birds, its worth was inestimable. Most of the specimens were undoubtedly from the neighbourhood of Brisbane and from Cape York.

22 specimens from S.E. New Guinea, collected by Mr. A. Goldie. [83. 4. 4, 1-22.]

Contained the types of *Paradisæa decora* and *Pachycephalopsis fortis*.

6 specimens of birds from South America. Presented. [83. 4. 21, 1-6.]

These were *Vireonidæ* presented for the purposes of the eighth volume of the "Catalogue of Birds." Two species, *Vireo gundlachi* and *Ilyophilus muscicapinus*, were new to the collection.

3191 eggs. Presented. [84. 9. 2, 1-826; 85. 1. 1, 827-2162; 85. 4. 20, 2163-3191.]

This collection is a model one for all oologists. The volumes which accompany the donation contain the records of the various expeditions, donations, and exchanges by which the collection was built up, and they show the absolutely exact method adopted by the British school of ornithologists in their early collecting days. This method was inaugurated by John Wolley and Professor Newton, and can best be studied in the two volumes of the "Ootheca Wolleyana," written by the last-named naturalist.

The above collection, presented jointly by Dr. F. D. Godman and Mr. Osbert Salvin, must always remain of great historical interest to British ornithologists, as it contains the eggs collected by them in their young days, when it was possible to obtain the eggs of *Emberiza citrus*, *Dendro-*

copus major, and *Gecinus viridis* at Hampstead and Finchley in places long since built over.

52120 specimens of Nearctic and Neotropical birds. Presented.

In the year 1885 Dr. Godman and Mr. Salvin decided to present their wonderful collection of Neotropical birds to the nation. The first instalments were received in January of that year, and during my absence in India the registration and incorporation of this great collection were superintended by Mr. Osbert Salvin. Separate registers for the collection were provided, to which reference is made below.

(1) 669 specimens of *Turdidæ* and *Mimidæ* (Thrushes and Mocking-birds). (S. G. Reg., Vol. I., pp. 1-13.) [85. 3. 2, 1-669.]

10 types and 13 species new to the Museum.

(2) 517 specimens of *Paridæ* and *Troglodytidæ* (Tits and Wrens). (S. G. Reg., Vol. I., pp. 14-23.) [85. 3. 6, 1-517.]

18 types and 16 species new to the Museum.

(3) 890 specimens of *Motacillidæ* and *Mniotiltidæ* (Wagtails, Pipits, and American Warblers). (S. G. Reg., Vol. I., pp. 25-42.) [85. 3. 8, 1-890.]

15 types and 15 species new to the Museum.

(4) 285 specimens of *Vireonidæ* and *Laniidæ* (Greenlets and Shrikes). (S. G. Reg., Vol. I., pp. 43-48.) [85. 3. 10, 1-285.]

7 types and 20 species new to the Museum.

(5) 713 specimens of *Ampelidæ*, *Hirundinidæ*, and *Cærebidæ* (Waxwings, Swallows, and American Creepers). (S. G. Reg., Vol. I., pp. 50-64.) [85. 3. 20, 1-40; 85. 3. 24, 1-209; 85. 4. 1, 1-364.]

4 types and 4 species new to the Museum.

(6) 1814 specimens of *Tanagridæ* (Tanagers). (S. G. Reg., Vol. I., pp. 66-104.) [85. 6. 4, 1-653; 85. 6. 7, 1-717; 85. 6. 8, 1-454.]

41 types and 48 species new to the Museum.

(7) 2088 specimens of *Icteridæ* and *Fringillidæ* (Hang-nests and Finches). (S. G. Reg., Vol. I., pp. 107-120, 122-148.) [85. 11. 2, 1-694; 85. 12. 14, 1-1394.]

19 types and 19 species new to the Museum.

(8) 1073 specimens from the islands off the coast of Yucatan and Honduras (Cozumel, Jolbox, Ruatan, Meco, and Bonacca). (S. G. Reg., Vol. I., pp. 153-173.) [86. 9. 9, 1-1073.]

2 types and 3 species new to the Museum. This collection was formed by Dr. G. F. Gaumer, and was an exceedingly interesting one (*cf.* Salvin, "Ibis," 1888, pp. 241-265; 1889, pp. 359-379; 1890, pp. 84-95; Salvin and Godman, "Biologia Centrali-Americana, Aves.") A small collection from Cozumel, formed by Mr. E. C. J. De Vis, had been previously described by Mr. Salvin ("Ibis," 1885, pp. 185-194, pl. v.), when several new species were named. These, however, were anticipated by Mr. Ridgway in his description of the collection made during the voyage of the U.S. ship "Albatros" (P. U.S. Nat. Mus., VIII., p. 560, 1885).

(9) 186 specimens of *Corvidæ* (Crows, Jays, etc.). (S. G. Reg., Vol. I., pp. 176-179.) [87. 3. 9, 1-186.]

2 species new to the collection.

(10) 2134 specimens of *Trochili* (Humming-Birds). (S. G. Reg., Vol. I., pp. 82-222.) [87. 3. 22, 1-2134.]

17 types and 8 species new to the Museum.

(11) 1015 specimens of *Accipitres* (Birds of Prey). (S. G. Reg., Vol. II., pp. 1-201.) [87. 5. 1, 1-1015.]

9 types and 14 species new to the Museum.

(12) The Henshaw Collection, consisting of 13,326 specimens, with 3 types and 30 species new to the Museum.

This fine collection was purchased and given to the British Museum by Dr. Godman.

Many American ornithologists have told me that they are glad that we have the Henshaw Collection in England, and the advantage to students of Ornithology has been simply incalculable. Before this time there could not be said to be *any* collection of North American birds worthy of the name in England, but since Dr. Godman acquired the Henshaw Collection we have been able to comprehend and appreciate the work of our American colleagues in a manner before impossible, and the advantage to the writers of the "Catalogue of Birds" cannot be over-estimated.

An act of courtesy on the part of the authorities of the United States National Museum deserves grateful recognition. Professor Ridgway was permitted to devote his time to the identification of the specimens with Mr. Henshaw, so that the collection when it arrived was found to be not only completely and neatly labelled, but the names attached to the species represented the most recent conclusions of American naturalists. These determinations have proved to be of immense advantage to English ornithologists.

Dr. Godman's primary object in securing the Henshaw collection was to have a thoroughly authentic series of North American birds for comparison with his series from Mexico and Central America, and to further this object he shortly afterwards purchased a set of birds from Florida, 2500 in number, collected by Mr. W. E. D. Scott.

1866 specimens of *Tyrannidæ* (Tyrant-birds). (S. G. Reg., Vol. II., pp. 27-62). [88. 1. 1, 1-1866.]

34 types and 107 species new to the Museum.

976 specimens of *Cotingidæ* (Chatterers). (S. G. Reg., Vol. II., pp. 67-85). [88. 1. 20, 1-976.]

16 Types and 49 species new to the Museum.

177 specimens of *Procellariidæ* (Petrels). (S. G. Reg., Vol. II., pp. 88-91). [88. 5. 15, 1-177.]

9 Types and 16 species new to the Museum.

This is the collection on which Mr. Salvin's portion of the 25th volume of the "Catalogue of Birds" was based. It was got together with an idea of publishing a Monograph of the *Procellariidæ*.

325 specimens of *Striges* (Owls). S. G. Reg., Vol. II., pp. 93-99. [88. 7. 20, 1-325.]

3 types and 6 species new to the collection.

74 specimens of *Cypseli* (Swifts). S. G. Reg., Vol. II., pp. 103, 104. [88. 7. 30, 1-74.]

1 type and 2 species new to the Museum.

205 specimens of *Caprimulgi* (Night-jars). S. G. Reg., Vol. II., pp. 106-109. [88. 8. 1, 1-205.]

2 types and 1 species new to the Museum.

635 specimens of *Pici* (Woodpeckers). S. G. Reg., Vol. II., pp. 112-124. [88. 8. 5, 1-635.]

5 types and 44 species new to the collection.

125 specimens of *Momotidæ* (Mot-mots). S. G. Reg., Vol. II., pp. 127-129. [88. 8. 10, 1-125.]

1 type and 2 species new to the Museum.

120 specimens of *Halcyones* (Kingfishers). S. G. Reg., Vol. II., pp. 132-134. [88. 8. 16, 1-120.]

1 type and 1 species new to the collection.

309 specimens of *Trogones* (Trogons). S. G. Reg., Vol. II., pp. 136-141. [88. 8. 20, 1-309.]

2 types and 1 species new to the Museum.

114 specimens of *Galbule* (Jacamars). S. G. Reg., Vol. II., pp. 144-146. [88. 8. 2, 1-114.]

1 type and 1 species new to the Museum.

184 specimens of *Buccones* (Puff-birds). S. G. Reg., Vol. II., pp. 148-151. [88. 8. 22, 1-184.]

1 type.

224 specimens of *Cuculi* (Cuckoos). S. G. Reg., Vol. II., pp. 153-157. [88. 8. 23, 1-224.]

2 types and 3 species new to the Museum.

71 specimens of *Capitones* (Barbets). S. G. Reg., Vol. II., pp. 159, 160. [88. 12. 20, 1-71.]

3 types and 2 species new to the Museum.

208 specimens of *Rhamphastides* (Toucans). S. G. Reg., Vol. II., pp. 162-165. [89. 1. 8, 1-208.]

1 type and 1 species new to the Museum.

538 specimens from Motto Grosso, collected by Mr. and Mrs. Herbert Smith. S. G. Reg., Vol. II., pp. 166-176. [89. 1. 16, 1-538.]

This was the second set of the birds procured by those truly wonderful collectors Mr. Herbert Smith and Mrs. Daisy W. Smith. The collection formed the subject of a memoir by Prof. J. A. Allen in the "Bulletin" of the American Museum of Natural History, Vols. III., pp. 337-380; IV., pp. 331-350; V., pp. 107-158.

2 species new to the Museum.

503 specimens of *Psittaci* (Parrots). (S. G. Reg., Vol. II., pp. 178-187.) [89. 1. 30, 1-503.]

14 types and 19 species new to the Museum.

482 specimens of *Columbiformes* (Pigeons). (S. G. Reg., Vol. II., pp. 189-198.) [89. 2. 12, 1-482.]

2 types and 2 species new to the Museum.

This collection consisted of Pigeons of the Old World, which had been gathered together by Messrs. Salvin and Godman with a view of writing a monograph of the *Columbiformes*. The working out of the "Biologia," however, occupied the whole time of the authors, and left no leisure for monographs, so that the collection of Pigeons was handed over to the Museum to aid Count Salvadori in writing the twenty-first volume of the "Catalogue of Birds."

564 Pigeons of the New World. (S. G. Reg., Vol. II., pp. 199-209.) [89. 4. 20, 1-564.]

10 types and 21 species new to the Museum.

845 specimens of *Dendrocolaptidæ* (Spine-tails). (S. G. Reg., Vol. II., pp. 210-226.) [89. 5. 14, 1-845.]

7 types and 56 species new to the Museum.

With this collection the second volume of the Salvin-Godman Registers concludes. Vol. III. is devoted to the Henshaw collection.

In the early part of 1889 the supplementary collections from Mexico began to arrive in England, the result of Dr. Godman's visit to that country in 1887. In the last-named year he made a special expedition to Mexico, in which he was joined by Mr. and Mrs. Elwes, for the purpose of exploring some of the districts on the northern frontier of the Neotropical region. Besides working very hard himself, he engaged the services of several other good collectors, among the number being Mr. and Mrs. Herbert Smith, Mr. W. Lloyd, Manuel Trujillo, and Mr. W. B. Richardson. The latter was afterwards employed by Dr. Godman for nearly ten years in travelling through the various mountain ranges of

Central America, and not only has he explored Mexico in various directions, and visited nearly every province, but he has also collected in San Salvador, Nicaragua, Guatemala, and Honduras.

Mr. W. Lloyd worked for Dr. Godman in Sonora and Chihuahua, Mr. and Mrs. Smith in Guerrero and the adjoining States, and Trujillo in Vera Cruz, while at the same time Mr. F. B. Armstrong, who made most beautiful skins, visited Nuevo Leon and Tamaulipas. From this collector Dr. Godman also purchased a very fine series of birds from Texas, principally from the neighbourhood of Corpus Christi and Brownsville.

386 specimens of *Galliformes*. [89. 6. 1, 1-386.] (S. G. Reg., Vol. II., pp. 228-235.)

8 types and 5 species new to the Muscum.

Vol. IV. of the Salvin-Godman Registers is occupied with the registration of the Salvin-Godman collection, keeping pace with the later volumes of the "Catalogue," which contain the Rails, Herons, etc., the specimens of which groups were sent to the Museum as they were required by the authors. In this register, therefore, not only is the main collection included, but also the additional material received from the Mexican travellers.

138 specimens of *Accipitres*. Supplementary collection. (S. G. Reg., Vol. IV., pp. 1-3.) [89. 4. 4, 1-136.]

1025 specimens of *Formicariidæ* (Ant-birds). (S. G. Reg., Vol. 14, pp. 6-25.) [89. 7. 10, 1-1025.]

21 types and 72 species new to the Museum.

260 specimens of *Ralliformes* (Rails, Coots, etc.). (S. G. Reg., Vol. IV., pp. 27-31.) [89. 4. 20, 1-260.]

6 types and 9 species new to the Museum.

413 specimens of *Accipitres*. 2nd Supplementary collection. (S. G. Reg., Vol. IV., pp. 35-42.) [90. 4. 28, 1-413.]

3 types and 4 species new to the Museum.

181 specimens of *Striges* (Owls). Supplementary collection. (S. G. Reg., Vol. IV., pp. 43, 46.) [90. 5. 16, 1-181.]

442 specimens of *Corvidæ* (Crows). Supplementary collection. (S. G. Reg., Vol. IV., pp. 47-55.) [90. 5. 30, 1-442.]

2 species new to the Museum collection.

593 specimens of *Turdidæ*. (S. G. Reg., Vol. IV., pp. 56, 67.) [90. 6. 20, 1-593.]

1 species new to the Museum collection.

1206 specimens of *Troglodytidæ*. (S. G. Reg., Vol. IV., pp. 69-92.) [90. 12. 20, 1-1206.]

1 type and 2 species new to the Museum.

210 specimens from various islands in the West Indies, presented by Mr. C. B. Cory. (S. G. Reg., Vol. IV., pp. 94-97.) [91. 1. 25, 1-210.]

9 species new to the Museum collection.

566 specimens of *Laridæ* (Gulls). (S. G. Reg., Vol. IV., pp. 98-101, 164-171.) [91. 5. 22, 1-162; 91. 10. 30, 1-404.]

346 skeletons of birds. (S. G. Reg., IV., pp. 102-107.) [91. 7. 20, 1-346.]

42 specimens of German birds sent by Count von Berlepsch in exchange. [91. 9. 20, 1-42.]

392 specimens of *Paridæ* (Tits, etc.). Supplementary collection. (S. G. Reg., Vol. IV., pp. 108-115.) [91. 10. 10, 1-392.]

3 species new to the Museum.

1480 specimens of *Charadriiformes* (Wading-birds). (S. G. Reg., Vol. IV., pp. 116-144.) [91. 10. 20, 1-1480.]

2 types and 3 species new to the Museum.

336 specimens of *Galliformes* (Game-birds). (S. G. Reg., IV., pp. 145-151.) [91. 10. 21, 1-236.]

5 species new to the Museum.

525 specimens of *Columbiformes* (Pigeons). Supplementary collection. (S. G. Reg., Vol. IV., pp. 152-162.) [91. 10. 26, 1-525.]

628 specimens of *Laniidæ* and *Vireonidæ* (Shrikes and Greenlets). Supplementary collection. (S. G. Reg., Vol. IV., pp. 173-185.) [91. 11. 3, 1-628.]

229 specimens of *Ralliformes* (Rails). Supplementary collection. (S. G. Reg., Vol. IV., pp. 187-191.) [91. 11. 4, 1-229.]

1 species (*Rallus scotti*), new to the Museum.

254 specimens from the West India Islands, presented by Mr. C. B. Cory. (S. G. Reg., IV., pp. 202-206.) [92. 1. 12. 1-254.]

6 new to the Museum.

270 specimens of *Trogonidæ* (Trogons). (S. G. Reg., Vol. IV., pp. 193-197.) [91. 11. 10, 1-270.]

57 specimens of *Certhiidæ* (Creepers). Supplementary collection. (S. G. Reg., Vol. IV., pp. 198, 199.) [92. 1. 11, 1-57.]

305 specimens from British Guiana, collected by Henry Whitely. (S. G. Reg., Vol. IV., pp. 208-213.) [92. 1. 16, 1-305.]

284 specimens of Grebes (*Podicipedidæ*) and Divers (*Colymbidæ*). (S. G. Reg., Vol. IV., pp. 215-220.) [92. 1. 20, 1-284.]

The type of the Flightless Grebe (*Centropelma microptcrum*).

488 specimens of Geese and Ducks (*Anseriformes*). (S. G. Reg., Vol. IV., pp. 221-230.) [92. 2. 1, 1-488.]

4 types and 2 species new to the Museum.

100 specimens of *Paridæ* (Tits). Supplementary collection. (S. G. Reg., Vol. IV., pp. 232, 233.) [92. 3. 1, 1-100.]

405 Wagtails and Pipits (*Motacillidæ*), Swallows (*Hirundinidæ*), Chat-terers (*Ampelidæ*). Supplementary collection. (S. G. Reg., Vol. IV., pp. 235-242.) [92. 3. 20, 1-405.]

2 species new to the Museum.

2494 specimens of American Warblers (*Mniotiltidæ*). (S. G. Reg., Vol. VI., pp. 243-289.) [90. 4. 1, 1-2454; 94. 6. 1, 1-40.]

187 specimens of Tinamous (*Tinamidæ*). (S. G. Reg., Vol. IV., pp. 290-293.) [92. 6. 9, 1-187.]

5 types and 10 species new to the Museum.

956 specimens of Cranes (*Gruiformes*) and Herons (*Ardeiformes*). (S. G. Reg., Vol. IV., pp. 294-312.) [92. 2. 1, 1-956.]

The type of Salmon's Tiger-Bittern (*Tigrisoma salmoni*).

1245 specimens of *Tanagridæ* from Mexico, Guatemala, and Nicaragua. Supplementary collection. (S. G. Reg., Vol. IV., pp. 317-340.) [94. 7. 1, 1-1245.]

136 specimens from British Guiana, collected by the late Henry Whitely, including the types of *Hapalocercus striaticeps*, *Capsicmyps caudata*, and *Todirostrum pictum* (cf. Salvin, Bull. Brit. Orn. Club, XII., pp. xv.-xvii., 1897). (S. G. Reg., Vol. IV., pp. 342-344.) [95. 11. 27, 1-136.]

85 specimens of Accipitres and Striges from Mexico, etc. Supplementary collection. (S. G. Reg., Vol. IV., pp. 345, 346.) [96. 5. 9, 1-85.]

480 specimens from Peru, collected by O. T. Baron, including 15 species new to the national collection, and 12 types of species new to science (cf. Salvin, Nov. Zool., II., pp. 1-22, pls. i., ii., 1895). (S. G. Reg., Vol. IV., pp. 347-356.) [96. 10. 6, 480.]

245 specimens of Parrots from Mexico and Central America. Supplementary collection. (S. G. Reg., Vol. IV., pp. 364-368.) [96. 12. 1, 1-245.]

200 specimens of Goatsuckers (*Caprimulgidæ*) from Texas and Mexico. Supplementary collection. (S. G. Reg., Vol. IV., pp. 370-373.) [97. 2. 1, 1-200.]

262 specimens of Cuckoos (*Cuculidæ*) from Mexico and Guatemala. Supplementary collection. (S. G. Reg., Vol. IV., pp. 375-380.) [97. 4. 1, 1-262.]

510 specimens of *Turdidæ*, *Troglodytidæ*, *Mimidæ*, etc., from Mexico, Guatemala, and Nicaragua. Supplementary collection. 2 types of species new to science and 2 new to the Museum. (S. G. Reg., IV., pp. 381-390.) [97. 10. 1, 1-510.]

298 specimens from the Lesser Antilles, collected by Mr. and Mrs. H. H. Smith, including 3 new to the national collection. (S. G. Reg., IV., pp. 411-416.) [98. 2. 8, 1-298.]

14 specimens from Colombia, etc., with 3 types and 5 new to the Museum. (S. G. Reg., IV., p. 417.) [98. 3. 12, 1-14.]

990 specimens of Woodpeckers [*Picidæ*], principally from Mexico. (S. G. Reg., IV., pp. 418-437.) [98. 3. 14, 1-990.]

The type of *Melanerpes canescens*, Salvin.

321 specimens of various species from California, Texas, etc., received from Mr. C. K. Worthen. (S. G. Reg. IV., pp. 440-446.) [98. 7. 12, 1-304; 1900. 2. 26, 1-17.]

8 species new to the Museum.

Dr. F. D. Godman was born at Park Hatch, near Godalming, in Surrey, in 1834. He was educated at Eton and at Cambridge. While at the University he became acquainted with Osbert Salvin and Professor Newton and his brother, Sir Edward Newton, and, with them and a few other kindred spirits, he assisted in founding the British Ornithologists' Union, with its journal, the "Ibis."

Having been prevented by an accident from joining Canon Tristram and Mr. Salvin in their expedition to Algeria in the spring of 1857, he went with his brother Percy to Bodø in northern Norway, where the travellers made a good collection of birds and eggs, taking several nests of the Great Suipe. Crossing thence from Alten they visited John Wolley at Munioniska, where he was then living, and, descending the Tornca River to the Gulf of Bothnia, they afterwards visited Stockholm, St. Petersburg, Moscow and Nishni Novgorod, before returning to England.

In August, 1861, Dr. Godman went with Mr. Salvin to Guatemala, remaining a month in Jamaica *en route*. A year was spent in Guatemala, collecting birds and insects in various parts of the country. While there they instructed some natives in the art of preserving bird-skins, and by these pupils several collections were afterwards despatched to England. The best known of these collectors was Enrique Arcé, who did some excellent work in Costa Rica and Panama.

Dr. Godman returned home in 1862, and in 1865 he went to the Azores, visiting the islands of St. Michael, Terceira, Fayal, Pico, Flores and Corvo, and making a good collection of birds and insects, discovering a new species of Bullfinch, *Pyrrhula murina*. In 1871 he spent three months in the Canaries, visiting Tenerife, Palma, and Gran Canaria, but, in consequence of the prevalence of small-pox, communication between the islands was difficult.

In 1886 Dr. Godman joined Mr. H. J. Elwes in an expedition to Native Sikhim, and as in the autumn of 1887 he had to go abroad for the benefit of his health, he started for Mexico, taking with him the

well-known collectors, Mr. H. H. Smith and Mr. W. B. Richardson. A good series of birds was obtained, chiefly in S.E. Mexico, but after Dr. Godman's departure, he employed a number of collectors, who explored different parts of Mexico, and sent home large collections.

Godman (PERCY).

Brother of the above-mentioned F. D. Godman, and his companion on several ornithological expeditions.

Godwin-Austen (Colonel H. H.).

3582 specimens from the Hills of N.E. Bengal (Naga, Miri, Dafla, Khasi, Garo Hills, and Manipur, etc.). [71. 1. 13, 1-5; 76. 5. 3, 1; 76. 5. 22, 2; 78. 10. 14, 1-8; 95. 7. 14, 1-3329; 96. 7. 13, 1-10; 99. 5. 31, 1-78; 1900. 10. 10, 1-147.]

The results of Colonel Godwin-Austen's explorations in the Naga Hills and the other hill-ranges of the N.E. frontier of India have been described by him in the "Journal of the Asiatic Society of Bengal" (xxxix., pp. 91-112, 264-275, 1870; xli., pp. 142-143, 1872; xliii., pp. 151-180, pls. iv.-x., 1874). The Hume Collection contained a good series of specimens from Manipur, but had not a great many from the above-mentioned localities, so that Colonel Godwin-Austen's series proved to be a very valuable addition to the British Museum. There were many types of the species described by him in his Memoirs, and a series of birds supplementing the great Hume Collection.

Goldie (A.).

42 birds from S. E. New Guinea. [80. 6. 23, 1-42.]

2 types (*Geocichla papuensis*, Seeb., Cat. B., v., p. 158, pl. x.; *Otidiphaps regalis*, Salvin and Godman, "Ibis," 1880, p. 364, pl. xi.), and five species new to the collection.

Goldie was a botanical collector, who penetrated from Port Moresby to the Astrolabe Range in British New Guinea, where the Goldie River is named after him. Another collection was purchased from Mr. Edward Gerrard.

Gomez (RAMON).

A naturalist in Tenerife.

Goodfellow (WALTER).

See GERRARD, E.

2 types of *Helianthea hamiltoni* from Ecuador. Presented. [1900. 6. 29, 1-2.]

Goodwin (A. P.).

36 birds from the Richmond River, N.S. Wales. Purchased. [80. 4. 2, 1-36.] One species new to the collection. Presented. [97. 11. 6, 39-40.]

Goodwin was a Dane, who made excellent skins of birds, and procured several interesting species for the Museum.

His notes on the Paradise Birds of British New Guinea were published in the "Ibis," 1890, pp. 150-156.

See also GERRARD, E.

Gordon (Sir ARTHUR H., now Lord Stanmore).

13 birds from the Fiji Islands. Presented. [85. 12. 24, 1-13.]

Gordon-Cumming (*Hon. Mrs.*).

10 specimens of Australian birds. Presented. [1902. 11. 16, 1-10.]

Gosse (**PHILIP HENRY**).

159 birds from Jamaica. Purchased. [45. 4. 29, 1-4; 47. 6. 8, 1-21.]
Types of *Anas maxima*, Gosse = *Cairina moschata* × *Anas boschas*, cf. Salvad., Cat. xxvii., p. 53; *Egretta ruficollis*, Gosse; *Cyanopterus inornatus*, Gosse = *Querquedula discors* (Linn.), cf. Salvad., Cat. xxvii., p. 299; *Ephialtes grammicus*, Gosse; *Rallus concolor*, Gosse; *Myiobius stolidus*, Gosse; *Laterirallus gossei*, Bp. = *Porzana flaviventris* (Bodd.), cf. Sharpe, Cat. xxiii., p. 110; *Myiobius tristis*, Gosse = *Blacicus barbirostris* (Swains.), cf. Sel. Cat. xiv., p. 244; *Elainea cotta*, Gosse; *Myiobius pallidus*, Gosse; *Sylvicola pannosa*, Gosse = *Dendroica caerulescens* (Gm.), cf. Sharpe, Cat. x., p. 329; *Sylvicola eoa*, Gosse; *S. pharetra*, Gosse; *Hirundo euchrysea*, Gosse; *Spermophila adoxa*, Gosse = *Phonipara lepida* (Jacq.), cf. Sharpe, Cat. xii., p. 145; *Spermophila anoxantha*, Gosse; *Coturniculus tixicus*, Gosse = *Ammodromus savannarum* (Gm.), cf. Sharpe, Cat. xii., p. 687. [47. 6. 9, 1; 47. 6. 16, 1-109; 47. 8. 30, 1-15; 47. 10. 11, 6-14.]

Gosse's "Birds of Jamaica" is still the standard work on the birds of this island, and the specimens above recorded are doubtless the material on which his descriptions were founded. Unfortunately they have much deteriorated, having been mounted for many years in the British Museum Galleries at Bloomsbury, and ruined by exposure to light and dust. A good series of Jamaican Birds is a great desideratum to the Museum.

Some of his birds appear to have been sent to Hugh Cumming (*vide antea*, p. 333). (*Cf. Dict. Nat. Biogr.*, xxii., pp. 258-260.)

Gough (*Earl*).

6 birds from Buenos Ayres. Presented. [1904. 4. 5, 1-6.]

Gould (**JOHN**), *F.R.S.*

97 birds from Brazil. Presented. [37. 3. 15, 60-153, 158-160.]

38 Humming Birds. Presented. [37. 3. 6, 639-676.]

78 birds from South Australia. Presented. [37. 4. 4, 418-495.]

126 specimens, principally from Brazil and India. Purchased. [37. 5. 13, 100-211; 38. 5. 12, 103-117.]

97 birds and nests chiefly from Australia. Presented. [38. 1. 19, 208-229, 232-244; 41. 3, 540-541; 41. 6, 1669-1671 (Australian birds); 42. 12. 21, 11-20 (nests of Australian birds); 43. 4. 4, 1-43 (nests of Australian birds); 43. 12. 30, 18-20 (types of *Coryphilus dryas*, Gould; *Halcyon saurophagus*, Gould).]

100 birds from various localities, but chiefly from Tamaulipas, Eastern Mexico. 38. 5. 12, 1-100.]

25 birds from Jamaica. Presented. [44. 1. 22, 20; 44. 1. 23, 4-7; 44. 5. 16, 2-21.]

280 birds and 91 eggs from Australia. Purchased. [41. 6, 990-1098, 1269-1501, 1669-1671; 44. 2. 10, 92-117.]

14 birds from South America. Purchased. [44. 12. 12, 1-14.]

55 Humming Birds. Purchased. [53. 5. 17, 1-34; 53. 11. 28, 1-21.]

149 specimens, mostly *Rhamphastidæ* (Toucans). Purchased. [53. 12. 26, 1-86; 54. 5. 25, 1-12.]

39 birds from Guatemala and Brazil. Purchased. [54. 12. 20, 1-29.]

43 birds from various localities. Purchased. [55. 11. 5, 1-43.]

Includes the types of *Formicarius erythropterus*, *Monarcha leucotis*,

Thamnophilus melanurus, *Ptilotis filigera*, *Bourcieria fulgidigula*, *Arremon erythrorhynchus*, *Cinclosoma castanothorax*.

113 birds from Europe and South America. Purchased. [55. 12. 17, 1-101; 56. 10. 28, 1-12.]

The type of *Ptilopus eugeniæ* (Gould), P.Z.S., 1856, p. 137 (Solomon Islands). Presented. [56. 10. 14, 15.]

90 birds from various localities. Purchased. [57. 10. 16, 1-71; 57. 11. 11, 1-19.]

4 Humming Birds. Purchased. [57. 11. 20, 1-4.]

251 birds, chiefly from South America. Purchased. [57. 11. 28, 1-251.]

127 birds from Ashanti. Purchased. [58. 1. 4, 1-127.]

On this collection was founded the record of the locality "Ashanti," which so often occurs in Hartlaub's "Ornithologie West-Afrika's," on the authority of specimens in the British Museum, but I greatly doubt if any of them came from Ashanti proper. They seem to me to be all skins of the ordinary Fanti make, and were probably preserved by Aubimu, a professional negro hunter, who in Governor Ussher's time, some twelve years later, was an old man, but still an active collector; he ultimately died of small-pox. Among the specimens thus procured from Mr. Gould were several interesting additions to the Museum collection.

40 specimens from various localities. Purchased. [58. 3. 5, 1-8; 58. 6. 25, 9-38; 58. 9. 7, 6 7.]

38 birds, mostly from South America and Australia. Purchased. [58. 12. 2, 1-38.]

236 birds, nests and eggs, mostly from South America. Purchased. [59. 3. 25, 28-84 (Falkland Islands); 59. 6. 5, 2-79; 59. 6. 29, 1-36; 59. 7. 6, 1-65 (Indian eggs).]

Some eggs are from Mexico, but the registering is faulty, and many have no locality at all. The type of *Gavia roseiventris* of Gould is also included in this purchase (P.Z.S., 1859, p. 97) = *Larus glaucodes*, Meyer. (Cf. Saunders, Cat. B., xxv., p. 200.)

15 nests from Epping. Presented. [59. 7. 6, 66-80.]

93 birds from various localities. Purchased. [60. 1. 16, 1-93.]

2 types, *Otocorys penicillata* (cf. Gould, P.Z.S., 1837, p. 126), and *Ruticilla erythroprocta* (cf. Gould, P.Z.S., 1855, p. 78).

92 birds from South America (chiefly Ecuador and Amazonia). Purchased. [60. 11. 26, 1-92.]

1 type (*Toccos hartlaubi*) and 1 (*Thamnophilus corvinus*) new to the Museum.

176 Humming Birds. Purchased. [61. 11. 11, 1-176.]

11 birds from South America. Purchased. [61. 11. 11, 177-187.]

Includes the type of *Chordeiles pusillus* and a specimen of *Mohonobilis*.

10 specimens of birds and 22 eggs from various localities. Purchased. [62. 6. 22, 1-32.]

3 specimens of birds and 13 sets of eggs from N.W. America. Purchased. [62. 11. 4, 1-16.]

5 specimens of birds from West Africa. Purchased. [64. 2. 7, 1-5.]

Includes the type of *Smithornis rufilateralis*, Gray, P.Z.S., 1864, p. 143, pl. xvi.

115 sets of eggs and 105 birds from various localities. Purchased. [65. 2. 3, 1-115; 67. 3. 16, 1-105.]

Among these birds were the nestlings figured by Gould in his "Birds of Great Britain," and several hybrid Game-birds.

168 birds from various localities. Purchased. [68. 1. 27, 1-41; 69. 6. 4, 1-102 (Humming Birds); 69. 6. 9, 1-25 (Samoan birds).]

In these purchases the Museum acquired from Mr. Gould several valuable types of species which he was then figuring in his "Supplement" to the "Birds of Australia," such as *Malurus hypoleucus*, *Gerygone personata*, *Cyclopsittacus coxeni*, *Geopsittacus occidentalis*, and *Cacomantis castaneiventris*.

150 specimens, mostly Humming Birds. Purchased. [72. 5. 28, 28-77.]

The type of *Otidiphaps nobilis* is included in this purchase.

2 specimens of the Gyr-Falcon (*Hierofalco gyrfalco*) from Lapland and West Finmark. Presented. [72. 11-8, 1-2.]

These were two of Wolley's specimens lent for the purpose of illustration in the "Birds of Great Britain." (Cf. Newton, *Ootheca Wolleyana*, p. 94.)

20 specimens of *Accipitres*. Purchased. [72. 11. 8, 3-22].

Some of these are the originals of the plates in the "Birds of Great Britain."

97 *Accipitres* from various localities. Presented. [73. 6. 6, 1-97].

Including the type of *Pernis celebensis*.

18 birds from Australia. Purchased. [75. 11. 8, 1-18].

4 types of species, *Strepera melanoptera*, *Cracticus cinereus*, *C. argenteus*, and *C. crissalis*.

100 specimens, principally from Europe and various parts of Asia. Purchased. [76. 1. 7, 1-100].

6315 specimens of birds. Purchased. [81. 5. 1, 1-6315].

This was Gould's private collection of birds, and was purchased by the Trustees after his death. It contained a large number of interesting species, 22 of which were new to the collection, as well as 59 types.

1155 eggs. Purchased. [84. 10. 1, 1-268; 84. 11. 20, 269-579; 85. 1. 8, 580-1264; 85. 3. 1, 1265-1687; 85. 7. 21, 1688-1736].

This collection of eggs was purchased at the same date as the bird-skins, but was not registered until some time after. It contained a number of Australian eggs which were new to the collection.

93 Humming Birds, with 8 types. Purchased. [88. 7. 25, 1-59; 90. 10. 14, 1-34].

This was the commencement of the registration of the Gould Collection of Humming Birds, which was never completed.

For Gould's biography, reference may be made to the memoir published by me in my "Analytical Index to the Works of the late John Gould," in 1893, and to the "Dictionary of National Biography" (vol. xxii., p. 287). Both these works give a full account of his labours, and especially of his epoch-making journey to the Antipodes. His collection of Australian birds "comprised examples of both sexes of nearly every known species, 1800 specimens in all, in various stages of plumage, each carefully labelled with the scientific name and the name of the place where killed." The expedition to Australia cost Gould £2000, and he offered the collection, with its numbers of priceless types, to the Trustees of the British Museum of that day, for £1000. The offer was declined, and Gould, in a fit of chagrin, allowed Dr. Thomas Wilson of Philadelphia to buy the whole collection for £1000; it has since been one of the greatest treasures of the Academy of Natural Science in that town. (Cf. Cassin's Report on the Ornithological Collection, Proc. Acad. Philad., 1849, pp. 256-260; Witmer Stone, Proc. Acad. Nat. Sci. Philad., 1899, pp. 5-63.)

Gould (Dr. HENRY).

Eldest son of John Gould. He was in the Indian Medical Service, and sent some collections of birds and eggs from Sind to his father.

Graham (R.).

80 specimens from Para. Presented. [45. 8. 25, 24-114.]

Graham (Sir R. J.), Bart.

3 hybrid Ducks (*Anas boscas* × *A. strepera*). Presented. [1905. 11. 20, 1-3.]

A remarkable hybrid Drake (*Anas boscas* × *Marcea penelope* × *Dafila acuta*). Presented. [1905. 12. 5, 1.]

Grandidier (ALFRED).

3 birds from Madagascar. Presented. [73. 6. 7, 63-65.]

M. Grandidier for many years devoted himself to the exploration of Madagascar, and published, with Professor Alphonse Milne-Edwards, a monumental work, "Histoire Physique, Naturelle et Politique de Madagascar."

A considerable number of Mammalia were presented by him to the British Museum, but only three birds, *Coua coquereli*, *C. gigas*, and *C. ruficeps*, passed into the collection; these he kindly gave me on my first visit to Paris in 1873.

Grant (CLAUDE H. B.).

Was an excellent taxidermist in the Museum, and with Seimund (*q.v.*) joined the Imperial Yeomanry during the last Boer war. The two troopers made a splendid collection of natural history objects in the neighbourhood of Deeliontein (*cf.* Sharpe, *Ibis*, 1904, pp. 1-29, 313-367, pl. viii.). He has since been travelling and collecting in various parts of South Africa for Mr. C. D. Rudd (*q.v.*).

Grant (W. R. OGILVIE-).

See OGILVIE-GRANT.

Gray (Major ANSTRUTHER).

5 specimens of the Cereopsis Goose. Presented. [1905. 1. 17, 1-5.]

Gray (Capt. DAVID).

13 birds from the Arctic Seas. Presented. [93. 10. 8, 1-13.]

Saxicola oenanthe and *Plectrophenax nivalis* are among these specimens, procured in long. 4° E., lat. 79° 30' N.

Gregory (Sir A. C.).

See also ELSEY, J. R.

26 birds from the Gregory Expedition to N.W. Australia. Presented. [56. 12. 24, 1-26.]

Gregory, accompanied by Dr. F. von Mueller as botanist, made expeditions into N. W. Australia from 1855-58. (*Cf.* Who's Who, 1905, p. 662.)

Gregory (Dr. J. W.).

7 birds from Equatorial Africa. Presented. [94. 12. 21, 1-7.]

These few specimens were obtained during Dr. Gregory's well-known expedition to the Rift Valley in Equatorial Africa in 1892-93.

Grey (*Sir* GEORGE).

60 birds from West Australia. Presented. [40. 10. 13, 1-52.]

373 birds, mainly from South Australia. Presented. [43. 1. 4, 1-35; 43. 6. 14, 1-3; 43. 7. 14, 1-267; 44. 9. 3, 32-59; 44. 12. 18, 1-3; 45. 11. 7, 1-37.]

95 birds and eggs from New Zealand. Presented. [47. 1. 8, 1-44; 51. 7. 18, 1-45; 52. 1. 20, 1-6; 54. 5. 31, 1-14.]

14 birds from the Loyalty Islands. Presented. [54. 5. 31, 1-14.]

Contains the typo of *Myiagra viridinitens*, Gray; *Aplonis atronitens*, Gray; *Zosterops melanops*, Gray.

Sir George Grey always took an active interest in natural history, and many of the Australian birds which he presented were obtained by Mr. Gould, with whom he was on terms of friendship all his life.

Cf. Dict. Nat. Biogr., Suppl. II., pp. 357-361.

Grubbe (*Admiral Sir* WALTER HUNT).

2 specimens of Delegorgue's Quail (*Coturnix delegorguei*) from St. Thomas Island, W. Africa. Presented. [1905. 11. 9, 1-2.]

Gueinzus (*Dr.*).

See STEVENS, S.

Dr. Gueinzus was an early collector in Mozambique and Natal, and his specimens are mentioned by the late Mr. J. H. Gurney in his first memoirs on the ornithology of the latter country (*cf.* "Ibis," 1859, pp. 234-251). The *Accipitres* were purchased by Mr. Gurney for the Norwich Museum, but the bulk of the other specimens passed into the British Museum.

Guillemard (F. H. H.).

A very well-known traveller and naturalist who discovered many new species of birds during the voyage of the *Marchesa* to the Malay Archipelago, 1881-84. He has also made collections in Cyprus (*cf.* Lord Lilford, *postea*, p. 413).

Gulliver (H.).

See ROYAL SOCIETY.

Mr. Gulliver was the naturalist appointed to the Transit of Venus Expedition to Rodriguez. He procured skins of *Bebrornis rodericanus* and *Foudia flavicans*, with their nests and eggs (*cf.* Sharpe, Phil. Trans., extra vol. 168, pp. 459-469, 1879).

Gunn (RONALD).

158 birds from Tasmania. Presented. [38. 1. 15, 48-205.]

This collection, comprising a very complete series of Tasmanian birds, has now almost perished, the specimens having all been mounted for years in the public galleries.

Günther (*Dr.* ALBERT C. L.), *F.R.S.*

Collection of osteological specimens.

7 birds from Pagham Harbour, Sussex. Presented. [72. 10. 2, 1-7.]

37 specimens of Gulls and Cormorants from Fowey, Cornwall. Presented. [76. 10. 21, 1-27; 78. 10. 4, 1-10.]

12 specimens of Guillemots, etc., from St. David's, Pembrokeshire. Presented. [81. 9. 30, 1-7; 82. 9. 18, 1-5.]

31 specimens of old and young Cormorants and Shags from Fowey, Cornwall. [84. 1. 29, 1-12; 88. 10. 15, 1-19.]

15 specimens of Terns and other shore-birds from Norfolk. Presented. [89. 3. 11, 1-15.]

Dr. Günther was Keeper of the Zoological Department for twenty years, and took a keen interest in ornithology. During his keepership the groups illustrating the nesting of British birds were commenced and carried out under his direction. Some of them were also presented by him. Dr. Günther likewise initiated and carried through the "Catalogue of Birds," which was completed in twenty-seven volumes.

Gurney (JOHN HENRY).

5 specimens of *Cathartcs aura*, etc., from California. Presented. [73. 7. 19, 19-23.]

44 birds from the Transvaal. Presented. [76. 6. 5, 1-26; 78. 6. 18, 1-18.] Including a specimen of *Geocichla gurneyi*, which was new to the collection.

Mr. Gurney was the greatest authority on the *Accipitres* of his day, and it was through his exertions that the magnificent collection of Birds of Prey was formed at Norwich. He told me that the way in which this collection came to be made was through a curious accident. When it was resolved to give up the museum of the Zoological Society an agent was entrusted with some money to buy a selection of the birds for the Norwich Museum. The sale commenced in scientific sequence with the *Accipitres*, and the agent bid with diligent persistence until all his money was gone, with the result that he bought only Birds of Prey. With this foundation Gurney determined to devote himself to a special study of these birds, and made the collection of *Accipitres* at Norwich the most famous in the world. He also took particular interest in the ornithology of South Africa, and wrote many papers in the "Ibis" on the birds of Natal and the Transvaal, based on the collections made by Mr. Thomas Ayres (*q.v.*). A list of Mr. Gurney's papers is given in my edition of Layard's "Birds of South Africa," p. xiii. He also edited the "Birds of Damara-Land," from the MSS. left by C. J. Andersson (*q.v.*).

Gurney (JOHN HENRY), *jun.*

63 birds from Egypt. Presented. [76. 1. 22, 1-18; 81. 10. 24, 1-48] (*cf.* Ibis, 1871, pp. 68-86, 289-301).

541 specimens from the Transvaal. Presented. [90. 10. 16, 1-445; 90. 12. 20, 1-96.]

This was a donation of a portion of the African collection formed by his late father during the latter's life-time. It included many valuable specimens, the series being divided between the British Museum and Canon Tristram, whose share has now passed with the rest of his great collection into the Liverpool Museum.

Habel (*Dr. A.*).

63 birds from the Galapagos Islands. Purchased. [75. 4. 2, 1-63.]

Dr. Habel was a well-known explorer of the Galapagos, and his collection was described by Messrs. Sclater and Salvin (P.Z.S., 1870, pp. 322-327), when 7 new species were named. The bulk of Dr. Habel's birds, with the types of the new species, was purchased by Dr. Godman; and the collection formed part of the ground-work of Mr. Salvin's memoir on the "Birds of the Galapagos" (Trans. Z. S., ix., pp. 447-510, pls. lxxxiv.-lxxxix.).

Haggard (W. H. D.).

67 birds from the Andes of Ecuador. Presented. [94. 2. 15, 1-67.]

Mr. Haggard has been H.B.M. Resident Minister in Ecuador, Venezuela, and the Argentine Republic. The birds presented by him were collected by his friend Mr. L. Söderstrom, the Swedish Consul in Ecuador, who has himself also given some valuable birds to the Museum.

Haigh (GEORGE HENRY CATON).

17 specimens of *Sturnus vulgaris* from Tetney, Lincolnshire. Presented. [89. 1. 2, 1-17.]

Mr. Caton Haigh was one of several friends who helped me in my unluckily futile endeavours to determine the migratory routes of the Common Starling in Europe, and he obtained a series of specimens from the Lincolnshire coast. My object was to ascertain what proportion of the birds which migrated from the Continent to our eastern shores in winter were the Scandinavian form (the true *Sturnus vulgaris* of Linnaeus) or were tinged with an admixture of the Purple-headed Starling (*Sturnus menzbieri*, Sharpe). Although it was evident that many of our eastern birds were of the intermediate form, which Mr. Prazak, rushing in where I had feared to tread, afterwards called *Sturnus intermedius*, it was impossible to prove whether the Starlings which were procured on our eastern and southern coasts were migrants from the Continent or birds which came south from the north of England or from Scotland (cf. Eagle Clarke, Ibis, 1902, pp. 246-269).

43 Skylarks (*Alauda arvensis*) from the neighbourhood of Great Grimsby. Presented. [90. 10. 20, 1-43.]

These Larks were also collected for me by Mr. Caton-Haigh for the same purpose as the Starlings, viz., to attempt to settle the lines of migration of our own Skylark and the larger Continental form.

57 Wading Birds from Great Grimsby. Presented. [91. 10. 1, 1-35; 91. 10. 25, 1-22.]

Hall (ROBERT).

10 birds from N.W. Australia. Presented. [1902. 6. 12, 1-10.] 1 new to the collection (*Pseudogerygone tenebrosa*).

Mr. Hall is one of the most energetic of Australian naturalists, and has also collected in Kerguelen Land (cf. Ibis, 1900, pp. 1-34), and on the River Lena in Siberia (cf. Hartert, Ibis, 1904, pp. 415-446).

Hamilton (Capt.).

16 birds from Jamaica. Presented. [58. 10. 1, 12-27.]

Hamilton (G. E. H. BARRETT-).

See BARRETT-HAMILTON.

Hanson (NIKOLAI).

308 specimens of birds and eggs from N. Norway. [96. 10. 2, 1-37; 96. 11. 17, 1-29; 97. 2. 6, 1-27; 97. 5. 11, 1-21; 97. 11. 16, 1-25; 97. 12. 12, 1-38; 98. 4. 28, 1-37; 98. 5. 3, 1-28; 98. 6. 24, 34-66.]

These birds were collected in the Sundal Fjord and the neighbourhood of Christiansund, as well as on the Smølen Islands, whither he accompanied me in May 1898. He obtained a most useful series shewing the changing plumages of the Black Guillemot (*Uria grylle*), and especially of the Elder Duck (*Somateria mollissima*).

Hanson died during the Antarctic Expedition of the *Southern Cross*, of which he was the zoologist. On this occasion he made a fine collection

of seals and birds, but his notes were lost. His diary was published by me in the "Report on the collections of Natural History made in the Antarctic Regions during the voyage of the *Southern Cross*," Aves, pp. 106-173, pls. vii.-x., published by the Trustees in 1902. He was one of the most conscientious and energetic collectors I have ever known.

See also NEWNES, Sir GEORGE, *Bart.*

Hanson (BERNARD).

33 eggs of Norwegian birds. Purchased. [89. 6. 24, 1-33.]

A younger brother of the above, and a very good collector.

Harcourt (EDWARD VERNON).

A specimen of the Andalusian Hemipode (*Turnix sylvatica*). Presented. [52. 10. 8, 1.]

Mr. Vernon Harcourt published a list of the birds of Madeira (P.Z.S. for 1851, pp. 141-146). In 1854 he described as new *Regulus maderensis* (P.Z.S., 1854, p. 153), and in a further list published in 1855 in the "Annals and Magazine of Natural History," (2), xv., pp. 430-438, he described a new Petrel from the Desertas Islands, *Procellaria castro*. Neither of the types came to the Museum.

Hardwicke (General).

See antea, p. 169.

Hargitt (EDWARD), R.I.

2 specimens from the Vosges Mountains. Presented. [81. 11. 28, 1-2.]

36 birds, mostly from the North of France. Presented. [85. 1. 12, 1-36.]

109 birds from various localities. Purchased [86. 9. 13, 1-73] and presented [86. 12. 1, 1-36].

1807 specimens of Woodpeckers (*Pici*). Purchased. [97. 11. 10, 1-1807.]

From his earliest years Edward Hargitt was a devoted student of ornithology, and collected in the Orkneys and the Highlands of Scotland during his excursions to these localities as an artist. He afterwards made a fine collection of European birds and eggs, but he gradually dropped this portion of his work in order to devote himself to the study of the *Picidæ*. Of these birds he acquired a large collection, and wrote memoirs on several groups of Woodpeckers. In 1887 he was asked by Dr. Günther to write the eighteenth volume of the "Catalogue of Birds," which he did with his usual conscientiousness; it is one of the best-written volumes of the series. For the last few years of his life his health failed him, but he occupied himself with painting a series of pictures of Woodpeckers, which, it is hoped, may be secured some day for the British Museum, as his collection of birds, from which the paintings are mostly taken, is now in the National Collection. Of a singularly lovable disposition, Hargitt was endeared to a large number of artistic and scientific men, and his death was mourned by a wide circle of friends.

Harington (Captain H. H.).

9 birds from Upper Burmah. Presented. [1905. 12. 20, 1-9.]

Harris.

See WEBSTER-HARRIS.

Harris (Sir W. CORNWALLIS).

Sir Cornwallis Harris, the author of the "Highlands of Ethiopia," and other works on the game and wild animals of Southern Africa, accompanied the British Expedition to Shoa in Abyssinia, and made a collection of birds, chiefly in the neighbourhood of Ankober and Angolalla. These collections passed into the India Museum, and were all registered as from "Abyssinia" by Messrs. Horsfield and Moore in the "Catalogue of the Birds in the Museum of the East India Company." Fortunately the original labels were not detached from the specimens in the India Museum, so that the record of locality was not lost; but all the birds transferred to the British Museum had, after the fashion of those times, the labels carefully removed, and a card-board ticket marked "Abyssinia" attached! (*Cf.* Dict. Nat. Biogr., xxv., p. 28.)

See INDIA MUSEUM.

Harrison (Colonel J. J.).

31 birds from Somali Land. Presented. [1901. 3. 15, 1-31.]

Colonel Harrison made an expedition, in company with Mr. A. E. Butler, Captain Powell Cotton and Mr. W. F. Whitehouse, through Somali Land to Lakes Rudolf and Baringo. He made a good collection of birds, which was described by Mr. Ogilvie-Grant in the 'Ibis' for 1901 (pp. 278-299, pl. vii.). A species of Finch-Lark described as *Pyrrhulauda harrisoni* turned out to be *P. signata*, Oust. The specimens presented by Colonel Harrison were all of great interest to the Museum.

45 birds from the White Nile district. Presented. [1905. 2. 3, 1-45.]

Hart (H. CHICHESTER).

See LORDS OF THE TREASURY.

Mr. Hart was the naturalist on board the *Discovery* during Sir George Nares' expedition towards the North Pole. He has given an account of his experiences in a paper published in the 'Zoologist' for 1880 (pp. 121-129, 204-214). He has also written a book on the Fauna and Flora of Sinai, Arabia Petrea, etc. (1891).

Hartert (ERNST).

98 birds from East Prussia and other parts of Germany. Received in exchange. [92. 4. 11, 1-98.]

Dr. Hartert is the Director of the Hon. Walter Rothschild's Museum at Tring, and is one of the most energetic of modern naturalists. His experiences in Eastern Prussia have been described in the 'Ibis' for 1892 (pp. 353-372, 504-522), and the account of his travels in many foreign lands is given in his memoir, "Aus den Wanderjahren eines Naturforschers," first published in the 'Novitates Zoologicae' for 1901 (pp. 221-355, 383-39, pls. xii.-xvii.), and 1902 (pp. 141-160, 193-339, pls. 1-5), and afterwards as a separate work.

Harting (J. EDMUND).

23 birds from Madagascar, collected by the Rev. W. Deans Cowan. Purchased. [80. 5. 1, 1-23.]

Among many interesting species was the type of *Oxylabes cinereiceps*, Sharpe, P.Z.S., 1881, p. 197.

80 mounted specimens of British birds. Purchased. [73. 11. 17, 17-22; 83. 11. 10, 1-74.]

Among these were several authentic examples of rare birds killed in Great Britain, among them being three specimens of the so-called Sabine's

Snipe (*Gallinago sabinei*), and the Red-breasted Snipe (*Macrorhamphus griseus*), etc.

29 Accipitres from South Queensland, collected by Mr. J. Bell. Presented. [1901. 12. 8, 1-20; 1902. 7. 31, 1-9.]

2 specimens of Willow Grouse from the Altai Mts., procured by Prince Demidoff. Presented. [1902. 7. 31, 10, 11.]

Mr. Harting is one of the best-known British naturalists, and there is probably no one living who can so well remember the days before enclosure had done away with the natural harbours on the south coast, where birds were plentiful in places now dominated by the plough. His reminiscences, like my own, carry him back to the palmy days of Pagham Harbour, when some fine collecting was to be done on the mud-flats, and a number of specimens obtained by him in his early life are in the Museum. He was for many years the best authority on Wading Birds, and made a fine collection of *Charadriidæ*, which was ultimately acquired by the late Mr. Henry Seebohm, who made it the basis of his work on the "Geographical Distribution of the Family *Charadriidæ*." With the Seebohm bequest the whole of this celebrated collection of Waders was added to the national collection. Mr. Harting has published many popular books on natural history, and has done much to spread the love of the study of birds among the people.

Harvey (W.).

160 birds from Malacca. Presented. [65. 6. 30, 1-160.]

These birds, prepared in the usual Malay type of skins, were without particulars of sex or date, and being now replaced by Mr. Hume's beautiful series, have mostly passed into the duplicates.

Harvie-Brown (J. A.).

See also FEILDEN, Colonel H. W.

11 birds from Dunipace, Larbert, N.B. Presented. [92. 12. 19, 1-11.]

Hauxwell (J.).

Was an old companion of H. W. Bates, and settled in Upper Amazonia. He travelled on the Ucayali River in the early fifties, and made a large collection, which was exhibited to the Zoological Society by Gould in May 1855 (P.Z.S., 1855, pp. 77, 78). In 1867, after a long period of inaction, he again forwarded a collection from Pebas, a town on the north bank of the River Amazon. This was described by Messrs. Slater and Salvin in the "Proceedings" for 1867 (pp. 977-981, pl. xlv.), when four new species of birds were characterised. The bulk of the collection passed into the hands of Messrs. Salvin and Godman and Dr. Slater, but a few were purchased by the British Museum. [See Higgins.] Out of a later consignment sent to Mr. Whiteley from Samiria, some specimens were acquired for Dr. F. D. Godman. In Professor James Orton's book, "The Andes and the Amazon," he mentions his meeting with Hauxwell at Pebas, where he was comfortably established and received the traveller with great hospitality. Pebas is situated on a high clay bluff, beside the Ambiyacu, a mile above its entrance into the Marañon.

Haviland (Drs. H. A. and G. D.).

32 birds from Mt. Kina Balu in N.W. Borneo. Presented. [93. 6. 10, 1-32.]

Two species (*Merula seebohmi* and *Hyloterpe hypoxantha*) were new to the Museum.

Hawker (RICHARD McD.).

21 specimens from Lahej, S. Arabia. Presented. [98. 4. 30, 94-114.]

In this small series were specimens of the Lanner Falcon (*Falco feldeggii*) and the Pintail Duck (*Dafila acuta*). Cf. Ibis, 1898, pp. 374-376.

163 specimens from Somali Land. Presented. [98. 6. 13, 1-163.]

Five species were new to the collection, of which two (*Mirafraga marginata*, *Apalis viridiceps*) were types of new forms. The collection was described by Mr. Hawker in the "Ibis" for 1899 (pp. 52-81, pl. ii.). *M. marginata* is now considered to be the same species as *M. cantillans* of India.

451 specimens of birds, nests, and eggs from the Egyptian Sudan. Presented. [1901. 8. 3, 1-76; 1902. 4. 20, 1-358; 1902. 7. 10, 1-17.]

This collection is described by Mr. Ogilvie-Grant in the "Ibis" for 1902 (pp. 393-470, pls. x., xii.).

31 birds from Berbera, Somali Land. Presented. [1903. 8. 5, 1-31.]

5 birds from the Sudan and 5 birds from Australia. Presented. [1905. 6. 30, 1-10.]

Hearsey (Brigadier-General T.).

10 specimens of birds from the Punjaub. Presented. [54. 12. 6, 1-10.]

Heath (ALFRED).

See GERRARD, E.

Helms (Dr. OTTO).

37 Greenland Gyr-Falcons (*Hierofalco candicans*) and Iceland Gulls (*Larus leucopterus*). Purchased. [1900. 6. 26, 1-15; 1901. 3. 16, 1-8; 1902. 9. 29, 1-14.]

A very interesting series of skins, showing the changes of plumage in the Greenland Falcons. See Dr. Helms' memoir, "Ueber Grönlands Vogelwelt" (J. f. O., 1902, pp. 91-101, 126).

Henderson (Messrs. [of Dundee]).

9 specimens of Greenland Gyr-Falcons (*Hierofalco candicans*) from Greenland. Purchased. [99. 11. 2, 1-9.]

Henderson (Dr. GEORGE).

See GERRARD, E.

Dr. Henderson was the naturalist attached to the British Mission to Yarkand, under Sir Douglas Forsyth, in 1870 (cf. "Lahore to Yarkand," by G. Henderson and A. O. Hume, 8vo, 1873). During the expedition several new species were discovered, and the types of these (*Falco hendersoni*, *Saxicola hendersoni*, *Podoces hendersoni*, *P. humilis*, *Trochalo-pterum simile*) were purchased for the Museum through Mr. Gerrard. They are all figured in the above-mentioned book.

Henning (J.).

115 specimens of Finches. Purchased. [87. 1. 25, 1-115.]

"Herald," Voyage of H.M.S.

See RAYNER, Dr. F. M.; MACGILLIVRAY, John.

Hewett (W.).

236 eggs of Guillemots from the Bampton cliffs. Purchased. [1901. 10. 27, 2-151; 1902. 11. 5, 1-86.]

This series, selected from many hundreds of eggs obtained by Mr. Hewett, is exhibited in the Great Hall of the Natural History Museum as an example of the variation in the colour to be found in the eggs laid by one single species.

Hiekman (J.).

26 birds from Fanti, West Africa. Presented. [91. 2. 11, 1-26.]

Some rare birds were contained in this collection, among them four specimens of *Pæoptera lugubris*.

Higgins (T.).

A specimen of Andersson's Pern (*Machærhamphus anderssoni*) from Damara Land. Purchased. [62. 2. 23, 1.]

23 birds from Damara Land. Purchased. [66. 12. 24, 1-23.]

These were from some of the last collections sent home by Andersson.

25 specimens from N.E. Australia and Upper Amazonia. Purchased. [67. 2. 25, 1-6; 67. 10. 1, 1-19.]

Ten of these birds from Cape York and Champion Bay were collected by Cockerell; the other nine were collected by Hauxwell.

14 birds from Zanzibar, and other localities. Purchased. [68. 1. 29, 1-9; 68. 2. 21, 2-6.]

21 birds from N.E. Australia. Purchased. [69. 8. 17, 1-21.]

Three species, *Cyclopsittacus coxeni*, *Ptilotis cockerelli*, and *Myzomela pectoralis* were new to the collection. They were from one of the series obtained in Cape York and Queensland by Cockerell and Thorpe.

15 birds from Celebes. Purchased. [72. 5. 27, 1-15.]

These were some of the duplicates from Dr. A. B. Meyer's expedition to the Moluccas.

9 birds from Fanti, W. Africa, collected by Mr. G. Lyall. Purchased. [75. 5. 21, 1-9.]

3 species new to the Collection, *Pæoptera lugubris*, *Myioceyx ruficeps*, and *Dendropicus lugubris*.

175 birds from Borneo and the Philippine Islands, collected by Alfred Everett. Purchased. [75. 8. 16, 1-57; 76. 7. 28, 1-96; 78. 1. 4, 1-5; 78. 5. 20, 80-96.]

These were Everett's early Bornean collections, made chiefly in Sarawak, together with a few specimens from the Philippines. They contained the types of *Micropus immaculatus*, *Prionochilus everetti*, and *Phyllornis viridinucha*. His Bornean collections were described by me in the 'Ibis' for 1876, 1877, 1893, and in the P.Z.S. for 1879.

469 birds, nests, and eggs, from Labuan and Lumbidan, N.W. Borneo. Purchased. [76. 5. 2, 1-151; 80. 9. 14, 1-318.]

Collected by Sir Hugh Low, and forming the material for my paper in the "Proceedings" of the Zoological Society for 1875 (pp. 99-111), 1879 (pp. 317-354, pl. xxx.).

12 birds from the collection made by the late Dr. James in British New Guinea. Purchased. [77. 4. 6, 1-12.]

Dr. James was killed by the natives of Yule Island shortly after his arrival in British New Guinea. His collection was described by me in the 'Journal' of the Linnean Society (Zool., vol. xiii., pp. 305-321, 1878). He discovered the following new species: *Phonygama jamesi*

(Cat. B., III., p. 181), *Tanysiptera microrhyncha*, and *Melidora collaris*.

16 birds from the Fiji Islands and New Caledonia, collected by E. L. and E. L. C. Layard. Purchased. [76. 2. 3, 4-15; 78. 5. 20, 76-79.]

7 species new to the collection (*cf.* Ibis, 1876, pp. 137-157, Fiji Islands; 1877, pp. 355-363; 1878, pp. 250-267, New Caledonia).

75 birds from Sarawak, collected by Mr. Harold Everett. Purchased. [78. 5. 20, 1-75].

5 specimens from the neighbourhood of Antananarivo, Madagascar, collected by Mr. Lormier. Purchased. [79. 3. 5, 25-29.]

The five specimens included an example of *Heliodilus soumagnei*, and the types of a new Warbler (*Dromæocercus seebohmi*).

Higgins was a retired doctor with a strong love of natural history, who succeeded to Mr. Samuel Stevens' celebrated zoological agency, when the latter retired from active work. Higgins ultimately settled in Tasmania, and died there.

Hildebrandt (Dr.).

57 specimens from East Africa. Purchased. [79. 3. 4, 1-52; 79. 3. 5, 1-5.] 6 species new to the collection.

Dr. Hildebrandt collected in the Teita district of British East Africa, and his birds were described by Dr. Cabanis (J. f. O., 1878, pp. 213-246). He afterwards travelled in Madagascar, where he died.

Hinde (Dr. R. B.).

156 birds from Kamptee, C. India. Presented. [75. 7. 13, 1-156.]

Dr. Hinde was the uncle of the well-known traveller, Dr. Sydney L. Hinde.

Hinde (Dr. S. L.).

144 birds from Machakos, British East Africa. Presented. [96. 9. 11, 1-32; 98. 5. 13, 1-95; 99. 2. 1. 1-17.]

2 types (*Cisticola hindei*, *Serinus fagani*) and 5 species new to the collection (*cf.* Ibis, 1898, pp. 576-587, pl. xii., fig. 2).

39 birds from Masai Land, including types of *Euprinodes hildegardæ*. [99. 10. 30, 1-19; 1900. 2. 6, 1 and 2; 1900. 2. 28, 1-18.]

21 birds from the Athi River, including the types of *Crateropus hindei*. Presented. [1901. 5. 6, 1-19; 1901. 5. 7, 1 and 2.]

Dr. Hinde saw much service with the Congo Free State army on the Upper Congo, and has written a very interesting work on the "Downfall of the Congo Arabs." He has since held appointments under the Foreign Office in British East Africa, and has made several good collections of birds, in the formation of which he has been aided by his wife.

Hobson (H. E.).

9 birds from Northern Formosa. Presented. [77. 10. 22, 1-9.] 1 new to the collection.

Mr. Hobson was H.B.M. Consul in Formosa, and presented many Butterflies to the Museum, as well as a few birds.

Hodgson (BRIAN H.).

2596 birds from Nepal and Tibet. Presented. [43. 1. 13, 1-1302; 44. 12. 27, 1-4; 45. 1. 9, 1-841; 45. 1. 12, 1-414 (skelctons), 478-513.]

These were Hodgson's early collections, and were presented by him to

the Museum when he left Nepal in 1843. It is from these specimens that the native drawings of the birds were taken. Every one of the Hodgson drawings has its name and its number, and the specimens originally had a label tied either round the neck or the foot, bearing a number corresponding with that of the drawing. In Dr. Gray's "Zoological Miscellany" for 1844, Hodgson, writing from Canterbury on the 24th of June,* gave a list of Nepalese birds, with an indication of the Hodgsonian number, and he stated that "a nearly complete series [of drawings] has been sent to the British Museum." Consequently, these drawings constitute the types of Hodgson's species. A second set of drawings was retained by Hodgson himself, and afterwards given by him to the Zoological Society; these two sets have never yet been collated together.

In the "Dictionary of National Biography" (Suppl., vol. ii., pp. 429-432), it is said that after his resignation of the Indian Civil Service in 1843, he came to England, but that, after less than a year at home, he resolved to return to India. He fixed his residence at Darjiling, where for thirteen years he lived the life of a recluse, suffering a good deal from weak health, but this did not abate his ardour for collecting or his devotion to learning. Dr. J. E. Gray, in his preface to the "Catalogue" of the Hodgson collection, writing on the 10th of December, 1846, speaks of him as having returned to India, to continue his studies and complete his series of drawings.

301 birds from Behar. Presented. [45. 5. 19, 1-301.]

This series of skins from Behar was never made by Hodgson's Himalayan collectors. The method of preparation is quite different. It may have been made for Hodgson by some friend of his, or he may have employed a native of the country to prepare the skins. I can find no evidence that Hodgson was ever resident in Behar.

307 birds from "India"! [See small register.] Presented. [48. 6. 4, 1-307.]

In 1848, as mentioned above, Hodgson was living at Darjiling, and there can be no doubt that this collection came from Sikkim. On looking up some of the specimens which are registered by G. R. Gray himself (without any specific localities and with only the Hodgsonian number added), I have found skins labelled by Gray as from Behar! Any one who compares the preparation of the Behar examples with that of the Himalayan taxidermists, will see at a glance that this 1848 collection has been made by the same hands as the early Nepal collections, and doubtless Hodgson had imported some of his native skinners from Nepal. The question is settled, however, by an entry of Gray's in the register: "211 duplicates transferred to the Hon. E. I. Comp."; and in Horsfield and Moore's Catalogue of the latter collection (Vol. I., Intr., p. v.), we read: "1848. *B. H. Hodgson, Esq.* Several birds from Sikkim and Darjiling," showing that Moore knew where they were from, if Gray did not.

These Sikkim specimens will have to be carefully relabelled; but it shows the truth of Professor Newton's criticism on G. R. Gray, that he was a good ornithological clerk; but in the case of the Hodgson collections he was not even entitled to this praise, for he destroyed all Hodgson's original labels.

598 birds from Nepal. Presented. [59. 3. 4, 1-598.]

For some reason Hodgson was offended with his treatment by the

* Mr. Gerrard, sen., remembers going to Canterbury to pack the collection for transmission to London.

Grays, and in 1853 he sent a large collection of birds from Nepal and Tibet to the E. I. Company's Museum, but, in 1859, he appears to have once more determined to send his collections to the British Museum.

When the India Museum was broken up in 1881 and its zoological contents were merged in the British Museum, the whole of the Hodgsonian series was once more united under one roof, and great praise is due to Mr. F. Moore for having preserved the original labels on those specimens which had been under his charge. Two Catalogues of the Hodgson collection were published by the Trustees, one in 1846, and a second in 1863.

Besides the article in the "Dictionary of National Biography," a life of Hodgson has been written by Sir William Hunter.

Cf. also 'Ibis,' 1894, pp. 580, 581.

Holboell (Governor).

See also STEVENS, S.

5 birds and 31 eggs from Greenland. Purchased. [50. 11. 9, 23-58.].

Holboell was the Danish Governor of South Greenland, and took great interest in natural history. He discovered the intermediate race between the typical Gyr-Falcon of Greenland and that of Iceland, and named it *Falco arcticus*. As this name was preoccupied, I named the bird *Hierofalco holboelli* in his honour. The large Red-poll (*Cannabina holboelli*), from Scandinavia and Siberia, is also named after him. The latter species has occurred occasionally in England.

Holden (W. L.).

7 birds from Paraguay. Presented. [1904. 11. 30, 1-7.]

Holland (ARTHUR H.).

789 birds and eggs from Argentina. Purchased. [97. 11. 14, 1-224; 98. 3. 25, 1-565.]

Mr. Holland is an energetic young naturalist who has devoted much attention to the ornithology of the Argentine Republic, on which subject he has published some interesting papers (*Ibis*, 1890, pp. 424-428; 1891, pp. 16-20; 1892, pp. 193-214; 1893, pp. 467-469; 1895, pp. 213-217; 1896, pp. 315-318).

His collection of eggs, 565 in number, has proved to be of the utmost value to the Museum, as can be seen in the published volumes of the "Catalogue of Eggs." Among the birds was the type of *Hapalocercus hollandi*, Sclater, *Ibis*, 1896, p. 317.

Holst (P. A.).

44 birds from Central Asia, of which 7 were new to the collection. Purchased. [83. 4. 3, 1-37; 83. 5. 23, 1-7.]

Duplicates from the Severtzoff and Russow collections. Also some interesting species from the Caucasus.

9 birds from Sweden. Purchased. [84. 7. 29, 1-9.]

50 birds from Russia, Siberia, Turkestan, and other parts of Central Asia, with 3 species new to the collection. [84. 9. 25. 1-20; 86. 3. 31, 1-30.]

Holst was a young Swedish collector who settled in England for a time as an agent, and from whom the Museum purchased several interesting specimens. He afterwards travelled in the East for Henry Seebohm, and visited the Volcano Islands, the Liu Kiu Islands, and the Bonin group, as well as Formosa. Here he discovered a beautiful new Tit (*Parus holsti*) named after him by Seebohm (*Ibis*, 1895, pl. vi.).

Home (*Sir JAMES EVERARD*), *R.N.*

59 birds from New Zealand and Tongatabu. Presented. [46. 12. 4, 59.]

A son of the well-known Sir Everard Home.

Cf. Dict. Nat. Biogr., xxvii., pp. 227, 228.

Hooker (*Sir JOSEPH*).

17 nests from various localities. Presented. [66. 11. 17, 1-17.]

Sir Joseph Hooker was naturalist to the Antarctic Expedition, surgeon to the *Erebus* during the celebrated voyage of Sir James Ross in 1839-43, assisted by Dr. McCormick and Dr. Lyall. The collections made by Sir Joseph at the various islands visited were very complete (*cf.* my paper on the Birds of Kerguelen Island in the 168th volume (extra vol.) of the "Philosophical Transactions").

Cf. also "Who's Who," 1904, p. 751.

Hopkinson (*Dr. E.*).

25 skeletons of birds from the Gambia. Presented. [1904. 4. 28, 1-13; 1904. 6. 26, 1-12.]

Horn (*W. A.*).

19 birds from Central Australia, including a specimen of the rare Queen Alexandra's Parakeet (*Spathopterus alexandrae*), new to the collection. Presented. [95. 11. 18, 1; 98. 5. 15, 1-18.]

In 1894 Mr. Horn promoted the celebrated "Horn Scientific Exploring Expedition" to Central Australia (see the "Journal," etc., published by the Government of South Australia, as a Blue Book, in 1896). The birds obtained on the expedition were described by Mr. A. J. North (Rep. Horn Exped. Centr. Austr., Part II., Zoology, Aves, pp. 53-111, pls. v.-vii.).

Horsbrugh (*CHARLES B.*).

26 nests from the Sundal Valley, Norway. Presented. [99. 8. 31, 1-26.]

Mr. Horsbrugh accompanied me during one of my excursions to Norway, when we made a careful study of the nesting habits of the Brambling (*Fringilla montifringilla*) and the Chaffinch (*F. caelebs*), and collected a number of nests.

The nest *in situ*, with the parent birds and four nestlings, of the Tawny Owl (*Syrnium aluco*) from Martock, Somersetshire. Presented. [1901. 5. 2, 1-6.] Exhibited in the Bird Gallery.

Horsfield (*Dr. THOMAS*).

3 specimens of Indian birds. Presented. [47. 9. 17, 1-3.]

Horsfield served under Sir Stamford Raffles in Java, and was well known for his work on the Zoology of the island (*cf.* his paper in the Linnean Transactions, xiii., pp. 133-200, 1820—"Sytematic Arrangement and Description of Birds from the Island of Java"; also "Zoological Researches in Java," 4to, 1824), and in conjunction with Vigors he wrote a valuable memoir on the "Australian Birds in the collection of the Linnean Society" (Trans. Linn. Soc., xv., pp. 170-331, 1825-26). Many new species were described, the types of which were afterwards given to the British Museum. He was appointed, in 1820, Keeper of the Museum of the Hon. E. I. Co., a post he retained till his death in 1859. He wrote several catalogues of the contents of the Museum, but, in the case of the Birds and Lepidoptera, the work was chiefly done by his assistant, Mr. Frederic Moore.

Cf. Dict. Nat. Biogr., xxvii., pp. 379-380.

Hose (CHARLES), D.Sc.

See also GERRARD, E.

16 specimens of Esculent Swifts (*Collocalia*), with their nests and eggs, from Sarawak. Presented. [88. 1. 6, 1-16.]

83 birds from Mts. Kalulong and Dulit in N.W. Borneo. Presented. [93. 7. 2, 1-83.]

For the description of the Mt. Dulit collection, cf. 'Ibis,' 1892, pp. 322-324, 430-442, pls. x., xi. The collection from Kalulong is described in the 'Ibis' for 1893, pp. 546-550.

60 specimens of Bornean birds in spirits. Presented. [97. 2. 29, 1-24.]

277 specimens from various districts of Sarawak and the island of Celebes. Presented. [99. 8. 31, 1-6 (Mount Dulit and Mount Mulu); 1900. 2. 15, 1-150; 1900. 3. 20, 1-45.]

96 birds in spirits from Borneo. [1904. 5. 2, 1-96.]

Hubbard (Rev. E. H.).

8 specimens from Nassa, Speke Gulf, Victoria Nyanza. Purchased through Mr. F. C. Smith. [95. 3. 3, 1-8.]

Contained the types of a new Francolin (*Francolinus hubbardi*) described by Mr. Ogilvie-Grant (Bull. B.O.C., iv., p. 27, 1895).

Hudson (W. H.).

61 nests and eggs from Buenos Aires. Presented. [74. 5. 21, 5-65.]

Mr. Hudson is the well-known naturalist who has thrown so much light upon the ornithology of the Argentine Republic (see "Argentine Ornithology," by Selater and Hudson). His accounts of the habits of birds have always been most interesting. His collections from Conchitas were described by Messrs. Selater and Salvin (P.Z.S., 1868, pp. 137-146).

Hudson's Bay Company.

A specimen of the Golden Eagle. Presented. [43. 11. 28, 10.]

Hügel (Baron A. von).

4 Gannets (*Sula bassana*) from the Bass Rock. Presented. [73. 11. 4, 1-4.]

These were presented with the idea of forming a group of Bass Rock birds. Some of the specimens are in the great case now in the Bird Gallery.

35 specimens from various localities. Presented. [73. 12. 3, 1-33; 73. 12. 26, 13-14.]

Very interesting specimens of Palæarctic birds, including the skin of a Griffon Vulture (*Gyps fulvus*).

16 birds from Hampshire. Presented. [74. 3. 14, 28-43.]

23 birds from New Zealand. Presented. [80. 5. 3, 1-23.] The types of *Phalacrocorax stewarti* are included in this donation (cf. Cat. B., xxvi., p. 386).

Baron von Hügel is the son of the celebrated Baron Carl von Hügel, who wrote the well-known work of travel, "Kaschmir und das Reich der Siek," 1840-1848.

The donations to the British Museum were from his collection of British birds which the young Baron made before he went out to the Fiji Islands and New Zealand. Some of the specimens which he gave to the Museum were of great intrinsic value.

Hugh (Father).

94 birds from the province of Shen-si in Western China. [98. 10. 30, 1-10; 1900. 4. 28, 1-47; 1900. 9. 9, 1-17; 1902. 10. 10, 1-20.]

Father Hugh's early collections were described by me in the "Comptes Rendus" of the third International Congress of Ornithologists at Paris in 1900 (Ornis, xi., pp. 173, 185).

Humblot (Governor).

See FRANK, G. A.

Hume (ALLAN OCTAVIAN), C.B.

10 specimens of birds from the Nicobar Islands, and other parts of the Indian Empire. Presented. [74. 1. 17, 1-10.]

At this time nearly all the species were new to the collection—*Æthopyga nicobarica*, *Halcyon saturator*, *Carpophaga insularis*, etc.

75,577 skins and eggs of birds from various parts of the Indian Empire.

The collection consisted of about 82,000 specimens, of which 75,577 were placed in the Museum cabinets, as follows:—

2830 Birds of Prey (*Accipitriformes*). [85. 8. 19, 1-2830.] (Vol. i. of the "Catalogue of Birds.")

Types of eight species, *Astur poliopsis*, *Accipiter melanochistos*, *Spizaetus sphynx*, *Spilornis davisoni*, *S. minimus*, *Milvus melanotis*, *Pernis tweedaldi*, *Baza sumatrensis*, *Falco atriceps*, and *Poliioætus plumbeus*.

1155 Owls (*Strigiformes*). [86. 2. 1, 1-1155.] (Vol. ii. of the "Catalogue of Birds.")

Types of nine species, *Scops brucei*, *S. nicobaricus*, *S. balli*, *Carine pulchra*, *Heteroglaux blewitti*, *Ninox obscurus*, *Asio butleri*, *Syrnium maingayi*, and *Strix de-roepstorffi*.

2819 Crows, Jays, Orioles, etc. [86. 3. 1, 1-2819.] (Vol. iii. of the "Catalogue of Birds.")

5 types: *Corvus lawrencei*, *Corone insolens*, *Dendrocitta assimilis*, *Garrulus leucotis*, *Dissemuroides dicuriformis*.

4493 Cuckoo-shrikes and Flycatchers. (Vol. iv. of the "Catalogue of Birds.")

21 types: *Volvocivora intermedia*, *V. neglecta*, *V. innominata*, *Pericrocotus subardens*, *P. neglectus*, *P. flammifer*, *Pratincola albisuperciliaris*, *P. macrorhyncha*, *Leucocerca infumata*, *Terpsiphone nicobarica*, *Philentoma intermedium*, *Cryptolopha jerdoni*, *Siphia rufigularis*, *Cyornis olivacea*, *C. albo-olivacea*, *C. poliogenys*, *C. mandellii*, *Siphia minuta*, *S. frenata*, *Anthipes submoniliger*, *Muscitrea cyanea*.

4670 Thrushes and Warblers. (Vol. v. of the "Catalogue of Birds.")

28 types: *Sylvia althea*, *S. minula* (or *S. minuscula*), *Phylloscopus burmanicus*, *P. sechohmi*, *P. tytleri*,* *P. humei*, *P. flavo-olivaceus*, *P. neglectus*, *P. indianus*, *P. mandellii*, *P. subviridis*, *P. davisoni*, *Jerdonia agricolaensis*, *Acrocephalus macrorhynchus*, *Locustella subsignata*, *Tribura major*, *T. mandellii*, *T. intermedia*, *Herbivocula brooksi*, *Cettia cettoides*, *Horornis erythrogenys*, *H. pallidus*, *H. brunescens*, *Turdulus davisoni*, *Geocichla tricolor*, *Turdus subpallidus*, *Saxicola albonigra*, *S. kingi*.

* Canon Tristram (Cat. Coll., p. 150) mentions the type of *P. tytleri* of Brooks as being in his collection. Brooks' original specimens are in the Hume Collection, and the Museum has also the example mentioned by Brooks as being obtained by Col. Tytler at Simla (cf. Brooks, Ibis, 1872. p. 22).

3100 Bulbuls and Wrens, Dippers, etc. [86. 9, 1-3100.] (Vol. vi. of the "Catalogue of Birds.")

16 types: *Ægithina nigrolutea*, *Hypsipetes concolor*, *Hemixus hildebrandti*, *H. davisoni*, *Iole terricolor*, *Micropus fuscoflavescens*, *Criniger gutturalis*, *C. burmanicus*, *C. theoides*, *Molpastes humei*, *Otocompsa personata*, *Pycnonotus davisoni*, *P. xantholæmus*, *Iridia weberi*, *Anorthura neglecta*,* *Sphenocichla humei*.

7304 specimens of Timeliine birds. [86. 10. 1, 1-7304.] (Vol. vii. of the "Catalogue of Birds.")

30 types: *Myiophoneus eugenei*, *Lioptila davisoni*, *Blanfordius striatulus*, *Suya albigularis*, *Drymoipus terricolor*, *D. rufescens*, *D. insignis*, *Orthotomus nitidus*, *Trochalopteryx erythrolæma*, *Argya eclipses*, *Pomatorhinus obscurus*, *P. austeni*, *P. tickelli*, *P. inglisi*, *Dryonastes subcæulatus*, *Pyctorhis griseigularis*, *Pellorneum minus*, *P. ignotum*, *Trichastoma minor*, *Stachyridopsis rufifrons*, *S. poliogaster*, *Minla rufigularis*, *Schæniparus dubius*, *Ixulus humilis*, *I. rufigenis*, *Alcippe brucei*, *A. bourdilloni*, *Siva castaneicauda*, *S. sordida*, *Accentor jerdoni*.

2119 specimens of Tits and Shrikes. [86. 11. 1, 1-2119.] (Vol. viii. of the "Catalogue of Birds.")

9 types: *Lophophanes humei*, *Ægithaliscus manipurensis*, *Pterythius intermedius*, *Hylocharis occipitalis*, *Certhia mandellii*, *C. hodgsoni*, *C. manipurensis*, *C. stoliczkae*, *Sitta kashmeriensis*.

1789 specimens of Sun-birds (*Nectariniidæ*) and White-eyes (*Zosteropidæ*). [86. 12. 1, 1-1789.] (Vol. ix. of the "Catalogue of Birds.")

8 types: *Chalcosteltha insperata*, *Æthopyga nicobarica*, *Æ. cara*, *Æ. waldeni*, *Arachnothera intermedia*, *A. andamanica*, *Arachnothera similima*, and *Zosterops aureiventer*.

3724 specimens of Swallows (*Hirundinidæ*), Wagtails, and Pipits (*Motacillidæ*). [87. 2. 1, 1-3724.] (Vol. x. of the "Catalogue of Birds.")

8 types: *Dicæum virescens*, *Prionochilus modestus*, *Hirundo substriolata*, *H. pallida*, *H. intermedia*, *H. archetes*, *Anthus cockburniæ*, *A. griseorufescens*. The type of *Cotile obscurior* was not in the collection, and the specimen did not reach the British Museum.

2375 specimens of Finches (*Fringillidæ*). [87. 6. 1, 1-2375.] (Vol. xii. of the "Catalogue of Birds.")

8 types: *Coccothraustes humei*, *Propasser ambiguus*, *P. saturatus*, *Procarduelis mandellii*, *Chrysomitris tibetana*, *Montifringilla blanfordi*, *M. mandellii*, *Pyrhospiza humei*.

3766 specimens of Starlings (*Sturnidæ*), Weaver-birds (*Ploceidæ*), and Larks (*Alaudidæ*). [87. 7. 1, 1-3766.] (Vol. xiii. of the "Catalogue of Birds.")

22 types: *Sturnus nitens*, *S. ambiguus*, *S. minor*, *S. menzbieri*, *S. nobilior*, *Sturnia incoznita*, *Calornis irwini*, *C. tyleri*, *Ploceus megarhynchus*, *P. chryseus*, *Munia semistriata*, *M. non-striata*, *M. superstriata*, *M. inglisi*, *Estrellda burmanica*, *Alauda guttata*, *Calandrella tibetana*, *Alaudula adamsi*, *Mirafra immaculata*, *M. microptera*, *Galcrila magna*, and *Spizalouda similima*.

807 specimens of Ant-Thrushes (*Pittidæ*), Broadbills (*Eurylæmidæ*). [87. 5. 1, 1-807.] (Vol. xiv. of the "Catalogue of Birds.")

4 types: *Pitta oatesi*, *P. davisoni*, *Eucichla gurneyi*, and *Psarisomus assimilis*.

* Brooks' actual types of *Troglodytes neglectus* are in the Humo Collection, and are marked "type." Canon Tristram's specimen quoted as the type (Cat., p. 167) can only be considered a co-type.

1110 specimens of Hoopoes (*Upupæ*). [87. 8. 20, 1-135.] Swifts (*Cypseli*), Nightjars (*Caprimulgi*), and Frog-mouths (*Podargi*). [87. 8. 1, 1-975.] (Vol. xvi. of the "Catalogue of Birds.")

8 types: *Chætura indica*, *Collocalia innominata*, *C. inexpectata*, *Caprimulgus unwini*, *C. andamanicus*, *Lyncornis bourdilloni*, *Batrachostomus castaneus*, *B. punctatus*.

2277 specimens of Picarian birds, Hornbills (*Bucerotes*), Bee-eaters (*Meropes*), Kingfishers (*Halcyones*), Rollers (*Coraciæ*), Trogons (*Trogonæ*). [87. 8. 20, 1-1753; 87. 9. 1, 1-277; 88. 11. 10, 1-247.] (Vol. xvii. of the "Catalogue of Birds.")

11 types: *Eurystomus lætior*, *Pelargopsis intermedia*, *Alcedo similima*, *Carcineutes amabilis*, *Halcyon saturator*, *H. vidali*, *H. armstrongi*, *H. humei*, *H. davisoni*, *Rhytidoceros narcondami*.

2339 specimens of Woodpeckers (*Pici*). [87. 8. 10, 1-2339.] (Vol. xviii. of the "Catalogue of Birds.")

3 types: *Gecinus nigrigenys*, *Dendrocopus pyrrhothorax*, *Micropternus burmanicus*.

2417 specimens of Honey-Guides (*Indicatores*), Barbets (*Capitones*), and Cuckoos (*Coccyges*). [87. 12. 2, 1-1658; 88. 11. 30, 1-759.] (Vol. xix. of the "Catalogue of Birds.")

8 types: *Hierococcyx nanus*, *Ololygon tenuirostris*, *Centropus intermedius*, *C. maximus*, *C. acheenensis*, *Indicator radcliffi*, *Cyanops davisoni*, *C. incognita*.

813 specimens of Parrots (*Psittaciformes*). [89. 1. 26, 1-813.] (Vol. xx. of the "Catalogue of Birds.")

3 types, *Palæornis indoburmanicus*, *P. finschi*, *P. tytleri*.

1615 specimens of Pigeons (*Columbiformes*). [89. 2. 2, 1-1615.] (Vol. xxi. of the "Catalogue of Birds.")

5 types: *Sphenocercus minor*, *Columba neglecta*, *C. palumboides*, *Turtur humilior*. The type of *Macropygia assimilis* (Hume, "Stray Feathers," ii., p. 441, 1874), from Moulmein, was not in the collection.

2120 specimens of Sand-Grouse (*Pterocletes*), Game-birds and Megapodes (*Galliformes*). [89. 5. 10, 1-2120.] (Vol. xxii. of the "Catalogue of Birds.")

8 types: *Turnix albiventris*, *Microperdix manipurensis*, *M. blewitti*, *Arboricola mandellii*, *Caccabis pallidus*, *C. pallescens*, *Francolinus melanonotus*, *Phasianus humiæ*.

The type of *Caccabis arenaria*, from Aden, was not in the collection.

882 specimens of Rails (*Ralliformes*), Cranes (*Gruiformes*), Bustards (*Otides*). [89. 11. 1, 1-588; 90. 2. 10, 1-45; 90. 2. 20, 1-249.] (Vol. xxiii. of the "Catalogue of Birds.")

6 types: *Hypotaenidia obscurior*, *H. abnormis*, *Rallina tclmatophila*, *Porzana elwesi*, *Grus lilfordi*, *G. sharpei*.

2415 specimens of Wading Birds (*Charadriiformes*). [91. 10. 1, 1-2415.] (Vol. xxiv. of the "Catalogue of Birds.")

4 types: *Phalaropus asiaticus*, *Lobipes tropicus*, *Ægialitis tenuirostris*, *Totanus haughtoni*.

882 specimens of Gulls and Terns (*Lariformes*) and Petrels (*Procellariiformes*). [90. 5. 20, 1-882.] (Vol. xxv. of the "Catalogue of Birds.")

6 types: *Sternula korustes*, *Sterna saundersi*, *S. gouldi*, *Larus innominatus*, *Stercorarius asiaticus*, *Puffinus persicus*.

1089 specimens of Ibises (*Ibididæ*), Herons (*Ardeidæ*), Pelicans and

Cormorants (*Steganopodes*), etc., Grebes (*Podicipediformes*). [93. 10. 1, 1-15; 93. 10. 2, 1-689; 94. 6. 20, 1-220; 95. 2. 10, 1-165.] (Vol. xxvi. of the "Catalogue of Birds.")

7 types: *Graptocephalus davisoni*, *Butorides spodiogaster*, *Ardetta pulchra*, *Phaëthon indicus*, *Pelecanus longirostris*, *Podiceps albipennis*, *P. albescent*.

761 specimens of Geese and Ducks (*Anseriformes*). [94. 6. 1, 1-761.] Vol. xxvii. of the "Catalogue of Birds."

2 types: *Cygnus unwini*, *Nettion albigulare*.

15,965 specimens of eggs. [91. 3. 20, 1-9999; 92. 9. 1, 1-5966.]

This splendid collection has been described by Mr. Hume himself in his "Nests and Eggs of Indian Birds," 8vo, 1873, and again in Mr. Oates' edition of the above work (3 vols., 8vo, 1889-90), also in the "Catalogue of Birds' Eggs in the British Museum" (vols. i.-v., 1901-1906).

In the formation of this collection Mr. Hume received the assistance of a devoted body of Indian oologists, and the notes that they gave him are published in Mr. Hume's books quoted above. Among the best-known of the contributors were General G. F. L. Marshall and his brother, Colonel C. H. T. Marshall, Colonel C. T. Bingham, Messrs. J. Gammie, L. Mandelli, E. W. Oates, W. Davison, W. Blewitt, R. Thompson, Rhodes Morgan, and Miss Cockburn.

Mr. Allan Hume is the youngest son of the celebrated Joseph Hume, M.P., and has spent the best part of his life in India, where he was Commissioner of Customs and Secretary to the Government of India, and has held many other appointments. During the mutiny he saved the women and children from Etawah, where he was in command at the time, as well as all the archives and treasure in the city, all of which he brought in safety to Agra. Besieged by the mutineers in the latter city, he took a brave part in the defence, and received his C.B. for gallantry in the field.

He will, however, be principally remembered for the wonderful collection of Indian birds and eggs, which he made between the years 1862-1885. Not only did he collect vigorously himself, but he employed naturalists in all parts of the Indian Empire, and himself conducted expeditions to Sind and the Mekran Coast, the Andaman and Nicobar Islands, the Laccadives, and the hill regions of Manipur, etc.

His assistant, William Ruxton Davison, was provided with a staff of taxidermists, elephants, etc., and travelled for Mr. Hume in various districts of British India, during the space of 13 years. Davison was a skilled taxidermist and collector, and his explorations in Tenasserim and the Malay Peninsula resulted in the discovery of many new and interesting species. Mr. Hume also supplemented his own endeavours by the purchase of several other well-known collections, such as the late Mr. Mandelli's series of Sikhim and Tibetan birds, the late Mr. W. E. Brooks' collections from the plains of India, and many others. For fifteen years he brought out a journal, "Stray Feathers" (1873-1888), in which he published the results of his own efforts and those of his colleagues.

The Hume Collection was one of the most splendid donations ever made to the Nation, and added to the Museum, which had previously but a poor series of Indian birds, the largest and most complete collection of birds and eggs from the British Indian Empire the world has ever seen.

The Hume Collection contained 258 types.

Hungarian National Museum, Budapest.

477 birds from Hungary. Presented. [92. 6. 10, 1-104; 92. 7. 9, 1-373.]

This fine series of Hungarian birds was presented by the National Museum after the Ornithological Congress at Budapest, and contained several species of great interest.

Hunstein (CARL).

See GERRARD, E.

The expedition of this young naturalist into the Horseshoe range of the Astrolabe Mountains resulted in the discovery of two magnificent new species of Birds of Paradise (*Paradisornis rudolfi* and *Astrarchia stephaniæ*), as well as a species of *Diphyllodes* which was called *D. hunsteini* (cf. Finsch and Meyer, Zeitschr. ges. Orn., II., pp. 369-391, pls. xv.-xxii.), besides other new species. Hunstein was afterwards drowned by a tidal wave in New Britain.

Hunter (H. C. V.).

186 birds from the Teita district and Kilimanjaro in East Africa. Presented. [89. 3. 21, 1-186.]

10 species were new to the collection, 7 of which were described by Capt. Shelley (P.Z.S., 1889, pp. 356-372, pls. xl., xli.). The new species were *Cinnyris hunteri*, *Batis mixta*, *Xenocichla nigriceps*, *X. placida*, *Alcippe kilimensis* [= *Lioptilus abyssinicus*], *Cisticola hunteri*, *Zosterops perspicillata*. Mr. Hunter was in pursuit of big-game, but he found time to make an interesting collection of birds for the Museum.

18 birds from S.W. Siam. Presented. [89. 5. 23, 1-18.]

Hutton (Capt.).

23 birds and eggs from Kandahar. Presented. [56. 3. 26, 1-23.]

It appears on further examination that this donation included the types of species discovered by Capt. Hutton in Afghanistan, viz., *Emberiza huttoni*, Blyth, J.A.S. Beng., xviii., p. 811, 1849, *Carpodacus crassirostris*, Blyth, J.A.S. Beng., xvi., p. 476, 1847 (= *Erythrospiza githaginea*), *Argya huttoni*, Blyth, t.c., p. 476, *Emberiza aurifrons*, Blyth, t.c., p. 476 (= *Serinus pusillus*).

The types of the species of *Palæornis* described by Capt. Hutton in "Stray Feathers" (Vol. i., p. 335) as *P. sivalensis*, *P. sacer*, *P. punjabi* and *P. vindhiana*, do not appear to have come to the Museum.

Ihering (Dr. von), Director of the San Paulo Museum, San Paulo, Brazil.

3 birds from San Paulo. Presented. [1901. 8. 10, 1-3.]

The type of *Gisella iheringi*, Sharpe, Bull. B.O.C., viii., p. xl., 1899.

Imperial Commission of Agriculture, West Indies.

An example of the Sanderling (*Calidris arenaria*). Presented. [1904. 7. 1, 1.]

Imperial Institute.

15 birds from Australia. Presented. [90. 12. 21, 1-15.]

Im Thurn (Lieut. J. K.), R.N.

9 birds from Turkey and Greece. Presented. [1904. 6. 17, 1-4; 1904. 7. 19, 1-5.]

Ince (Mrs.).

42 birds, principally from China. Presented. [82. 12. 10, 1-42.]

Capt. Ince saw some service in China, and was, so I have been informed, a friend of John Reeves, who gave so many specimens to the Museum. Gould also knew him, and named a Paradise Flycatcher after him—*Muscipeta incei*, from Shanghai. The type of this species was given by Gould to the India Museum (*cf.* Moore, Cat. B. Mus. E. I. Co., i., p. 392). In the "Catalogue" a reference is made to the original description as "Gould, P.Z.S., 1852," but the bird was never described in the "Proceedings." Capt. Ince seems to have been a friend of MacGillivray's, as among the birds presented by his widow was the type of *Nectarinia australis*, Gould, which we may presume was given to Capt. Ince by MacGillivray or by Gould.

India, Secretary of State for.

See INDIA MUSEUM.

India Museum, Calcutta.

See also ANDERSON, JOHN; BLANFORD, W. T.

200 birds from Yun-nan and Upper Burma, collected by Dr. John Anderson. Presented. [76. 4. 7, 1-200.]

418 specimens from Yarkand. Exchanged. [91. 7. 22, 1-418.]

This was a set of the duplicates of the collection obtained by the second Yarkand Mission under Sir Douglas Forsyth. The collection was fully catalogued by me in the report published by the India Office. To this publication Mr. Hume presented several beautiful plates which he had had drawn for his projected "Birds of India."

A specimen of *Nyroca baeri* from Bengal. [98. 4. 18, 1.]

45 birds in spirits. Presented. [99. 4. 16, 1-17; 1900. 7. 5, 1-28.]

India Museum, London.

23 birds from India. Presented by the Hon. E. I. Co. [42. 11. 8, 7-29.]

Mostly common species, but amongst the specimens was the type of *Ibidorhynchus struthersi*.

54 specimens from Shoa, collected by Sir W. Cornwallis Harris. Presented by the Hon. E. I. Co. [45. 6. 6, 1-54.]

A set of the birds obtained during the expedition to Shoa promoted by the Hon. E. India Co.

14 specimens from the Himalayas (mostly Hodgsonian specimens). Presented by the Hon. E. I. Co. [56. 5. 21, 7-20.]

6015 specimens from various parts of the Indian Empire. Presented by the Secretary of State for India. [60. 4. 16, 1-584; 79. 11. 28, 1-700; 80. 1. 1, 1-4731.]

The transference of part of the India Museum collection to the British Museum began in 1860, but the final incorporation of the old Company's collection took place in 1880 (*vide infra*).

172 birds from Shoa, collected by Sir W. Cornwallis Harris. [61. 2. 5, 1-34; 61. 5. 8, 1-138.] Presented by the Secretary of State for India.

In this collection was the type of *Dienemellia dienemelli* (Rüpp. ex Horsf.).

The above records chronicle the dispersal of the celebrated Museum of the old East India Company, and its incorporation in the National Collection. The history of the bird-collection is epitomised in the "Introductory Remarks" to the "Catalogue of Birds in the Museum of

the Hon. East India Company," by Dr. Horsfield and Mr. F. Moore (2 vols., 8vo, 1853-1858), the work being actually done by the latter. Many famous naturalists helped to make this Museum celebrated, and the collections of Sir Stamford Raffles, Dr. Horsfield, Dr. McClelland, Sir R. Strachey, Dr. Cantor, Colonel Sykes, and other well-known men were preserved in the India Museum, which was at first kept at the House of the East India Company in Leadenhall Street. After the Mutiny the collections were removed to Fife House in Whitehall, and there I can remember seeing them when I began my work on the Kingfishers. I can well recollect my kind reception by Mr. Frederic Moore, and with what reverence I handled the Kingfishers of that ancient collection. The Horsfieldian types have unfortunately nearly all perished, having been imperfectly preserved, and during the removal of the collections from Leadenhall Street to Fife House, although they were carefully packed, moths destroyed nearly the whole of them; they are now in the British Museum, but are nearly all devoid of feathers. The destruction of these valuable specimens has always been a source of great grief to Mr. Moore.

The preservation of birds in the older days was not much considered, and the specimens obtained by Colonel Sykes and Dr. McClelland were all preserved in a rough and ready manner, so that they have not withstood the ravages of time. Sir Stamford Raffles does not appear to have made many skins, but to have chiefly presented coloured drawings of the species he described.

Among the Javanese birds of Horsfield's collecting were the types of the following species:—*Hypotrionchis severus*, *Spizaetus limnaetus*, *Astur soloensis*, *Polioaetus ichthyaetus*, *Glaucidium castanopterum*, *Scops lempiji*, *S. rufescens*, *Bubo orientalis*, *Ketupa ketupa*, *Phodilus badius*, *Syrnium seloputo*, *Collocalia linchi*, *Macropteryx klecho*, *Caprimulgus macrurus*, *C. affinis*, *Eurylæmus javanicus*, *Carcineutes pulchellus*, *Halcyon melanopterus* (= *H. cyaniventris*), *Alcedo mcintingi*, *A. biru* (= *A. beryllina*), *Hemipus obscurus*, *Buchanga cineracea*, *Lanius bentet*, *Graculus javensis*, *Brachypteryx montana*, *Oreocichla varia*, *Merula javanica*, *Myiophonus flavirostris*, *Arrenga cyanea*, *Turdinus sepiarius*, *Timelia pileata*, *Pomatorhinus montanus*, *Pycnonotus bimaculatus*, *Pycnonotus simplex*, H. & M. (= *P. plumosus*), *Pycnonotus analis* (Horsf.), *Rubigula dispar*, *Criniger gularis*, *Iole maclellandi*, *Chloropsis viridis*, *C. javensis*, *Zosterops flava*, *Z. javanica*, *Ægithina scapularis*, *Oriolus xanthonotus*, *Copsychus amoenus*, *Siphia banyumas*, *Stoparola indigo*, *Orthotomus sepium*, *Prinia familiaris*, *Cettia montana*, *Mirafra javanica*, *Corone enca*, *Phrenotritia temia* (= *Crypsorhina varians*), *Chotorhea javensis*, *Xantholæma australis*, *Miglyptes tristis*, *Thriponax javensis*, *Chrysocolaptes strictus*, *Chrysionotus tita*, *Gecinus puniceus*, *Zanclostomus javanicus*, *Surniculus lugubris*, *Chalcococcyx xanthorhynchus*, *C. basalis*, *Phœnicophaus melanognathus* (= *Rhinococcyx curvirostris*), *Arboricola orientalis*, *Heteropygia acuminata*, *Scelopax saturata*, *Ardeola speciosa*, *Dendrocygna arcuata*, and *D. javanica*.

The above list has been taken from Horsfield and Moore's Catalogue and my "Hand-list of Birds," but there may still be a few of Horsfield's types which have escaped my notice. A certain number came into the Museum, but many were eaten up by moth.

Of Raffles' types many were represented by actual specimens as well as by drawings, and these came with the rest of the collection from the East India Company's Museum. It is interesting to see from the introductory remarks to Horsfield and Moore's Catalogue that the early collections made by Horsfield were presented by Raffles, as Lieutenant-

Governor of Java, in 1813 and 1817. It was not until 1819 that Dr. Horsfield presented specimens on his own account.

The following Rafflesian types were added to the Museum by the dispersion of the India Museum:—*Spizaetus caligatus*, *Ninox scutulata*, *Lanius divaricatus* (? = *L. tigrinus*), *Tephrodornis gularis*, *Mixornis gularis*, *Æthopyga siparaja*, *Chrysococcyx malayanus*, *Zanclostomus sumatranus*, *Rhinorhiza chlorophæa*, *Micropternus badius*, *Gecinurus affinis*, *Chotothea versicolor*, *Tanygnathus sumatranus*, *Ducula badia*, *Rallina fasciata*, *Eurylæmus ochromelas*, *Corydon sumatranus*, *Calyptomena viridis*.

There were also the types of Colonel Sykes's collection from the Deccan, described by him in the "Proceedings of the Zoological Society for 1832" (pp. 77-99):—*Columba elphinstonei*, Sykes, *Accipiter dukhunensis* (= *Astur badius*), *Astur hyder* (= *Butastur teesa*), *Circus pallidus* (= *C. macrurus*), *Circus variegatus* (= *C. æruginosus*), *Milvus govinda*, *Muscicapa poonensis* (= *Alseonax latirostris*), *M. cæruleocephala* (= *Hypothymis azurea*), *Hemipus picatus*, *Petrocincla maal* (= *Monticola cyana*), *Argya malcolmi*, *Crateropus somervillei*, *Pomatorhinus horsfieldi*, *Hypolais rama*, *Burnesia socialis*, *Prinia inornata*, *Orthotomus benetti* and *O. lingoo* (= *Sutoria sutoria*), *Budytes beema*, *B. melanocephala*, *Motacilla melanocephalus* (= *M. feldeggii*), *Megalurus ruficeps* (= *Pellorneum ruficeps*), *Anthus agilis* (= *A. trivialis*), *Saxicola bicolor* and *S. erythropygia* (= *Pratincola caprata*), *S. rubeculoides* (= *Muscicapa albicilla*), *Calandrella dukhunensis*, *Spizalauda dera*, *Emberiza subcristata* (= *Melophus melanicterus*), *Lonchura cheet* (= *Aidemosyne malabarica*), *Pastor maharattensis*, *Corvus culminatus*, *Psittacus melanorhynchus* (= *Palæornis peristerodes*), *Cinnyris vigorsi*, *C. minima*, *C. concolor* (= *Æ. vigorsi*, ♀).

In addition to these very important types there are also those of several species described by Mr. Frederic Moore:—*Brachypteryx nipalensis*, *Pnoepyga longicaudata*, *Alcippe cantori* (= *Malacopteryx affine*, Blyth), *Turdinus magnirostris*, *Microtarsus olivaceus* (= *Pycnonotus simplex*), *M. cantori* (= *Pinarocichla euptilosa*), *Hypsipetes nicobariensis*, *Ixulus castaneiceps* (= *Staphidia castaneiceps*), *Irena malayensis* (= *I. cyanea*), *Nemura hodgsoni* (= *Nitidula hodgsoni*), *Ruticilla nipalensis* (= *R. rufiventris*), *R. hodgsoni*, *R. vigorsi* (= *R. erythrogaster*), *R. rufogularis* (*R. erythronota*), *Orthotomus flavoviridis* (= *O. atrigularis*), *Horeites major*, *Suya utrogularis*, *Prinia nipalensis* (= *P. inornata*), *Abornis albigularis*, *A. hodgsoni*, *A. affinis*, *Accentor huttoni* (= *A. atrigularis*), *A. rubeculoides*, *Ægithaliscus leucogenys*, *Otocorys longirostris*, *Emberiza stracheyi*, *E. castaneiceps*, *Uroloncha leucogastroides*, *Corvus sinensis* (= *C. levaillantii*), *C. tenuirostris*, *Megalæma maclellandi* (= *Thereiceryx lineata*), *Chrysococcyx hodgsoni* (= *C. maculatus*), *Upupa nigripennis*, *Arachnothera temminckii* (= *A. crassirostris*).

Of McClelland's species described in the "Proceedings of the Zoological Society" for 1839 (pp. 146-167), the types of the following were acquired from the India Museum:—*Spizaetus* (= *Astur*) *rufitinctus*, *Tinnunculus interstinctus*, *Ilurundo brevirostris* (= *Collocalia brevirostris*), *H. brevicaudata* (= *Clivicola sinensis*), *Phænicornis elegans* (= *Pericrocotus speciosus*) (cf. Oates, Faun. Brit. Ind., Birds, I., p. 479), *P. affinis* (= *P. brevirostris*), *Muscicapa* (= *Hemipus*) *capitalis*, *Iole maclellandi*, *Hypsipetes gracilis* (= *Lioptila gracilis*), *Grancalus maculosus* (= *Campophaga lugubris*), *Ianthocincla gularis*, *I. lunaris* (= *Dryonastes ruficollis*), *Ixus monticola* (= *Otocompsa jocosus*), *Saxicola olivea* (= *Oligura cyaniventer*), *Liothrix lepida* (= *Siva cyanuroptera*), *L. signata* (= *Niltava macgregoriae*), *L. ornata* (= *Minla ignotincta*, but the type was apparently

never sent to the India Museum), *Mirafra assamica*, *M. flavicollis* (= *Emberiza aurcola*), *Lonchura melanocephala* (= *Munia atricapilla*), *Dendrocitta frontalis*, *Coracias affinis*, *Gecinulus grantia*, *Cinnyris assamensis* (= *Æthopyga saturata*), *C. labecula* (= *Æ. seheriæ*), *Chloropsis chrysogaster* (= *C. hardwicki*).

Ingall (G.).

88 specimens of sterna, etc., of British birds. Presented. [44. 12. 28, 1-88.]

Ingham (Sir JAMES).

13 specimens from the Louisiade Archipelago and Cloudy Bay, S.E. New Guinea. Presented. [78. 10. 19, 1-13.]

These were obtained by his son, who was an official in British New Guinea when the colony was first founded. This collection contained an example of *Goura albertisi*, received by the Museum for the first time.

Inglis (J.).

See WATKINS and DONCASTER.

Mr. Inglis collected in Cachar, and a series of his skins is in the Hume Collection. He has also written several papers on birds (*cf.* Stray F., v., pp. 1-47; ix., pp. 241-259; Journ. Bomb. N. H. Soc., xiii., pp. 621-631; xiv., pp. 132-139, 362-371, 554-563, 764-771; xv., pp. 70-77, 337-343).

Ingram (COLLINGWOOD).

26 birds from Argentina. Presented. [1901. 9. 25, 1-18; 1901. 11. 9, 1-8.]

A variety of the Mistle Thrush (*Turdus viscivorus*). Presented. [1905. 7. 1, 1.]

A specimen of *Turtur ferrago*. Presented. [1904. 7. 3, 1.]

Mr. Collingwood Ingram is the son of Sir William Ingram, Bart., and has collected specimens for the Museum in the countries in which he travels.

Ingram (Sir WILLIAM), Bart.

135 birds from San Paulo, Brazil. Presented. [1901. 3. 28, 1-103; 1902. 2. 22, 1-32.]

This collection was made by M. Robert at Sao Paulo, S.E. Brazil, and presented by Sir William Ingram, who was one of the subscribers to the expedition.

4 specimens of *Crypturus tataupa*, *Plegadis falcinellus* and *Phlogoenas crinigera*. Presented. [1904. 12. 3, 1-2; 1904. 12. 20, 1; 1904. 12. 29, 1.]

2 young specimens of the Abyssinian Francolin (*Pternistis leucoscepus*). Presented. [1905. 6. 22, 1-2.]

A Cape Penguin. [1905. 7. 23, 1.]

A young Scarlet Ibis (*Eudocimus ruber*). Presented. [1905. 8. 3, 1.]

A specimen of *Rhynchotus rufescens*. Presented. [1905. 9. 1, 1.]

A Francolin and a Burmese Myna (*Ampeliceps coronatus*). Presented. [1905. 9. 13, 1; 1905. 11. 12, 1.]

Irby (Col. LEONARD HOWARD).

98 birds from Gibraltar and Southern Spain. Presented. [72. 10. 3, 22-64; 72. 10. 4, 5; 80. 12. 14, 1-44; 87. 6. 3, 1-5; 87. 6. 29, 1-5.]

9 birds from Suffolk. Presented. [88. 3. 10, 1-9.]

9 birds from the island of Tiree. Presented. [88. 12. 15, 1-9.]

A specimen of the Hobby (*Falco subbuteo*) from Cuckfield, Sussex. Presented. [1904. 10. 14, 1.]

Colonel Irby is the well-known historian of the Ornithology of the Straits of Gibraltar (*cf.* London, 1875, 8vo, pp. 1-236; 2nd edition, London, 1895, 8vo, pp. 1-326). Among the rare species presented by him to the Museum from Southern Spain was Savi's Warbler (*Locustella luscinioides*), of which he gave a series of the birds with nests and eggs.

Jackson (Captain FREDERICK G.).

33 birds from Cape Flora and other places in Franz Josef Land. Presented. [98. 1. 2, 1-33.]

Nest and eggs, with parent-birds, of the Ivory Gull (*Pagophila eburnea*). Presented.

Mr. Jackson was the leader of the Jackson-Harmsworth expedition to the Arctic (*cf.* his work, "A Thousand Days in the Arctic," London and New York, 1899 (?), 8vo, I., pp. xxi, 551; II., pp. xv, 580). He was keenly interested in natural history, and did what he could to collect during his two winters passed in Franz Josef Land. He discovered a nesting colony of the Ivory Gull (*Pagophila eburnea*), and presented to the Museum an interesting case of these birds, with the nest and eggs *in situ*—one of the most interesting of the bird-groups. He also recorded, for the first time, the occurrence of the Lapland Bunting (*Calcarius lapponicus*) in Franz Josef Land.

Jackson (FREDERICK J.), C.B., C.M.G.

162 birds from Teita and Mt. Kilimanjaro, Manda Island and Lamu. Presented. [87. 11. 3, 1-33, 54-176; 87. 11. 29, 1-7; 88. 2. 1, 1-44.]

This collection contained no less than 18 species new to the Museum, including the type of *Ploceus jacksoni* and many other valuable specimens. It was described by Capt. Shelley in the "Ibis" for 1888 (pp. 287-306, pls. vi. and vii.).

Two eggs of *Struthio massaicus*. Presented. [91. 1. 30, 1, 2.]

47 birds from Mount Elgon and the neighbouring districts. Presented. [93. 12. 1, 1-47.]

Of these 47 specimens, no less than 44 were types of new species. The collection was described by me in the "Ibis" for 1891, pp. 117-127, 233-260, pls. iv.-vi., 587-602, pls. xii. and xiii., 1892, pp. 152-164, pl. iv., 299-322, pl. vii., 534-555, pl. xiv.

10 types of new species from Uganda. Presented. [97. 4. 1, 1; 97. 10. 31, 1-9.]

18 types of new species from the Nandi district. Presented. [99. 8. 13, 1-8; 1900. 6. 22, 1-6; 1901. 10. 9, 12; 1901. 11. 12, 1-2.]

26 types of new species from the Ruwenzori Range. Presented. [1902. 12. 8, 1-17; 1903. 9. 16, 1; 1904. 4. 25, 1; 1904. 6. 28, 1, 2; 1905. 1. 10, 1-4; 1906. 1. 5, 1.]

Described by me in the "Bulletin of the British Ornithologists' Club," vol. vi., p. xlviii.; vii., pp. vi., vii.; x., pp. xxvii., xxviii.; xi., pp. 28, 29, 57; xiii., pp. 7-10, 20, 21, 50; xiv., pp. 19, 94; and by Mr. Jackson in vols. viii. (pp. xxii., l.), xiv., pp. 74, 94. A few species have also been described by Mr. Ogilvie-Grant, and others by Mr. Oscar Neumann.

8 birds from British East Africa and Uganda. Presented. [1904. 10. 10, 1-8.]

Some idea of the value of Mr. Jackson's donations to the National

Collection may be gathered from the following list of types (96 in number) presented by him:—*Francolinus jacksoni*, *F. uluensis*, *F. streptophorus*, *F. elgonensis*, *F. kikuyuensis*, *Numida reichenowi*, *Haplopelia jacksoni*, *Turturæna sharpei*, *Lophoceros jacksoni*, *Irrisor jacksoni*, *Melittophagus oreobates*, *Cuculus jacksoni*, *Barbatula leucomystax*, *B. jacksoni*, *Gymnobucco cinereiceps*, *Trachyphonus elgonensis*, *Dendromus pallidus*, *Dendropicus nandensis*, *Mezopicus ruwenzori*, *Hirundo arcticincta*, *Parisoma jacksoni*, *Platystira jacksoni*, *Cryptolopha læta*, *C. mackenziana*, *Trochocercus albonotatus*, *Graucalus purus*, *Bleda pallidigula*, *B. kakamegæ*, *B. kikuyuensis*, *B. leucolæma*, *Andropadus lætissimus*, *Crateropus buxtoni*, *Turdinus atriceps*, *T. jacksoni*, *Bathmedonia jacksoni*, *Merula elgonensis*, *M. barakæ*, *Callene æquatorialis*, *Cossypha griseisticta*, *C. archeri*, *Erythropygia ukambensis*, *Alethe poliophrys*, *Myrmecocichla cryptolenca*, *Cisticola ambigua*, *C. chubbii*, *Calamocichla jacksoni*, *Cryptillas rufescens*, *Apalis pulchra*, *A. jacksoni*, *A. personata*, *Euprinodes cinereus*, *Dryodromas rufidorsalis*, *Sylviella jacksoni*, *S. minima*, *S. leucophrys*, *S. barakæ*, *Camaroptera griseigula*, *Burnesia ugandæ* (= *B. reichenowi*, Hartl.), *Fiscus mackinnoni*, *Dryoscopus albofasciatus*, *D. pringlei*, *D. nandensis*, *D. jacksoni*, *Laniarius castaneiceps* (= *D. lühderi*, Reichenow), *Parus nigricinereus*, *P. barakæ*, *Zosterops kikuyuensis*, *Nectarinia barakæ* (= *N. purpureiventris*, Reichenow), *N. æneigularis*, *N. jacksoni* (= *N. tacazze*, Rüpp.), *Cyanomitra alina*, *Cinnyris bradshawi* (= *C. deminuta*, Cab.), *C. reichenowi*, *Anthus latistriatus*, *Macronyx wintoni*, *M. sharpei*, *Serinus albifrons*, *Poliospiza striatipectus*, *Drepanoptes jacksoni*, *Penthetriopsis humeralis*, *Urobrachya nigronotata*, *Pyromelana xanthochlamys* (= *P. ansorgei*, Hartert), *Cryptospiza jacksoni*, *C. ocularis*, *C. shelleyi*, *Heterophantes stephanophorus*, *Hyphantornis jacksoni*, *Sycobrotus insignis*, *S. nandensis*, *Nigrita schistacea*, *Sitagra aliena*, *Lamprotornis brevicauda*, *Galeopsar salvadorii*, *Pæoptera greyi*, *Amydrus elgonensis*, *Pholidauges sharpei*.

Jamaica Institute.

20 birds from Jamaica. Purchased. [1905. 1. 31, 1-20.]

James (HARRY BERKELEY).

1382 birds and 678 eggs from Chili. Presented. [91. 9. 9, 1-263; 92. 2. 10, 1-1042; 93. 7. 1, 1-63; 96. 12. 31, 3-16; 98. 1. 4, 1-678.]

Mr. Berkeley James made considerable collections of birds himself and purchased specimens from Leybold and other Chilean naturalists. He also acquired the collections made by Messrs. Rahmer and A. A. Lane in 'Tara-pacà' (cf. Sci., P.Z.S., 1886, pp. 395-404, pl. xxxvi.). Mr. James wrote the "New List of Chilean Birds," which is the latest catalogue of the birds of that portion of South America. His donation of such a complete series of birds and eggs was a very valuable one. It included the type of *Phænicopterus jamesi* and a Sand Plover (*Ægialitis occidentalis*), new to the collection.

James (Sir H. EVAN).

62 birds from South Manchuria. Presented. [86. 12. 21, 1-45; 87. 6. 2, 1-37.]

Two interesting collections of birds were presented by Sir Evan James, being the only ones which the Museum has ever obtained from this part of Northern Asia. Sir Evan James, when stationed in Sind, made some collections of birds which he sent to Mr. Hume (Str. F., i. pp. 419-421; iii., p. 418; v., pp. 61, 62; ix., p. 235).

James (Dr.).

See HIGGINS, T.

12 birds from British New Guinea. [77. 4. 6, 1-12.]

Jameson (Mrs.).

17 specimens from Yambuya, on the Aruwhimi River, Upper Congo. [90. 3. 3, 1-17.]

These birds were presented to the Museum by Mrs. Jameson after her husband's death; 6 species were new to the Museum, and the types of 3 new species, described by Capt. Shelley in the "Ibis" for 1890 (pp. 156-170, pl. v.), and by myself in the Appendix to the "Story of the Rear-column" (1890, pp. 392-422) (*Cossypha bartteloti*, *Pholidornis jamesoni* and *Diaphorophya jamesoni*), were added.

205 specimens from Mashona Land. Presented. [1900. 2. 4, 1-205.]

This was the collection made by the late J. S. Jameson during his well-known expedition to Mashona Land in the days when it was practically unexplored. He was accompanied by the veteran naturalist, Mr. Thomas Ayres, who wrote some interesting notes on the habits of the birds collected by the expedition (*cf.* Shelley, *Ibis*, 1882, pp. 236-263, 349-368, pl. vii.). A few specimens were given by Jameson to Capt. Shelley, and have passed into the Museum along with the Shelley collection of African birds, and the remainder were presented by Mrs. Jameson.

102 specimens from the Aruwhimi River. Presented. [1900. 2. 10, 1-102.]

This was the collection made during the Emin Pasha relief expedition, and was given by Mrs. Jameson after her husband's death.

A second collection, left by Jameson at the time of his death at Yambuya, never reached his wife, but was ultimately disposed of by a survivor of the expedition to the Hon. Walter Rothschild as having been collected by himself; some of the specimens, however, bore labels in the handwriting of my late friend.

59 specimens from the Lawas River, N.W. Borneo. Presented. [1901. 1. 31, 1-59.]

In 1877 Jameson visited N.W. Borneo, and made an expedition up the Lawas River, which was then very little known. He discovered *Machærhamphus alcinus* in Borneo, but most of his early collections were mounted in glass cases, and only a small portion of the Lawas series passed into the Museum.

Jameson was an enthusiastic collector, and made a great mistake in paying money to be allowed to join the Stanley expedition for the relief of Emin Pasha. He could easily have made an expedition on his own account, and would then have had a real opportunity for collecting; as it was he was able to do very little natural history work on the Congo, and ultimately lost his life. His aim was to have done something important in the way of scientific exploration, and his "Apologia" is to be seen in his posthumous volume on the adventures of the Rear-column (*q.v.*, pp. 392-422).

Janson (EDWARD WESLEY).

9 birds from Chili. Purchased. [72. 5. 27, 16-24.]

17 birds from Japan. Purchased. [76. 7. 25, 1-17.]

9 birds from the Fiji Islands, collected by Dr. Smith. Purchased. [78. 8. 3, 1-9.]

38 birds from Japan and the Liu-Kiu Islands, collected by the late Harry Pryer. Purchased. [80. 11. 1, 1-26; 87. 10. 2, 1-12.]

Two species of Woodpeckers (*Gecinus awokera* and *Lyngipicus kisuki*) were new to the collection.

6 birds from Queensland, collected by Mr. Horace Flower. Purchased. [81. 3. 5, 1-6.]

40 birds from Japan, collected by Professor Milne. Purchased. [83. 3. 29, 1-40.]

27 specimens from the Tenimber Islands, Buru, and Amboina, collected by Dr. H. O. Forbes. Purchased. [84. 5. 14, 1-27.]

These were a few additional specimens from the Timor-laut expedition, with the type of *Myzomela wakoloensis*, and examples of *Aprosmictus buruensis* and *Rhipidura lenzi*, new to the collection.

11 specimens of British birds from the sale of the Vingoe collection. Purchased. [89. 5. 27, 1-11.]

Among these was the specimen of the Iceland Gull (*Larus islandicus*), shot in Mount's Bay in April 1873.

Janson (OLIVER E.).

41 birds from Luzon, Philippine Islands, collected by Mr. John Whitehead. Purchased. [96. 1. 17, 1-15; 96. 1. 18, 1-26.]

24 species new to the collection.*

76 birds from Samar, Negros, Mindoro, Leyte, and North Luzon, also collected by Mr. John Whitehead. [98. 1. 11, 1-76.]

The Museum purchased the second set of Mr. Whitehead's collection from his Philippine expedition.

104 birds in spirits and 34 eggs from Costa Rica, collected by Mr. C. F. Underwood. Purchased. [99. 11. 30, 1-34; 1900. 6. 21, 1-104.]

Mr. Underwood is a well-known collector in Costa Rica, and has described some of his experiences in a paper published in the "Ibis" for 1896, pp. 431-451.

5 birds from Flying Fish Cove, Christmas Island. Purchased. [1900. 3. 23, 1-5.]

104 birds in spirits from Costa Rica, collected by Mr. C. F. Underwood. [1900. 6. 21, 1-104.]

122 eggs from Costa Rica, collected by Mr. C. F. Underwood. [1904. 7. 15, 1-122.]

47 nests and eggs from Costa Rica, collected by Mr. C. F. Underwood. Purchased. [1905. 9. 6, 1-47.]

Mr. E. W. Janson was a very well-known entomologist, and commenced business with his son Oliver in Bloomsbury in 1867 as a natural history agent, bookseller and publisher. He was of Dutch extraction, was born March 14, 1822, and educated at the college of La Flèche in France, and afterwards in Edinburgh.

The agency is continued by Mr. Oliver Janson since his father's death on Sept. 14, 1891. The son is also a good entomologist. The library formed by Mr. E. W. Janson passed into the possession of Mr. Van de Poll of Amsterdam, and his collection of *Elateridæ* was purchased by the British Museum.

Jardine (Sir WILLIAM), Bart.

5 birds from Tobago. Presented. [45. 4. 17, 1-5.]

These were a few birds from the Tobago collection sent by Mr. Kirk to Sir W. Jardine, and described in the "Contributions to Ornithology" for 1852 (pp. 63-68).

See "Dict. Nat. Biogr.," xxix., pp. 251-252.

Jayakar (*Surgeon-General A. S.*).

174 birds from Muscat. Presented. [88. 10. 13, 1-13; 91. 2. 1, 1-56; 98. 5. 16, 1-75; 99. 2. 6, 1-30.]

The first collection made by Dr. Jayakar was presented by Colonel Miles, the Governor of Muscat, to the Museum, which has received several subsequent consignments of valuable birds from Dr. Jayakar himself. I described the original collection in the "Ibis" for 1886 (pp. 162-168, pl. vi.), where a new Eagle-Owl (*Bubo milesi*) was figured. A new Bee-eater (*Merops muscatensis*, Sharpe) was figured by Mr. H. E. Dresser in his "Monograph of the Bee-eaters" (pl. 10).

Jerdon (*T. C.*).

147 birds from various parts of India. Presented. [45. 1. 10, 1-57; 46. 4. 30, 1-51; 46. 11. 9, 16-49; 47. 3. 18, 11-15.]

Most of Dr. Jerdon's specimens were registered and published as from "Madras." This may be true as regards the Presidency from which they came, but it is certain that his early collections were made in the Nilghiri Hills, though he also travelled through the Carnatic, the Northern Circars, the Wynaad, etc.

Most of the types of his new species appear to have been presented to the Museum, but not all. I have discovered the following types in the collection:—*Ochromela nigrorufa*, *Turdulus wardi*, *Merula similima*, *Hypsipetes nilghiricensis*, *Prinia sylvatica*, *Acrocephalus agricola*, *Pycnonotus xantholema*, *Malacocercus orientalis* (= *Crateropus canorus*), *Megalurus striatus* (= *Chætornis locustelloides*), *Mirafra erythroptera*, *M. affinis*, *M. hayi* (= *Spizalauda deva*), *Dendrocopus ellioti* (= *Chrysocolaptes festivus*), *Gecinus chlorigaster*, *Rhopodytes viridirostris*, *Osmotreron bicincta*, *Crocopus chlorigaster*, *Lophophorus selateri*, *Tragopan blythi*.

The types of *Muscicapula supercilialis*, *Munia pectoralis*, *Anthus similis*, *Ducula cuprea*, *Iyngipicus hardwickei*, *Micropternus gularis*, *Thriponax hodgsoni*, and *Macrorhamphus semipalmatus* do not appear to have come to the Museum. One of the types of *Hirundo tytleri* was given by Jerdon to Gould, and by the latter to Seeborn [98. 10. 20, 187].

17 birds from Upper Burma. Presented. [62. 1. 17, 12-28.]

Included the types of *Crypsirhina cucullata*, *Pericrocotus albifrons*, *Pycnonotus blanfordi*, *Pycnorhis altirostris*, *Orthotomus coronatus*, *Sturnia nemoricola*, and *S. burmanica*. These species were described by Blyth (J.A.S. Beng., xxxi., p. 342, 1862) and by Jerdon himself (P.Z.S., 1861, p. 199, 1862, p. 19).

Jerdon was only sixty-one years of age when he died, and I knew him very well after his retirement from India. He entered the service of the Hon. East India Company in 1835, and in 1869 he was a "Retired Deputy Inspector-General of Hospitals." His early work was done in the Madras Presidency, but he afterwards visited other parts of the Empire, discovered some new species in Sikhim and again in Assam and Burma, receiving from the Government of India special facilities for travel and collecting. His "Birds of India" was an epoch-making book, and laid the foundation for the splendid work which was inaugurated by Mr. Hume and his successors (cf. "Ibis," 1872, p. 342; Dict. Nat. Biogr., xxix., p. 338).

An excellent memoir of Jerdon and his work was published by his old friend, Sir Walter Elliot, in the "Proceedings of the Berwickshire Naturalists' Club."

Jesse (W.).

Naturalist to the Abyssinian Expedition, 1868. He arrived too late to accompany the march to Magdala, but collected around Senafé, and afterwards accompanied Dr. W. T. Blanford in an excursion to the Anseba Valley. His collection was purchased by the Marquis of Tweeddale, and was presented to the Museum, with the rest of the Tweeddale collection, by Colonel Wardlaw Ramsay (*q.v.*).

Johnston (Sir HARRY H.), G.C.M.G., K.C.B.

1400 birds from Nyasa Land. Presented. [92. 9. 10, 1-267; 93. 6. 1, 1-334; 93. 7. 30, 1-168; 94. 5. 5, 1-148; 94. 8. 20, 1-35; 96. 2. 10, 1-15; 97. 11. 4, 1-389; 97. 12. 29, 1-39.]

These collections were described by Capt. Shelley in the "Ibis" for the following years:—1893 (pp. 1-29, pls. i.-iii.), 1894 (pp. 1-28, pls. i., ii.; pp. 461-478, pl. xii.), 1896 (pp. 177-184, pl. iv.), 1897 (pp. 518-554, pls. xi., xii.), 1898 (pp. 376-381).

The following species were characterised as new by the above-named author:—*Francolinus johnstoni*, *Haplopelia johnstoni*, *Agapornis lilianæ*, *Prodotiscus zambesiæ*, *Lybius zombæ*, *Smilorhis whytei*, *Hirundo astigma* (= *H. emini*), *Alseonax subadusta*, *Pogonocichla johnstoni*, *Batis dimorpha*, *Andropadus masukuensis*, *Eurillas zombensis*, *Phyllostrophus cervini-ventris*, *Bleda milanjensis*, *B. fusciceps*, *B. olivaceiceps* (= *B. striifacies*), *Merula milanjensis*, *Cossypha modesta*, *Callene anomala*, *Cryptillas nyasæ*, *Cisticola nigriloris*, *Apalis flavigularis*, *Sylviella whytei*, *Laniarius bertrandi*, *Parus xanthostomus*, *Serinus whytei*, *Pyrenestes minor*, *Cryptospiza australis*, *Hyphantornis bertrandi*, *H. nyasæ*, *Oriolus chloricephalus*.

181 birds from Uganda and other parts of British Equatorial Africa. [1901. 10. 20, 1-158; 1901. 10. 24, 1-23.]

This collection, made during Sir Harry Johnston's travels in Uganda as H.B.M. Commissioner, when he visited Mau, Baringo, Suk, Nandi, Elgon, Basoga, Uganda, Unyoro, Toro, the Aukole districts, Ruwenzori, the Semliki Valley, and the forests on the border of the Congo Free State. In these journeys he had as taxidermist Mr. Walter G. Doggett, who was afterwards unfortunately drowned during the late Anglo-German Frontier Commission. This collection I have described in the "Ibis" for 1902 (pp. 96-121, pl. v.), where is also figured the beautiful new *Touraeou*, *Gallirex johnstoni*, Sharpe.

Sir Harry Johnston, in addition to being a famous administrator of British African possessions, has always actively developed the natural resources of the countries over which he has ruled, and both in Nyasa-Land, where he was H.B.M. Commissioner for many years, and in Uganda, where his later administrative work was done, he has made valuable collections of natural history objects. Forty species new to the Museum, with 30 types of new species, were sent by him from Nyasa-Land. These birds were chiefly collected by Mr. Alexander Whyte, the Government botanist. Since Sir Harry's retirement from Nyasa-Land, the good work of zoological exploration has been continued by his successors, General Manning and Sir Alfred Sharpe.

See also antea, BRITISH ASSOCIATION.

Johnstone (Sir FREDERIO), Bart.

169 birds from the West Indies and Venezuela. Presented. [1904. 3. 25, 1-5; 1904. 5. 28, 1-164.]

Jones (*Lieut. W. A. WATTS*), *R.E.*

8 birds from Yun-nan. Presented. [99. 8. 5, 1-8.]

These were skins of Game Birds, Peacocks (*Pavo muticus*), and Amherst's Pheasants (*Chrysolophus amherstiae*).

Lieut. Watts Jones had all the making of a good collector in him, but he was unfortunately killed during the outbreak of the Boxers in China.

Jones (*Major HENRY*).

6 specimens of the Sungarian Pheasant (*Phasianus alpherakyi*), from Kharbin. New to the collection. Presented. [1903. 4. 5, 1-6.]

7 birds from South Paraguay. Presented. [1904. 4. 6, 1-7.]

Major Jones has made a special study of the Game-Birds (*Galliformes*) and Ducks (*Anseriformes*), and has a series of really beautiful paintings, all executed by himself, and illustrating monographically every species of the above-mentioned Orders of birds. The specimens of *Phasianus alpherakyi* which he gave to the Museum were purchased by him in Leadenhall Market, when a large consignment arrived from Kharbin in 1903.

Jourdain (*Rev. F. C. R.*).

4 eggs of the Black-tailed Godwit (*Limosa limosa*) from Holland. Presented. [1904. 7. 2, 1-4.]

Jukes (*Dr. JOSEPH BEETE*).

158 specimens of birds and eggs, mostly from the northern coast of Australia and Tasmania. Presented. [44. 7. 16, 1-107; 46. 10. 14, 1-35; 46. 10. 15, 1-16.]

Dr. Jukes was naturalist to H.M.S. *Fly* on the surveying expedition of that vessel to Cape York, Port Essington, and the northern coast of Australia. See his book, the "Voyage of H.M.S. *Fly*," vols. i., pp. 1-423, ii., pp. 1-362 (1847). The Fly River, in Southern New Guinea, was discovered during the voyage of the *Fly*, and was named after the ship (*cf.* Dict. Nat. Biogr., xxx., p. 224).

Kaup (*Dr. J.*).

5 European birds. Presented. [46. 1. 1, 1-5.]

Dr. Kaup was a well-known figure in scientific circles during the early years of the nineteenth century, and was a devoted exponent of the quinary system. He was for many years Director of the Darmstadt Museum, and made special study of the *Accipitres* (*cf.* Jardine's "Contributions to Ornithology for 1852," pp. 103-122; Tr. Z. S., iv., pp. 201-260, pls. lvi., lvii.).

On the *Falconidæ* he wrote monographic articles in the "Isis" (1847, pp. 39-79, 83-121, 161-212, 241-283, 325-386). His "Skizzirte Entwickelungs-Geschichte u. natürl. System der europ. Thierwelt," in 1829, was one of the important books of the quinary times, and contained many descriptions of new genera, which were well characterised, and many of them are recognised at the present day.

Kelaart (*Dr. E. F.*).

21 specimens from Ceylon. Presented. [52. 11. 26, 9-29.]

Dr. Kelaart was the pioneer of our knowledge of the Avifauna of Ceylon, and his "Prodromus Faunæ Zeylanicæ" was for many years the standard book on the subject, until the appearance of Colonel Leggc's monumental work.

The types of his new species, described by Blyth, went to the Calcutta Museum (*cf.* Legge, Birds of Ceylon, Introduction, p. x.).

Kellett (*Capt.*) [afterwards *Sir HENRY*].

273 birds from the Pacific Coast of North America. [50. 1. 31, 1-230; 51. 9. 10, 1-21; 51. 10. 1, 1-22.]

When in command of the *Herald*, in 1850, Capt. Kellett and Lieut. Wood made considerable collections of birds, some of which were of great interest to the Museum. Apparently all were properly labelled, but the smaller birds were put into paper cones which came off in transit, and very few of the original labels were preserved. *Cf.* Speelman, "Voy. H.M.S. *Herald*," 2 vols., 8vo, 1853.

8 nests and eggs of birds from Panama. Presented. [50. 2. 12, 1-8.]

Cf. Dict. Nat. Biogr., xxx., p. 342.

Kelsall (*Major H. J.*).

36 birds from Singapore and Pahang in the Malay Peninsula. Presented. [94. 2. 3, 1-36.]

Kemp (*ROBIN*).

72 birds from Sierra Leone. Presented. [1903. 8. 9, 1-24; 1903. 9. 15, 25-72.]

6 specimens of the Sierra Leone Francolin (*Francolinus thornei*). Presented. [1903. 11. 3, 1-6.]

473 birds from Sierra Leone. Purchased. [1904. 6. 3, 1; 1904. 6. 5, 1-242; 1905. 1. 25, 1-230.]

205 birds from Lower Nigeria. Purchased. [1906. 2. 1, 1-205.]

Mr. Robin Kemp was born in North London in 1871, and in 1902 was Assistant Accountant to the railway then being constructed at Sierra Leone. He made three collections of birds during his stay in that colony, one at Rotifunk in 1902, and two at Bo in 1903 and 1904. He discovered an interesting new Bush Babbler, which has been named by me *Amaurocichla kemp*i (*cf.* Ibis, 1905, p. 231). Mr. Kemp has recently made a collection of birds on the Lower Niger, and has described a new species of Weaver-Finch as *Estrilda anambræ*.

Kennedy (*Capt. A. W. M. CLARK*-).

21 birds from his collection, sold at Stevens' auction rooms. [86. 4. 20, 1-21.]

I first remember Clark-Kennedy as a boy at Eton, when I helped him in the preparation of his "Birds of Berkshire and Buckinghamshire" (8vo, 1868). This was a capital book to have been written by a boy of sixteen, and gave promise that the author would develop into a first-rate ornithologist. For some years Clark-Kennedy kept up an interest in birds, especially in Ducks and Wild-fowl, but he never afterwards did any serious work, and died young (*cf.* Ibis, 1868, p. 337).

Kenrick (*Major*).

21 birds from the Kilimanjaro district. Presented. [98. 7. 24, 1-21.]

Among these specimens was the type of a new species of *Pæoptera*, which Capt. Shelley named *P. kenricki*.

Kensington (*Lord*).

2 specimens of the Carrion Crow (*Corvus corone*) from South Wales. Presented. [1905. 2. 20, 1-2.]

Group of Carrion Crows with nest and eggs from South Wales, May. Presented.

Kerr (J. GRAHAM).

See PAGE, Capt. (*infra*, p. 437).

Kershaw (J. C.).

3 eggs and 3 nests from Macao, South China. Presented. [1905. 6. 29, 1-6.]

Kew, Director of the Royal Botanic Gardens.

43 specimens from Bogota collected by Mr. Purdie [81. 12. 8, 1-43; 97. 1. 25, 1; 99. 8. 25, 1-2.]

Specimens of the Gentoo Penguin (*Pygoscelis papua*); Sheldrake (*Tadorna tadorna*); 2 Pelecanus (*Pelecanus onocrotalus*); 1 Cereopsis Goose (*Cereopsis novæ hollandiæ*); and a nestling Stork (*Ciconia ciconia*). Presented. [1900. 8. 17, 1; 1901. 5. 5, 1; 1903. 3. 6, 1-2; 1903. 7. 5, 1; 1904. 5. 31, 1.]

King (PHILIP PARKER).

See Hist. Coll. Brit. Mus. (N.H.), vol. i., Botany, p. 159.

King (Dr.).

Collected for Mr. A. O. Hume in Mt. Abu. His specimens are in the Hume Collection.

Kirk (Sir JOHN), K.C.B., G.C.M.G.

115 birds from the Shirè River and Lake Nyasa, and from other parts of Zambesia. [63. 12. 30, 1-39; 74. 4. 29, 20-31; 84. 2. 6, 1-64.]

These specimens were collected by Sir John Kirk when he was chief officer to the Livingstone Expedition of 1858-1864. The collection was described by Dr. Sclater in the "Ibis" for 1864 (pp. 301-307, pl. viii.), and by Sir John himself (*l.c.*, pp. 307-339). There were also many specimens obtained by the expedition and prepared by him, which reached the Museum through the Foreign Office, by the direction of Earl Russell. [60. 12. 31, 1-193; 63. 12. 8, 1-43.]

During the preparation of their work on the Birds of East Africa, Drs. Finsch and Hartlaub visited the British Museum and described several species which had remained undetermined in our cabinets. Among these birds, described in the "Vögel Ostafrika's" by Drs. Finsch and Hartlaub, were *Nicator chloris* (p. 360), *Hyphantornis xanthopterus* (p. 399), and *Erythrocerus livingstonei* (p. 302).

Mr. G. R. Gray described a new Touraco as *Turacus livingstonei* (P.Z.S., 1864, p. 44) and I named the Zambesi Babbling Thrush *Crateropus kirkii* (Sharpe, ed. Layard, B. S. Afr., p. 213, 1875).

While Consul-General at Zanzibar Sir John Kirk sent collectors to various parts of East Africa, Lamo, Melindi, and the Usambara Hills, and he himself visited the Comoro Islands (*cf.* Shelley, P.Z.S., 1879, pp. 673-679; 1881, pp. 561-602, pl. lii.). Several new species were described by Capt. Shelley, to whom the collections were sent.

Cf. "Who's Who," 1904, p. 860.

Kirtland (Professor J. P.).

22 specimens from Ohio. [44. 1. 15, 1-22.]

Professor Kirtland was a well-known zoologist of the early part of the nineteenth century. *Dendroica kirtlandi* was named after him by Professor Baird.

Kleinschmidt.

See GODEFFROY MUSEUM.

Kleinschmidt was one of the best of the collectors employed by the celebrated brothers Godeffroy. He explored the Fiji Islands, and afterwards collected in New Britain, where he was murdered by the natives in 1881.

Knowles (H.).

29 specimens of Tits (*Parus palustris* and *Parus ater*). Purchased. [99. 8. 1, 1-29.]

Mr. Knowles is a dealer in Hammersmith, and has procured many Tits for our series of British *Paridæ*.

Kosslowsky (J.).

See ROSENBERG, W. [See *postea*, p. 456.]

A Russian naturalist who made a large collection of birds in the Chubut Valley in Patagonia. This collection was secured for the Museum through the good offices of Mr. Thursby.

Krauss (Professor).

22 birds from South Africa. Presented. [40. 6. 24, 26-47.]

Krüper (Dr. TH.).

Director of the Museum at Athens, who has collected much in Greece and in the neighbourhood of Smyrna. Mr. Seebohm made an excursion with him.

Kühn (HEINRICH).

See ROSENBERG.

Mr. Kühn has been exploring several of the Molucca Islands for the Hon. Walter Rothschild, and a few duplicates from his collection of birds have been purchased by the Museum [*cf.* Hartert, Nov. Zool., vii, pp. 13-14 (1900); vii, pp. 1-5, 93-101, 163-176 (1901); x, pp. 18-38, 232-254 (1903); xi, pp. 174-221 (1904)].

Lagden (Sir GODFREY).

19 birds from Kumasi in Ashanti. Presented. [84. 1. 15, 1-19.]

In this small collection was the type of a new species of Bush Shrike (*Laniarius lagdeni*) (*cf.* Sharpe, P.Z.S., 1884, p. 54, pl. v.

Cf. "Who's Who," 1904, p. 872.

Laglaize (LÉON).

See BOUCARD, A.

The Museum has purchased through M. Boucard several specimens obtained by M. Laglaize in Senegambia and in New Guinea, where he discovered some fine new species of birds.

Landbeck.

A well-known collector of Chilian birds, and author, with Dr. Filippi, of several papers on the subject.

Langworthy (E. M.).

50 birds from Kashmir, etc. Presented. [76. 10. 17, 22-71.]

Lansdell (*Rev. Dr.*).

See GERRARD, E.

Dr. Lansdell brought back from Kashmir and Tibet a small collection of birds, containing some species of interest to the Museum (*cf.* his book on "Russian Central Asia," 1885).

Larkin (*Colonel EDGAR*).

9 birds from Upper Egypt. Presented. [93. 7. 12, 1-9.]

La Touche (*J. D.*).

85 nests of birds from N. W. Fohkien. Presented. [99. 2. 9, 1-76; 99. 2. 21, 1-9.]

57 birds and eggs from Kuatun. Presented. [99. 8. 16, 1-29; 1901. 1. 20, 1-28.]

2 birds from Formosa and Chinkiang, including one species new to the collection. Presented. [1905. 6. 13, 1-2.]

Mr. La Touche is an energetic collector of birds, and especially of eggs, in China, and has presented a very interesting series to the Museum [*cf.* *Ibis*, 1887, pp. 469, 470; 1892, pp. 400-430, 477-503; 1895, p. 305; 1896, pp. 489-495; 1897, pp. 138, 169-176, pl. iv., 600-610; 1898, pp. 328-333, 356-373; 1899, pp. 169-210, 400-431; 1900, pp. 34-51; *Bull. B.O.C.*, vii., p. 37 (1897); viii., p. 9 (1898)].

Laugier de Chartrouse (*Baron*).

309 specimens from his collection. Purchased. [37. 6. 10, 372-681.]

Baron Laugier was coadjutor with Temminck in the "Planches Coloriées." The sale of his collection took place in Paris in 1837, and a copy of the Catalogue in the British Museum bears the following note: "La vente publique de cette collection se fera au mois de juin 1837. Le jour en sera fixé ultérieurement par les journaux jusqu'à cette époque. On traiterait à l'amiable de la totalité." This sale-catalogue was printed at Arles and sent to Dr. J. E. Gray, and we are further informed: "La rapidité avec laquelle a été fait ce travail, et l'absence du propriétaire, n'ont pas permis de suivre d'autre classification que celle des armoiries de la galerie." Unfortunately no attempt seems to have been made at the time to identify any of the specimens described and figured in the "Planches Coloriées," and many of them have since been given away as duplicates.

Layard (*EDGAR LEOPOLD*), *C.M.G.*

See also HIGGINS, T.; TRISTRAM, Canon.

27 eggs from Ceylon. Presented. [53. 12. 6, 1-27.]

106 eggs from South Africa. Presented. [69. 10. 8, 1-106.]

Mr. Layard was an ornithologist from his youth, and when a civil servant in Ceylon, where he served from 1846 to 1855, he did excellent work, as will be seen by his papers in the second series of the "Annals and Magazine of Natural History" (vols. xii. (1853), pp. 97-107, 165-176, 262-272; xiii. (1854), pp. 123-131, 212-218, 257-264, 446-453; xiv. (1854), pp. 57-64, 105-115, 264-272).

Layard has given the following account of his Ceylonese days in Legge's "Birds of Ceylon" (Introduction, p. ix.): "I arrived in Ceylon in March 1846, and for some time, having no employment, amused my leisure in collecting for my more than friend, Dr. Templeton, who had nursed me through a dangerous illness, and in whom I found a congenial spirit. My chief attractions there were the glorious Lepidoptera of the island; but I always carried a light single-barrelled gun in a strap on my

back to shoot specimens for the Doctor. He himself, like Dr. Kelaart, never shot, but depended on his friends for specimens. I, of course, soon became interested in the 'Ornis'; and on Templeton's leaving, at the end of 1847 or beginning of 1848, he begged me to take up his correspondence with the late Edward Blyth, then Curator of the R. A. S. Calcutta Museum. He left me his list of the species then known to exist in the island, numbering 183, and Blyth's last letter to answer. From that day almost monthly letters passed between the latter and myself, till I left Ceylon in 1853. When I left I had brought up the list to 315; deduct from this the novelties added by Kelaart, and some which I think he has wrongly identified (but which are included in my list in the 'Annals'), 22 in number, and it leaves me the contributor of 110 species to the Ceylonese 'Ornis,' examples of most of which fell to my own gun.

"My collecting trips never extended to the hill-parts where Dr. Kelaart collected, Nuwara Eliya, &c. I was twice in Kandy, once at 'Carolina,' an estate near Ambegamoa, and once as far as Gillymally *via* Ratnapura."

The species discovered by Layard were sent by him to Blyth at Calcutta, and the latter described a good many of them. None came to the British Museum; many were presented to Calcutta, and the bulk of his collection was given by him to a relative, and is now preserved at the Poole Free Library, in Mount Street, Poole.

The following is a list of the species discovered by Layard and named either by himself or by Blyth:—*Gallus lineatus*, Blyth (= *G. lafayetiei*) (cf. Legge, B. Ceylon, p. 736); *Palæornis layardi*, Blyth (= *P. torquata*) (cf. Salvadori, Cat. B., xx., p. 443); *P. calthorpæ*, Layard [this name has always been written *calthorpæ*, the mistake arising originally from a printer's error, but Layard himself told me that he intended to name the species after his wife, who was a Miss Calthorp (cf. my note, p. 32 of "Handlist of Birds," vol. ii.)]; *Iyngipicus gymnophthalmus*, Blyth; *Chrysocolaptes stricklandi*, Layard; *Cuculus bartletti*, Layard (= *C. poliocephalus*, juv.) (cf. Legge, B. Ceylon, p. 231); *Centropus chlororhynchus*, Blyth; *Tephrodornis affinis*, Blyth; *Dicrurus minor*, Blyth; *D. leucopygialis*, Blyth; *Leucocerca compressirostris*, Blyth (= *Rhipidura albofrontata*) (cf. Legge, B. Ceylon, p. 412); *Butalis muttui*, Layard; *Oreocincla spiloptera*, Blyth; *O. imbricata*, Layard; *Dumetia albigularis*, Blyth; *Alcippe nigrifrons*, Blyth; *Drymocaptes fuscicapillus*, Blyth; *Cisticola malura*, Blyth (= *C. cisticola*, Temm.); *Drymeca robusta*, Blyth (nec Rüpp.) (= *Prinia sylvatica*, Jerd.); *Hirundo hyperythra*, Blyth; *Heterornis albofrontata*, Layard (= *Sturnornis senex*); *Eulabes ptilogenys*, Blyth; *Cissa puella*, Blyth ex Layard N.S.

In 1855 Layard went to the Cape at the invitation of Sir George Grey and entered the Civil Service of Cape Colony. He founded the South African Museum, and in 1867 published the "Birds of South Africa," which was the means of stimulating the study of African birds in as great a degree as had been done by Jerdon's "Birds of India" in the East. He afterwards accompanied Sir George Grey on a special mission to New Zealand, and then returned to the Cape as Judge and Commissioner under the Slave Trade Treaties. In this capacity he visited the east coast of Africa as far north as Zanzibar.

He was next appointed Consul at Parà, where he made a good collection of birds for the Marquis of Tweeddale. This was described by him in the "Ibis" for 1873, *Picolaptes layardi* and *Thamnophilus simplex* being characterised as new by Dr. Sclater. After quitting South America Layard was employed by the Government in the Fiji Islands, where he acted as

Commissioner, and here again he did much good ornithological work (*cf.* Ibis, 1876, pp. 137-152, 387-394; 1881, p. 170), as also in New Caledonia when he became H.B.M. Consul at Noumea. His son Leopold C. Layard assisted him in collecting in New Caledonia, and also undertook expeditions to the New Hebrides and the Loyalty Islands (*cf.* Ibis, 1879, pp. 95, 221, 364, 369; 1880, pp. 336, 381; 1881, p. 542; 1884, p. 122; 1888, p. 491; 1900, p. 404).

Leach (J. H.).

69 birds from Ichang ou the River Yang-tze, collected by A. E. Pratt. Purchased. [88. 9. 6, 1-69.]

One species (*Yuhina diademata*) new to the collection.

Mr. Pratt made a wonderful collection of Lepidoptera when travelling in China for Mr. Leach (*cf.* Insects). He also obtained a few birds, which were purchased by the British Museum.

Leadbeater (Messrs.).

98 birds from Mexico. Purchased. [39. 8. 2, 1-98.]

92 birds from various localities. Purchased. [42. 1. 19, 1-92.]

Many of these were duplicates from the Leyden Museum, and included species new to the British Museum, from the expeditions of S. Müller and other Dutch naturalists.

35 birds from Brazil. Purchased. [42. 12. 3, 1-35.]

These were collected by a Dr. Such.

60 birds from Jamaica. Purchased. [42. 12. 29, 1-60.]

Spindalis nigricephala was new to the collection. These specimens were probably duplicates received from Mr. P. H. Gosse.

35 specimens from Abyssinia and Shoa. Purchased. [43. 2. 8, 1-35.]

These were duplicates from Dr. Rüppell's collection, and the Museum thus secured several co-types from his celebrated expedition.

233 specimens, mostly from Central and South America. Purchased. [43. 5. 24, 1-200; 43. 6. 13, 15-33; 43. 9. 8, 1-15.]

The Guatemalan birds, some obtained at Coban, Escuintla, etc., were apparently collected by a Frenchman, as notes are made in the register, "*yeux bleu, yeux roux-clair*," etc.

21 birds from Mexico. Purchased. [43. 9. 18, 1-21.]

19 birds from Celebes. Purchased. [43. 9. 19, 1-19.]

These were some more duplicates from the Leyden Museum. As showing the lax notions of geographical distribution entertained by some ornithologists of that day we find in the register: "*G. Colaris gularis. Côte de Guinée*." The word "New" is inserted, and the specimen is catalogued in the "List of Fissirostres," 1848, p. 33, as *Eurystomus gularis*, from New Guinea!

101 birds from Japan. Purchased. [44. 5. 1, 1-9; 46. 1. 31, 1-60; 46. 3. 11, 1-8; 46. 10. 5, 1-24.]

Among these collections were more duplicates received from the Leyden Museum by Mr. Leadbeater, who seems to have had many dealings with Temminck.

The Leadbeaters, father and son, were for many years the leading natural history agents in London, and had a shop in Brewer Street, Golden Square, which in my early days I used to visit in search of African birds. The father, after whom *Cacatua leadbeateri* was named by Vigers, was a scientific man, and wrote several papers on ornithology.

After the death of the father and son the business was continued for a short time by a nephew.

Lefebvre.

222 specimens, mostly sterna of European birds. Purchased. [46. 5. 27, 1-222.]

Legge (Colonel W. VINCENT).

150 birds from Ceylon. Presented. [75. 12. 20, 1-6; 76. 6. 6, 1-15; 78. 10. 4, 11-88; 81. 5. 24, 10-14; 82. 3. 24, 1-15; 85. 11. 12, 1-31.]

Five species were new to the collection, *Spizaetus ceylonensis*, *Buchanga minor*, *Dissemurus lophorhinus*, *Chrysocolaptes stricklandi*, *Brachypternus intermedius*. These were duplicates from Colonel Legge's collection of Ceylonese birds. His memoir on the avifauna of Ceylon is one of the most excellent works ever written by an ornithologist.

Le Hunte (Sir GEORGE RUTHVEN), Governor of South Australia.

23 birds from British New Guinea. Presented. [1900. 2. 19, 1-23.]

Sir G. R. Le Hunte was Governor of British New Guinea from 1898 to 1903. Among the specimens presented were some rare Birds of Paradise, such as *Loria maria*, *Astrarchia stephani*, *Epimachus meyeri*.

Cf. "Who's Who," 1904, p. 902.

Leigh (Lord).

221 birds from New South Wales. Presented. [93. 4. 4, 1-221].

Cf. "Who's Who," 1904, p. 902.

Lemprière (E.).

31 specimens from the island of Palawan. Purchased. [85. 4. 2, 1-24; 85. 4. 3, 1-7.] 7 others were presented.

Mr. Lemprière's collection was described by me in the "Ibis" for 1884 (pp. 316-322, pl. viii.), when the following new species were characterised:—*Thriponax hargitti*, *Siphia lemprieri*. In the "Proceedings" of the Zoological Society for 1885 (p. 446, pl. xxvi.) I also described a new Hornbill, now known as *Gymnolæmus lemprieri*.

In the "Ibis" for 1883, pp. 85-90, Mr. F. Nicholson published an account of a collection from Sandakan made by Mr. Lemprière, who discovered a new Jay-Shrike (*Platylophus lemprieri*). This Sandakan collection was purchased by Canon Tristram, and is now in the Liverpool Museum.

Le Soeuf (DUDLEY). Director of the Zoological Gardens, Melbourne.

11 birds, nests and eggs. Presented. [97. 11. 11, 1-8; 98. 11. 27, 1-3.]

Leyden Museum.

See also LEADBEATER.

60 birds from the Malayan Archipelago. Presented. [73. 5. 9, 1-8; 78. 11. 12, 1-34; 83. 10. 1, 9-21; 88. 4. 7, 1-5.]

These are birds presented by Professor Schlegel and Dr. Jentink, Directors of the great Rijks-Museum at Leyden, during the progress of the "Catalogue of Birds." My first visit to Leyden was paid in 1869, when I was writing my "Monograph of the Kingfishers"; and during the preparation of the first volume of the "Catalogue," I worked there for many days, and my friend Professor Schlegel gave me several species lacking to the British Museum, for which I purchased specimens on my return to England, and sent them in exchange. On this occasion the following species of *Accipitres* were new to the British Museum: *Cerchneis zoni-*

ventris, *Baza madagascariensis*, *Astur hiogaster*, *A. muelleri*, *Accipiter rhodogaster*, *Spizaetus gurneyi*, *Ninox ochracea*.

When I was writing the fourth volume of the "Catalogue," I again went over to Leyden, and effected a similar exchange with Professor Schlegel, obtaining for our Museum many species of Flycatchers which we did not before possess—*Pœcilodryas brachyurus*, *Gerygone melanothorax*, *G. notata*, *G. magnirostris*, *G. flaveola*, *Pristorhamphus versteri*, *Cryptolopha grammiceps*, *Todopsis bonapartei*, *T. coronata*, *Monarcha kordensis*, *Piezorhynchus diadematus*, *Anthipes solitaria*, *Erythromyias mülleri*, *Pachycephala obiensis*, *Rhipidura obiensis*.

In 1883 Professor Schlegel also gave me the following desiderata for the succeeding volumes of the "Catalogue": *Hirundo striolata*, *Dicaeum mafeorens*, *D. keiense*, *Napothera pyrrhoptera*, *Zosterops rufifrons*, *Z. uropygialis*, *Stachyridopsis melanothorax*, and *Turdinus lepidopleurus*. Some of these species are not included in the tenth volume, which appeared in July 1883, as I had not been able to visit Leyden for the purpose of checking my MSS. In October of that year, however, I was able to get away, and found that there were many omissions in the volume, which I rectified in a paper on *Timeliidæ*, published in the "Notes from the Leyden Museum" (vol. vi., pp. 167-178).

The last donations, in 1888, consisted of five specimens, of which *Pericrocotus lansbergi*, *Lamprolia minor*, *Chloropsis venusta*, and *Accipiter büttikoferi* were new to the collection; and a specimen of *Ortholophus albocristatus* from Liberia, which has since become the type of my *Ortholophus finschi* ("Ibis," 1904, p. 610).

Lidth de Jeude (Dr.).

See WARWICK.

Lilford (Lord).

3 specimens of the Spanish Green Woodpecker (*Gecinus sharpei*), from S. Spain. Presented. [72. 7. 9, 1-3.]

This species was named by Mr. Howard Saunders (P.Z.S., 1872, p. 153). In 1894 the late Prof. V. L. Seoane re-described this Woodpecker as *Gecinus viridis galiciensis*, in a pamphlet to which he attached the date of 1870. This was the most bare-faced attempt to secure the priority of a name given twenty-two years too late, which has ever come under the notice of the writer (cf. Zool. Rec., 1894, Aves, p. 38).

31 specimens of Herons, Spoonbills, etc., collected by Ruiz near Seville. Presented. [74. 11. 18, 3-33.]

A specimen of *Sylvia melanothorax*, Tristr., from Cyprus, new to the collection. Presented. [75. 7. 6, 1.]

Parent birds with nest and eggs of the Flamingo (*Phœnicopterus roseus*) from Southern Spain. Presented. [80. 6. 8, 1-6.] These are the specimens mounted in the public gallery, and form group No. 159.

234 specimens from Cyprus and the countries of the Mediterranean. Presented. [88. 7. 26, 1-205; 88. 8. 16, 1-18; 88. 8. 26, 1-11.]

This collection of birds was formed by Lord Lilford himself, by Mr. W. Pearce, and more particularly by Dr. Guillemard, who has written an excellent essay on the birds of the island (Ibis, 1888, pp. 94-124, pl. ii.; 1889, pp. 206-219), and Lord Lilford has also published an interesting memoir on the ornithology of Cyprus (Ibis, 1889, pp. 305-350).

17 Starlings (*Sturnus vulgaris*) from Lilford. Presented. [88. 9. 2, 1-17.]

136 eggs from Southern Spain. Presented. [90. 9. 30, 1-136.]

6 birds from S.E. Africa. Presented. [94. 6. 17, 1-6.]

For a very complete memoir of this well-known ornithologist, see the "Ibis" for 1896 (pp. 430, 593-596), "Lord Lilford on Birds," by A. Trevor-Battye (4to, 1903), and "Lord Lilford; a Memoir by his Sister, the Hon. Mrs. Drewitt" (8vo, 1900, pp. xxiv., 290).

"Linnea," Berlin.

21 birds from Salanga Island. Purchased. [82. 3. 21, 1-15.]

The collection of birds made by Capt. Weber on Salanga was described by Dr. A. Müller (J.f.O., 1882, pp. 353-448). He described a new species of Woodpecker as *Gecinus weberi*, of which the type-specimens were acquired by the Museum. Mr. Hargitt has united this species with *G. viridanus* (cf. Cat. B., xviii., p. 47). This Captain Weber is the same individual that *Ixidid weberi*, Hume, is named after (Str. F., 1879, pp. 40, 63). It should, therefore, be called *Ixidid weberi*.

From the "Linnea" the Museum also acquired some rare species of East African birds; of which *Histurgops ruficauda*, *Parisoma boehmi*, *Cosmopsarus unicolor*, and *Muscicapa infulata* were new to the collection. [87. 8. 14, 1-6.]

Linnean Society.

When the Linnean Society determined to give up its private Museum, the birds were sent to the British Museum in 1863, in two lots.

The first series consisted of the types of Parrots and Pigeons described by Temminck in 1819 (vol. xiii., pp. 107-130), in his paper entitled: "Account of some new species of Birds of the genera *Psittacus* and *Columba*, in the Museum of the Linnean Society." [63. 7. 6, 1-15.]

Psittacus cooki, n. sp. (p. 111). ♂ = *Calyptorhynchus banksi* (Lath.), cf. Salvad., Cat. B. Brit. Mus., xx., p. 109. ♀ = *C. viridis* (V.), cf. Salvad., t.c., p. 112.

Psittacus solandri, n. sp. (p. 113) is the young of *C. viridis*, cf. Salvad., t.c., p. 112.

Psittacus nasicus, n. sp. (p. 115), = *Licmetis nasica*, Salvad., t.c., p. 133.

Psittacus flavigaster, n. sp. (p. 116). This hybrid name is changed on p. 117 to *P. flaviventris*, but without assigning any reason. It is *Platycercus flaviventris* of Salvadori (p. 545).

Psittacus baueri, n. sp. (p. 118), = *Barnardius zonarius* (Shaw), cf. Salvad., t.c., p. 560.

Psittacus browni, n. sp. (p. 119), = *Platycercus browni*, Salvad., t.c., p. 549.

Psittacus multicolor, n. sp. (p. 119), = *Psephotus multicolor*, Salvad., t.c., p. 566.

Psittacus icterotis, n. sp. (p. 120), = *Platycercus icterotis*, Salvad., t.c., p. 554.

Psittacus venustus, n. sp. (p. 121), = *Neophema vcnusta*, Salvad., t.c., p. 570.

Columba dilopha, n. sp. (p. 124), = *Lopholæmus antarcticus* (Shaw), cf. Salvadori, Cat. B. Brit. Mus., xxi., p. 235.

Columba magnifica, n. sp. (p. 125), = *Megaloprepia magnifica*, Salvadori, t.c., p. 167.

Columba leucomela, n. sp. (p. 126), cf. Salvad., t.c., p. 320.

Columba scripta, n. sp. (p. 127), = *Geophaps scripta*, Salvad., t.c., p. 531.

Columba humeralis, n. sp. (p. 128), = *Geopelia humeralis*, Salvad., t.c., p. 455.

Columba phasianella, n. sp. (p. 129), = *Macropygia phasianella*, Salvad., t.c., p. 349.

The second donation consisted of 72 specimens of Australian birds [63. 7. 7, 1-72], collected by George Caley, and among them were the types of species described by Vigers and Horsfield in the "Transactions" of the Linnean Society (vol. xv., pp. 170-331). Their paper was called "A description of the Australian Birds in the collection of the Linnean Society," etc. The following are the types which came into the Museum:—

Astur raii, n. sp., = *Astur cinereus* (V.); cf. Sharpe, Cat. B., Brit. Mus., i., p. 117. *A. fasciatus* (p. 181), *A. approximans* (p. 181). The former is the young and the latter the old bird of the same species, Sharpe, t.c., p. 126.

Falco cenchroides, n. sp. (p. 183), = *Cerchneis cenchroides* (V. and H.), Sharpe, t.c., p. 431.

Falco berigora, n. sp. (p. 184), = *Hieracidea berigora* (V. and H.), Sharpe, t.c., p. 421. *Haliaetus calei*, n. sp. (p. 186), = *Urospizias radiatus* (Lath.), Sharpe, t.c., p. 159. *H. canorus*, n. sp. (p. 187), = *Haliastur sphenurus* (V.), Sharpe, t.c., p. 316.

Noctua maculata, n. sp. (p. 189), = *Ninox maculata* (V. and H.); cf. Sharpe, Cat. B., ii., p. 174.

Hirundo pyrrhoptera, n. sp. (p. 190), = *Petrochelidon nigricans* (V.); cf. Sharpe, Cat. B., x. (p. 190).

Caprimulgus guttatus, n. sp. (p. 192). *C. albogularis*, n. sp. (p. 194, note); cf. Hartert, Cat. B., xvi., p. 607, where Dr. Hartert identifies these two birds as being one and the same species, viz. *Eurostopus albigularis*, *C. guttatus* being the young bird, and *C. albigularis* the adult.

Ægotheles, n. gen. (p. 194), type *Æ. novæ hollandiæ* (Lath.); cf. Hartert, Cat. B., xvi., p. 646. *Podargus stanleyanus*, n. sp. (p. 197), *P. humeralis*, n. sp. (p. 198), *P. cuvieri*, n. sp. (p. 200), all = *P. strigoides* (Lath.); cf. Hartert, t.c., p. 631.

Dacelo leachi, n. sp. (p. 205), "Keppel Bay, 24 Oct., 1802" (Brown); cf. Sharpe, Cat. B., xvi., p. 206. *Halcyon sanctus*, n. sp. (p. 206); cf. Sharpe, t.c., p. 267. *Merops melanurus*, n. sp. (p. 208), = *M. ornatus*, Lath.; cf. Sharpe, t.c., p. 75. *Falcunculus gutturalis*, n. sp. (p. 212), = *Oreocia cristata* (Lewin); cf. Gadow, Cat. B., viii., p. 174. *Colluroicincta cinerea*, n. sp. (p. 214), = *C. harmonica* (Lath.); cf. Sharpe, Cat. B., iii., p. 290. *Campophaga leucomela*, n. sp. (p. 215), = *Lalage leucomelæna* (nom. emend.); cf. Sharpe, Cat. B., iv., p. 106. *Graucalus mentalis*, n. sp. (p. 216); cf. Sharpe, t.c., p. 37. *Malurus lamberti*, n. sp. (p. 221); cf. Sharpe, t.c., p. 293. *M. browni*, n. sp. (p. 223), = *M. dorsalis* (Lewin); cf. Sharpe, t.c., p. 296. *M. exilis*, n. sp. (p. 223), = *Cisticola exilis* (V. and H.); cf. Sharpe, Cat. B., vii., p. 269. *Acanthiza nana*, n. sp. (p. 226); cf. Sharpe, t.c., p. 292. *A. reguloides*, n. sp. (p. 299); cf. Sharpe, t.c., p. 299. *A. frontalis*, n. sp. (p. 226), = *Sericornis frontalis* (V. and H.); cf. Sharpe, t.c., p. 303. *A. pyrrhopygia*, n. sp. (p. 227), = *Hylacola pyrrhopygia* (V. and H.); cf. Sharpe, t.c., p. 346. *A. buchanani*, n. sp. (p. 227); cf. Sharpe, t.c., p. 291, note. N.B.—The type of this species was in the collection of Mr. Walter Buchanan, F.L.S., and did not come to the Museum. The species is still unidentified, but I suggested in the "Catalogue" that it might be *Ephthianura tricolor*.

Megalurur cruralis, n. sp. (p. 228), = *Cinclorhamphus cruralis* (V. and H.); cf. Sharpe, Cat. B., vii., p. 498. *Anthus australis*, n. sp. (p. 229), and *A. pallescens*, n. sp. (p. 229) [= *A. australis* (V. and H.)]; cf. Sharpe, Cat. B., x., p. 615]. *A. minimus*, n. sp. (p. 230), = *Chthoni-*

cola sagittata (Lath.); cf. Sharpe, Cat. B., vii., p. 290. *A. fuliginosus*, n. sp. (p. 230), = *Calamanthus fuliginosus* (V. and H.); cf. Sharpe, t.c., p. 501. *A. rufescens*, n. sp. (p. 230), = *Cinclothrax rufescens* (V. and H.); cf. Sharpe, t.c., p. 501. *Dasyornis australis*, n. sp. (p. 232), = *Sphenura brachyptera* (Lath.); cf. Sharpe, t.c., p. 104. *Grallina bicolor*, n. sp. (p. 232), = *G. picata* (Lath.); cf. Sharpe, Cat. B., iii., p. 272. *Zosterops dorsalis*, n. sp. (p. 235), = *Z. caerulescens* (Lath.); cf. Sharpe, Cat. B., ix., p. 152. *Saxicola solitaria*, n. sp. (p. 236), = *Origma rubricata* (Lath.); cf. Sharpe, Cat. B., vii., p. 135. *Pachycephala striata*, n. sp. (p. 240), = *P. rufiventris* (Lath.); cf. Gadow, Cat. B., viii., p. 208. *P. fusca*, n. sp. (p. 240), and *P. fuliginosa*, n. sp. (p. 241), = *P. gutturalis* (Lath.); cf. Gadow, t.c., p. 192. *P. olivacea*, n. sp. (p. 241); cf. Gadow, t.c., p. 212.

Muscicapa goodenovii, n. sp. (p. 245), = *Petræca goodenovii* (V. and H.); cf. Sharpe, Cat. B., iv., p. 171. *Rhipidura motacilloides*, n. sp. (p. 248), = *R. tricolor* (V.); cf. Sharpe, t.c., p. 339.

Myiagra rubeculoides, n. sp. (p. 253), and *M. plumbea*, n. sp. (p. 254), = *M. rubecula* (Lath.); cf. Sharpe, t.c., p. 373. *M. macroptera*, n. sp. (p. 254), = *Micreca fascians* (Lath.).

Fringilla lathamii, n. sp. (p. 256), = *Steganopleura guttata* (Shaw); cf. Sharpe, Cat. B., xiii., p. 292. *Fringilla bichenovii*, n. sp. (p. 258), = *Stictoptera bichenowi* (V. and H.); cf. Sharpe, t.c., p. 313.

Ptilonorhynchus macleayi, n. sp. (p. 263), = *P. violaceus* (V.); cf. Sharpe, Cat. B., vi., p. 381. *P. smithi*, n. sp. (p. 264), = *Æturædus viridis* (Lath.); cf. Sharpe, t.c., p. 385. *Corvus coronoides*, n. sp. (p. 261); cf. Sharpe, Cat. B., iii., p. 20.

Platycercus barnardi, n. sp. (p. 283), = *Barnardius barnardi* (V. and H.); cf. Salvad., Cat. B., xx., p. 558. *Trichoglossus matoni*, n. sp. (p. 291), = *Psittentulus chlorolepidotus* (Kuhl), Salvadori, Cat. B., xx., p. 65. *T. rubritorquis*, n. sp. (p. 291); cf. Salvad., t.c., p. 60.

Orthonyx temminckii, n. sp. (p. 294); cf. Sharpe, Cat. B., vii., p. 329 (s. n. *O. spinicauda*).

Cuculus inornatus, n. sp. (p. 297), and *C. albostrigatus*, n. sp. (p. 298), = *C. pallidus* (Lath.); cf. Shelley, Cat. B., xix., p. 261. *C. cineraceus*, n. sp. (p. 298), and *C. incertus*, n. sp. (p. 299), = *Cacomantis flabelliformis* (Lath.); cf. Shelley, t.c., p. 266. *Cuculus variolosus*, n. sp. (p. 300), = *Cacomantis variolosus* (V. and H.); cf. Shelley, t.c., p. 272. *Cuculus metallicus*, n. sp. (p. 302), = *Chalcococcyx plagosus* (Lath.); cf. Shelley, t.c., p. 297. *Eudynamis flindersii*, n. sp. (p. 305) = *E. cyanocephala* (Lath.); cf. Shelley, t.c., p. 324. *Meliphaga indistincta*, n. sp. (p. 315), = *Glyciphila ocularis*, Gould; cf. Gadow, Cat. B., ix., p. 213. *M. brevirostris*, n. sp. (p. 315), = *Melithreptus brevirostris* (V. and H.); cf. Gadow, t.c., p. 207. *Myzantha flavirostris*, n. sp. (p. 319), = *Macrorhina melanophrys* (Lath.); cf. Gadow, t.c., p. 259.

Mimeta meruloides, n. sp. (p. 327), = *Oriolus viridis* (Lath.); cf. Sharpe, Cat. B., iii., p. 212. *Pomatorhinus temporalis*, n. sp. (p. 330), and *P. superciliosus*, n. sp. (p. 330).

Linney (ALBERT).

9 birds from the Falkland Islands. Purchased. [1901. 4. 30, 1-9.]

Lisbon Museum (Prof. J. V. BARBOZA DU BOCAGE, Director).

48 birds from Benguela and the island of S. Thomé, collected by Anchieta and F. Newton. Presented. [82. 7. 1, 1-4; 88. 12. 1, 1-4.]

Nearly a score of species new to the Museum were added by this donation, all of great interest—among them *Fiscus souzæ*, *Sylviella ruficapilla*, *Parus rufiventris*, *Nilaus affinis*, *Salpornis salvadorii*, *Frin-gillaria major*, *Pternistes rubricollis*, *Nectarinia newtoni*, *Oriolus crasirostris*, *Turdus olivaceofuscus*, *Symplectes sanctithomæ*, *Haplopetia simplex*.

32 birds from the islands of the Bight of Biafra (S. Thomé and Ilha do Principe), collected by Mr. Francesco Newton. [91. 8. 20, 1–32.]

Among these specimens were the following, new to the Museum:—*Nectarinia thomensis*, *Cinnyris newtoni*, *Lanius newtoni*, *Prinia mölleri*, *Amblyospiza concolor*.

For many years the Portuguese Government employed the services of naturalists to make collections for them in various parts of their African possessions. The most celebrated of these explorers was Anchieta, who travelled extensively in Angola, Benguela and Mossamcdes. The results of these expeditions are mostly incorporated in the “Ornithologie d’Angola,” written by Professor Barboza du Bocage, for many years the Director of the Lisbon Museum, and a staunch friend of our own Museum, to which he has made many valuable donations. Many specimens were also given in exchange to myself and Captain Shelley, and are now incorporated in the British Museum along with the rest of our private collections.

Another well-known naturalist who collected in the Portuguese islands in the Bight of Biafra is Mr. Francesco Newton, who obtained several interesting new species, duplicates of which were sent by Professor Bocage to the British Museum.

Lister (J. J.).

23 specimens from Christmas Island in the Indian Ocean. Presented. [88. 8. 12, 1–23.]

Mr. Lister was naturalist on H.M. Surveying Ship *Egeria* in 1887, and visited Christmas Island. He discovered on this occasion five new species on the island, the types of which he presented to the British Museum:—*Zosterops natalis*, *Collocalia natalis*, *Chalcophaps natalis*, *Urospizias natalis*, *Ninox natalis* (cf. P.Z.S., 1888, pp. 512–529, pls. xxvi., xxvii.).

10 specimens from the Phoenix group of islands in the Pacific Ocean. Presented. [91. 4. 24, 1–10.]

Mr. Lister was again naturalist on the *Egeria* in 1889.

The collection consisted of marine birds, but among them *Æstrelata parvirostris* and *Puffinus nativitatis* were new to the Museum. Several other specimens, presented by Mr. Lister to the late Mr. Henry Seebohm, have passed into the British Museum with the collection bequeathed by the latter.

Littledale (ST. GEORGE).

100 specimens of birds and eggs from various parts of Central Asia. Presented. [89. 1. 10, 1–2; 89. 3. 3, 1–8 (Altai Mts.); 90. 5. 20, 1–39 (Saiar Mts.); 91. 5. 2, 1–37 (Pamir); 94. 2. 1, 1–5 (Turkestan).]

Mr. Littledale is a well-known big-game hunter, and has presented to the Museum most valuable animals. He has also found time to collect a few interesting species of birds during his travels.

Liverpool, University of.

See ROBINSON, H. C.; ROYAL SOCIETY.

Livingstone (Dr.).

See KIRK, Sir J.

During his later explorations in Africa the great missionary traveller did not collect any birds, but on the Zambesi expedition, when he was accompanied by Sir John (then Dr.) Kirk, a considerable collection was formed. This was described by the latter naturalist in a paper on the "Birds of the Zambesi Region" (Ibis, 1864, pp. 307-338). Several new species were discovered during the expedition, and a fine new Touracou was named *Turacus livingstonei* by G. R. Gray.

Cf. Dict. Nat. Biogr., xxxiii., p. 384.

Lloyd (C. G.).

121 birds from Tasmania. Presented. [89. 6. 12, 1-121.]

Lloyd (Colonel J. HAYES).

107 birds from Kathiawar in North-western India and Matheran, Bombay. [73. 6. 6, 98-204.]

Crateropus somervillei and *Luscinola indica* were new to the Museum.

This collection, a most important one at the time, as coming from a district then ornithologically unexplored, was described by Colonel Hayes Lloyd in the "Ibis" for 1873 (pp. 397-421) and 1874 (pp. 97, 98). He presented specimens of *Cyornis tickellii* and *C. jerdoni*, proving that the former was the female and the latter the male of the same species. This difference in the colour of the sexes in the genus *Cyornis* had not been suspected before, and led to a similar identification with other species of the genus.

Colonel Lloyd described a new species of Green Barbet from Matheran as *Megalæma sykesii* (Ibis, 1873, p. 124). The type of this species is in the Tweeddale collection, and is referred by Captain Shelley to *Cyanops viridis* (Bodd.), i.e. *Thereiceryx viridis*, Blanford, Faun. Brit. Ind., Birds, iii., p. 389.

Loat (W. L. S.).

12 birds from the Pyrenees. Presented. [96. 8. 21, 1-12.]

22 birds from Egypt. Presented. [1905. 6. 4, 1-22.]

Mr. Loat is an enthusiastic ornithologist, but is best known for his important collections of the Nile fishes (see Report, Fish Collections).

Loder (Sir G.).

2 eggs of the Emeu (*Dromæus novæ hollandiæ*). Presented. [94. 6. 7, 1-2.]

Lodge (GEORGE E.).

9 Marsh Tits (*Parus dresseri*) from Surrey. Presented. [1901. 4. 8, 1-9.]

4 birds from Norway, Perthshire, and Hertfordshire. Presented. [1904. 10. 21, 1-4.]

Mr. Lodge is the well-known artist, and is an excellent observer of bird life, as may be recognised from his account of the Humming-Birds of the West Indies (Ibis, 1896, pp. 496-519) and other ornithological memoirs.

Loftus (WILLIAM KENNETT).

83 birds and eggs from the neighbourhood of Bagdad. Presented. [53. 1. 6, 1-79, 94-98.]

Mr. Kennett Loftus was a well-known archæologist and traveller. He was geologist to the Turko-Persian Frontier Commission, 1849-1852 (*cf.* Dict. Nat. Biogr., xxxiv., p. 80).

Londesborough (*Earl of*).

31 specimens of sea-birds (Herring Gulls, Guillemots, etc.) from Flamborough Head. Presented. [87. 9. 8, 1-16; 87. 9. 10, 1-15.]

Lord (*JOHN KEAST*).

See BOUNDARY COMMISSION, BRITISH N. AMERICAN.

137 birds and eggs from British Columbia and Vancouver Island. Presented by the Foreign Office. [60. 2. 23, 1-106; 60. 11. 22, 1-131.]

435 birds, nests, and eggs from British Columbia. Presented. [62. 12. 10, 1-37; 63. 1. 7, 1-398.]

The first collections were made by Mr. Lord during the time of his employment as naturalist to the Boundary Commission. He seems to have stayed in British Columbia after the labours of the Commission were over, and to have made further collections which he gave to the British Museum (*cf.* his book, "The Naturalist in Vancouver Island and British Columbia," 2 vols., 8vo, London, 1866).

Lovat (*Lord*).

See BLUNDELL, H. WELD.

Low (*Sir HUGH*).

See also HIGGINS.

5 specimens from the Sulu Archipelago. Presented. [76. 5. 30, 1-5.]

These formed the types of my *Oriolus suluensis* (Cat. B., iii., p. 205), a species now considered to be identical with *O. chinensis*, and *Sarcops lowi*.

Sir Hugh Low was an active collector in all branches of natural history during the many years which he spent in the Malay Archipelago as Inspector at Labuan and afterwards as British Resident at Perak, at which latter place he established the Museum. I described one of his collections from Labuan in the 'Proceedings' for 1875, but owing to some carelessness on the part of his agent, this consignment was handed over to me as being all from Labuan, whereas a considerable portion of it was from the mainland of Borneo, mostly from Lumbidan. Governor Ussher, on being appointed to Labuan, made extensive collections on the island itself and in the mainland, and in describing this series and another made by Sir W. H. Treacher, I was able to give a more exact account of the Avifauna of the island (*cf.* P.Z.S., 1879, pp. 317-354, pl. xxx.), and to expunge from my previous list many hypothetical species.

Governor Ussher pays the following tribute to Sir Hugh Low:—"Natural history in Borneo owes a large debt to him, and his name is well known to science. His labours in every department of zoology and botany, as well as his numerous excursions and travels in Borneo, and his intimate acquaintance with the various tribes of the great island, make him the foremost authority on all matters connected with that part of the Malay Archipelago."

Lowe (*Dr. PERCY R.*).

3 birds from the West Indian Islands, two of which were new to the collection (*Spindalis salvini* and *Vireo bermudianus*). Presented. [1904. 6. 6, 1-3.]

11 birds from Jamaica. Presented. [1904. 9. 13, 1-11.]

Lucas (W.).

45 birds from Obi Major. Purchased. [1900. 3. 1, 1-45.]

Carpophaga obiensis and *Ptilonopus granulifrons* were new to the collection.

Lucas (W.).

A collector in the Eastern Transvaal, especially in the Rustenberg district, where he obtained many interesting species. Several of his skins are to be found in the Shelley and Seeböhm collections.

Lundborg (H.).

9 mounted birds from Sweden. Purchased for the public gallery. [97. 10. 17, 1-9.]

Mr. Lundborg is a celebrated Swedish taxidermist.

Lyall (Dr.).

See also STOKES, Capt.

7 eggs from New Zealand. Presented. [52. 1. 16, 10-16.]

137 birds from Vancouver Island and N.W. America. Presented. [59. 1. 26, 1-91; 60. 8. 24, 9-34; 61. 8. 12, 1-20.]

He was attached as Surgeon to H.M.S. *Plumper*, and made quite an interesting collection on Vancouver Island, in the Straits of San Juan de Fuca, etc.

Lynes (Commander HUBERT), R.N.

11 birds from Southern Spain. Presented. [1905. 8. 5, 1-11.]

McBarnet (A. C.).

4 birds from Bahia. Presented. [1905. 8. 6, 1-4.]

McCaw (G. I.).

10 birds from the Zambesi. Presented. [1905. 8. 1, 1-10.]

McCleannan (J.).

Made large collections of birds in Panama, many specimens being described by the late G. R. Lawrence. A good series are in the Salvin-Godman collection (*cf.* Salvin, P.Z.S., 1867, pp. 129-161; 1870, pp. 175-219).

McClelland (Dr.).

See INDIA MUSEUM.

McConnell (FREDERIC VAVASOUR).

6 birds from British Guiana. Presented. [99. 12. 26, 1-4; 1900. 5. 4, 1; 1901. 11. 14, 1.]

Mr. McConnell discovered a new Bunting on the summit of Mt. Roraima, which I named *Zonotrichia macconnelli*. He presented the types of this species to the Museum, as well as that of a new species of Piculet, *Picumnus macconnelli* (Sharpe, Bull. B.O.C., xii., p. 4, 1901).

He also presented to the Museum a skin of a Goshawk (*Urospizias jardinei*, Gurney), of which no specimen was in the National Collection. [1900. 5. 4, 1.] Only one other specimen was known, viz., the type in the Norwich Museum, supposed to have come from New Caledonia.

McConnell (F. V.) and Quelch (J. J.).

546 birds from British Guiana. Presented. [95. 11. 28, 1-420; 97. 4. 6, 1-8; 98. 11. 21, 1-118.]

This fine collection was made in the neighbourhood of Georgetown, Demerara, on the Essequibo River, and in the inland Savana country. It contained several interesting forms in spirits, such as *Heliornis*, etc., and a good representative set of the low-country birds.

McCormick (Dr. ROBERT).

142 birds and eggs from the Falkland Islands and the Antarctic Seas. Bequeathed. [90. 12. 13, 1-77; 91. 2. 15, 1-11; 91. 6. 16, 1-54.]

One morning in the year 1884, several of the officers of the Natural History Museum were surprised at the sight of a little old man ascending with quite an elastic step the staircase of the upper floor of the Museum and disappearing into the Botanical Department. He belonged evidently to a by-gone age. A rather broad-brimmed hat covered a very evident wig, his neck was encircled by a high stock, his waistcoat was white and very low, exposing a wide front of flannel shirt of the hues of a Scotch plaid. His swallow-tail coat was of a dark blue with gilt buttons, and his trousers were of a pronounced shepherd's plaid. I was telling some of my colleagues afterwards of the wonderful appearance of the old gentleman I had seen, when a knock came at my door, and on opening it, I found myself face to face with the individual in question. On his introducing himself as Dr. McCormick, I could not repress my astonishment and told him that I thought he had been dead years ago. "Yes," he replied, "I know I ought to have been, but I am not. I am eighty-four years of age, and I thought, before I died, I should like to see some of the animals I shot when I was naturalist to the *Erebus* and *Terror*, as I am writing my memoirs." This book appeared shortly after his visit. I conducted the old veteran round the Bird-Gallery, where he recounted how he had shot the Emperor Penguins (*Aptenodytes forsteri*) in the Antarctic Ice-Pack with a rifle. The old gentleman did not manage to visit the Museum again, but I used often to go and see him at his home, Hecla Villa, Wimbledon, and I hope that I helped to cheer his last days, when he was wonderfully interested in the tame white Duck which he has immortalised in his book. At his death, as a votive offering to me, he bequeathed his natural-history specimens to the Museum. They consisted of certain duplicates from the Antarctic expedition, which he had been permitted to retain, but they had been sadly neglected for many years and were nearly all moth-eaten. I was, however, able to keep a few for the Museum. One of the most notable facts in connection with Dr. McCormick's specimens was that they were carefully labelled with the date of capture, etc., but these particulars were seldom preserved by the Museum authorities at the time.

During the Antarctic expedition, some specimens of a Great Skua (*Megalestris*) were discovered, and these ultimately turned out to belong to an undescribed species, which was named *Megalestris maccormicki* by Mr. Howard Saunders (Cat. B., xxv., p. 321, pl. i.). Many excellent notes on the habits of Antarctic birds from Dr. McCormick's pen have been published by Gould, and it seems somewhat sad that this old hero should have been allowed to pass to his grave comparatively forgotten by his country, for which he had done such sterling work. His book, which appeared in 1884, bore the following title: "Voyages of Discovery in the Arctic and the Antarctic Seas and round the World, being personal narratives of attempts to reach the North and South Poles,

and of an open boat expedition up the Wellington Channel in search of Sir John Franklin and Her Majesty's ships 'Erebus' and 'Terror,' in Her Majesty's boat 'Forlorn Hope,' under the command of the author to which are added an autobiography, appendix, portraits, maps, and numerous illustrations." 2 vols., 8vo, vol. i., pp. xii, 412; vol. ii., pp. xx, 432.

Cf. Dict. Nat. Biogr., xxxv., p. 11.

McFarlane (Rev. S.).

26 birds from British New Guinea. Purchased. [76. 6. 16, 1-13; 80. 3. 11, 1-13.]

Mr. McFarlane was one of the early pioneer missionaries in British New Guinea, and interested himself in the natural history of the country. An account of his collection was published by me in the Linnean Society's Journal, vol. xiii., pp. 79-83. Two species, *Graucalus angustifrons* (= *G. hypoleucus*) and *Zosterops albiventer*, were described as new.

MacGillivray (J.).

14 birds from Cape York (Voyage of H.M.S. *Rattlesnake*, 1846-1850). Presented. [51. 1. 11, 1-14.]

Among these specimens were the types of three species described by Gould, viz., *Tanysiptera sylvia*, *Syma flavirostris*, *Chlamydodera cerviniventris*, and of *Calornis purpurascens*, Gray.

16 birds from the Falkland Islands (Voyage of the *Rattlesnake*). Presented. [51. 1. 29, 1-16.]

5 birds and 4 eggs from Moreton and Goose Islands (Voyage of the *Rattlesnake*). Presented. [51. 4. 2, 1-9.]

13 birds from Cape York and the Louisiade Archipelago (Voyage of the *Rattlesnake*). Presented. [51. 10. 11, 1-13.]

The types of *Ptilopus strophium*, Gould, and *Piezorhynchus lucidus* (Gray) are in this collection.

14 birds from New Caledonia and the Solomon Islands, also from Tristan d'Acunha (voyage of H.M.S.S. *Rattlesnake* and *Herald*). Presented. [56. 10. 14, 1-14.]

In this donation were included the types of *Nesocichla eremita*, Gould, *Ptilopus greyi*, Gray, *Columba hypænochroa*, Gould, *Coryphænas crassirostris*, Gould, *Lorius chlorocercus*, Gould, *Centropus milo*, Gould, *Hirundo subfusca* (= *H. tahitica*) (*cf.* Sharpe, Cat. B., x., p. 141), and *Tropidorhynchus lessoni*, Gray.

MacGregor (Sir WILLIAM).

3 rare birds from British New Guinea (*Paramythia montium* and *Daphænositta miranda*). [97. 4. 20, 1-4.]

McGregor (R. C. S.).

10 birds from Battle Creek, California. Presented. [98. 12. 14, 1-10.]

McIlwraith, McEacharn and Co.

7 birds from Mt. Victoria, British New Guinea. Purchased. [96. 1. 5, 1-7.]

A small selection from a New Guinea collection, offered to the Museum by the above-named gentlemen, who are merchants in the City. Since that date the collections have been acquired by the Tring Museum. They have all contained specimens of value, and a Lorikeet has been described by Mr. Rothschild as *Cyclopsittacus macilwraithi*.

In the small collection acquired by the Museum were four species new to the collection, two of them being new to science (*Oreopsittacus grandis*, Grant, *Melipotés atriceps*, Grant (= *M. fumigatus*, Meyer). Specimens of *Paramythia montium*, De Vis and *Amblyornis macgregoriae*, De Vis (= *A. inornatus*, Schl.), were also added to the Museum collection.

McIntosh (DONALD).

229 birds from Australia, mostly from Victoria. Presented. [1900. 6. 11, 1-204; 1900. 6. 24, 1-25].

A well-known Australian sportsman, who presented some interesting birds.

Mackinder (Prof. H. J.).

85 specimens from the Mackinder expedition to Mount Kenya. Purchased. [1900. 1. 19, 1-85.]

For an account of Professor Mackinder's Expedition, see the "Geographical Journal" for 1900 (vol. xv., p. 453). 56 species were obtained during the journey, which were described by me in my account of the collection (P.Z.S., 1900, pp. 596-609). Four were new to science, viz., *Bubo mackinderi* (pl. xliii.), *Pinarochroa ernesti* and *Hyphantornis camburni*, *Campothera hausbergi*; and a fifth species, *Cisticola neumanni*, from the Settima Range, has been described by Dr. Hartert (Bull. B.O.C., xii., p. 13, 1901). A Flycatcher which I at first identified as *Chloropeta interina* turned out to be new, and I described it as *C. kenya* (Bull. B.O.C., xii., p. 35). *Laniarius abbotti* was also new to the collection.

McKinlay (Dr. A.).

36 birds from the Malay Archipelago and the coast of China. Presented. [82. 12. 1, 1-36.]

Dr. McKinlay was surgeon on board H.M.S. *Mosquito* during the service of this battleship on the China station. He procured a specimen of the rare Scops Owl (*Pisorhina stictonota*).

Macmillan (W. N.).

430 birds from the Baro and Sobat Rivers and Upper White Nile, collected by Mr. Zaphiro. Presented. [1905. 12. 25, 1-430.]

Macpherson (J.).

One of Mr. Hume's correspondents who sent him eggs from Mysore.

Majastre (A.).

See GERRARD, E.

Major (Dr. FORSYTH).

See ROYAL SOCIETY.

A collection of birds and skeletons of birds from Madagascar. An account of the expedition made by Dr. Forsyth Major and Mr. A. Robert will be found in the "Proceedings" of the Zoological Society for 1896 (pp. 971-981). For a full account of his work cf. Hist. Coll., i., Geology, p. 309.

Maltzan (Baron H. von).

29 specimens from Haiti and San Domingo. Purchased. [89. 3. 27, 1-29.]

Man (E. H.).

6 eggs of the Nicobar Megapode (*Megapodius nicobariensis*). Presented. [81. 7. 29, 19-24] (cf. Oates, Cat. Eggs Brit. Mus., i., p. 16).

Mandelli (L.).

13 birds from Sikhim. Presented. [78. 3. 29, 6-18.]

When I first began to work at the Museum, I found the series of birds from our Indian Empire to be a very poor one, both as regards the number of species and the condition of specimens, and I wrote to Mandelli to beg for a few of the Flycatchers necessary for my work in the fourth volume of the "Catalogue of Birds." He promptly sent me the 13 specimens recorded above, which were most useful at the time, and added five species to the Museum, viz., *Nitidula hodgsoni*, *Muscicapula sapphira*, *Erythrostera pusilla*, *Cyornis magnirostris*, and *C. unicolor*.

Mandelli employed a number of native collectors, and amassed a fine series of birds from Sikhim, Native Sikhim, the adjacent portions of Tibet, and the Bhutan Dooars. So particular was he as to the condition of his skins that he made a point of throwing away any which were not well preserved. The unfortunate man ultimately took his own life, and his collection was purchased by Mr. Allan Hume, and came to the British Museum with the rest of the Hume collection in 1885. It was one of the features of this wonderful donation.

Manning (General W. H.).

438 specimens of birds from Nyasa Land and the neighbouring countries. Presented. [99. 1. 2, 1-26; 99. 3. 1, 1-148; 1900. 11. 12, 1-222; 1901. 6. 20, 1-33; 1901. 7. 5, 1-9.]

The good work begun in Nyasa Land by Sir Harry Johnston was continued by General (then Colonel) Manning, who succeeded him as H.B.M. Commissioner for British Central Africa. The collections sent by General Manning were described by Capt. Shelley in the "Ibis" for 1899 (pp. 281-283, 369, 564-580, pls. v., vi.; 1901, pp. 161-177, 586-595. *Chlorophoneus manningi* is named after him (cf. Ibis, 1899, pp. 281-283, 364-380, pls. v., vi.), and other species, *Lybius macclouini*, *Cisticola alticola*, and *Cypselus alfredi*, were discovered by Mr. McCloun and the naturalists employed by General Manning.

Cf. Who's Who, 1905, p. 1067.

Mantell (Dr.), F.R.S.

10 specimens, including cast of the head of the Dodo, eggs and skulls of Ostrich and skeletons of other birds. Presented. [41. 1. 12, 36, 38, 39; 41. 1. 14, 26, 28; 41. 1. 14, 36, 44, 57; 41. 1. 17, 2, 3.]

Cf. Dict. Nat. Biogr., xxxvi., p. 99.

Mantell (WALTER), Esq. [Son of the above.]

5 specimens from New Zealand. Purchased (through Mr. Gould). [56. 5. 28, 1-5.]

The original example of *Notornis mantelli* was purchased on this occasion. The history of the specimen is given by Mr. Gould in his "Handbook to the Birds of Australia" (vol. ii., pp. 576-579). The types of *Nestor notabilis*, Gould, were also acquired at the same time.

A second specimen of *Notornis* in the Museum bears no register number, but is said to have been procured by Mr. Walter Mantell, and is so chronicled by Sir Walter Buller (B. New Zealand, 1st ed., p. 192). The two specimens were mounted by the late Mr. A. D. Bartlett, and were for many years exposed in the public Bird Gallery. When the collections were transferred to South Kensington from Bloomsbury they were removed and placed in the bird-cabinets, where they are no longer exposed to the risk of bleaching.

The type of *Spatula variegata*, Gould, was bought at the same time (cf. Salvadori, Cat. B., xxvii., p. 314).

Maries (C.).

46 birds from China and Japan. Purchased. [80. 2. 27, 1-46.]

This collection added a specimen of *Ampelis phœnicoptera* to the collection.

14 mounted specimens from Gwalior. Presented. [91. 6. 20, 1-14.]

These birds were beautifully mounted by Mr. Maries, when he was Curator to the Gwalior Museum.

Markham (Admiral A. H.).

10 specimens of eggs from Novaya Zemlya. Presented. [79. 11. 15, 1-10.]

Some of these eggs were very interesting, especially those of the Glaucous Gull (*Larus glaucus*), etc.

Marsden (Mr. HERBERT).

20 embryos and nestlings of Fulmar Petrels and other St. Kilda birds. Purchased. [99. 7. 11, 1-20.]

Marshall (Colonel C. H. T.).

37 specimens, chiefly from the Himalayas. Presented. [78. 3. 11, 1-19; 78. 5. 4, 7-24.]

10 specimens from Chamba, N. W. Himalayas. Presented. [84. 7. 22, 1-10.]

Includes the type of the new Monaul (*Lophophorus chambanus*), now believed to be merely a variety of the common species, *L. refulgens*.

Marshall (Guy A. K.).

41 specimens of birds from Mashonaland. Presented. [96. 3. 15, 1-35; 1900. 2. 20, 5-10.]

Eldest son of Colonel C. H. T. Marshall, and a first-rate naturalist and collector. He has done some very extensive work with South African Lepidoptera, and has written a very interesting paper on the Birds of Mashonaland (Ibis, 1900, pp. 221-270). The collections presented by Mr. Guy Marshall contained several interesting species hitherto supposed to be confined to S.W. Africa.

Martin (Dr. HENRY C.).

Two curious grey varieties of the Rook (*Trypanocorax frugilegus*) From Wiltshire. Presented. [1902. 7. 8, 1-2.]

Meade-Waldo (E. G. B.).

60 birds from the Atlas Mountains, Morocco, including the types of *Parus atlas*, *Motacilla subpersonata* and *Cotile mauritanica*. Presented. [1904. 4. 12, 1-60.]

A skeleton of *Bubo ignavus* from Norway. Presented. [1904. 6. 24, 1.]

An egg of *Syrnium uralense*, laid in confinement. Presented. [1905. 6. 21, 1.]

450 specimens from the Canary Islands, etc. Presented. [1905. 12. 23, 1-450.]

Mears (Capt. A.).

116 birds from the Upper Chindwin River. Presented. [1903. 12. 4, 1-104; 1903. 12. 11, 1-12.]

340 birds from the Upper Chindwin River, Burma. Presented. [1904. 12. 6, 1-7; 1904. 12. 12, 1-333; 1905. 9. 24, 1-200.]

Meek (A. S.).

See GERRARD.

Mr. Albert Meek has been one of the band of naturalists who have collected for the Hon. Walter Rothschild in Papuasias and North Australia. In company with his brother-in-law Mr. Eickhorn, he has carried out some surprisingly successful expeditions, which are recorded in the following papers in the "Novitates Zoologicae" by the Hon. Walter Rothschild and Dr. Hartert: vol. ii., 1895, p. 61 (Fergusson Island); iii., 1896, pp. 233-251 (Fergusson, Trobriand, Egum, Woodlark Islands); v., 1898, pp. 521-532 (Sudest Island); vi., 1899, pp. 76-84 (Rossel Island), 206-217 (St. Aignan Island), 423-428 (Cape York); viii., pp. 179-189 (Kulambangra, Florida Islands, Solomon Archipelago); pp. 373-382 (Guadaleanar); ix., pp. 581-594, pls. vii.-ix. (Isabel Island), xiii., pp. 244-268 (Solomon Island).

Meinertzhagen (DAN).

77 skeletons and birds in spirits. Presented. [98. 5. 7, 1-77.]

Of all the young naturalists whom I have known, Dan Meinertzhagen was certainly one of the most promising, and his early death was a real misfortune for ornithological science. I have seen his MSS. written when a boy at Harrow, and they not only show an extraordinary method of observation, but are accompanied by drawings far above the usual school-boy level. He was particularly interested in the *Accipitres*, of which he kept a fine collection of living examples at his father's residence at Mottisfont Abbey. He had also a very good collection of eggs, and had begun to travel in pursuit of ornithological knowledge, making a successful expedition into Lapland in company with Mr. R. P. Hornby. Had he lived he would no doubt have risen to very high rank as a scientific observer. "Bird Life in an Arctic Spring," London, 1899, 8vo (pp. xxxiv., 150, pls. 27) gives his diary of his Lapland expedition, with an interesting memoir of the author by his mother.

Menzbier (Professor M.).

168 birds from Turkestan, collected by the late Dr. Severtzow, and purchased through Professor Menzbier [90. 3. 8, 1-168.]

This collection added largely to our Palaearctic series. *Chelidon lagopus* and *Cynchramus polaris* were new to the Museum.

529 specimens of *Paridæ*. Purchased. [1901. 5. 4, 1-529.]

This was the private collection of Professor Menzbier, who had intended to write a monograph of the *Paridæ* or family of Tits. Finding that his duties at the University of Moscow had so much increased that there was little hope of his being able to write his intended monograph, he offered his collection to the Trustees of the British Museum, who thus acquired a beautiful series of the Palaearctic species, including four which were previously unrepresented in the National Collection, with *Remiza macronyx*, *Lophobasiliscus elegans*, etc., and types of *Parus songarus*, *P. affinis*, *P. superciliosus* and *Acredula atronuchalis*. As the eighth volume of the "Catalogue of Birds," notoriously defective and out of date, is about to be re-written, this collection of *Paridæ* will be found to be of immense service.

Merlin (Consul C. W. L.).

58 birds from Greece and Asia Minor. Presented. [43. 7. 8, 1-27; 45. 5. 28, 1-13; 65. 8. 18, 1-18.]

Mr. Merlin was for many years H.B.M. Consul at Athens, and was a

personal friend of Dr. Krüper, with whom he made several expeditions. He sent many interesting birds to the Museum.

Merriam (Dr. C. Hart).

9 birds from Locust Grove, New York. Presented. [84. 10. 6, 1-9.]

Dr. Hart Merriam is now the chief of the Division of Biological Survey in the U.S. Department of Agriculture, and under his administration some admirable work has been done, as may be seen in the "North American Fauna," which is published under his direction. On assuming his appointment in the U.S. Agricultural Department he gave up the special study of ornithology, in order to devote his whole time to the duties of his important position. His collection of birds, mostly from Locust Grove, the Adirondack Mountains, and other districts of the State of New York, passed into the hands of his friend, Mr. H. W. Henshaw, and formed an important part of the great Henshaw collection presented to the Trustees by Dr. F. D. Godman.

Meves (W.).

131 birds from Sweden. Purchased. [74. 1. 1, 1-99; 74. 1. 25, 1-32.]

Meves was one of the best taxidermists of his age, and certainly one of the best collectors. He was a great friend of Sundevall and Wahlberg, the latter of whom named a Glossy Starling *Lamprolornis mevesi*,* from Damara Land. One of my first thoughts on being appointed to the Museum was to get together a good collection of Swedish birds, as being the typical species described by Linnæus. I therefore applied to my old correspondent, Meves, from whom I had had much help when compiling the "Birds of Europe," and he sent over a nice series of the common birds of Sweden, in various stages of plumage.

Meyer (Dr. A. B.).

See GERRARD.

The Museum was able to acquire a few duplicate specimens from Dr. Meyer's celebrated expedition to New Guinea and the Moluccas. A few more were received with the Gould collection.

Miles (Colonel).

66 birds from Muscat. Presented. [85. 11. 5, 1-52; 85. 11. 7, 1-14.]

This collection created a great deal of interest amongst ornithologists on its arrival at the British Museum, coming as it did from a locality on the borderland between the Indian and Palearctic regions. This interesting fact is emphasized by the occurrence of a new Eagle Owl, *Bubo milesi*, allied to the African forms of *Bubo*, and a Bee-eater, *Merops muscatensis*, which finds its nearest ally in *M. viridis* of India and *M. cyanophrys* of Aden. The collection was described by me in the 'Ibis' for 1888 (pp. 162-168, pl. vi.).

Milne (Professor).

See JANSON, E. W.

When studying volcanic action in Japan, Professor Milne sent home some collections of animals which were offered to the British Museum, and we obtained some interesting birds.

* The English name for this bird must be Meves' Starling, not Meyer's Starling, as given in the "Fauna of S. Africa," Birds, i., p. 32.

Milner (*Capt. W. H.*).

43 birds from Central and South America. Presented. [91. 10. 9, 1-25; 95. 3. 10, 1-8; 96. 4. 3, 1-10.]

Captain Milner was in command of one of the steamers of the Royal Mail Steam Packet Company, and sometimes found time to shoot a few sea-birds, such as Frigate-birds, etc., which he brought home in the freezing chamber of the vessel. The Museum thus procured some interesting species of birds suitable for mounting in the Public Gallery, and for making into good skeletons.

Miramende (*Mr.*).

2 specimens of *Uratelornis chimara*, the Long-tailed Ground-Roller of Madagascar. Purchased. [1902. 12. 10, 1-2.]

Mitchell (*Sir THOMAS*).

212 birds and 14 eggs from Australia. Presented. [39. 8. 2, 101-128; 42. 7. 4, 1-27; 47. 8. 14, 48-164.]

Mochler-Ferryman (*Capt. A. F.*).

20 specimens from Shonga, Upper Nigeria. Presented. [90. 3. 23, 1-20.]

Cf. his book, "Up the Niger," 1892, App. Birds, p. 310.

Moloney (*Sir ALFRED*), *K.C.M.G.*

23 birds from the Gold Coast. Presented. [83. 10. 22, 1-23.]

5 birds from Lagos. Presented. [90. 2. 7, 1-5.]

Sir Alfred Moloney was successively Secretary to the Gold Coast, Administrator of the Gambia, and afterwards of Lagos, and took great interest in the natural history of the dependencies over which he ruled. He also made a good collection of Senegambian birds for Captain Shelley; this has passed with the Shelley collection into the British Museum.

Cf. "Who's Who," 1904, p. 1075.

Monteiro (*JOACHIM J.*).

179 birds from Angola and Benguela. [73. 12. 10, 1-179.]

Monteiro was a great personal friend of my own, and he was one of the most clever and amiable men I have ever met. His wife, who was an accomplished musician, was also a born naturalist and an excellent collector, and shared with her husband all the difficulties and discomforts connected with a life in the wilds of Africa. Monteiro was one of the first of our British naturalists to visit Angola, and his collections were described by Dr. Hartlaub in the 'Proceedings' of the Zoological Society for 1860, pp. 109-112, pl. clxi.; 1865, pp. 86-96, pls. iv.-vi.; *cf.* also Sharpe, P.Z.S., 1870, pp. 142-150, pl. xiii.; and the 'Ibis' for 1862, pp. 333-342, pl. xi. There were many new forms, and for a long time Monteiro was unwilling to part with his collection; but in 1873 he yielded to my entreaties and offered it to the Trustees, whereby the Museum became possessed of the types of many interesting species: *Ortygometra angolensis*, Hartl. (= *Crucopsis egregia*, Peters; *cf.* Sharpe, Cat. B., xxiii., p. 81), *Otis picturata*, Hartl. (= *Heterotetrax rüppelli*, Wahlberg; *cf.* Sharpe, t.c., p. 29), *Rhinoptilus bisignatus*, *Asturina meridionalis*, *Lophoceros monteiroi* (Hartl.), *Toccos elegans*, Hartl. (= *Lophoceros elegans*, Grant, Cat. B., xvii., p. 415), *Upupa decorata*, Hartl. (= *U. africana*, Bechst.; *cf.* Salvin, Cat. B., xvi., p. 14), *Caprimulgus fulviventrís*, Hartl., *Hirundo monteiri*, Hartl., *Platysteira albifrons*, Sharpe, *Muscicapa lugens*, Hartl., *Pycnonotus tricolor*, Hartl., *Aethocichla gymnogenys*, Hartl., *Laniarius*

monteiri, Sharpe, *Dryoscopus guttatus*, Hartl., *D. angolensis*, Hartl., *Nectarinia chalcea*, Hartl. (= *Cinnyris cupreus*, Shaw), *Vidua decora*, Hartl., *Hyphantornis xanthops*, Hartl., *Pytelia monteiri*, Hartl., *Certhi-
lauda benguellensis*, Sharpe.

Obituary Notice, *Ibis*, 1878, p. 208.

Moore (F.).

See HORSFIELD, Dr., and INDIA MUSEUM, LONDON.

Mr. Frederic Moore was born May 13th, 1830, at the house of the Zoological Society, 33, Bruton Street, his parents being the Office- and House-keeper to the Society; these duties being continued by them at the Society's House and Museum in Leicester Square, Pall Mall, and at 11, Hanover Square. His school days were spent at the Academy of Mr. W. Chambers, F.Z.S., in Castle Street, Leicester Square, which he left in 1845. He then went as Entomological Assistant to the Rev. F. W. Hope, at his Museum in Upper Seymour Street. In 1848 he was appointed Assistant to Dr. T. Horsfield, in the Museum of the East India Company in Leadenhall Street, and, after the abolition of the Company, he filled the duties of Assistant-Curator and Zoological Superintendent of the India Museum till its transference to the Crown, in 1880, when he retired on a pension from the Indian Government. From 1880 he fulfilled the Office of Entomologist in the Economic Section of the Science and Art Museum, at the branch in Bethnal Green, till the abolition of this Section in 1883. From 1881 to 1887, he compiled and published the three vols. of the "Lepidoptera of Ceylon," and from the latter year to the present (1905) has also prepared and published six vols. of the "Lepidoptera Indica." In 1893 he received the Honorary Degree of D.Sc. from the University of Pennsylvania.

Moore (SPENCER).

25 eggs of Brazilian birds. Presented. [1900. 8. 19, 1-28.]

Morcom (G. FREAN).

82 specimens of birds from California. Presented. [87. 1. 27, 1-82.]
The type of *Colinus ridgwayi* is included in this collection.

Moreno (Dr. F. P.).

242 birds from the Argentine Republic. Presented. [99. 1. 27, 1-242.]

Dr. Moreno was one of the Commissioners of the Chili-Argentina Boundary Settlement. The collection which he gave to the Museum was principally from the Salta district, and contained a number of interesting species, among them being a new Dove (*Gymnopelia morenoi*, Sharpe, Bull. B.O.C., xii., p. 54, 1902).

Morgan (Rev. CHANCELLOR A.).

3 birds from Monmouthshire. Presented. [73. 12. 6, 1-3.]

Chancellor Morgan was a friend of Dr. Günther, and sent specimens for the collection.

Morrogh (Dr. A. MCCARTHY).

21 birds from Uganda, British East Africa. Presented. [1902. 7. 30, 1-21.]

Moseley (E. L.).

73 specimens from the Philippine Islands. Purchased. [90. 9. 9, 1-25; 91. 4. 25, 1-48.]

138 specimens from the Philippine Islands. Exchanged. [90. 12. 1, 1-138.]

Mr. Moseley was one of the band of naturalists who joined the celebrated expedition of Prof. J. B. Steere to the Philippine Archipelago, and afterwards took part in the Mearns expedition to the same group.

In the above purchases were numerous species new to the Museum: *Chrysocolaptes samarensis*, *Centropus mindorensis*, *Cranorhinus waldeni*, *Loriculus worcesteri*, *L. mindorensis*, *L. siquijorensis*, *Ceyx fluminicola*, *C. malamaui*, and the type of *Ceyx bournsi*, *Graucalus mindorensis*, *Edoliisoma panayensis*, *Iole siquijorensis*, *I. mindorensis*, *Irena ellæ*, *Arachnothera philippinensis*, *Zeocephus cinnamomeus*, *Macronus mindanensis*, *Abrornis olivacea*, *Dicaeum besti*, *Cinnyris guimurasensis*, *Cryptolopha nigrorum*, *Sarcophanops samarensis*, *Ptilocichla basilanica*, *Mixornis nigricapitatus*, and *Cittocinclla cebuensis*.

Mougel.

A correspondent of Edward Hargitt, in whose collection are many specimens from the Vosges Mountains obtained by Mougel.

Moulden (E. S.).

37 eggs of birds from Adelaide, South Australia. Presented. [1900. 5. 21, 1-9; 1900. 5. 25, 1-28.]

Munt (H.).

77 specimens of birds from Australia. Presented. [96. 4. 8, 1-77.]

Murray (A.).

See also Ross, B. R.

40 birds from Fort Simpson, W. Canada, collected by B. R. Ross. Presented. [61. 7. 9, 1-40.]

Murray (Sir JOHN), K.C.B.

152 specimens of birds' nests and eggs from Christmas Island, Indian Ocean. Presented. [97. 12. 15, 1-36; 98. 9. 16, 1-88; 98. 9. 21, 1-10; 98. 9. 27, 1-18.]

Sir John Murray supplied the funds for a scientific exploration of Christmas Island, and Dr. Andrews, of the British Museum, was the naturalist selected. The results of this very successful expedition are set forth in a memoir published by the Trustees: "A Monograph of Christmas Island (Indian Ocean)," London, 1900, 8vo, Aves, pp. 37-50, pls. iii.-vi.

Museums.

See AUSTRALIAN (p. 302), BRUSSELS (p. 321), CALCUTTA (p. 395), SALANGORE (p. 461), SOUTH AFRICAN (p. 487), WEST AUSTRALIAN (p. 508).

Musters (J. P. CHAWORTH).

5 specimens of birds from Spain and Norway. Presented. [1902. 3. 26, 1-5.]

Nelson (E. W.).

A very celebrated American field-naturalist, who has done most excellent collecting work in Alaska (cf. "Cruise of the *Corwin*"), and especially in Mexico for the U.S. Biological Survey. Many specimens from his Alaska expedition were in the Henshaw collection.

Neroutcheff (D.).

7 specimens from Baku, Caspian Sea, including specimens of *Anser rhodorhynchus* and *Branta ruficollis*. Exchanged. [1902. 8. 15, 1-7.]

Newnes (*Sir GEORGE*), *Bart.*

186 birds and eggs from Victoria Land. Presented. [1901. 1. 5, 1-64; 1901. 1. 7, 1-104; 1901. 2. 5, 1-6; 1901. 12. 1, 1-12.]

This is the collection made by the late Nikolai Hanson and Mr. Hugh Evans on the expedition of the *Southern Cross*, and described in the "Report on the collections of Natural History" from that voyage (Aves, pp. 106-172, pls. vii.-x.), published by the Trustees in 1902.

Newton (*Professor ALFRED*), *F.R.S.*

21 specimens from the islands of St. Thomas and St. Croix in the West Indies. Presented. [59. 3. 25, 7-27.]

An account of the birds collected in St. Croix by Professor Newton and his brother, Sir Edward Newton, is published in the 'Ibis' for 1859 (pp. 59-69, pl. i., 138-150, 252-264, 365-379, pl. xii.).

For the scientific work of this celebrated British ornithologist, see 'Who's Who,' 1905, p. 1186, from which publication I have extracted the following notes:—

Professor Newton was a Travelling Fellow of Magdalene College, Cambridge, 1854-63, visiting Lapland, Iceland, West India Islands, and North America; re-elected Fellow, 1877; in 1864 accompanied Mr. (now Sir) Edward Birkbeck to Spitsbergen; brought the subject of Bird Protection before British Association, 1868; for several years Chairman of the Close-time Committee, during which time were passed the first three Acts of Parliament for Protection of Birds; gave especial attention to expiring faunas of Mascarene and Sandwich Islands; Chairman many years of British Association Migration of Birds Committee; has been Vice-President of the Royal and (frequently) Zoological Society; President of Cambridge Philosophical Society; awarded gold medal of Linnean Society, and one of the Royal medals adjudged by the Royal Society, 1900. *Publications*: "The Zoology of Ancient Europe," 1862; "The Ornithology of Iceland" (Appendix to Mr. Baring-Gould's work on that island, 1863); "Ootheca Wolleyana," 1864-1902; "Aves in the Record of Zoological Literature" (vols. i.-vi.); "Zoology," 1874 (2nd ed., 1894); "Birds of Greenland" (Arctic Manual, 1875); "A Dictionary of Birds" (1893-96); numerous contributions to scientific journals and articles in "Encyclopædia Britannica," 9th ed.; editor of the "Ibis," new series, 1865-70; "The Zoological Record," 1870-72; "Yarrell's British Birds" 4th ed., vols. i. ii., 1871-82.

Nicoll (*MICHAEL J.*)

An enthusiastic young observer who has accompanied the Earl of Crawford's voyages round the world, as naturalist on board the *Valhalla* (1902-3) (1903-4) (1905-6). He was born at Bepton in Sussex in 1880, and takes great interest in the birds of his native county.

See CRAWFORD, Earl of.

Nicholson (*FRANCIS*).

31 birds from Heligoland. Presented. [76. 11. 28, 1-31.]

Mr. Nicholson is a very zealous ornithologist, and formed one of our party when I accompanied Mr. Scebohm on his well-known journey to Heligoland (*cf.* 'Ibis,' 1877, pp. 156-165).

69 birds from Abcokuta, West Africa. Presented. [77. 11. 25, 1-69.]

These birds were collected by Mr. Robin and were described by Mr. Nicholson in the "Proceedings" of the Zoological Society in 1878 (pp. 128-131, pl. x.). '*Estrilda sharpei*' was described as new: it has

since been found to be identical with *Estrilda capistrata*, and should be called *Pytelia capistrata* (Hartl.) (cf. Sharpe, Cat. B., xiii., p. 390, note).

18 birds from Cape Palmas, Queensland, etc. Presented. [77. 12. 6, 1-18.]

138 birds and nests from Java, collected by Dr. H. O. Forbes. Presented. [78. 10. 21, 1-121; 82. 9. 26, 1-17.] Includes the type of *Zosterops buxtoni* (= *Z. aureiventer*; cf. Cat. B., ix., p. 163).

Dr. Forbes' Javan collection was described by Mr. Nicholson in the "Ibis" for 1879 (pp. 164-171, 1882, pp. 66-71.)

11 birds from Sumatra, collected by Dr. H. O. Forbes. Presented. [83. 2. 19, 1-11.] (cf. Nicholson, Ibis, 1882, pp. 51-65). *Hemicus sumatranus* and *Zosterops chlorates* were new to the collection.

Nisbett (Capt. W. G.).

15 specimens of Silver Pheasants from the Kachin Hills in Upper Burma. Presented. [1902. 11. 9, 1-15.]

Included the type of *Gennæus nisbeti*, Oates, Ibis, 1903, p. 99.

Nix (CHARLES).

44 birds from China. Presented. [1904. 12. 1, 1-44.]

Nixon (Miss).

23 birds from California. Presented. [1905. 8. 11, 1-23.]

Noble (HEATLEY).

6 specimens of the rare Duck, *Elasmonetta chlorotis*, from New Zealand. Presented. [99. 10. 17, 1-6.]

2 specimens of White's Thrush (*Oreocichla varia*) with nest. Presented. [1900. 5. 7, 1-2.]

These are the specimens exhibited in the nesting series, Group No. 26.

25 embryos of birds in spirit. Presented. [1900. 8. 10, 8-32.]

4 specimens of the Steamer-Duck (*Tachyeres cinereus*), from the Falkland Islands. Presented. [1900. 11. 30, 1-4.]

7 birds from Southern Spain. Presented. [1901. 7. 17, 1-7.]

Nordvi.

Many specimens of eggs collected by Nordvi are in the Seebohm collection. His name frequently occurs in Pleske's "Kola Halb-Insel."

Norman (G. C.).

6 eggs of British birds, from Bristol. Presented. [86. 6. 15, 1-6.]

Mr. Norman was for some years a volunteer assistant in the Bird Room, and was a great help in registering and incorporating our accessions. He wrote a paper "On the Geographical Distribution of the Crested Cuckoos (*Coccyzus*)," in the 'Ibis' for 1888, pp. 396-409, and described a new species, *C. caroli*.

North (A. J.).

98 eggs from Australia. Presented. [1905. 5. 21, 1-98.]

Born in Melbourne, Victoria, Australia, of English parents, Alfred John North exhibited in his earliest years an inborn taste for ornithology. During his school-days, the nucleus was formed of his large private collection. Visits were made to the National Museum, Melbourne, where he occasionally met the Director, the late Sir Frederick McCoy, but more frequently (owing to Sir Frederick's professorial and other duties) the late Mr. William Kershaw, and the late Mr. John Leadbeater, who

respectively had charge of the Entomological and Ornithological departments. In August 1878, he spent that month in the fern-gullies and hills of the Strzelecki Ranges in South Gippsland. The ruthless act of the selector and bush-fires had then but barely touched one of Nature's fairest domains, the home of the Giant Fern and towering *Eucalyptus*, the latter ranking among the tallest trees in the world. The locality was rich in bird-life, and a fair representative collection of bird-skins and eggs was made during this and many succeeding visits to the same district. *Ptilotis cassidix* and *Pycnoptelus floccosus* were amongst the most common birds there, and the nest and eggs of the latter species were discovered. In 1880 he became one of the original members of The Field Naturalists' Club of Victoria, and, though absent from that State for the past eighteen years, still remains an active member. Since 1878 he had been corresponding with Dr. E. P. Ramsay, Curator of the Australian Museum, Sydney, from whom he received many valuable hints as to the proper mode of collecting birds and their eggs, their correct identification and nomenclature, and the importance of making full notes relative to their habits. This information was supplemented by exchanges of specimens from Dr. Ramsay's private collection at Dobroyde. At intervals, until September 1886, collecting-trips were made, principally to the Ballarat and south-western districts of Victoria, South Gippsland, and Western Port. All the sets of eggs from Victoria and New South Wales sent to the late Mr. Phillip Crowley, and now in the British Museum, as well as others presented direct to the Trustees of the latter institution, were personally taken by him.

Mr. North then left Victoria, to arrange the Dobroyde collection for Dr. Ramsay, with the further intention of proceeding to Cairns, in North-eastern Queensland, to join a relative who had spent the two preceding years in that district, and who from time to time had forwarded him specimens of bird-skins, eggs, and insects. It was, however, decided otherwise. After a stay of five months in Sydney, arranging at his leisure the Dobroyde collection, and subsequently the collection of birds' eggs in the Australian Museum, he was asked in February 1897 by the Trustees of the latter institution to undertake the preparation of a Catalogue. This he did, and it was published in 1899 under the title of "Descriptive Catalogue of the Nests and Eggs of Birds found breeding in Australia and Tasmania." Later on he was appointed to assist the Curator, Dr. Ramsay, principally in the preparation of the "Catalogue of Australian Birds in the Australian Museum." In company with Dr. Ramsay, collecting-expeditions were made to different parts of the State. In addition to obtaining birds and eggs, in 1888 he made large collections of Silurian fossils at Lilydale, and Tertiary fossils at Muddy Creek and Schnapper Point, Victoria, and in the following year of Permo-carboniferous fossils at Gerringong and Crooked River, New South Wales. On the 4th August, 1891, he was appointed to the position he now holds, as Ornithologist, in the Australian Museum. In 1896-7 he visited the inland plains between Narrabri and Moree, and northward to the neighbourhood of the Queensland border, making a collection of birds, nests, and eggs, a short trip being made in the following year to the Upper Clarence River District.

His official duties keeping him for the most part in town, he has chosen for residence outlying suburbs, where he has made himself thoroughly acquainted with the habits and nidification of each bird, and, where possible, has studied the life history of a species. Thus five years were spent at Dobroyde and Ashfield, four more on the outskirts of

Canterbury and Croydon, and seven years at Chatswood and Roseville. The latter is beautifully timbered, with scrub and heath-lands in places, intersected with creeks and ravines leading to Middle Harbour, and is likely to remain a delightful hunting ground for the ornithologist for many years to come. The results of his labours have chiefly appeared in his many contributions to the "Proceedings of the Linnean Society of New South Wales," the "Records of the Australian Museum," and the "Sydney Town and Country Journal" (the latter anonymous); to a less extent in "The Victorian Naturalist," the "Proceedings of the Zoological Society" (London), "The Ibis," and kindred publications. Not forgetting the "Descriptive Catalogue" previously referred to, among his other more important contributions to ornithological literature are the "*Aves of the Horn Scientific Expedition to Central Australia*," published in 1896, and a "List of Birds collected by the Calvert Exploring Expedition in Western Australia,"* published in the "Proceedings of the Royal Society of South Australia" for 1898, the field notes being supplied in both instances by that indefatigable collector, Mr. G. A. Keartland.

The work on which Mr. North is now engaged, and of which four Parts and an Index forming Volume I. have been published by the Trustees of the Australian Museum, is "Special Catalogue No. I." His life-histories of *Rhipidura albiscapa*, *Micræca fascians*, *Gerygone albigularis*, *Malurus lamberti*, and *Origma rubricata*, show what can be done by daily observation, under favourable auspices, and in the neighbourhood of a large city. Especial attention has also been paid to the family of Bowerbirds (*Ptilonorhynchidæ*) in the work, which is freely illustrated with drawings of birds and photographs of nests, mostly taken *in situ* by the author.

Northbourne (Lord).

A specimen of Baillon's Crane (*Porzana bailloni*) from Deal. Presented. [1905, 10. 10, 1.]

Northcott (Colonel H. P.).

55 birds from Gambaga in the Gold Coast Hinterland, West Africa. Presented. [99. 9. 20, 1-55.]

A list of Colonel Northcott's collection was published by me in the "Bulletin" of the British Ornithologists' Club for 1899 (pp. vi., vii.). Amongst other interesting species obtained by him was *Lanius gubernator*, Hartl., previously only known from Equatorial Africa. In the same number of the "Bulletin" some new species from Gambaga were described by Dr. Hartert from Captain Giffard's collection (*t.c.*, p. v.; id., Nov. Zool., VI., pp. 402-403). Colonel Northcott was at a moment's notice despatched from England to join Lord Methuen's staff on the Modder River, and was killed almost immediately on his arrival.

(*Cf.* Sharpe, Bull. B.O.C., x., p. xxvi.)

Nurse (Capt. C. G.).

53 birds from Aden and Somali Land. Exchanged. [96. 2. 18, 1-53.] Captain Nurse made some interesting collections, principally of Lepidoptera, but the Museum also received some birds from him, among them being our first specimens of the Somali-Land Sparrow (*Passer castanopterus*).

* Proc. Roy. Soc. South Austr., vol. xxii., p. 125 (1898).

Oates (EUGENE W.).

67 birds from Burma. Purchased. [82. 1. 9, 1-67.] Among other interesting species, the Burmese Merlin (*Poliohierax insignis*) was added to the Museum collection.

62 nests and sterna of Burmese birds. Presented. [82. 1. 16, 1-31; 82. 1. 17, 1-31.]

1562 specimens of Burmese birds. Purchased. [82. 1. 20, 1428; 85. 4. 17, 1-9; 88. 8. 18, 1-49.]

A splendid series of Pelicans, and 34 species new to the collection, were acquired on this occasion.

610 eggs of Burmese birds. Presented. [82. 3. 20, 1-393; 84. 10. 2, 1-198; 85. 7. 21, 199-218.]

99 specimens from the Shan States. Presented. [91. 3. 15, 1-13; 94. 7. 3, 1-86.]

The first scientific collections received by the Museum from Burma. *Graculipica fuscogularis*, Salvad., was new to the National Collection, but the specimen was afterwards referred to *G. burmanica* by Mr. Oates ('Faun. Brit. Ind., Birds,' i., p. 535). *Pomatorhinus imberbis*, Salvad., was new to the Museum, as also the type of *Ixulus clarki*, Oates.

Mr. Oates was an officer in the Public Works Department in Burma, and rose to the highest positions in this branch of the Service. In his leisure moments he devoted himself to the study of natural history, and it is as a naturalist that he will always be known to fame. No more conscientious worker has ever lived, and his "Birds of British Burma," and the first two volumes of the "Aves" in the "Fauna of British India," are models of what such books should be. His influence on the history of zoology has been great, and his work is held in high esteem by all ornithologists. His recent illness, which has compelled him to forego the completion of the "Catalogue of Birds' Eggs in the British Museum," of which he wrote the first two volumes, has been much regretted by all his colleagues in the British Museum.

Oates (FRANK).

See OATES, W. E. and C. G.

Oates (W. E. and C. G.).

350 birds from Matabele Land. Presented [79. 9. 7, 1-350.]

This collection was made by Mr. Frank Oates, the brother of the donors, and was described by me in the Appendix to "Matabele Land and the Victoria Falls" (8vo, London, 1881), App., pp. 294-328, pls. A, B. *Bradyornis oatesi* and *Saxicola shelleyi* were described as new, but the latter species of Chat is now considered to be a *Thamnolæa* (cf. Sharpe, Handl., iv., p. 170). Frank Oates was a most enthusiastic sportsman and naturalist, and would have done much good ornithological work, had his life been prolonged. He died during his journey back from the Zambesi.

Ogilvie (F. MENTEITH).

28 specimens of Game-birds from Argyllshire. Presented. [91. 12. 24, 1-28.]

Ogilvie-Grant (W. R.).

See also BARING, Hon. CECIL; and FORBES, Dr. H. O.; REID, Capt. G. SAVILE; ROTHSCHILD, Hon. WALTER.

59 birds and eggs from Crieff, Perthshire. Presented. [84. 5. 16, 1-10; 84. 6. 3, 1-6; 97. 11. 6, 1-43.]

8 birds from Bournemouth. Presented. [89. 2. 27, 1-87.]

27 birds from Banffshire. Presented. [89. 10. 1, 1-27.]

82 birds from Madeira and the Desertas. Presented. [90. 5. 7, 1-82.]

Among many other interesting species, a new Sparrow Hawk, *Accipiter granti*, was described by mc.

10 specimens of Shags and Cormorants from Cromarty. Presented. [97. 5. 14, 1-10.]

16 specimens of Geese and Pigeons from Cromarty and Sutherlandshire. Presented by W. R. Ogilvie-Grant, Capt. Savile Reid, and G. A. St. Quintin. [97. 5. 16, 1-16.]

The groups of the Grey Lag-Goose (*Anser anser*) and Rock Dove (*Columba livia*), with their nests, eggs, and natural surroundings, were obtained on this occasion. [Nos. 147 and 82 of the nesting-groups.]

9 British Marsh Tits, and other birds from Kent, Hertfordshire, Berkshire, Surrey, Sussex, etc. Presented. [1902. 1. 21, 1-4; 1902. 1. 24, 1-3; 1902. 1. 27, 1-2; 1902. 3. 27, 3-15.]

52 birds from Clondeboy, Ireland, and Chislehurst. Presented. [1905. 6. 5, 1-52.]

8 birds from South Wales. Presented. [1905. 7. 19, 1-8.]

Mr. Ogilvie-Grant has been my colleague in the British Museum since June 1882, and has worked with great enthusiasm. He has procured 27 of the nesting-groups of British Birds, many taken by himself, others in company with Capt. Savile Reid and Mr. G. A. St. Quintin. He has also made expeditions to Madeira and the neighbouring islands (with the Hon. Cecil Baring), Canaries, Salvage Islands, Azores, S. Arabia, and Sokotra (with Dr. H. O. Forbes), adding, in every instance, valuable series of specimens to the collections. He is a great authority on the game-birds, and described the Order Galliformes in vol. xxii. of the 'Catalogue of Birds.' He has also written a large portion of vols. xvii. and xxvi. of the 'Catalogue.'

Among the nesting-groups of British Birds, the Museum owes the following to Mr. Ogilvie-Grant:—Rook, Jackdaw, Hooded Crow, Trec-pit, Robin, Chiffchaff, Swallow, House-Martin, Partridge, Black Grouse, Capercaillie, Lesser Spotted Woodpecker, Rock Dove, Stock Dove, Red-throated Diver, Corn-Crake, Dottrell, Herring Gull, Sandwich Tern, Roseate Tern, Heron, Sheld-Duck, Peregrine Falcon, Buzzard, Golden Eagle.

Olcese (M.).

See BOUCARD, A.

Olcese was the successor of the celebrated naturalist Favier, in Tangier. He made considerable collections in the neighbourhood of that town, and the Museum has secured some interesting specimens through Mr. Boucard.

Oldham (Professor THOMAS).

35 birds from India. Presented. [56. 6. 10, 1-35.]

Cf. Dict. Nat. Biogr., xlii., p. 111, for Prof. Oldham's interesting career.

Oliver (Lieut. GERALD).

11 eggs of birds from Troughton Island, N.W. Australia. Presented. 90. 12. 25, 1-11.⁷

Olph-Galliard (M. VICTOR AIMÉ LÉON).

5 birds from S. France. Presented. [76. 7. 27, 1-5.]

I met M. Olph-Galliard in Paris, and arranged an exchange of British for French birds with him. He died soon after, before he had obtained any series beyond a few Long-tailed Tits. He was a very sound ornithologist, and wrote one of the few existing books on the French Avifauna, "Contributions à la Faune Ornithologique de l'Europe occidentale" (Bayonne, 8vo, 1884-1892). He was also the describer of Moussier's Redstart (*Ruticilla moussieri*) in 1846, and wrote in 1891 a "Catalogue des Oiseaux des environs de Lyon" (*cf.* Ibis, 1893, p. 478).

Osmaston (B. B.).

85 birds' nests and eggs from Darjeeling. Presented. [1904. 12. 7, 1-85.]

Otago Museum, New Zealand.

42 birds from Antipodes Island, the Chatham and Auckland Groups, Kermadec Islands, and Snares Islands. Received in exchange. [97. 12. 6, 1-42.]

Owston (ALAN).

A specimen of *Oceanodroma tristrami*. Purchased. [1900. 2. 5, 1.]

Packman (J. C. D.).

139 birds from Tenasserim. Presented. [44. 3. 25, 1-139.]

This was probably the first collection of Tenasserim birds ever made, but it was so badly preserved that most of the specimens have perished, or have been given away, since the acquisition of Mr. Hume's splendid series of birds from this part of the British Empire.

Page (Capt. JUAN).

178 birds from the Pilcomayo River. Presented. [95. 9. 8, 1-178.]

An expedition for the exploration of the Gran Chaco and the Pilcomayo River was started in 1890 under the leadership of Capt. Page of the Argentine Navy, who died at Fortin Page. Dr. Graham Kerr was the naturalist to the expedition, which suffered great hardships, and the collection of birds was only saved with much difficulty. He has written an interesting paper on the "Avifauna of the Lower Pilcomayo" in the "Ibis" for 1892 (pp. 120-152, pl. iii.). Two new species of Woodpecker, *Celeus kerri* and *Picumnus pilcomayensis*, were described by Mr. Edward Hargitt (Ibis, 1891, pp. 605, 606).

Palmer (A. J. V.).

84 specimens from Bushire. Presented. [86. 7. 1, 1-59; 86. 7. 6, 1-25.]

This interesting collection was described by me in the "Ibis" for 1886 (pp. 493-499).

Paris. Musée d'Histoire Naturelle.

8 birds from the Comoro Islands. Presented. [88. 4. 8, 1-8.]

The duplicates from the collection made by M. Humblot were presented to the British Museum by Prof. Alphonse Milne-Edwards, by whom, and his successor Prof. Oustalet, the most friendly feeling has always been exhibited for the British Museum. Four species were

new to the national collection, *Turdus comorensis*, *Humblotia flavirostris*, *Cinnyris humbloti*, and *Terpsiphone comorensis*, described by Milne-Edwards and Oustalet in the "Comptes Rendus," ci., 1885.

Parker (Prof. T. JEFFREY).

4 specimens of Kiwis, *Apteryx australis*, *A. mantelli*, *A. oweni*. Presented. [96. 3. 13, 1-4.]

Parry-Evans (Rev. J. D. S.).

12 eggs from the Transvaal. Presented. [1904. 2. 3, 1-12.]

Parzudaki (M. ÉMILE).

33 sterna of birds from Algeria. Purchased. [51. 8. 25, 32-64.]

69 birds and eggs from various localities. Purchased. [51. 9. 11, 6-8; 52. 3. 8, 1-20; 52. 5. 27, 1-18; 53. 6. 23, 1-28.]

Many of the specimens are from South America; but a number of birds from different parts of Europe were also purchased.

36 birds and eggs, mostly from South America. [53. 9. 28, 1-25; 53. 12. 6, 34-44.]

One of the types of *Ortalis wagleri*, Gray, was included in this series, and *Acroptornis orthonyx*, Lafr., and *Psaltriparus minimus* were added to the Museum collection.

145 birds and eggs from various localities. [54. 6. 24, 1-14; 54. 6. 28, 1-3; 58. 6. 2, 1-128.]

Included the type of *Turturæna malherbei*.

A specimen of *Balæniceps rex*. Purchased. [58. 11. 20, 34.]

The Whale-headed Stork was described by Gould in 1851 from a specimen brought from the Upper White Nile by Mansfield. The bird purchased from Parzudaki was the first one obtained by the British Museum, and the present resting-place of the type-specimen is, I believe, unknown. There is no information as to the origin of the Parzudaki specimen.

223 specimens of Parrots from various localities, several being from the Massena collection. Purchased. [59. 11. 22, 1-88; 60. 11. 7, 1-5; 60. 11. 8, 1-130.]

Types of *Conurus chloropterus*, Souancè; *C. rubrolarvatus*, Massena and Souancè; *Conurus astec*, Souancè; *Pyrhura hamatotis*, Souancè; *Chrysotis chloronota*, Souancè; *P. molinæ*, Massena and Souancè; *Chrysotis coccineifrons*, Souancè (= *C. viridigena*, Cass.; cf. Salvad., Cat., xx., p. 297); *Loriculus apicalis*, Souancè; *L. regulus*, Souancè; *Psittacula cyanopygia*, Souancè; *P. chrysogaster*, Parzud. (nom. nudum) (= *P. passerina*, L.; cf. Salvad., Cat. B., xx., p. 245); *Gnathositta ieterotis*, Massena and Souancè; *Pionus seniloides*, Massena and Souancè.

The following species were new to the collection: *Conurus petzi* (Leibl.) = *C. canicularis* (cf. Salvad., Cat. B., xx., p. 201), *Anodorhynchus glaucus* (V.), *Cyanopsittacus spixi* (Wagl.), *Pæocephalus fuscicollis*, *Neophema splendida*, *Cyanorhamphus erythrotis*, *Loriculus stigmatus*, *Palæornis eques*, *Lorius lory*, *L. garrulus*.

Payne (W. A.).

8 eggs from the Transvaal. [1902. 11. 18, 1-8.]

Pearce (W.).

Sent many birds from the neighbourhood of Constantinople, and was apparently a pupil of Mr. T. Robson's, as he prepared his specimens in the same way. He afterwards collected in Cyprus for Lord Lilford.

Pearson (HENRY J.).

13 specimens from Waigats, Novaya Zemlya, etc. Presented. [98. 8. 2, 1-13.]

Included skins, spirit-specimens and nestlings of several rare Arctic species, *Limonites minuta*, *Anthus cervinus*, etc.

18 eggs of the Little Stint (*Limonites minuta*) from Waigats Island, and Dolgoi Island, N. Russia. Presented. [1900. 11. 10, 1-18] (cf. Oates, Cat. Eggs Brit. Mus., iii., p. 53, 1902).

3 specimens of *Totanus fuscus*, imm. from Russian Lapland. Presented. [1904. 5. 12, 1-3.]

Mr. Henry Pearson was born in 1850 at Chilwell, Notts (the adjoining village to Beeston, where John Wolley resided, when in England). He was prevented until 1891 from devoting much time to ornithology, by the more urgent pressure of business. In that year he and his brother, Charles Pearson, went to Norway; and, having chartered a small steamer, explored many of the Lofoden Islands, from Andö in the north to Röst, the most southern one. In 1892 he spent some time during the nesting-season on the Dovrefjeld and the district round the Nordfjord; and again visited these parts in 1902. An interesting excursion, on which Messrs. Edward Bidwell and Charles Pearson accompanied him, was made to the Lofoden Islands, Porsanger Fjord and other parts of Northern Norway in 1893, and recorded in the 'Ibis' for April 1894. The following year was devoted to an exploration of the Southern Fiskevötra of Iceland; the results were published in the 'Ibis' for April 1895. In 1895 a more extended voyage was attempted, viz., to Novaya Zemlya. Mr. Pearson was accompanied by Colonel H. W. Feilden, the Rev. H. H. Slater and Mr. C. Pearson; but the unsuitability of the yacht chartered for the expedition prevented his plans from being carried out in full. A short excursion was made to the north of Norway in 1896, when Mr. Pearson ascertained that most of the red gulls' eggs so prized by collectors were laid by *Larus argentatus*. Warned by the failure of 1895, a larger vessel was chartered in 1897 and a more successful voyage was made to Novaya Zemlya, his companions being Colonel Feilden and Dr. Frederick Curtis. The results obtained in 1895 and 1897 were published in "Beyond Petsora Eastward," a book which has valuable appendices by Colonel Feilden on the botany and geology of the countries visited. Mr. Pearson's visit to Russian Lapland, with Mr. C. Pearson, in 1899, was recorded in the 'Ibis' for October of that year. In 1901 he again went to that country and made a short stay on the Kanin Peninsula on the opposite side of the White Sea; while 1903 was spent in the interior to the south of Kola, the old capital of Russian Lapland. Mr. Pearson's last book, "Three Summers among the Birds of Russian Lapland," contains a detailed account of these expeditions.

Pease (Sir ALFRED E.).

386 birds from Somali Land and Southern Abyssinia. Presented. [1902. 1. 20, 1-386.]

14 birds from the Transvaal. Presented. [1905. 8. 13, 1-14.]

This collection represents the result of Mr. Pease's expedition to Abyssinia. Besides many rare and interesting species new to the Museum collection, were further added the types of three new species, *Cisticola lavendula*, *Upupa intermedia*, and *Prodotiscus peasei*. The collection was described by Mr. W. R. Ogilvie-Grant and Mr. R. J. Reid in the 'Ibis' for 1901 (pp. 607-699, pl. xiii.), where some good field-notes by Sir Alfred Pease will be found.

Peek (*Sir HENRY*), *Bart.*

60 specimens of birds and eggs from Labrador. Presented. [98. 4. 16, 1-60.]

Sir Henry Peek was a collector of British Birds, and having received an offer of this collection from Labrador, purchased it at my request, and presented it to the British Museum. At his country seat at Rousdon, in Devonshire, is a collection of mounted birds, perhaps the most complete representation of the species in the "British List" in the Kingdom.

Peel (*ALAN*).

39 birds from Uruguay. Purchased. [73. 6. 28, 2-10; 76. 3. 18, 1-30.]

108 birds from Buenos Aires. Purchased. [78. 1. 25, 1-108.]

Mr. Alan Peel was a personal friend of Dr. Günther's, and his collections were of considerable value to the British Museum.

Peel (*C. V. A.*).

19 birds from Somali Land. Presented. [98. 4. 13, 1-19.]

From Mr. Peel the Museum received its first specimen of the rare Somali Bustard, *Heterotetrax humilis*. He has written a book, "Somali-land, being an account of two expeditions into the far interior, with a complete list of every Animal and Bird known to inhabit that country, and a list of Reptiles collected by the author" (London, 1900, 8vo, pp. xviii., 340), Appendix (Birds), pp. 305-333.

Penard (*Messrs. F. P. and A. P.*).

43 birds from Paramaribo, Surinam. Presented. [1902. 10. 31, 1-43.]

241 eggs from Surinam. Presented. [1904. 11. 22, 1-241.]

Penguin (*Voyage H.M.S.*).

Cf. Smith, Dr. F. W. Bassett (p. 487).

Penrose (*Dr. FRANK*).

40 skins of Sea-birds from Ascension Island. Presented. [99. 1. 4, 1-40.]

Penton (*Surgeon-Major*), *R.N.*

54 birds from Suakin. Presented. [93. 9. 20, 1-54.]

10 birds from Wady Halfa. Presented. [95. 7. 15, 6-15.]

The last collection contained two specimens of the African Wood-Ibis (*Pseudotantalus ibis*).

Percival (*A. BLAYNEY*).

71 birds and eggs from the Ruo and Shiré Rivers, Zambesia. Purchased. [99. 6. 8, 1; 1900. 2. 27, 1-33; 1900. 3. 21, 1-37.]

This collection was described by Mr. Percival in the 'Ibis' for 1902 (pp. 581-599). It contained several rare species, such as Andersson's Pern (*Machærhamphus anderssoni*, *Dissodectes dickinsoni*, etc.), besides the type of a new Rough-winged Swallow, *Psaliidoprocne percivali*, Grant (= *P. orientalis*, Reichenow; *cf.* Reichenow, Vög. Africas, ii., p. 428, 1902).

260 birds and nests from Mombasa, Melindi, etc., Lake Naiwasha, Kikuyu, and other districts in British East Africa. Presented. [1903. 8. 1, 1-191; 1903. 9. 2, 1-69.]

Mr. Percival was the first to procure *Machærhamphus anderssoni* in British East Africa, and he also discovered a new species of Oriole (*Oriolus percivali*) named after him by Mr. Ogilvie-Grant.

Percival (A. BLAYNEY) and Dodson (W.).

251 specimens from South Arabia. Purchased. [1900. 8. 5, 1-243; 1901. 11. 8, 1-8.]

3 birds from Southern Arabia, including the type of *Rhynchostruthus percivali*. Presented. [1901. 12. 16, 1-3.]

The collection made by the Percival-Dodson expedition was of very great interest, and contained the types of three new species, *Telephonus percevali*, *Ammomanes saturatus*, and *Edicnemus dodsoni* (cf. Grant, Nov. Zool., vii., pp. 243-273, 591, p. x., 1900).

Perkins (R. C. L.).

See ROYAL SOCIETY and BRITISH ASSOCIATION.

Persian Boundary Commission.

See BLANFORD, W. T.

Perks (Dr. R. H.).

197 birds from South Australia. Purchased. [98. 5. 17, 1-197.]

Perth (W. A.).

See WEST AUSTRALIAN MUSEUM.

Petherick (Consul J.).

10 specimens from Khartum. Purchased. [62. 6. 21, 5-14.]

A specimen of *Balæniceps rex* from the Upper White Nile. Purchased. [63. 12. 17, 1.]

Consul Petherick was Resident at Khartum for some years, and created quite a sensation in England by sending living specimens of the *Balæniceps* to the Zoological Gardens.

Petit (Louis).

56 birds from Landana, Lower Congo. Purchased. [89. 3. 26, 1-59.]

M. Petit père was a dealer in Paris, and his son Louis collected first in Senegambia and afterwards on the Lower Congo with Dr. Lucan. Their collections were sent to M. A. Bouvier, who asked me to write an account of them ["Études d'Ornithologie Africaine, par R. Bowdler Sharpe et A. Bouvier. Catalogue d'une Collection recueillie à Landana et Chiu-chonxo (Congo) par M. Louis Petit, pendant les mois de janvier, février, mars et avril, 1876," Bull. Soc. Zool. France, 1876, pp. 36-53, 301-314, pl. ii.; 1877, pp. 470-481; 1878, pp. 73-80]. *Psalidoprocne petiti* was described as new and figured in the first paper, and the second paper, appearing in the same volume of the "Bulletin" (pp. 300-314), was entitled "Sur les Collections recueillies dans la Région du Congo par MM. le Dr. A. Lucan et L. Petit depuis le mois de mai jusqu'en septembre." *Bradypterus rufescens* was described as new (p. 307) and *Nigrita lucani* (= *N. luteifrons*, ♀).

The Congo collections were brought over to London by M. Bouvier and named by me, on the understanding that the British Museum should be allowed to purchase all specimens required. Unfortunately M. Bouvier did not keep to his part of the bargain, and on returning to Paris he published my descriptions of some of the new species under his own name (Bull. Soc. Zool. France, 1876, pp. 228, 229).

This publication was a matter of small concern to me, but he failed to send back all the types, as he had promised, and consequently I do not know to this day what became of the original specimens of *Cisticola landanæ*, etc.

Petrie (*Professor W. M. FLINDERS*).

Bones of a Crane from Egypt. Presented.

Professor Flinders Petrie has also collected a large series of mummies of Mammals and Birds in Egypt.

Philbrick (*His Honour Judge F. A.*), *K.C.*

109 eggs from Gippsland. Presented. [93. 2. 2, 1-109.]

These eggs were collected by Judge Philbrick's son, and were a valuable addition to our Museum.

Cf. "Who's Who," 1904, p. 1207.

Phillips (*E. LORT*).

6 specimens of birds from Somali Land. Presented. [89. 3. 20, 1-6.]

Included a specimen of *Saxicola phillipsi*, new to the collection.

79 birds from Somaliland. Purchased. [95. 7. 12, 1-79.]

Thirteen species were new to the collection, and the following 9 types of new species: *Trachyphonus shelleyi*, *Upupa somaliensis*, *Coracias lorti*, *Dryoscopus ruficeps*, *Telephonus jamesi*, *Argya aylmeri*, *Parus thruppi*, *Saxicola phillipsi*, *Spreo shelleyi*.

Most of these species were described by Captain Shelley in his paper "On Mr. E. Lort Phillips's Collection of Birds from Somali-Land," *Ibis*, 1885, pp. 389-418, pls. x.-xii.

257 birds and eggs from Somaliland. Purchased. [98. 7. 27, 1-257.]

Included many rare birds, and types of the following new species: *Corvus edithæ*, *Poliospiza pullidior*, *Rhynchostruthus louisæ*, *Pseudalæmon freemantlei*, *Merula ludovicix*, *Tricholæma blandi*, *Francolinus lorti*. The eggs of the new Ouzel (*M. ludovicix*) were also in the collection.

20 birds in spirits, from Somali Land. [1900. 10. 5, 1-20.]

Mr. Lort Phillips was one of the earlier explorers in Somali Land, having accompanied the late Mr. F. L. James in his celebrated expedition (see James, "Horn of Africa.") The party consisted of Messrs. James Aylmer, Thrupp, and E. Lort Phillips (*Cf.* "A Journey through the Somali Country to the Webbe Shebeyli," *P. R. Geogr. Soc.*, 1885, pp. 625-646), and the names of all of these explorers were associated by Captain Shelley with the new species obtained on the expedition. Mr. Lort Phillips has since made three visits to Somali Land, the results of which have been published by himself in the '*Ibis*' (1896, pp. 62-87, pl. ii.; 1897, pp. 448-449; 1898, pp. 382-425, pls. viii.-x.; 1899, pp. 303-5; 1900, p. 369).

A hybrid Pintail and Wigeon from Loch Swilley, Donegal. Presented. [1905. 1. 11, 1.]

Pickard-Cambridge (*F. O.*) and **Austen** (*E.*).

20 specimens from the River Amazon. Presented. [96. 5. 12, 1-20.]

Pierre (*A.*).

308 birds from Cochin China. Presented. [78. 6. 19, 1-308].

Mons. A. Pierre, who was a high Government official in the French colony in Cochin China, presented a large collection of birds to the Paris Museum. The duplicates he very generously gave to the British Museum, where they have proved of great service. Among them were such rare species as *Polyplectron germaini*, and *Porphyrio edwardsi*, previously unrepresented in the British Museum.

Pike (A.).

29 birds from Eastern Turkestan. Presented. [98. 7. 23, 1-29.]

Pike (H. J.), and Pike (T. M.) and Popham (H. L.).

69 specimens of Geese, Ducks and Wading Birds from Walcheren, Holland. [95. 2. 6, 1-14; 96. 2. 20, 1-12; 97. 2. 24, 1-21; 1900. 1. 15, 1-5; 1902. 12. 14, 1-4; 1902. 12. 27, 1-4; 1903. 1. 15, 1-7.]

The Museum is exceedingly indebted to the above-named gentlemen for a fine series of European *Anseres*, of which we previously possessed but a scanty collection.

Pinwill (Captain STACKHOUSE).

1532 specimens from the N.W. Himalayas, the Indian Peninsula, and Malacca. Presented. [76. 1. 15, 1-26; 76. 2. 12, 1-980; 76. 2. 28, 1-54; 76. 3. 7, 1-137; 76. 10. 20, 1-75; 81. 7. 30, 1-260.]

The Museum is under a debt of gratitude to Capt. Stackhouse Pinwill, who gave a fine collection of Indian birds for the furtherance of the "Catalogue of Birds," at a time when the series of specimens in the Museum, before the presentation of the great Hume Collection, was poor indeed. The first specimen of the rare Bat-hunting Pern (*Machærhamphus alcinus*) we owe to Capt. Pinwill, as also the types of *Pomatorhinus pinwilli*, in addition to many other rare species of Indian birds, such as *Acanthoptila nipalensis*, from the North-West frontier of Nepal, and others.

"Plumper," H.M.S.

See LYALL, DR.

Ponta Delgada Museum, Azores (Major CHAVES, Director).

43 birds from the Azores. Presented. [1904. 6. 21, 1-3; 1905. 1. 26, 1-39; 1905. 6. 6, 1.]

Popham (H. LEYBOURNE).

See PIKE, T. M.

Pratt (A. E.).

See LEACH; OLDFIELD THOMAS; SEEBOHM.

Mr. Pratt is chiefly known as an entomologist, but he has collected many interesting species of birds and their eggs. In the "Catalogue of Eggs" are recorded those of rare Thibetan species, mostly from Ta-tsien-lu, obtained by Mr. Pratt, and bequeathed to the Trustees by the late Mr. Henry Seebohm.

Pretyman (Capt. E. J.).

A Grey Phalarope (*Crymophilus fulicarius*) from Ipswich. [1900. 9. 3, 1.]

Cf. "Who's Who," 1904, p. 1238.

Pretyman (W.).

8 birds from the Lawas River, N.W. Borneo. [83. 10. 1, 1-8.]

Specimens of *Lobiophasis bulweri* and the Bornean Peregrine Falcon (*Falco ernesti*) were included in this donation.

Prichard (HESKETH).

15 birds from Santa Cruz, Patagonia. Presented. [1903. 4. 6, 1-13.]

Princeton University, New Jersey, U.S.A.

975 nests and eggs of North American birds. Received in exchange. [1900. 6. 25, 1-568; 1903. 1. 30, 1-407.]

A most valuable collection, chiefly made by Mr. W. E. D. Scott [*q.v.*].

Pryer (HARRY).

See SEEBOHM, H.

Mr. Pryer spent some years in Japan, and also visited the Bonin and Liu Kiu groups of islands. His collection was afterwards purchased by Mr. Henry Seebohm, and formed the basis of the latter's work, "Birds of the Japanese Empire" (roy. 8vo, London, 1890, pp. i-xxiv., 386). Amongst other interesting discoveries made by Pryer was a new species of *Megalurus* from the neighbourhood of Yokohama, which Seebohm named *Megalurus pryeri* ('Ibis,' 1884, p. 40).

Pryer (W. B.).

See JANSON, E. W.

Brother of the above. A collection made by him in the province of Sandakan in N. E. Borneo was described by me in the "Proceedings" of the Zoological Society for 1881, pp. 790-800.

Purdie (J.).

See KEW, Director of Royal Botanic Gardens.

Queensland Museum (C. W. DE VIS, Director).

2 rare birds (*Macgregoria pulchra* and *Daphænositta miranda*) from British New Guinea. Presented. [97. 8. 16, 1; 98. 10. 10, 3.]

Quelch (J. J.).

See MCCONNELL, F. V.

Mr. Quelch was for some time an assistant in the Zoological Department of the Museum, and afterwards Director of the Museum at George Town, Demerara. He has made some excellent collections in British Guiana, and done much to increase our knowledge of the Avifauna. He accompanied Mr. McConnell on his celebrated expedition to Roraima.

Radcliffe (Capt. C. C.).

28 birds from Alaska. Presented. [1904. 9. 12, 1-28.]

Radcliffe.

See Col. DELMÉ-RADCLIFFE.

Rae (Dr. JOHN).

139 birds and eggs from Hudson's Bay Territory, chiefly from Repulse Bay. Presented. [48. 3. 13, 26-137; 48. 4. 14, 1-23; 53. 1. 6, 100-104.]

For Dr. Rae's record as a traveller and collector cf. Dict. Nat. Biogr., xlvii., p. 151.

Ramage (G. A.).

See ROYAL SOCIETY.

Ramsay (Dr. E. P.).

A skin and skull of the Tooth-billed Bower-bird (*Scenopæus denti-rostris*), new to the collection. Presented. [83. 11. 16, 1, 2.]

19 specimens from the Solomon Islands. Presented. [95. 12. 24, 1-19.]

In exchange for specimens from the British Museum, Dr. Ramsay presented several rare birds from the Solomon Islands, amongst them the types (or co-types) of *Rhipidura rubrofrontata*, *Pachycephala collaris* and *Aplonis fadensis*.

While Director of the Australian Museum at Sydney, Dr. Ramsay raised the status of that Museum to the first rank among the natural history institutions in the Southern Hemisphere. He assisted me always, but especially when I was writing my first book, the "Monograph of the Kingfishers," when I exchanged my collection of British birds' eggs with him for specimens of Australian Kingfishers, which were of great service to me at the time.

Ramsay (Colonel R. G. WARDLAW).

103 birds from Sumatra (*C. Bock*), Karen Hills, Burma, and other parts of the Indian Empire. Presented. [80. 4. 21, 1-12; 80. 10. 19, 1-54; 81. 7. 29, 1-17; 83. 2. 6, 1-13; 83. 11. 6, 1-7.]

These were duplicates from his collection, and among them were a number of species unrepresented in the British Museum. Colonel Wardlaw Ramsay presented many rare specimens of birds which were much wanted for description in the "Catalogue of Birds," and he lent me specimens on all occasions.

20,186 specimens of Asiatic Birds. The Tweeddale Collection.

On the death of his uncle, the 9th Marquess of Tweeddale, he received, as a bequest, the magnificent collection of Asiatic birds formed by the Marquess, together with the unique Tweeddale library of scientific books. In the year 1887, Colonel Wardlaw Ramsay presented the whole of this great collection and library to the nation.

806 Accipitres [Tweeddale collection]. Presented. [87. 11. 1, 1-806.]

Contained types of *Spilornis pallidus* and *Poliohierax insignis*. *Spizaetus philippensis* new to the collection.

350 Striges [Tweeddale collection]. Presented. [87. 11. 11, 1-350.]

Types of *Scops everetti*, *Ninox spilocephala*, *N. odiosa*, and *Pseudopteryx gurneyi*.

1355 *Corvidæ*, *Dicruridæ*, *Oriolidæ*, etc. [Tweeddale collection]. Presented. [87. 11. 20, 1-1355.]

Types of *Corone pusilla*, *Manucodia comrii*, *Oriolus celebensis*, *O. palawanensis*, *O. assimilis*, *O. consobrinus*, *O. consanguineus*, *Dicrurus mirabilis*, *Chibia palawanensis*, *C. læmosticta*, *C. sunatrana*, *Buchanga chapmani*, *B. mouhoti*, *B. wallacei*.

207 *Eurylæmidæ* and *Pittidæ* [Tweeddale collection], including the type of *Hydrornis soror*. Presented. [87. 12. 1, 1-207.]

1404 *Campophagidæ* and *Muscicapidæ* [Tweeddale collection]. Presented. [87. 12. 30, 1-1404.]

Types of *Edoliisoma alteruma*, *E. mindanense*, *Terpsiphon nicobarica*, *Cyanomyias celestis*, *Abornis chrysa*, *Piezorhynchus verticalis*, *Stoparola sordida*, *Siphia herioti*, *Niltara cucopraeta*, *Myiagra tannensis*, and *Gerygone simplex*.

971 *Turdidæ* and *Sylviidæ* [Tweeddale collection]. Presented. [88. 2. 20, 1-971.]

Types of *Geocichla layardi*, *G. andamanensis*, and *Merula maxima*. *Merula tempesti* new to the collection.

877 *Pycnonotidæ* [Tweeddale collection]. Presented. [88. 4. 1, 1-877.]

Types of *Chloropsis chlorocephalus*, *Hemixus brunneiceps*, *H. sumatranus*, *Iole everetti*, *Criniger palawanensis*, *C. sumatranus*, *C. aureus*, *Ixus annectens*, and *Pycnonotus cinereifrons*. *Chloropsis lazulina* was new to the collection.

1290 *Timeliidæ* [Tweeddale collection]. Presented. [88. 4. 20, 1-1290.]

Types of *Myiophoneus castaneus*, *Copsychus niger*, *Lioptila saturata*, *Cittocinclla stricklandi*, *Suya erythroleuca*, *Prinia inornata*, *P. rafflesi*, *Orthotomus nigriceps*, *Cisticola ruficapilla*, *C. grayi*, *C. albicularis*, *C. beavani*, *Laticilla cinerascens*, *Pomatorhinus ochraceiceps*, *P. mariæ*, *Garrulax leucogaster*, *Actinodura ramsayi*, *Timelia jerdoni*, *Turdinus marmoratus*, *T. rufifrons*, *Drymocapthus fulvus*, *D. rubiginosus*, *Dasy-crotopha speciosa*, *Mixornis bornensis*, *Anuropsis cinereiceps*, *Corythocichla striata*, *Stachyridopsis assimilis*, *Alcippe magnirostris*, and *Brachypteryx buxtoni*.

The following species were not previously represented in the collection: *Myiophoneus melanurus*, *Rhopophilus pckinensis*, *Orthotomus cinereiceps*, *Cisticola marginalis*, *Megalurus amboynensis*, *Babax lanccolatus*, *Trochalopteryx austeni*, *T. formosum*, *Ianthocinclla maxima*, *I. artemisiæ*, *I. lunulata*, *Mixornis capitalis*, *Corythocichla brevicaudatus*, *Herpornis tyrannulus*, and *Mesia laurina*.

769 specimens of *Laniidæ* [Tweeddale collection]. Presented. [88. 5. 30, 1-769.]

Types of *Hyloterpe philippinensis*, *H. sulphureiventris*, *Sitta magna*, and *S. neglecta*.

The following species were new to the collection: *Parus semilarvatus*, *Pachycephala jacquinoti*, and *Dendrophila xanochlamys*.

873 *Nectariniidæ* [Tweeddale collection]. Presented. [88. 7. 1, 1-873.]

The types of the following species were included: *Æthopyga sanguinepectus*, *Cinnyris osiris*, *C. aurora*, *Arachnothra flammifer*, *Anthothreptes griseigularis*, *Myzomela chloroptera*, *Zosterops everetti*, *Z. austeni*, and *Z. nigrorum*.

Æthopyga bella, *Eudrepanis pulcherrima*, *E. duyvenbodi*, *Cinnyris sanghirensis*, *Hermotimia cordelia*, *Arachnothra dilutior*, *Myzomela splendida*, *Zosterops vatensis*, and *Z. cinerea* were species not previously represented in the national collection.

861 *Dicæidæ* and *Motacillidæ* [Tweeddale collection]. Presented. [88. 7. 12, 1-861.]

Types of *Dicæum eximium*, *D. xanthopygium*, *D. everetti*, *D. modestum*, *Prionochilus quadricolor*, *P. olivaceus* and *Anthus lugubris*.

Dicæum sanghirensis and *D. dorsale* were new to the collection.

140 *Tanagridæ* and 591 *Fringillidæ* (Tweeddale collection). Presented. [88. 9. 1, 1-140; 89. 9. 12, 1-591.]

Type of *Passer assimilis*. *Emberiza chrysophrys* was new to the collection.

1221 *Sturnidæ*, *Eulabtidæ*, *Ploccidæ*, and *Alaudidæ* [Tweeddale collection]. Presented. [88. 9. 20, 1-1221.]

Types of *Eulabes andamanensis*, *Calornis crassirostris*, *Artamus*

insignis, *Munia brunneiceps*, *M. fumigata*, *Oxyerca everetti*, *Mirafra philippensis*, and *Alæmon jessei*.

The following species were new to the collection: *Artamus pelcwensis*, *Hyphantornis tænioptera*, and *Uroloncha jagori*.

131 *Tyrannidæ* and *Dendrocolaptidæ* [Tweeddale collection]. Presented. [88. 9. 22, 1-84; 88. 9. 25, 1-47.]

196 *Cypselidæ* [Tweeddale collection]. Presented. [88. 10. 1, 1-196].

Contained the type of *Chætura picina*.

604 *Caprimulgidæ*, *Upupidæ*, and *Coraciidæ*. Presented. [88. 10. 3, 1-260; 88. 10. 6, 1-47; 88. 10. 12, 1-297.]

792 *Alcedinidæ* [Tweeddale collection]. Presented. [88. 10. 20, 1-792.]

Types of *Alcedo rufigaster*, *Pelargopsis malaccensis*, *P. burmanica*, *P. floresiana*, *P. gigantea*, *Ceyx dillwynni*, *C. argentata* and *Tanysiptera nigriceps*.

Included in the above series is the whole of my private collection of Kingfishers, on which my "Monograph of the *Alcedinidæ*" was founded. This collection was purchased by the Marquess of Tweeddale on the completion of my book.

225 *Bucerotidæ* [Tweeddale collection]. Presented. [88. 10. 30, 1-225.]

Types of *Hydrocorax semigaleatus* and *Penelopides affinis*.

1101 *Picidæ* [Tweeddale collection]. Presented. [88. 11. 1, 1-1101.]

Types of *Gecinus erythropygus*, *Mulleripicus fuliginosus*, *Iynxipicus ramsayi*, *I. fulvifasciatus*, *Tiga everetti*, *Chrysocolaptes rufopunctatus*, *C. xanthocephalus*, and *Thriponax pectoralis*.

122 *Musophagidæ*, *Trogonidæ*, and *Galbulidæ* [Tweeddale collection]. Presented. [88. 11. 9, 1-5; 88. 11. 12, 1-108; 88. 11. 20, 1-9.]

426 *Capitonidæ* [Tweeddale collection]. Presented. [88. 11. 25, 1-426.]

Types of *Megalæma ramsayi*, *M. sykesi*, and *M. inornata*.

845 *Cuculidæ* [Tweeddale collection]. Presented. [88. 12. 10, 1-845.]

Types of *Hierococcyx bocki*, *H. crassirostris*, and *Chrysococcyx limborgi*.

671 *Psittacidæ* [Tweeddale collection]. Presented. [89. 1. 20, 1-671.]

Types of *Trichoglossus meyeri*, *Loriculus meyeri*, *L. tener*, and *Tanygnathus everetti*.

The following species were new to the collection: *Aprosmictus tabuensis*, *A. bucensis*, *A. taviunensis*, *Trichoglossus aureicinctus*, *T. josephina*, *T. muschenbræki*, *T. rubiginosus*, *Geoffroyius mysolensis*, and *M. jobiensis*.

1005 *Columbidæ* [Tweeddale collection]. Presented. [89. 2. 10, 1-1005.]

Types of *Carpophaga griseicapilla*, *C. pulchella*, *Ianthænas griseigularis*, *Macropygia browni*, *Leucotreron incognita*, *Phlogænas erythroptera*, and *P. johannæ*; and the following species were new to the collection: *Carpophaga geevinkiana*, *Ianthænas leopoldi*, *Ptilopus xanthorrhous*, *P. heinsheimi*, *P. muschenbroeki*, *P. geminus*, *P. richardsi*, *Chrysæna correi*, *Phabotreron brevirostris*, and *P. nigrorum*.

585 *Galliformes* [Tweeddale collection]. Presented. [89. 5. 13, 1-585.]

Types of *Turnix nigrescens* and *Megapodius dillwynni*. *Pelopodius rubrirostris* was new to the collection.

374 *Ralliformes* [Tweeddale collection]. Presented. [89. 11. 3, 1-374.]

188 *Lariformes* [Tweeddale collection], including the type of *Sterna tibetana*. Presented. [91. 5. 21, 1-188.]

723 *Charadriiformes* [Tweeddale collection]. Presented. [91. 10. 5, 1-723.]

597 *Ardeiformes* and *Anseriformes* [Tweeddale collection], containing the type of *Phœnicopterus rubidus*. Presented. [92. 4. 2, 1-597.]

26 specimens from Tillicoultry, N.B. Presented. [92. 11. 36, 1-13; 92. 12. 10, 1-13.]

Colonel Wardlaw Ramsay was born on the 25th of January, 1852. Son of R. B. Wardlaw Ramsay, of Whitehill, Midlothian, and Tillicoultry, Clackmannanshire, and Lady Louisa Hay, daughter of George, 8th Marquess of Tweeddale. He was educated at Cheam and Harrow, and entered the army as ensign, by purchase, in the 67th (South Hants) Regiment in January, 1871.

In 1872 he sailed for India with the regiment, and was transferred to a company going on duty to the Andaman Islands, just after the assassination of Lord Mayo. The birds of these islands were then but little known, and he made a fine collection of them. The arrival of Mr. Davison at the same time, on behalf of Mr. A. O. Hume, deprived him of the credit of many new species which he discovered, as Davison had all his time at his disposal. Colonel Wardlaw Ramsay records great kindness and assistance from General (afterwards Sir Donald) Stewart, the Chief Commissioner. The results of the expedition were published in the *Ibis* by Lord Walden. In May, 1873, he joined the headquarters at Rangoon, and in the following August he made a collecting expedition to Malacca. In December half of the regiment moved up to Tonghoo (then a frontier station) by boat, where he obtained leave to go by road for collecting purposes.

At Tonghoo, from December, 1873, to May, 1876, he was acting as Adjutant, but found time for working the country, and many specimens, previously known from Major Malcolm Lloyd's collections, were sent to Lord Walden. In March, 1875, he accompanied the Political Expedition from Tonghoo to Karennee, under Major Lloyd, who asked him to accompany the expedition and showed him much kindness. Several new species were discovered.

In May, 1876, he quitted Burmah for Fort St. George, Madras. Some collections were made there and in the Nilghiri Hills. In December, 1879, he went to Afghanistan, and made a small collection in the early part of the war.

He heard of the death of the Marquess of Tweeddale in December, 1879, when at Jhelum, and later on he received the news that his uncle's collections and library had been bequeathed to him. In 1881 he was promoted Captain, and exchanged to the 74th Highlanders. In 1882 he was appointed Adjutant, Midlothian and Peeblesshire Rifle Volunteers. He retired in 1883, on the death of his father, to take over the care of the family's estates. Owing to pressure of affairs both public and private, he had no time for ornithological work, and therefore determined that others should have the use of his collections and library, with which intent he presented them to the British Museum.

Ranfurly (Earl of).

233 birds from New Zealand and other adjacent islands. Presented. [1901. 10. 21, 1-67; 1901. 11. 10, 1; 1902. 2. 21, 1-58; 1903. 5. 13, 1-4; 1903. 7. 17, 1-92; 1904. 8. 2, 1-11.]

11 Warblers from New Zealand. Presented. [1904. 8. 2, 1-11.]

4 specimens of *Mergus australis*. Presented. [1904. 8. 4, 1-4.]

41 birds from the Kermadec Islands, New Zealand, and Auckland Islands. Presented. [1905. 2. 2, 1-41.]

When Governor of New Zealand, the Earl of Ranfurly sent to the Museum several collections of birds, among them being a new species of Cormorant (*Phalacrocorax ranfurlyi*, Ogilvie-Grant, Bull. B.O.C., xi., p. 66, 1901), from Bounty Island, and rare species, such as *Chasiempis dimidiata* and *Ptilopus rarotongensis* from Rarotonga Island.

"Rattlesnake," Voyage of H.M.S.

See STANLEY, Capt. OWEN; MACGILLIVRAY, J.

Ray (J.)

147 sterna of British birds. Presented. [46. 4. 7, 1-147.]

I never have been able to find out who Mr. Ray was, but he gave a good series of sterna to the Museum, as is shown in Gray's "List of British Birds," 1863, and in the "Catalogue of Birds."

Rayner (T. M.).

46 birds from the Fiji Islands ("Voy. H.M.S. Herald"). Presented. [56. 8. 30, 1-46.]

Included the type of *Pachycephala vitiensis*.

Dr. Rayner was apparently a medical officer on board the *Herald*, when John MacGillivray was naturalist [q.v.]. A subsequent collection made by Rayner was presented by the Lords of the Admiralty. [59. 1. 10, 1-41.] It contained the type of *Aplonis cassini*, Gray (i.e. *Aplonis vitiensis*, Layard; Sharpe, Cat. B., xiii., p. 131, 1890).

Reed (E. C.).

See GERRARD, E.

Mr. Reed is a well-known Chilean naturalist, who made large collections in the province of Santiago. A series of his birds is in the Museum, from the Selater and Salvin-Godman Collections.

Reeves (JOHN).

127 birds from India and China. [38. 8. 26, 1; 38. 10. 29, 1-13, 30-97; 46. 6. 13, 1-14; 51. 8. 27, 44-74.]

Mr. John Reeves was Inspector of Tea at the Hon. East India Company's establishment at Canton, and made careful study of the natural history and resources of China (see B. B. Woodward, Hist. Coll. "Libraries," p. 46). He gave many interesting specimens to the Museum, and the magnificent Pheasant, *Syrnaticus reevesi*, was named after him by Dr. J. E. Gray.

Cf. Dict. Nat. Biogr., xlvii., p. 416.

Reeves (JOHN RUSSELL).

Son of the above, for thirty years in the service of the Hon. East India Company at Canton (see Woodward, l.c.).

Cf. also Sir John Richardson, Report Brit. Ass., 1845, p. 187.

Reichenow (*Professor* Dr. ANTON).

5 Partridges (*Perdix perdix*) from Holstein and Brandenburg. Prescuted. [92. 12. 23, 1-5.]

Professor Reichenow has been for some years the Curator of the Ornithological Collections in the Imperial Museum of Natural History at Berlin, where he succeeded the celebrated Professor Cabanis. In his young days he made an expedition to West Africa, visiting the Gold Coast and Camaroons, and forming most valuable collections of natural history objects. His interest in African ornithology remains unabated, and he has now probably written more essays on the Avifauna of the Ethiopian region than any living man. His life-work is now being focussed in a most complete manner in the "Vögel Afrikas," which he has just finished. A list of his papers and a summary of his ornithological work up to the year 1896 (now largely increased during the eight years which have since elapsed) was published by his friend Herman Schalow under the title "Anton Reichenow: Ein Verzeichniss seiner bisherigen Arbeiten, 1869-1896." 288 separate memoirs are chronicled, with the names of 38 new genera, and 342 new species described by Dr. Reichenow.

Reid (C.).

14 birds from De Aar, Cape Colony, and Namaqua Land. Presented. [1904. 6. 20, 1-14.]

A son of Capt. Savile Reid.

Reid (GEORGE).

33 birds from Lucknow. Presented. [89. 8. 8, 1-33.]

Mr. Reid was the Honorary Curator of the Lucknow Museum for many years, and wrote a catalogue of the collection of birds in that institution ("Catalogue of the Birds in the Provincial Museum, N.W.P. and Oudh, Lucknow, on the 1st of April, 1889," Allahabad, 1890, 8vo, pp. iv., 358). He sent me a fine series of the Starlings from that locality, when I was writing the thirteenth volume of the "Catalogue of Birds," most of them being *Sturnus menzbieri*.

Reid (*Capt.* SAVILE G.).

See also GERRARD, E.

20 specimens from Canada, Bermuda and other localities. Presented. [82. 12. 20, 1-20.]

Anthus butleri, Shelley (= *A. chloris*, Licht.), was new to the collection.

40 eggs of birds from Bermuda and North America. Prescuted. [1903. 2. 18, 1-40.]

Capt. Reid has done some excellent ornithological work, in many quarters of the globe. Born in 1845, he was educated at the Royal Military Academy at Woolwich, and obtained his commission in the Royal Engineers in 1865. With a great love for the study of all branches of natural history, but especially of birds, he commenced serious work at Gibraltar from 1870 to 1874. He was quartered in Bermuda in 1874 and 1875, and made a special study of the birds, and published a series of notes in the "Field" in 1875. These notes were afterwards re-printed in the "Zoologist" in 1877, and again in Bulletin No. 25 of the U.S. National Museum, 1884.

During the first Boer War, Capt. Reid was ordered to Natal, where,

in conjunction with Colonel H. W. Feilden and Colonel E. A. Butler, he made a good collection of birds and eggs, an account of which, with excellent field-notes by all three officers, was published in the "Zoologist" for 1882.

A visit to Teneriffe in the spring of 1887 resulted in the publication of some notes on the birds of that island (*cf.* "Ibis," 1887, pp. 424-435; 1888, pp. 73-83).

Capt. Savile Reid has also assisted in the preparation of the third and fourth volumes of the "Catalogue of Birds' Eggs in the British Museum," since Mr. E. W. Oates, owing to ill-health, was compelled to relinquish the task.

Reijkavik Museum, Iceland.

4 young Iceland Falcons. Presented. [1902. 4. 9, 1-2; 1902. 6. 1, 1-2.]

Reiser (*Dr.* OTHMAR).

16 birds from Bosnia. Presented. [1902. 8. 10, 1-16.]

Dr. Reiser is the well-known authority on the ornithology of the Balkans, and is Director of the Museum at Serajevo in Bosnia. His "Ornis Balcanica" and other kindred essays are the standard authority on the Avifauna of this portion of Europe. He has also carried out a very successful expedition to Southern Brazil (*cf.* "Ibis," 1903, pp. 140, 141).

Rendall (*Dr.* PERCY).

23 birds, nests and eggs, from Bathurst, River Gambia. Presented. [92. 1. 9, 1-23.]

Dr. Rendall has travelled in the Zambesi region, where he discovered a remarkable species of Weaver-Finch, which was named *Serinus rendalli* by Canon Tristram, and afterwards made the type of a new genus, *Anomalospiza*, by Captain Shelley (Bull. B.O.C., xii., p. 30, 1901).

Reynolds (*H.*).

34 birds from Liberia. Purchased. [1905. 5. 28, 1-34.]

Cf. Chubb, P.Z.S., 1905, pp. 205-210.

Ricardo (*Miss*).

8 birds from Canada. Presented. [1900. 12. 30, 1-8.]

Richards (*Lieut.*).

See TRISTRAM, Canon.

Richardson (*Sir* JOHN).

13 specimens from Port Essington. Presented. [51. 3. 7, 1-13.]

Poephila personata and *Stictoptera annulosa*, two rare species of Weaver-Finches, were new to the collection.

Was naturalist to Sir John Franklin's Polar Expedition in 1819, and till 1822 he was engaged in various explorations in Arctic America.

Cf. Dict. Nat. Biogr., xlviii., p. 236.

Rickard (*J. C.*).

21 specimens from Port Elizabeth, S. Africa. Presented. [87. 1. 23, 1-21.]

Rickard was a correspondent of Layard's, and obtained many interesting species of birds from East London and Port Elizabeth. His name occurs frequently in my edition of Layard's "Birds of South

Africa," and in 1887 he presented some specimens to the Museum. A few of his skins are also in my collection of African birds, now in the Museum.

Rickett (CHARLES BOUGHEY).

56 birds and 61 eggs from Foochow, China. Presented. [94. 10. 27, 1-56; 94. 11. 26, 1-61.]

In this collection were specimens of the Chinese Falconet (*Microhierax melanoleucus*), *Anthus infuscatus* and *Lanius fuscatus*, new to the Museum.

254 birds from Fohkien Province. Presented. [98. 5. 11, 1-19; 98. 8. 12, 1; 99. 4. 1, 1-90; 99. 6. 3, 1-2; 1900. 10. 15, 1-55.]

These collections contained a number of rare and interesting species, several of which were previously unrepresented in the Museum, viz., *Æthopyga latouchei*, *Allotrius pallidus*, etc.

1311 specimens from Foochow. Presented. [1900. 1. 18, 1-1106; 1900. 3. 10, 1-18; 1900. 3. 25, 1-99; 1900. 6. 23, 1-69; 1900. 12. 14, 1-19; 1901. 4. 9, 1-17.]

In this large donation is represented a complete series of the birds collected by Mr. Rickett near Foochow, including the types of the new Trogon (*Harpactes yamakanensis*) and the new Reed Warbler (*Luscinola melanorhyncha*) (cf. Mr. Rickett's papers).

20 nests and 652 eggs from Foochow. Presented. [1901. 1. 10, 1-452; 1901. 1. 15, 1-200; 1901. 1. 27, 1-20.]

128 birds from Penang. Presented. [1901. 5. 1, 1-128.]

450 birds from Foochow. Presented. [1902. 8. 5, 1-450.]

36 birds and 102 eggs from Chinkiang. Presented. [1902. 11. 13, 1-138.]

990 birds from Foochow. Presented. [1903. 7. 3, 1-989; 1904. 6. 2, 1.]

154 eggs from South China. Presented. [1904. 12. 11, 1-154.]

1000 birds from Southern China. Presented. [1905. 12. 24, 1-1000.]

Mr. Rickett, who was born in 1851, joined the eastern staff of the Hongkong and Shanghai Banking Corporation in January, 1871. He remained on the staff of the Bank till his retirement in April, 1904, and was stationed at various times in Japan, India, Java, the Straits Settlements and China.

Being always fond of ornithology from his youth, he first made a collection of Singapore birds which was destroyed by moth and damp. He then collected a few skins in Penang, but did not begin serious work till 1889, when he was ordered to Foochow.

In conjunction with Mr. F. W. Styan and Mr. J. D. La Touche, Mr. Rickett has written some excellent memoirs on Chinese ornithology, as follows:—

RICKETT, C. B.—On some Birds collected in the vicinity of Foochow.

"Ibis," 1894, pp. 215-226.

— Notice of Errors in his paper on Foochow Birds. *Ibis*, 1895, p. 168.

— Description of *Harpactes yamakanensis*. *Ibis*, 1899, p. 444.

— Additional Notes on the Birds of Fohkien. *Ibis*, 1900, p. 52.

— Description of *Scops latouchei*. *Ibis*, 1900, p. 535.

— Additional Field Notes on the Birds of Fohkien. *Ibis*, 1903, pp. 215-222.

RICKETT (C. B.) and LA TOUCHE (J. D.).—Additional Observations on the Birds of the Province of Fohkien. *Ibis*, 1896, p. 489.

- Additional Observations on the Birds of the Province of Fohkien. *Ibis*, 1897, 600-610.
- Description of some apparently new Birds from China. *Ibis*, 1897, p. 451.
- GRANT, W. R. O.—Description of new Birds obtained from Fohkien. *Ibis*, 1898, p. 297.
- Further Observations on the Birds of the Province of Fohkien, China. *Ibis*, 1898, p. 328.
- SLATER (H. H.).—On a Further Collection of Birds, made by Messrs. La Touche and Rickett, from N. W. Fohkien. *Ibis*, 1897, pp. 169-176, pl. iv.

Rickett (C. B.) and La Touche (J. D.).

144 birds from Fohkien. Presented. [97. 12. 8, 1-47; 98. 1. 28, 1-97.]

In this collection were the types of several new species, *Cryptolopha ricketti*, *C. sinensis*, *Fulvetta guttaticollis*, *Suthora davidiana*, *Cettia russula*, *Lepocestes sinensis*, *Gecinulus viridanus*.

Ridley (H. N.).

See ROYAL SOCIETY.

Mr. Ridley was for some years an assistant in the Botanical Department of this Museum. In 1887 he made an expedition to the island of Fernando Noronha, where he discovered two new species of birds, *Elainea ridleyana*, Sharpe, and *Vireo gracilirostris*, Sharpe. He is now Director of the Botanic Gardens in the Straits Settlements.

Ringer (F.).

254 specimens from Nagasaki. Presented. [84. 1. 16, 1-254.]

The above collection consisted of the duplicates which Mr. Seebohm did not require from Mr. Ringer's series: it added one species, *Remiza consobrina*, to the Museum. The Seebohm Bequest contains a full series of Nagasaki birds from Mr. Ringer.

Riocour (Comte de).

See BOUCARD, A.

The Comte de Riocour possessed one of the most famous private collections of birds in the world. Vieillot described many types from it, and some new species, such as the Swallow-tailed Kite of Africa (*Nauclerus riocouri*) were named after the old Count. The present Comte de Riocour was not a naturalist, and the collection was disposed of to Mr. Boucard, who made the first offer of it to the British Museum. In Mr. Boucard's company, I made a journey to the Château de Riocour, near Vitry, and selected all the Vieillotian types I could find, and the Museum also obtained a specimen of the extinct starling of Mauritius (*Fregilupus varius*). The collection consisted entirely of mounted birds, and occupied a large room in the château, being arranged in glass cases, the birds all being perched on white stands, and the windows rigidly darkened with green venetian blinds. It is due to the care with which the light had been excluded that this old collection had remained in such excellent preservation. Besides the MS. labels of the old Comte de Riocour, I found from the writing on several of the stands that, in addition to Vieillot, Prince Bonaparte and Jules Verreaux must have visited the collection and determined some of the species. In addition to the *Fregilupus*, the collection also contained a fine specimen of the Great Auk (*Plautus impennis*).

Rippon (Colonel G.).

1058 specimens from the Southern Shan States. Presented. [96. 12. 28, 3, 4; 97. 1. 4, 1-22; 1900. 12. 20, 1-953; 1901. 10. 6, 1-48.]

Contained the types of the following new species, *Trochalopteron ripponi*, *Schaeniparus intermedius*, *Drymocaptes cinnamomeus*, *Stachyridopsis sulphurea*, *Alcippe fratercula*, *Yuhina ampelina*.

6 specimens from the Kauri-Kachin Hills. Presented. [1901. 7. 8, 1-6.]

Included the types of *Dryonastes caurensis* and *Trochalopteron sharpei*.

1170 birds from Mount Victoria. Presented. [1905. 9. 10, 1-1170.]

The collection contained the following new species:—*Aegithaliscus sharpei*, *Lophophanes pæcilopsis*, *Suthora ripponi*, *Janthocincla victoriæ*, *Trochalopteron holerythropterus*, *Stachyris binghami*, *Ixops poliotis*, *Sitta victoriæ*, *Certhia victoriæ*, *Urocichla oatesi*, *Babax victoriæ*, *Ethopyga victoriæ*, *Pyrrhula victoriæ*.

582 specimens from Western Yun-nan. Presented. [1903. 8. 8, 1-582.]

Includes several species new to the collection, and among them the types of *Suthora styani*, *Yuhina yangfuensis*, *Abornis ripponi*, *Certhia yunnanensis*, *Emberiza yunnanensis*, *Propasser ripponi*, and *Anorthura talifuensis*.

277 birds from the Kauri Kachin district of Burma. Presented. [1905. 8. 16, 1-277.]

RIPPON (Colonel G.).—Notes on some birds obtained at Kalaw, in the Southern Shan States. *Ibis*, 1896, pp. 357-362.

— On the Birds of the Southern Shan States, Burma. *Ibis*, 1901, pp. 525-561, pl. xi.

— On new species of Birds from the Southern Shan States. *Bull. Brit. Orn. Club*, xi., pp. 11, 12 (1901).

— On new species from the Kauri-Kachin Tract. *Op. cit.*, xii., p. 13 (1902).

— On new species from Yunnan. *Op. cit.*, xiii., pp. 54, 60 (1903).

— On a new species of Tit from Western Yunnan. *Op. cit.*, xiv., p. 18.

— On new species of Birds from the Southern Chin Hills. *t.c.*, p. 83.

Colonel Rippon has added greatly to our knowledge of the mountain fauna of Burma and the adjacent countries, and has spent all his spare time for several years past in explorations in the Shan States, the Chin Hills, and has even penetrated into Western Yun-nan. In consequence, our knowledge of the avifauna of these regions has been greatly increased, and a large number of new species, some of them being of exceptional beauty and interest, has been added to the collection of the British Museum, to which Colonel Rippon has been a most generous donor.

Rishton (J. E. W.).

12 specimens of Australian birds. Presented. [69. 11. 16, 1-12.]

Robert (A.).

21 skeletons of birds from São Paulo, Brazil. Purchased. [1902. 3. 15, 1-21.]

275 birds from Pernambuco. Purchased. [1903. 12. 16, 1-275.]

Roberts (C. C.).

30 nests and eggs from Johannesburg. Presented. [1904. 11. 26, 1-30.]

Robillard (M.).

7 specimens from the Forest of Ancaya, Madagascar. Purchased. [83. 6. 3, 1-9.]

The first examples of *Mesites variegata* and *Tylas fulviventrīs* were here acquired by the Museum.

Robinson (H. C.).

149 specimens from the Bellenden Ker range in Queensland and the Cape York Peninsula. Presented. [97. 4. 21, 1-7; 1900. 4. 26, 1-35; 1901. 3. 20, 1-107.]

13 skeletons of birds from the Malay Peninsula. Presented. [1903. 1. 7, 1-13.]

A specimen of *Turdinulus humei*, from Salangore. Presented. [1905. 1. 21, 1.]

3 birds from Pahang, including one type and one species new to the collection. Presented. [1905. 4. 4, 1-3.]

13 skeletons. Presented. [1903. 1. 7, 1-13.]

498 birds from the mountains of the Malay Peninsula, collected by himself and Mr. N. Annandale. Presented. [1905. 2. 1, 1-498.]

Mr. Robinson is a young naturalist who made a successful expedition to Queensland, and, on his return, worked in the Liverpool Museum, under the Director, Dr. H. O. Forbes; some excellent papers on birds in that great institution were published conjointly with the latter in the "Bulletin of the Liverpool Museums." He afterwards visited the Malay Peninsula with Mr. N. Annandale, when the two explorers made a large collection of birds in Perak. (Cf. Fasciculi Malayenses, Zool., part iii., 1905.) Mr. Robinson is now Director of the State Museum of Salangore.

Robson (T.).

See STEVENS, S., and SHARPE, R. BOWDLER.

4 birds from Turkey, including the types of *Orites tephronotus*. Presented. [1865. 3. 31, 1-2; 1865. 4. 25, 1-2.]

Mr. Robson was a well-known collector in Turkey, chiefly in the neighbourhood of Constantinople and the opposite coast of Asia Minor. He contributed many excellent notes to the early parts of the "Birds of Europe," and was the discoverer of the Long-tailed Tit, *Ægithalus tephronotus* (Günther), 'Ibis,' 1865, pp. 95-98, pl. iv.

Romilly (Dr.).

75 birds from the Horse-shoe Range in the Astrolabe Mountains. Presented by the Commissioners of Queensland. [87. 2. 6, 1-75.]

This collection was exhibited at the Colonial Exhibition at South Kensington, and was afterwards presented to the British Museum by the Queensland Commissioners. It contained many rare species of birds new to the Museum collection, among them being the female of *Paradisornis rudolphi* and other Birds of Paradise.

Rosbach (A.).

21 eggs from the Smolen Islands, N. Norway. Purchased. [98. 6. 20, 1-21.]

Mr. Rosbach was an excellent observer, whom I met on my first expedition to the Smolen Isles. He had lived there for thirty years, and was thoroughly well acquainted with the birds of that Archipelago and their habits. The Museum purchased from him eggs of the Turnstone (*Arenaria interpres*), the Shield-Duck (*Tadorna tadorna*), Teal (*Nettion crecca*), and the Hooded Crow (*Corone cornix*).

Rose (H. F.).

13 birds from Nairnshire. Presented. [88. 2. 29, 1-8; 88. 3. 7, 1-5.]

Specimens of the Common Wren (*Anorthura troglodytes*), and several species of Tits.

Rosenberg (W. F. H.).

90 birds from Guayaquil and Puna Island, collected by the late Perry O. Simons. Purchased. [99. 4. 30, 1-90.]

22 birds from N. Ecuador, chiefly from Paramba. Purchased. [99. 11. 1, 1-22.]

411 specimens from Ecuador and Peru, collected by Mr. Perry O. Simons. Purchased. [1900. 10. 2, 1-100; 1900. 12. 2, 1-100; 1901. 4. 20, 1-100; 1901. 10. 14, 1-11; 1901. 10. 30, 1-100.]

Contained the types of new species, *Buarremon simonsi*, *B. pallidiceps*, and *Conirostrum dilutum*, *Crypturus berlepschi*, etc., and many other species new to the Museum.

The remainder of the Simons collection, 2300 specimens. Purchased. [1902. 3. 13, 2300.]

71 specimens from Ecuador and Colombia. Purchased. [1902. 5. 5, 1-71.]

19 birds from Bogos Land, N. E. Africa, collected by Mr. Schrader. Purchased. [1902. 12. 9, 1-19.]

420 birds from the Chupat Valley, Patagonia, collected by J. Kossowsky. Purchased. [1903. 12. 8, 1-420.]

19 birds collected in the Tukan Besi Islands, Moluccas. Collected by Mr. H. Kühn. [1903. 12. 9. 1-19.]

48 birds from Venezuela collected by Messrs. André and Boddington. Purchased. [1903. 12. 12, 1-48.]

24 birds from the Moluccas, 14 new to the collection. Collected by H. Kühn. [1904. 6. 10, 1-24.]

59 birds from South Western Islands, H. Kühn. Purchased. [1904. 7. 21, 1-59.]

8 birds from British Columbia. Purchased. [1905. 1. 29, 1-8.]

61 birds from Efulen and River Ja, Camaroons. Collected by G. L. Bates. Purchased. [1905. 7. 30, 1-61.]

Mr. Rosenberg's first expedition was to Colombia in 1894, where he remained about a year, exploring the western side of the Cauca Valley. As he paid more attention to entomology, his first collection was somewhat small. It was acquired by Mr. Boucard, who described two new species of Humming-birds, *Polyerata rosenbergi* and *Glaucis columbiana*. A new species of Nightjar was described as *Caprimulgus rosenbergi* by Dr. Hartert (Bull. B.O.C., v., p. 10, 1895).

In 1896 Mr. Rosenberg proceeded to N.W. Ecuador, and made a somewhat extensive collection of birds, the whole of which (with the exception of a few of the *Trochilidæ*) is in Mr. Rothschild's museum at Tring. The following species were new to science:—*Nemosia rosenbergi*, Rothschild (Bull. B.O.C., vii., p. 6, 1897); *Buthraupis rothschildi*, Berlepsch (Bull. B.O.C., vii., p. 3, 1897); *Odontophorus parambae*, Rothschild (Bull. B.O.C., vii., p. 6, 1897); *Crypturus berlepschi*, Rothschild (t.c., p. 5, 1897); *Automolus nigricauda*, Hartert (t.c., p. 30, 1898); *Cercomacra rosenbergi*, Hartert (Bull. B.O.C., vii., p. 29, 1898); *Poliophtila schistaceigula*, Hartert (Bull. B.O.C., vii., p. 30, 1898); *Thamnophilus cachabensis*, Hartert (Bull. B.O.C., vii., p. 29, 1898); *Cercomacra berlepschi*, Hartert (Bull. B.O.C., vii., p. 29, 1898). Mr. Rosenberg also obtained specimens of the three new Colombian

species mentioned above, as well as examples of *Pionopsittacus pulcher* and *Turdus daguæ*, Berlepsch, which had been described from Western Colombia subsequently to his visit to that country. During this second expedition Mr. Rosenberg met with several species previously unrecorded from Ecuador, and thereby established the close affinity of the Avifauna of N.W. Ecuador with that of Colombia.

On his departure from Ecuador, Mr. Rosenberg arranged for further collections to be sent from that country by two of his friends, Mr. G. Flemming and Mr. R. Miketta, from whom he has received several consignments containing species of very great interest. Among them were the following, which were new to science:—*Neocrex uniformis*, Hartert (Nov. Zool., viii., p. 369, 1901); *Automolus pallidigularis albidior*, Hartert (*t.c.*, p. 369); *Sclerurus mexicanus obscurior* (*id.*, Nov. Zool., ix., p. 370, 1901); *Pittasoma rufopileatum*, Hartert (Nov. Zool., viii., 370, 1901); *Euphonia fulvicrissa purpurascens*, Hartert (*t.c.*, p. 370); *Dacnis berlepschi*, Rothsch. and Hartert (Bull. B.O.C., xi., pp. 44, 70, 1901); *Grallaria parambæ*, Rothsch. (Bull. B.O.C., xi., p. 36, 1900).

Many duplicates from the above-mentioned collections have passed into the collection of the British Museum, including specimens of some of the new species, but the complete set is to be found in the Tring Museum.

Ross (BERNARD R.).

See also MURRAY, A.

139 specimens of birds, 39 eggs, and 16 nests collected during the exploration of the Maekenzie River. Presented. [63. 1. 28, 1-194.]

Many specimens from Fort Simpson. This is still the only collection which the Museum possesses from Western Canada.

Ross (Sir JOHN CLARK).

See ADMIRALTY, LORDS OF THE.

Voyages of H.M.S.S. *Enterprise* and *Investigator*, *Erebus* and *Terror*.

Rothery (H. C.).

32 specimens of birds from Cayenne. Presented. [45. 5. 1, 16-68.] (*Cf.* Dict. Nat. Biogr., xlv., p. 309.)

Rothschild (Hon. L. WALTER), *Ph.D.*, *M.P.*

3 specimens of *Nyroca ferina* from Tring Reservoir. Presented. [85. 4. 15, 1-3.]

13 specimens of birds, mostly new to the collection of the British Museum. Received in exchange. [95. 10. 17, 1-13.]

This collection added many species of extreme value and rarity to the Museum collection, among them being examples of *Æstrelata nigripennis*, *Æ. gularis*, *Diomedea bulleri*, *D. immutabilis*, *Thalassogeron salvini*, *Pteridophora alberti*, *Bowdleria caudata*, *Miro dannefordi*, *Traversia lyalli*.

4 specimens of birds from Laysan and Rarotonga Islands. Received in exchange. [96. 1. 8, 1-4.] Three species new to the Museum collection (*Aplonis cinerascens*, *Telespiza cantans*, *Himatione freethi*).

8 specimens of Humming-Birds from Ecuador. Presented. [96. 2. 11, 1-8.]

97 Humming-Birds from Mexico, and from Ecuador. Presented. [96. 5. 3, 1-97.]

This is a very remarkable series. Every specimen was mounted by Mr. O. T. Baron, the well-known traveller-naturalist, on the spot, when the specimens were shot by him. With the exception of Mr. Rothschild's private collection of Humming-Birds, mostly mounted by Mr. Baron in the field, no Museum possesses such a beautiful exhibition of Humming-Birds as the British Museum, augmented as it is by the preparations designed to show the structure of this remarkable Order of birds, as prepared for public exhibition by the late Sir William Flower.

45 specimens of birds from the Marianne Islands. Received in exchange. [96. 7. 16, 1-45.]

In this collection were many species new to the Museum (*Zosterops conspicillata*, *Corvus kubanyi*, *Megapodius laperousei*, *Phlægenas pampusa*, etc.

7 specimens from New Zealand and the neighbouring islands. Exchanged. [97. 11. 18, 1-7.]

Eudypetes schlegeli, *Phalacrocorax colensoi*, *P. nychthemerus*, new to the Museum collection.

7 birds from New Guinea. Exchanged. [97. 12. 5, 1-7.]

Specimens of rare species of Birds of Paradise new to the Museum collection, *Astrapia splendidissima*, Rothsch., *Cnemophilus macgregorii*, *Paradisea intermedia*, *Macgregoria pulchra*.

48 eggs, from the Salvage Islands, collected by Mr. Ogilvie-Grant. Presented. [1903. 8. 11, 1-48.]

316 birds from the Azores collected by Mr. Ogilvie-Grant. Presented. [1904. 12. 31, 1-316.]

Rothschild (*Hon. N. CHARLES*).

20 specimens from the Liu Kiu Islands. Presented. [1902. 9. 27, 1-20.]

43 birds from the Egyptian Sudan. Presented. [1904. 12. 14, 1-43.]

Rothschild (*Hon. N. CHARLES*) and **Wollaston** (*Dr. A. F. R.*).

66 birds from the Egyptian Sudan. Presented. [1901. 10. 1. 1-66.]

Several rare species added to the national collection, *Bubo desertorum*, *Caprimulgus eximius*, *Passer rufidorsalis*, etc. The series of the beautiful Goatsucker, *C. eximius*, was a donation of very great value.

Routledge (*SCORESBY*).

A specimen of Jackson's Francolin from Equatorial Africa. [1905. 1. 15, 1.]

Rowland Ward (*Messrs.*).

2 young Snowy Owls (*Nyctea scandiaca*). Presented. [1904. 4. 13, 1-2.]

Royal College of Surgeons.

135 specimens from various localities. Presented. [45. 2. 21, 262-396.]

Royal Geographical Society.

See SCHOMBURGK, *Sir R.*; NATIONAL ANTARCTIC EXPEDITION.

Royal Society.

66 birds, nests and eggs, from Rodriguez Island, collected by the Rev. H. H. Selater during the Transit of Venus Expedition. Presented. [76. 3. 14, 1-66.] Specimens of *Bebrornis rodericanus* and *Foudia flavicans*, new to the Museum.

44 nests and eggs and skeletons of birds, from Rodriguez, collected by H. Gulliver. Presented. [76. 3. 15, 1-22.]

The collections made by the Rev. H. H. Slater and Mr. H. Gulliver during the Transit of Venus Expedition were described by me in 1879 [Phil. Trans., clxviii. (extra volume), pp. 101-162, pls. vi-viii.]

22 specimens of birds and 114 eggs from Kerguelen Island. Collected by the Rev. A. E. Eaton. [76. 4. 26, 1-22; 76. 6. 19, 1-114.]

These specimens were collected by Mr. Eaton during the Transit of Venus Expedition. He discovered a new species of Duck, which I named after him *Querquedula eatoni*, since separated as a distinct genus, *Dafilula*, by the late Dr. Elliot Coues. Owing to various circumstances, the collection made on the Transit of Venus Expedition was a very small one, and by no means to be compared with that made by Dr. Kidder and the American expedition (cf. Bull. U.S. Nat. Mus., no. 2, pp. 1-47, 1875; no. 3, pp. 1-20, 1876). Mr. Eaton's notes were, however, excellent, being the work of a first-class field-naturalist. The *Challenger* had visited Kerguelen but a short time before, and he believed that a complete series of the birds of the island had been obtained, and therefore preserved only a few specimens. By unearthing the collections of birds made by the old Antarctic Expedition from the boxes of skins in the British Museum, concerning which nothing had been published, I was able to compile a tolerably complete memoir on the birds of these Antarctic regions [cf. Phil. Trans., clxviii. (extra volume), pp. 101-162, pls. vi-viii., 1879].

30 specimens of birds from the Island of Fernando Noronha, collected by Mr. H. N. Ridley. Presented. [88. 6. 1, 1-30.]

Two new species were obtained by Mr. Ridley, viz. *Elainea ridleyana*, Sharpe (P. Z. S., 1888, p. 107), and *Vireo gracilirostris*, Sharpe, Journ. Linn. Soc. Zool., 20, p. 478, 1890. For Mr. Ridley's own account of the expedition, see Journ. Linn. Soc., Botany, vol. xxvii., and "Zoologist," 1888, pp. 41-49.

81 specimens from the Island of Dominica, W.I., collected by Mr. G. A. Ramage. Presented. [88. 9. 21, 1-11; 88. 10. 4, 1-15; 89. 6. 10, 1-58.] For a description of these collections, see Slater, P. Z. S., 1889, pp. 326, 327.

50 specimens from Santa Lucia, collected by Mr. G. A. Ramage. Presented. [89. 8. 5, 1-50] (cf. Slater, P.Z.S., 1889, pp. 394, 395).

27 specimens from Antigua, collected by Mr. G. A. Ramage. Presented. [93. 7. 9, 1-27] (cf. Slater, P.Z.S., 1892, pp. 498-500).

62 skeletons of birds from Madagascar, collected by Dr. Forsyth Major. [97. 5. 10, 1-62.]

Royal Society and British Association.

256 specimens of birds from the Hawaiian Archipelago. Presented. [95. 7. 20, 1-175; 97. 10. 28, 1-81.]

This important collection was made by Mr. Perkins, who has written a most interesting account of the birds of the Hawaiian Islands (cf. "Ibis," 1893, pp. 101-112, and "Fauna Hawaiensis," vol. i., 1903).

In addition to the type-specimen of the new species, *Drepanorhamphus funereus*, the following additions were made to the collection of the British Museum:—*Heterorhynchus hanapepe*, *H. wilsoni*, *H. affinis*, *Hemignathus obscurus*, *H. procerus*, *Oreomyza mana*, *O. montana*, *Loxops flammea*, *Himatione maculata*, *H. newtoni*, *Rhodæcanthis palmeri*, *Pseudonestor xanthophrys*, *Chloridops kona*, *Chlorodrepanis parva*, *C. kalaana*, *C. chloris*, *C. chloridoides*, *C. wilsoni*, *Chrysomitridops coruleirostris*, *Phæornis lanaiensis*, *Acrulocercus bishopi*, *A. nobilis*,

Palmeria dolei, *Viridonia sagittirostris*, *Loxops aurea*, *L. ochracea*, *Corvus tropicalis*, *Chaseimpis gayi*.

221 birds, nests, eggs, and skeletons from the Islands of Socotra and Abd-el-Kuri, collected by Mr. W. R. Ogilvie-Grant and Dr. H. O. Forbes. Presented. [99. 4. 5, 1-51; 99. 8. 11, 1-170.]

The first set of specimens from this celebrated expedition was presented to the British Museum. The types of the following new species were included:—*Scops socotranus*, *Phalacrocorax atrigularis*, *Caprimulgus jonesi*, *Fringillaria socotrana*, *F. insularis*, *Passer hemileucus*, *Motacilla forwoodi* (cf. "The Natural History of Sokotra and Abd-el-Kuri," by W. R. Ogilvie-Grant and H. O. Forbes, LL.D., Aves, pp. 19-72, pls. iii.-vii.).

Royal Society, and the Universities of Edinburgh and Liverpool.

498 birds, nests, and eggs from the Malay Peninsula, collected by W. C. Robinson and N. Annandale. Presented. [1905. 2. 1, 1-498.]

Rudd (C. D.)

2952 birds, 29 eggs, 2 nests, collected by H. C. B. Grant in Cape Colony, Namaqua Land, Zulu Land, and E. Transvaal. Presented. [1903. 7. 20, 1-72; 1903. 10. 14, 1-385; 1905. 12. 29, 1-1952.]

Rüppell (Dr. E.).

57 birds from Abyssinia and Shoa. Purchased. [43. 8. 15, 7-10, 12-13; 42. 8. 16, 1-36; 42. 4. 8, 1-6, 45. 6. 2, 6-15.]

These were duplicates from Dr. Rüppell's great expedition to Abyssinia, and the British Museum, with the officers of which the celebrated traveller was on very friendly terms, profited greatly by these acquisitions. Many species, new to the collection, were added, the specimens being co-types and of the greatest value, among them being the following:—*Buteo augur* (Rüpp.), *Schizorhis zonura*, Rüpp., *Centropus monachus*, Rüpp., *Rhinopomastus minor* (Rüpp.), *Sterna affinis*, Cretzschm. [= *S. media* (cf. Saunders, Cat. B., xxv., p. 86)], *Turtur lugens* (Rüpp.), *Pæocephalus meyeri* (Rüpp.), *P. flavifrons* (Rüpp.), *Lamprotornis rufiventris*, Rüpp. [= *Spreo pulcher* (P.L.S., Müll.)] (cf. Sharpe, Cat. B., xiii., p. 191), *Spreo superbus* (Rüpp.), *Cinnamopteris tenuirostris* (Rüpp.), *Hirundo striolata* (Rüpp.) [= *H. pucta*, Temm.] (cf. Sharpe, Cat. B., x., p. 154), *H. melanocrissa* (Rüpp.), *Serinus xanthopygius*, Rüpp., *Saxicola isabellina*, Cretzschm., *Crateropus leucopygius* (Rüpp.), *Parus dorsatus*, Rüpp. [= *P. leucnotus*, Guérin] (cf. Gadow, Cat. B., viii., p. 10).

Russell (Lord Odo).

29 specimens of North American birds. Presented. [58. 10. 29, 1-29.]

Lord Odo Russell was created Baron Amthill in 1881. He obtained some interesting birds when attached to the Legation at Washington.

Cf. Dict. Nat. Biogr., xlix., p. 468.

Sabine (Sir EDWARD).

5 birds from various localities. [84. 7. 21, 1-5.]

Sir Edward Sabine gave many specimens from West Africa in the early part of the nineteenth century, but no register of the donations appears to have been kept. A Bush-Shrike (*Chaunonotus sabinei*) was named after him by J. E. Gray in the "Zoological Miscellany," i., p. 6. He is best known to English ornithologists by the Fork-tailed Gull (*Xema sabinci*), the type-specimen of which was presented to the Museum by his executors in 1884.

St. John (Sir OLIVER).

See STEVENS, S.; BLANFORD, W. T.

St. Petersburg Museum.

104 specimens from the Caucasus, Central Asia, and other parts of the Russian Empire. Exchanged. [87. 11. 2, 1-60; 93. 8. 1, 1-44.]

Most of the valuable duplicates from the St. Petersburg Museum were exchanged with the late Mr. Henry Seebohm, and passed into the British Museum with the Seebohm Bequest. A certain number were, however, received by the Museum through direct exchange, and amongst other species, the following Game-birds were added to the collection, *Caccabis magna*, *Phasianus talischensis*, *P. tarimensis* and *P. satschuenensis*.

St. Quintin (GEOFFREY A.).

See also OGILVIE-GRANT, W. R.

11 specimens of Cormorants and Shags from Cromarty, N.B. Presented. [98. 3. 4, 1-11.]

Salangore State Museum (HERBERT C. ROBINSON, Director).

13 birds from Salangore. Presented. [1904. 6. 18, 1-13.]

Sallé (AUGUST).

See also CUMING, H.; SCLATER, P. L.

28 specimens from San Domingo. Purchased. [51. 11. 14, 1-28.]

58 specimens from Southern Mexico. Purchased. [57. 7. 30, 4-25; 58. 9. 27, 1-19; 58. 10. 1, 1-11; 59. 6. 28, 15-21.]

Sallé's early travels in Central America were principally for the purpose of making entomological collections, but his ornithological work was also important, and he discovered several interesting new species. He first went to San Domingo in 1849, and the collections were sent to Mr. Hugh Cuming [*q. v.*] for disposal. They were described by Dr. Sclater (P.Z.S., 1857, p. 230), who also wrote memoirs on Sallé's Mexican collections (P.Z.S., 1856 [*cf.* Ibis, 1897, p. 147], pp. 283-311, pls. cxx., cxxi.; 1857, pp. 81, 82, 201-207, 226-230; 1858, pp. 95-99, 294-305).

Salmon (T. K.).

See GERRARD, E.

Mr. Salmon was an engineer who, owing to ill-health, left England in 1872 for Colombia, where he made an excellent collection of the birds of that country, and their eggs. The collection was described by Dr. Sclater and Mr. Salvin in the "Proceedings" of the Zoological Society for 1879 (pp. 486-550, pls. xli.-xliii.). The new species were *Cyphorhinus dichrous*, *Buarremon elaprorus*, *Automolus ignobilis*, *Grallaria rufocinerea* and *Brachygalba salmoni*.

Cf. Obituary notice, Ibis, 1879, pp. 384 and 385.

Salvin (OSBERT), F.R.S.

189 birds and 7 eggs from Guatemala. Presented. [59. 2. 5, 1-7; 60. 11. 20, 1-48; 61. 7. 16, 1-52; 65. 5. 19, 3-91.]

68 nests of North American birds. Presented. [66. 4. 26, 1-68.]

63 birds from Central America. Purchased. [68. 2. 17, 1-63.]

63 birds from Costa Rica. Purchased. [68. 6. 30, 1-63.]

The two latter collections were duplicates from those sent to Mr. Salvin by his correspondents. Throughout his life he was a very keen ornithologist, and when at a tutor's at Finchley he began his collecting. Many specimens of birds and eggs obtained in the neighbourhood of

Hampstead and Finchley are in the Salvin-Godman collection, many of them taken in places now given over to the builder. At Cambridge he became one of the founders of the British Ornithologists' Union, with the two brothers Newton, Canon Tristram, P. L. Selater, and F. Du Cane Godman. Here was started that brotherhood which has made the British school of ornithology pre-eminent in the history of the science, and from these college days began that close companionship and loving friendship which has had such a great influence on the progress of zoology—I mean, of course, the partnership of Mr. Salvin and Dr. Godman, which finally culminated in the publication of the "Biologia Centrali-Americana." To myself Salvin was always the kindest of friends, and I owe much to his advice and guidance throughout my life. In addition to the many papers which he published, a list of the principal ones being given by Dr. Godman in his "Introduction" to the volumes of the "Biologia," he wrote for many years in conjunction with Dr. P. L. Selater, a complete list of these essays being given in the Memoir of the last-named Ornithologist published in 1896 by the U.S. National Museum (Bull. U.S. Nat. Mus., No. 49).

Salvin (O.) and Godman (F. D.).

See GODMAN, F. D.

Sambon (Dr. LUIGI).

9 specimens of birds from the Campagna Romana. Presented. [1901. 1. 29, 1-9.]

These were collected by Dr. Sambon during his stay in the Campagna, when he was prosecuting his researches into the causes of malaria.

Sandeman (FLEETWOOD).

A young Peregrine from Surendal Valley, Norway. Presented. [1904. 10. 26, 1.]

Saunders (ERNEST).

16 birds from Norfolk Island. Purchased. [88. 10. 5, 1-16.]

Ernest Saunders was an attendant for some time in the Zoological Department, and was the son of one of our most respected attendants in the Museum—John Saunders. The son afterwards went to Australia, and was ultimately in the employ of the Australian Museum at Sydney, taking part in expeditions to Norfolk Island and Lord Howe Island (cf. Etheridge, "The General Zoology of Lord Howe Island," Mem. Austr. Mus. Sidney, i., Birds, pp. 1-48, 1889).

Saunders (HOWARD).

101 specimens from Southern Spain. Presented. [72. 11. 4, 1-27; 74. 4. 9, 1; 75. 11. 22, 1-73.]

These included Mr. Saunders' collection of *Accipitres*, which he gave to the Museum in order to help me with my first two volumes of the "Catalogue of Birds." In this collection were the only authentic specimens of *Elanus caeruleus* and *Falco barbarus* obtained in Southern Spain, as well as beautiful skins of *Aquila adalberti*, *Gypaetus barbatus*, and other rare species.

97 birds from various localities (Tangiers, Mogador, S. Spain, etc.) Presented. [74. 4. 2, 2-8; 79. 4. 19, 1-4; 82. 6. 3, 1-26; 82. 12. 21, 1-60.]

255 eggs of Gulls and Terns. Presented. [91. 4. 3, 1-255.]

496 specimens of Laridæ. Purchased. [94. 10. 28, 1-496.]

This was the private collection of Gulls and Terns, perhaps the finest

then in existence, which Mr. Saunders had gathered together for the purpose of writing a monograph of the *Laridæ*. When he undertook to describe these birds in the "Catalogue of Birds," he parted with his great collection to the British Museum.

64 specimens from various parts of the world. Presented. [94. 12. 24, 1-15; 95. 10. 12, 1-12; 97. 11. 17, 1-37.]

Mr. Howard Saunders has always been a staunch friend of the Museum. Cf. "Who's Who," 1904, p. 1355.

Saunders (W. RADCLIFFE).

962 eggs, from Alaska, California, Australia, etc. Presented. [1902. 10. 15, 1-962.]

1266 eggs from Canada, the United States, Queensland, etc. Presented. [1902. 10. 25, 1-964; 1902. 10. 30, 1-302; 1903. 7. 30, 1-351.]

A further large consignment of eggs, chiefly of Palearctic species, was presented in 1904.

9 birds from the Canary Islands, Japan, etc. Presented. [1905. 4. 11, 1-9.]

Mr. Radcliffe Saunders possessed a very fine collection of eggs from all parts of the world. In 1902 he proposed to restrict his collection to Palearctic species, and he presented the whole of his series from the other regions of the world to the British Museum. He has recently given his entire Palearctic collection also—the whole donation consisting of about 10,000 specimens, vastly increasing the series of eggs in the Museum, and adding those of a large number of species previously unrepresented.

Saunders (W. WILSON).

18 specimens of birds from various localities. Presented. [73. 5. 30, 1-18.]

A munificent patron of science in his day. Though chiefly devoting his attention to other branches of natural history, he had a very good collection of birds, which I catalogued for him. At my request, he presented a few specimens which I coveted for the British Museum, among them the type-specimen of the pretty little Dwarf-owl, *Glaucidium tephronotum*, Sharpe, which still remains unique. No second specimen has yet been discovered, and the habitat is still unknown.

Schlüter (WILHELM).

65 eggs of *Cuculus canorus* from Germany, with the eggs of the foster-parents. Purchased. [92. 7. 8, 1-8; 92. 7. 14, 1-36; 93. 8. 12, 1-21.]

30 birds from Germany. Purchased. [1901. 5. 3, 2-5; 1901. 7. 3, 1-15; 1902. 3. 21, 1-11.]

16 birds from the Palearctic region. Purchased. [1905. 1. 28, 1-16.]

6 birds from Europe. Purchased. [1905. 4. 25, 1-6.]

Mr. Schlüter is the well-known natural-history agent of Halle a. S., and many specimens for mounting in the public gallery have been acquired from him.

Schmitz (Padre ERNESTO).

20 specimens of birds and eggs from Madeira. Purchased. [95. 9. 5, 1-10; 96. 2. 6, 1-6; 96. 7. 1, 1-7.]

22 birds from Madeira. Purchased. [1904. 7. 22, 1-22.]

Padre Schmitz is Director of the Seminario at Funchal, and has formed a most interesting Museum of the Fauna of Madeira and the

Desertas Islands. It is one of the best local Museums that I have ever seen, and the Padre is a most efficient Director, training his pupils to collect, and to become good naturalists.

Schneider (GUSTAV).

15 specimens from South-eastern New Guinea. Purchased. [86. 2. 26, 1-15.]

These were from the collection made by the late Carl Hunstein in the Horse-shoe Range of the Astrolabe Mountains. The following species were new to the Museum—*Parotia lawesi*, *Lophorhina minor*, *Alcedo melanocephalus*, *Phonygama purpureiviolacea*, *Eos incondita*, *Psittacella madaraszi*, *Charmosyna stellæ*, *Ptilopus patruelis*, and *Melidectes emilii*.

6 specimens collected by Dr. Otto Finsch in New Ireland. Purchased. [87. 1. 26, 1-6.]

Among these were the types of *Donacicola hunsteini*, *Myzomela ramsayi*, and *Carpophaga subflavescens*.

Schomburgk (Sir R.).

50 birds from British Guiana. Presented by the Royal Geographical Society. [37. 2. 3, 179-228.]

145 birds from British Guiana. Presented. [37. 7. 15, 1-66; 39. 12. 1, 1; 40. 7. 3, 1-71; 44. 7. 2, 1; 44. 9. 4, 100-105.]

28 specimens from Barbados. Presented. [47. 8. 10, 1-28.]

5 specimens from Bermuda. [47. 10. 25, 1-5.]

Sir Robert Schomburgk died in Berlin in March 1865.

Cf. Ibis, 1865, p. 240.

Schrader (G.).

See ROSENBERG.

Schultze (H.).

60 birds from the Caucasus. Purchased. [1902. 12. 7, 1-60.]

The Caucasian Long-tailed Tit (*Egithalus caucasicus*), was received for the first time. Other specimens have since been acquired with the Menzbier collection of *Paridae*.

Sclater (PHILIP LUTLEY), D.Sc., F.R.S.

8 specimens, from South America, including the types of *Turdus ignobilis* and *Rallus semiplumbeus*. Presented. [57. 11. 5, 1-3; 57. 11. 18, 1-5.]

7 specimens from S. Mexico, collected by A. Sallé. Purchased. [63. 9. 5, 1-7.]

2 type-specimens of *Saxicola spectabilis*, Hartl., from Windvogelberg (cf. P.Z.S., 1865, pp. 428, 429, pl. xxiii.) (= *Myrmecocichla bifasciata*, Temm.; cf. Seeböhm, Cat. B., v., p. 355, 1881), collected by Capt. Bulger. Presented. [65. 10. 16, 1-2.]

10 specimens from Santiago, Chili, collected by Landbeck. Purchased. [67. 5. 16, 1-10.]

An egg of the Spotted Bower-bird, *Chlamydodera maculata*. Presented. [73. 6. 27, 5.]

10 specimens from Central and South America. Purchased. [83. 4. 20, 1-10.]

521 specimens of American birds (*Hirundinidae* and *Mniotiltidae*). Purchased. [84. 5. 15, 1-521.] Thirty-three species were added to the collection, including the types of *Cotile fulvipennis* (= *Stelgidopteryx*

serripennis, Audub. ; cf. Sharpe, Cat. B., x., p. 206), *Polioptila boliviana*, *P. lactea*, *Leucopezia semperi*, *Geothlypis speciosa*, *Basileuterus roraimæ*, *B. mesochrysus*, *B. griseiceps*, *B. cinereicollis*, *B. fraseri*, *B. mesoleucus*, *B. semicervinus*, *B. uropygialis*, *B. leucopygius*, *Setophaga albifrons*, *Granatellus pelzelni*.

210 specimens of American birds (*Cærebidæ*). Purchased. [84. 7. 31, 1-210.]

21 new species, with the following 14 types, were added to the Museum:—*Diglossa gloriosa*, *D. indigotica*, *Diglossopsis cærulescens*, *Oreomanes fraseri*, *Conirostrum fraseri*, *Dacnis cærebicolor*, *D. pulcherrima*, *D. salmoni*, *Chlorophanes guatemalensis*, *C. purpurascens*, *Cæreba carneipes* (= *C. cyanea*, L. ; cf. Sclater, Cat. B., xi., p. 32), *C. lucida*, *Certhiola dominicana*, *C. braziliensis*.

769 specimens of American *Fringillidæ*. Purchased. [85. 2. 8, 1-8 ; 85. 2. 10, 1-761.]

71 species added to the Museum, with types of the following 25 species:—*Pheucticus crissalis*, *P. uropygialis*, *Oryzoborus occidentalis*, *O. melas*, *O. funereus*, *O. æthiops*, *Spermophila pileata*, *S. ophthalmica*, *S. ocellata*, *S. corvina*, *Paroaria cervicalis*, *Poospiza erythrophrys*, *P. whitei*, *P. bonapartei*, *P. cæsar*, *Phrygilus ocularis*, *Zonotrichia quinquestriata*, *Peucæa botterii*, *P. boucardi*, *Embernagra olivascens*, *Pipilo albicollis*, *Coccothraustes maculipennis*, *Chrysomitris uropygialis*, *Sycalis pelzelni*, *S. chrysops*.

1124 specimens of *Tanagridæ*. Purchased. [85. 6. 12, 1-1124.]

48 species added to the collection, with the types of the following 65 species:—*Procnias tersa occidentalis*, *Chlorophonia frontalis*, *C. flavirostris*, *Euphonia pyrrhophrys*, *E. concinna*, *E. finschi*, *E. fulvicrissa*, *E. melanura*, *E. vittata*, *E. chalcopasta*, *E. chrysopasta*, *Chlorochrysea nitidissima*, *Calliste tatao cælicolor*, *C. xanthogastra*, *C. virescens*, *C. icterocephala*, *C. ruficapilla*, *C. chrysonota*, *C. cyanolæma*, *C. vieillotii*, *C. cyanescens*, *C. cyanopygia*, *C. taylori*, *C. melanotis*, *C. cyanotis*, *C. rufigenis*, *C. lunigera*, *C. venusta*, *Iridornis porphyrocephala*, *Tanagra subcinerea*, *Tanagra auricrissa*, *Rhamphocelus dorsalis*, *R. ehippialis*, *R. uropygialis*, *R. unicolor*, *Phænicothraupis erythrolæma*, *Tachyphonus albospectularis*, *T. cristatellus*, *Nemosia quirina*, *N. auricollis*, *N. insignis*, *N. albigularis*, *N. ornata*, *Chlorospingus chrysophrys*, *Sphenops ignobilis*, *Chlorospingus oleagineus*, *C. castaneicollis*, *C. goeringi*, *C. melanotis*, *Urothraupis stolzmanni*, *Buarremon phæopleurus*, *B. inornatus*, *B. castaneiceps*, *B. spodionotus*, *B. elæoprurus*, *B. taczanowskii*, *B. castaneifrons*, *B. citrinellus*, *Arremon spectabilis*, *A. nigrirostris*, *A. axillaris*, *Saltator laticlavus*, *S. flavidicollis*, *S. isthmicus* and *Tanagra olivina* (= *Schistochlamys atra*, Gm. ; cf. Sclater, Cat. B., xi., p. 301).

384 specimens of American *Icteridæ*. Purchased. [85. 7. 12, 1-384.]

Includes 10 types, viz.:—*Ostinops salmoni*, *O. oleaginus*, *Cassicus flavicrissus*, *C. microrhynchus*, *Agelæus imthurni*, *A. forbesi*, *Leistes erythrothorax*, *Neopsar nigerrimus*, *Icterus laudabilis*, *I. wagleri*. 25 species were new to the Museum collection.

33 birds from S. America, including the type of *Hæmophila pulchra*. Purchased. [86. 8. 1, 1-33.]

310 specimens of American *Turdidæ* and *Mimidæ*. Purchased. [86. 8. 2, 1-310.]

Included the types of nine species, *Catharus occidentalis*, *C. phæopleurus*, *Turdus lucauchen*, *T. ehippialis*, *T. fulviventris*, *T. pinicola*, *Mcclanoptila glabrirostris*, *Harporhynchus ocellatus*, *Cinclus leucnotus*.

468 specimens of American *Troglodytidae* and *Vireonidae*. Purchased. [86. 9. 15, 1-468.] Included 36 types, as follows:—

Campylorhynchus gularis, *C. jocosus*, *C. nigriceps*, *C. striaticollis*, *Cinnicerthia fulva*, *Cyphorhinus phaeocephalus*, *C. dichrous*, *Microocerculus squamulatus*, *Heterocnemis albigularis*, *Microocerculus marginatus*, *Thryophilus nigricapillus*, *Thryothorus mystacalis*, *T. euophrys*, *T. felix*, *T. martinicensis*, *T. mesoleucus*, *Troglodytes intermedius*, *T. solstitialis*, *T. brunneicollis*, *Uropsila leucogastra*, *Vireosylva cobanensis*, *V. josephæ*, *Vireo modestus*, *V. hypochryseus*, *Hylophilus pectoralis*, *H. muscicapinus*, *H. insularis*, *H. brunneiceps*, *H. ochraceiceps*, *H. rubrifrons*, *H. ferrugineifrons*, *H. luteifrons*, *H. semicinereus*, *Cyclorhis flavipectus*, *C. virniceps*, *Eremophila peregrina*.

25 specimens from the Solomon Islands. Presented. [87. 1. 20, 1-25.]

Included the types of four species, *Ninox solomonis*, Sharpe (= *N. variegata*, Q. and G.; cf. Salvad., Orn. Pap., i., p. 88), *Rallus intactus*, Sclater (= *Gymnocrex plumbeiventris*, Gray; cf. Sharpe, Cat. B., xxiii., p. 52, 1894), *Mino kreffti*, Sclater (cf. P.Z.S., 1869, pp. 118-126, pls. ix., x.).

485 specimens of *Trochilidae*. Purchased. [87. 3. 14, 1-485.]

1718 specimens of *Tyrannidae*, *Pipridae*, and *Cotingidae*. Purchased. [83. 1. 13, 1-1718.]

28 species were new to the collection of the British Museum, and the following types were added to it:—*Agriornis pollens*, *A. insolens*, *A. solitaria*, *Ochthæa fumicolor*, *O. superciliosa*, *O. polionota*, *O. leucometopa*, *O. citrinifrons*, *O. lessonii*, *O. nigrita*, *O. salvini*, *O. gratiosa*, *O. murina*, *Mecocerculus stictopterus*, *M. calopterus*, *M. pæcilocercus*, *Fluvicola atripennis*, *Cnipolegus hudsoni*, *C. pusillus*, *Copurus fuscicapillus*, *Muscisaxicola fluviatilis*, *Platyrhynchus flavigularis*, *P. albigularis*, *P. coronatus*, *Todirostrum nigriceps*, *T. pulchellum*, *T. schistaceiceps*, *T. picatum*, *Oncostoma cinereigulare*, *Euscarthmus pelzelni*, *E. impiger*, *Hapalocercus fulviceps*, *H. flaviventris*, *Pogonotriccus gualaquiza*, *Serpophaga hypoleuca*, *S. subflava*, *Anæretes agilis*, *Leptopogon pæcilotis*, *L. peruvianus*, *L. erythrops*, *Phyllomyias berlepschi*, *Myiopatis semifusca*, *Ornithion inermis*, *O. imberbe*, *Tyranniscus cinereiceps*, *T. improbus*, *T. gracilipes*, *T. viridissimus*, *T. chrysops*, *T. flavidifrons*, *T. leucogonys*, *Elainea semipagana*, *E. gigas*, *E. riisii*, *E. griscigularis*, *E. modesta*, *E. hypospodia*, *E. pudica*, *E. fallax*, *E. implacens*, *E. elegans*, *E. flavivertex*, *Sublegatus glaber*, *Phyllomyias platyrhyncha*, *Rhynchocyclus æquinoctialis*, *R. flavipectus*, *R. cinereiceps*, *R. viridiceps*, *Pitangus taylori*, *Myiodynastes nobilis*, *M. atrifrons*, *Syristes albocinereus*, *Megarhynchus chrysogaster*, *Muscivora occidentalis*, *Cnipodectes subbrunneus*, *C. minor*, *Myiobius sulphureipygius*, *M. villosus*, *M. aureiventris*, *M. flavicans*, *M. pulcher*, *M. bellus*, *M. crypterythrus*, *M. cryptoxanthus*, *Pyrocephalus mexicanus*, *Empidochanes fringillaris*, *E. pæcilurus*, *Mitrephanes phæocercus*, *Empidonax ridgwayi*, *Contopus brachytarsus*, *Myiarchus phæonotus*, *M. apicalis*, *M. nigricapillus*, *M. nigriceps*, *Tyrannus niveigularis*, *T. rostratus*, *Chloropipo holochlora*, *Masius coronulatus*, *Metopothrix aurantiacus*, *Pipra flavicollis*, *P. leucorrhœa*, *Tyrannetes brachyurus*, Scl. and Salv. (= *Pipra virescens*, Pelz.; cf. Scl., Cat., xiv., p. 302), *Machæropterus deliciosus*, *Pipra flavitincta*, Scl. (= *Chiro-machæris flaveola*, Cass.; cf. Scl., Cat., xiv., p. 315), *Heteropelma wallacei*, *H. amazonum*, *H. stenorhynchum*, *H. flavicapillum*, *H. igniceps*, *Hadrostomus homochrous*, *Pachyrhamphus spodiurus*, *P. cinereiventris*, *P. dorsalis*, *P. albogriseus*, *Lipaugus immundus*, *Attila citriniventris*, *Thamnophilus strenuus*, Scl. (= *Attila rhamnophiloides*, Spix; cf. Scl.,

Cat., xiv., p. 364), *A. torridus*, *Casiornis fusca*, *Pipicola juncunda*, *Cephalopterus penduliger*, *Doliornis sclateri*, Tacz.

347 specimens of American Woodpeckers (*Pici*). Purchased. [89. 2. 26, 1-347.]

Five species were added to the British Museum, and the following type-specimens:—*Picumnus wallacei*, Hargitt, *Dryocopus fuscipennis*, Sclater, *Melanerpes pulcher*, Sclater, *Celeus subflavus*, Sclater (= *C. flavus*, Müll.; cf. Hargitt, Cat., xviii., p. 440, 1890), *C. fraseri*, Malh. (= *C. loricatus*, Reichenb.; cf. Hargitt, Cat. B., xviii., p. 432, 1890).

658 specimens of *Dendrocolaptidæ*. Purchased. [89. 5. 20, 1-658.]

8 species were new to the collection, and the following types were acquired:—*Geositta crassirostris*, *Furnarius agnatus*, *F. torridus*, *Upucerthia excelsior*, *Cinclodes albidiventris*, *Lochmias sororia*, *Leptasthenura pileata*, *L. andicola*, *Synallaxis moesta*, *S. spixi*, *S. elegans*, *S. elegantior*, *S. hypospodia*, *S. subpudica*, *S. pudica*, *Siptornis antisimensis*, *S. curtata*, *S. erythrops*, *S. subcristata*, *S. arequipæ*, *S. hudsoni*, *S. wyatti*, *Phacelodinus rufipennis*, *Thripophaga guttuligera*, *Automolus holostictus*, *H. ignobilis*, *A. striaticeps*, *A. rubiginosus*, *A. rubidus*, *A. melanocephalus*, *Philydor consobrinus*, *P. erythronotus*, *P. panerythrus*, *P. cervicalis*, *Anabazenops oleagineus*, *A. variegaticeps*, *A. temporalis*, *A. striaticollis*, *A. subalaris*, *Xenops littoralis*, *Ancistrops lineaticeps*, *Dendroornis eytoni*, *Picolaptes puncticeps*, *P. layardi*, *Xiphorhynchus thoracicus*, Scl. (= *X. trochilrostris*, Licht.; cf. Scl., Cat., xv., p. 159), *X. pusillus*, *Dendrocinclla homochroa*, *D. ruficeps*, *Dendrocolaptes puncticollis*, *D. radiolatus*.

726 specimens of *Formicariidæ*. Purchased. [89. 9. 20, 1-726.]

The following types were included:—*Thamnophilus melanocrissus*, *T. transandianus*, *T. immaculatus*, *T. æthiops*, *T. melanocephalus*, *Myrmelastes plumbeus* (= *Thamnophilus plumbeus*; cf. Scl., Cat. B., xv., p. 193), *T. nigriceps*, *T. nigriceps*, *T. capitalis*, *T. simplex*, *T. amazonicus*, *T. leucauchen*, *T. loreto-yaquensis*, *T. melanonotus*, *T. puncticeps*, *Thamnistes anabatinus*, *T. æquatorialis*, *Pygoptila margaritata*, *Dysithamnus leucostictus*, *D. ardesiacus*, *D. unicolor*, *D. gutturalis*, *Myrmotherula pyrrhouota*, *M. erythraea*, *M. melana*, *M. cinereiventris*, *M. urosticta*, *Herpsilochmus frater*, *H. pectoralis*, *Formicivora speciosa*, *F. caudata*, *F. boucardi*, *Rhamphocænus albiventris*, *R. sancta-martiae*, *Microbatas torquatus*, *Cercomacra napensis*, *C. nigriceps*, *C. carbonaria*, *C. maculicauda*, *Pernostola fortis*, *Heterocnemis leucostigma*, *Myrmeciza immaculata*, *M. pelzelni*, *Hypocnemis hypoxantha*, *H. erythrophrys*, *H. melanura*, *Pithys leucaspis*, *P. lunulatus*, *Thamnocharis dignissima*, *Grallaria mexicana*, *G. regulus*, *G. haplonota*, *G. nuchalis*, *G. ruficeps*, *G. rufocinerea*, *G. flavotincta*, *G. erythroleuca*, *G. erythrotis*, *G. griseinucha*, *G. fulviventris*, *Grallaricula loricata*, *G. cucullata*, *Couopophaga torrida*, Scl. (= *C. peruviana*, Des Murs; cf. Scl., Cat., xv., p. 331), *C. castaneiceps*, *G. gutturalis*, Scl. (= *C. castaneiceps*; cf. t.c., p. 332), *Agathopus micropterus*, Scl. (= *Scytalopus analis*, Lafr.; cf. Scl., Cat., xv., p. 342), *Liosceles thoracicus*, *Rhinocrypta fusca*.

745 birds from various localities. Purchased. [1905. 1. 30, 1-745.]

726 specimens of *Formicariidæ* (Ant-Thrushes), including 67 types. Purchased. [89. 9. 20, 1-726.]

221 specimens of Picarian birds (Cuckoos, Toucans, Barbets) including 2 types (*Diplopterus excellens*, and *Capito aurantiicollis*), and 5 species new to the collection. Purchased. [89. 9. 27, 1-221.]

196 specimens of *Cypselidæ* (Swifts) and *Caprimulgidæ* (Night-jars), including 2 types (*Hemiprocne biscutata*, and *Chatura cinereiventris*), and 5 species new to the collection. Purchased. [90. 2. 18, 1-196.]

154 specimens of Picarian birds (Motmots, Todies, Kingfishers, Trogons), including the type of *Momotus microstephanus*. Purchased. [90. 4. 20, 1-154.]

266 specimens of Psittaci (Parrots), including 7 types (*Conurus holochrous*, *C. rubritorques*, *C. rhodogaster*, *Chrysotis sallæi*, *Urochroma stictoptera*, *U. delectissima*), and 4 species new to the collection. Purchased. [90. 6. 1, 1-266.]

71 specimens of *Galbulidæ* (Jacumars), including 5 types (*Urogalba amazonum*, *Galbula rufoviridis*, *G. melanogenia*, *G. inornata*, *G. fulviventris*). Purchased. [90. 8. 12, 1-71.]

137 specimens of *Bucconidæ* (Puff-birds), including 5 types (*Bucco napensis*, *B. leucocrissus*, *B. pulmentum*, *Malacoptila inornata*, *Nonnula brunnea*). Purchased. [90. 8. 28, 1-137.]

26 eggs of various birds (*Struthio molybdophanes*, *Casuarinus westermanni*, *Chauna chavaria*, etc.). Presented. [91. 6. 21, 1-26.]

58 birds from Lomas de Zamora, Buenos Aires, collected by Dr. F. Withington. Purchased. [92. 6. 59, 1-58.]

This collection was described by Dr. Sclater in the *Ibis* for 1888 (pp. 461-473).

16 birds from the West Indies, collected by Mr. W. B. Richardson. Purchased. [93. 12. 16, 1-16.]

6 birds from Adis Abeba, Abyssinia, collected by the late Capt. Welby. Presented. [1901. 1. 28, 1-6.]

Contained a specimen of *Turacus donaldsoni*, previously only known from Somali Land.

6 specimens of Colies in spirit from South Africa. Presented. [1905. 5. 17, 1-6.]

Dr. Sclater was for more than forty years the Secretary of the Zoological Society of London. He took office, on the retirement of Mr. D. W. Mitchell, who had accepted the post of Director of the "Jardin d'Acclimation" in Paris. The affairs of the Zoological Society were then at a low ebb, but by the efficient management and enthusiasm of the new Secretary the Society was re-constituted, and a career of ever-increasing success was inaugurated. It is needless to allude to the fame of the Society, since Dr. Sclater became its Secretary, as the proof is patent in the volumes of the 'Proceedings' and 'Transactions' since the year 1859 to the present time. A Memoir by Professor G. Brown Goode, recording "the published writings of Philip Lutley Sclater, 1844-1896," appeared in the last-named year as "Bulletin No. 49 of the United States National Museum." At that date his contributions to zoological literature amounted to 1297! The memoir by Professor Brown Goode gives a full synopsis of Dr. Sclater's work, a wonderful example of a man's energy; equally remarkable have been his extreme kindness and encouragement to the young men commencing their scientific career. There are many men now living, besides myself, who can testify to the assistance which was freely offered to us by Dr. Sclater, when we were putting our first footstep on the ladder.

He was born in 1829 at Tangier House in Hampshire, educated at Winchester College, whence he went to Oxford, here meeting Hugh E. Strickland, who was Reader in Geology to the University. Strickland became his instructor, and a close friendship resulted between the two men, continued up to Strickland's untimely death. A joint paper on the birds of Damara Land appeared in the "Contributions to Ornithology" for 1852. It was by Strickland's advice that Sclater took up the study of American birds, and after some few papers on British species

as observed by him in Hampshire, near the family seat at Hoddington and in the neighbourhood of Odiham, he commenced his work on the Tanagers in 1850. Since that time he has written a continued series of memoirs and papers on Neotropical birds, and he got together a splendid collection of *Passeres* from that region. This collection was purchased by the Trustees of the British Museum, when Dr. Selater agreed to write some of the volumes of the "Catalogue of Birds." The great number of types in the collection rendered this one of the most valuable acquisitions ever made by the National Museum.

In addition to the separate memoirs and papers, now amounting to some 1,300 in number, Dr. Selater has published many important books, the best known of which are the "Argentine Ornithology" (with Mr. W. H. Hudson) and "Exotic Ornithology." The latter work was written in collaboration with the late Osbert Salvin, who for many years was joint-author with Dr. Selater of a long series of memoirs dealing with Neotropical Ornithology. It must not be supposed, however, that the latter subject alone occupied Dr. Selater's energy, for he has written on many other subjects, and has been prominently connected with all the recent expeditions which have been promoted either by the Government, or the Royal Geographical Society, or the British Association. He was the editor of the first series of the *Ibis* from 1859-1864 and with the exception of the second and third series (1865-1875), he has been joint-editor down to the present time. For a full and complete account of Dr. Selater's career, the reader is referred to Prof. Brown Goode's memoir, already noticed.

See also 'Who's Who,' 1905, p. 1434.

Scott-Elliott.

See ELLIOTT.

Scott (G. FIRTH).

19 birds from South-Western Australia. Presented. [1904. 7. 14, 1-9; 1905. 11. 19, 1-10.]

Scott (*Sir* SAMUEL EDWARD), *Bart.*

58 birds from New Zealand. Presented. [95. 3. 15, 1-58].

Cf. 'Who's Who,' 1905, p. 1440.

Scott (W. E. D.).

See PRINCETON MUSEUM, N. J.

When Curator of the Princeton Museum, New Jersey, Mr. Scott visited England and exchanged a valuable collection of duplicate eggs from his museum for a large series of bird skins from the British Museum. His life has been a very adventurous one, especially for a man who was delicate and afflicted with lameness. He made large collections of birds in Arizona, Colorado, and Florida, as well as in many of the Eastern States of North America. The history of his life is told in his interesting "Story of a Bird-Lover" (New York, 1903).

Scully (*Dr.* J.).

63 birds from Gilgit. Presented. [81. 2. 25, 1-33; 81. 7. 12, 1-30.]

An important memoir on the birds of Gilgit was published in the '*Ibis*' for 1881 (pp. 415-453, 567-594). Dr. Scully's donations

contained specimens of *Anorthura cashmiriensis* and *Fringillauda sordida*, new to the Museum collection.

60 birds from Nepal. [81. 3. 19, 1-60].

These specimens were duplicates from the collection made by Dr. Scully during his residence at Khatmandu in Nepal. The rest of the series obtained at this time was given to Mr. Hume, and came into the Museum with that gentleman's collection in 1885.

29 Domestic Pigeons (*Columba livia*) from Yarkand [83. 6. 6, 1-29.]

Seale (ALVIN).

26 birds. Purchased. [97. 10. 25, 1-26.]

Seebohm (HENRY).

27 birds from Norway and the Petchora River. Presented. [76. 3. 22, 3. 29.] (cf. Seebohm, *Ibis*, 1876, pp. 105-126, 215-230, 289-311, 434-456, pls. v., vii.).

23 birds from Heligoland. [76. 10. 17, 8-21; 76. 11. 29, 1-9.]

For an account of Mr. Seebohm's visit to Heligoland, in which I had the good fortune to accompany him and Mr. Francis Nicholson, cf. *Ibis*, 1877, pp. 156-165.

20 Warblers and Flycatchers from the Petchora River, the Yenesei River, Heligoland, etc. Presented. [78. 12. 23, 1-15; 78. 12. 31, 15-19.]

51 birds from various localities. Presented and exchanged. [79. 2. 3, 1-4; 79. 3. 8, 1-6; 79. 3. 14, 1-17; 79. 3. 24, 1-3; 79. 11. 13, 1-6; 81. 2. 24, 1-15.]

41 Thrushes (*Turdidæ*). Presented. [81. 2. 24, 16-56.]

In 1880 Mr. Seebohm commenced to write the fifth volume of the "Catalogue of Birds," and gave many specimens to the British Museum.

190 specimens of *Timeliidæ* (Babbling-Thrushes) from the Himalayas, China, etc. Presented. [82. 3. 1, 1-190.]

3 specimens of Pallas' Sea-Eagle (*Haliaëtus pelagicus*). [85. 4. 19, 1-3.]

These form part of the mounted group of this great Sea-Eagle in the Bird Gallery.

480 *Accipitres* and *Striges* (Birds of Prey). Presented. [86. 3. 25, 1-463; 86. 11. 18, 1-17.]

In the year 1886 Mr. Seebohm determined to present to the British Museum all the large birds in his collection, finding a want of space in his private house for big skins. Among the Accipitrine types given in 1886 were those of *Aquila amurensis*, Swinhoe, *Milvus palustris*, A. Anderson, *Cerchneis pekinensis*, Swinhoe, *Ketupa magnifica*, Swinhoe, *Athene plumiceps*, Swinhoe, *Scops glabripes*, Swinhoe, *S. umbratilis*, Swinhoe, *Glaucidium pardalotum*, Swinhoe, *Strix pithecopis*, Swinhoe.

17 Hawks and Owls, including the type of *Spilornis rutherfordi*, Swinhoe. Presented. [86. 11. 18, 1-17.]

7 birds from Japan, the Caucasus, etc., including 4 species new to the collection. Presented. [87. 8. 16, 1-7.]

539 Cuckoos (*Cuculi*) from various localities, including the types of *Cuculus klungensis*, Swinh., and *C. monosyllabicus*, Swinh. Presented. [87. 12. 19, 1-539.]

87 Petrels (*Procellariidæ*), including the type of the *Oceanodroma monorhis* (Swinhoe). Presented. [87. 12. 19, 540-575.]

35 specimens from Pinetown, Natal, collected by Mr. T. L. Ayres. Presented. [88. 3. 11, 1-35.]

85 specimens of Starlings, including the type of *Acridotheres siamensis*, Swinhoe. Presented. [88. 7. 10, 1-85.]

18 Game-birds from the Futteghurh district, in Northern India, collected by the late Andrew Anderson. Presented. [88. 8. 1, 1-18.]

Mr. Anderson was a first-rate field-naturalist, as was abundantly evidenced by the essays which he wrote, and by the collection which he made. This collection was purchased by Mr. Seebohm, and was of great service to him in his exchange with the St. Petersburg Museum, whereby the British Museum benefited to such a wonderful extent by the Seebohm Bequest. At the time of his death, his collection of Palæarctic birds was one of the most celebrated in the world, and contained a number of specimens from the collections made by Russian travellers, Przewalski, Severtzow, Russow, and others.

60 birds from Turkestan. Presented. [88. 12. 30, 1-60.]

Many interesting species were given by Mr. Seebohm on this occasion, amongst them being examples of *Phasianus vlangei* and *P. strauschi*, both new to the collection.

21 specimens of Barbets (*Capitonidæ*), including the types of *Cyanops nuchalis* (Gould), and *C. faber* (Swinhoe). Presented. [89. 2. 1, 1-21.]

174 specimens of Pigeons (*Columbidæ*). Presented. [89. 3. 2, 1-174.]

Among the types of Pigeons presented by Mr. Seebohm at this date were those of *Macropygia minor*, Swinhoe [= *M. swinhoei*, Wardlaw Ramsay], *Chalcophaps formosana*, Swinhoe (cf. Salvad., Cat. B., xxi., p. 514), *Treron sororius*, Swinhoe, *T. formosæ*, Swinhoe, *Osmotreron domvillei*, Swinhoe.

104 specimens of *Ploceidæ* (Weaver-birds and Weaver-Finches, including the type of *Munia formosana* and *M. topela*, Swinhoe). Presented. [89. 3. 15, 1-104.]

41 specimens of Pigeons, Cuckoos, etc. Presented. [89. 3. 16, 1-41.]

4 species of Woodpeckers (*Picidæ*) new to the Collection, being the types of *Picus noguchii*, Seebohm, *Lyngipicus doerriesi*, Hargitt, and *I. nigrescens*, Seebohm. [89. 5. 1, 1-4.]

21 specimens of Weaver-Birds, etc. Presented. [89. 5. 21, 1-21.]

287 specimens of Larks (*Alandidæ*). Presented. [90. 1. 29, 1-287.] Included the following types from the Swinhoe collection, *Galerita leautungensis*, Swinhoe, *Alauda intermedia*, Swinhoe, *A. pekinensis*, Swinhoe, *A. cælix*, Swinhoe, *A. wattersi*, Swinhoe, *A. sala*, Swinhoe, *Mirafra parva*, Swinhoe, *Calandrella cheleensis*, Swinhoe.

79 specimens of Kingfishers (*Alcedinidæ*). Presented. [90. 10. 6, 1-8; 90. 11. 4, 1-71.]

44 specimens of Hoopoes, Rollers, and Barbets. Presented. [90. 12. 10, 1-25; 91. 4. 20, 1-17.] Included specimens of the Mountain Barbet (*Cyanops monticola*) from Mt. Kina Balu, N.W. Borneo, new to the collection.

177 specimens of Gulls and Terns (*Laridæ*). Presented. [92. 5. 4, 1-120; 94. 1. 6, 1-57.]

1,013 specimens of Wading-birds (*Charadriiformes*). Presented. [92. 8. 1, 1-408; 92. 8. 3, 1-545.] Cf. Seebohm, Geogr. Dist. *Charadriidæ*, 1888.

3 specimens of Pigeons, new to the collection (*Columba nitens*, *C. versicolor*). Presented. [92. 11. 23, 1-3.]

370 specimens of Herons (*Ardeiformes*), Waders (*Charadriiformes*), and Rails (*Ralliformes*), including the type of *Ortygops exquisita*. Presented. [93. 1. 25, 1-289; 94. 1. 20, 1-81.]

5 specimens of birds, three new to the collection [*Grus nigricollis*,

Tetraophasis szechenyi, *Rhinoptilus seebohmi* (type)]. Presented. [93. 5. 1, 1-2; 93. 11. 24, 1; 93. 12. 21, 1-2.]

3 specimens of Rollers (*Coraciidæ*). Presented. [93. 12. 13, 1-3.]

122 specimens of Waders (*Charadriiformes*) and Owls (*Strigiformes*), including the type of *Cursorius somalensis*. Presented. [94. 2. 19, 1-122.]

354 specimens of Ducks (*Anseriformes*), including the type of *Nettapus kopschi*, Swinhoe (= *N. coromandeliana* (Gm.), cf. Salvad., Cat. B., xxvii., p. 68). [94. 8. 12, 1-354.]

60 specimens of Grebes (*Podicipediformes*) and Wading-Birds (*Charadriiformes*). Presented. [94. 9. 1, 2-61.] Includes the type of *Rhinoptilus hartingi*.

18 specimens of Owls from Japan and Formosa. Presented. [94. 12. 23, 1-18.]

46 Petrels (*Procellariiformes*), and Gulls and Terns (*Lariformes*), from the Gulf of the Amur, and the Kurile and Bonin Islands. (Cf. Seebohm, Ibis, 1890, pp. 95-108). Presented. [95. 3. 7, 1-21; 95. 5. 14, 1-25.]

Mr. Seebohm died on the 26th of November, 1895, and bequeathed his collection of birds to the British Museum.

827 specimens of Wading-Birds (*Charadriiformes*) and Game-Birds (*Galliformes*). Seebohm Bequest. [96. 1. 1, 1-827.]

Among the Game-birds were the types of several species described by Swinhoe and Seebohm himself. These were as follows:—*Arboricola bambusæ*, Swinh. (= *Bambusicola thoracica*, Temm., cf. Grant, Cat. B., xxii., p. 258), *Crossoptilum leucurum*, Swinhoe, *C. manchuricum*, Swinhoe, *Oreoperdix crudigularis*, Swinh., *Pucrasia darwini*, Swinhoe, *Phasianus principalis*, Sclater, *P. tarnowskii*, Seebohm (= *P. zerafschanius*, Tarnowski, cf. Grant, Cat. B., xxii., p. 326), *P. decollatus*, Swinhoe, *Callophasis ellioti*, Swinhoe.

230 skeletons of Birds. Seebohm Bequest. [96. 2. 16, 1-230.]

84 Swifts (*Cypseli*) and 23 birds from Mt. Kina Balu. Seebohm Bequest. [96. 4. 4, 1-107.]

Included in this donation were the types of *Cypselus pekinensis*, Swinhoe, *C. tinus*, Swinhoe (= *Tachornis infumata*, Sel., cf. Hartert, Cat. B., xvi., p. 467).

12 mounted birds for the public gallery. Seebohm Bequest. [1896. 5. 10 1-9; 1896. 5. 24, 1-3.]

15 birds from Formosa, collected by Mr. P. A. Holst. Seebohm Bequest. [96. 5. 2, 1-15.] Cf. Seebohm, Ibis, 1895, p. 211.

1031 specimens of *Turdidæ* (Thrushes). Seebohm Bequest. [96. 6. 1, 1-1031.]

5 species new to the Collection. Types of *Geocichla aurata*, Sharpe, *G. dixonii*, Seebohm, *Merula scanthoscelis*, Jard., *M. mareensis*, Layard, *M. pritzbueri*, Layard, *M. tempesti*, Layard, *M. bicolor*, Layard, *M. albiceps*, Swinhoe, *M. seebohmi*, Sharpe, *M. vanuensis*, Seebohm (= *M. vitiensis*, Layard, cf. Sharpe in Seebohm's Monogr. *Turdidæ*, ii., p. 133), *M. layardi*, Seebohm.

1350 Wading-Birds (*Charadriiformes*), including the types of *Vanellus occidentalis*, Harting, [= *Belenopterus chilensis*, Mol.] (cf. Sharpe, Cat. B., xxiv., p. 165), and *Ægialitis albalatus*, Swinhoe [*Æ. alexandrina* (L.) cf. Sharpe, t.c., p. 275], Seebohm Bequest. [96. 6. 2, 1-51; 96. 7. 1, 1-1299.]

This was an especially valuable donation, as it consisted of the material on which Seebohm founded his great work on the "Geographical Distribution of the *Charadriidæ*" (Sotheman & Co., 1888). The founda-

tion of this work was the collection of Wading Birds formed by Mr. J. E. Harting, which was purchased by Mr. Seebohm.

93 specimens of *Pelecaniformes* (Cormorants, Divers, etc.), Seebohm Bequest. [1896, 10. 1, 1-93.]

663 specimens of *Corvidæ*, *Oriolidæ*, *Dicruridæ*, *Prionopidæ*. Seebohm Bequest. [97. 6. 1, 1-663.]

In this series of Crows and allied families were the types of *Corone colonorum*, Swinhoe [= *C. levaillanti*, Less. (cf. Sharpe, Cat. B., iii., p. 39)], *Urocissa brevixilla*, Swinhoe [= *U. erythrorhyncha*, Gm. (cf. Sharpe, t.c., p. 71)]; *Oriolus ardens* (Swinhoe); *O. nigellicauda* (Swinhoe); *Chaptia brauniana* (Swinhoe); *Buchanga innexa*, (Swinhoe); *Pinarolestes maximus* (Layard); *P. macrorhynchus* (Layard); *P. compressirostris* (Layard); *P. fortunæ* (Layard).

1106 specimens of *Campophagidæ* and *Muscicapidæ*. Seebohm Bequest. [97. 7. 2, 1-1106.]

In this series were types of the following species, *Artamides rex-pineti*, Swinhoe, *Pericrocotus fraterculus*, Swinhoe, *P. cantonensis*, Swinhoe, *Muscicapa griseisticta*, Swinhoe, *Rhipidura bulgeri*, Layard, *Myiagra azureicapilla*, Layard, *Cryptolopha fulvifacies* (Swinhoe), *Niltava vivida* (Swinhoe).

657 specimens of Herons, Gannets, Auks, etc. Seebohm Bequest. [97. 10. 30, 1-657.]

The types of the following species are included, *Ardetta eurhythmia*, Swinhoe, *Ardeola prasinoscels*, Swinhoe [= *Ardeola bacchus*, Bp. (cf. Sharpe, Cat. B., xxvi., p. 211)], *Herodias eulophotes*, Swinhoe, *Tantalus longimembris*, Swinhoe [= *Pseudotantalus leucocephalus* (Forst.)]; cf. Sharpe, Cat. B., xxvi., p. 323], *Rallina mandarina*, Swinhoe [= *Linobænus paykulli* (Ljungh.)]; cf. Sharpe, Cat. B., xxiii., p. 149.]

2570 Warblers and Chats [Vol. V. of the "Catalogue of Birds." Seebohm Bequest. [98. 9. 1, 1-2570.]

The following types were included, *Phylloscopus scanthodryas*, Swinhoe; *P. burmanicus*, Brooks; *P. tenellipes*, Swinhoe; *P. mandellii*, Brooks; *Acrocephalus bistrigiceps*, Swinhoe; *A. sorgophilus*, Swinhoe; *Locustella macropus*, Swinhoe [= *L. lanceolata* (Temm.)], (cf. Seebohm Cat. B., v., p. 118); *Cettia minuta* (Swinhoe); *C. robustipes*, Swinhoe [= *C. fortipes* (Hodgs.)], (cf. Seebohm, t.c., p. 136); *C. canturiens* (Swinhoe); *C. ussuriana*, Seebohm; *Monticola gularis* (Swinhoe); *Saxicola montana*, Gould.

86 specimens collected by Mr. John Whitehead on Mt. Kina Balu in N.W. Borneo. Seebohm Bequest. [98. 9. 12, 1-86.]

Mr. Seebohm purchased the second series of Mr. Whitehead's Kina Balu collections, the first set, with all the types of the new species, having been acquired by the Hon. Walter Rothschild for the Tring Museum. Many species, new to the British Museum, were included in the Seebohm Bequest.

1257 specimens of Sunbirds (*Nectariindæ*), White-eyes (*Zosteropidæ*), and *Meliphagidæ*. Seebohm Bequest. [98. 9. 30, 1-1091.]

Among the types of these families of birds were those of *Cinnyris rhizophoræ* (Swinhoe); *Zosterops simplex*, Swinhoe; *Z. subrosea*, Swinhoe; *Z. erythropleura*, Swinhoe; *Z. inornata*, L. and L. C. Layard; and *Z. minuta*, E. L. and L. C. Layard; *Ptilotis similis*, Layard; *Myzomela splendida*, Layard.

365 specimens of Bulbuls (*Pycnonotidæ*), Wrens (*Troglodytidæ*), and Dippers (*Cinclidæ*). Seebohm Bequest. [98. 10. 2, 1-365.]

In this series were the types of *Chloropsis lazulina* (Swinhoe); *Hypsi-*

petes perniger, Swinhoe; *H. nigerrimus*, Gould; *H. niviceps*, Swinhoe [= *H. leucocephala* (Gm.)]. Cf. Sharpe, Cat. B., vi., p. 41]; *Ixus andersoni*, Swinhoe [= *Pycnonotus xanthorrhous*, Anderson. Cf. Sharpe, Cat. B., vi., p. 139]; *P. hainanus*, Swinhoe; also the type-specimens of the *S. Kilda* Wren, *Anorthura hirtensis*, Seebohm.

139 specimens of *Laniidæ*. Seebohm Bequest. [98. 10. 4, 1-139.]

Contained the type of *Lanius melanthes*, Swinhoe.

1039 specimens of Babblers (*Timeliidæ*) and Accentors (*Accentoridæ*). Seebohm Bequest. [98. 10. 3, 1-1039.]

Among these were types of the following species: *Myiophonus insularis*, Gould; *Lamprolia minor*, Layard; *Drymæca pekinensis*, Swinh.; *Megalurus pryeri*, Seebohm; *Suya striata*, Swinh. [= *S. crinigera*, Hodgs.; cf. Sharpe, Cat. B., vii., p. 177]; *Prinia sonitans*, Swinh.; *Henicurus leucoschistus*, Swinh. [= *H. schistaceus*, Hodgs.; cf. Sharpe, Cat. B., vii., p. 315]; *Pterorhinus davidi*, Swinh.; *Trochalopteryx taivanum* (Swinh.); *Malacias auricularis* (Swinh.); *Pomatorhinus musicus*, Swinh.; *P. nigrostellatus*, Swinh.; *P. stridulus*, Swinh. [= *P. ruficollis*, Hodgs.; cf. Sharpe, Cat. B., vii., p. 426]; *P. styani*, Seebohm; *P. erythrocnemis*, Gould; *Garrulax ruficeps*, Gould; *Dryonastes pæcilorhynchus* (Gould); *Garrulax picticollis*, Swinh.; *G. rugillatus*, Swinh.; *Dryonastes sannio* (Swinh.); *Suthora bulomachus*, Swinh.; *S. suffusa*, Swinh.; *S. fulvicauda*, Campbell; *S. longicauda*, Campbell [= *S. mantchurica*, Tacz.; cf. Sharpe, Hand-list B., iv., p. 70]; *Stachydropsis præcognitus*, Swinh. [= *S. ruficeps*, Blyth; cf. Sharpe, Cat. B., vii., p. 598]; *Staphidia torqueola* (Swinh.); *Alcippe morrisonia*, Swinh.; *Herpornis tyrannulus*, Swinh.; *Cisticola volitans*, Swinh. [= *C. exilis*, Vigors and Horsf.; cf. Sharpe, Cat. B., vii., p. 269].

1297 specimens of Swallows (*Hirundinidæ*) and Wagtails and Pipits (*Motacillidæ*). Seebohm Bequest. [98. 10. 20, 1-1297.]

Many types of species were included in this series, including those of *Chelidon whiteleyi*, Swinhoe [= *C. lagopus* (Pall.)]; cf. Sharpe, Cat. B., x., p. 93]; *C. blakistoni*, Swinh. [= *C. dasypus*, Bp.; cf. Sharpe, Cat. B., x., p. 90]; *Hirundo scullyi*, Seebohm; *Motacilla ocularis*, Swinhoe; *M. japonica*, Swinhoe; *M. blakistoni*, Seebohm [= *M. lugens*, Kittl.; cf. Sharpe, Cat. B., x., p. 474]; *M. felix*, Swinhoe; *M. amurensis*, Seebohm; *M. sechuenensis*, Swinhoe; *M. francisci*, Swinhoe [= *M. leucopsis*, Gould. Cf. Sharpe, t.c., p. 482]; *M. taivana*, Swinhoe; *M. xanthophrys*, Sharpe; *Anthus blakistoni*, Swinhoe; *A. gustavi*, Swinhoe.

1875 specimens of Finches and Buntings (*Fringillidæ*). Seebohm Bequest. [98. 11. 1, 1-1875.]

Including types of the following species: *Fringilla kittlitzi*, Seebohm; *Erythrospiza mongolica* (Swinhoe); *Loxia albiventris*, Swinhoe; *Pyrrhuloxia pyrrhulina* (Swinhoe); *Emberiza canescens*, Swinhoe; *E. yessoensis* (Swinhoe); *E. elegantula*, Swinhoe.

379 specimens of Starlings (*Sturnidæ*), Weaver-birds (*Ploceidæ*), and Larks (*Alaudidæ*). Seebohm Bequest. [98. 11. 10, 1-379.]

Among the type-specimens in this series are those of *Aplonis vitiensis*, Layard; and *Erythrura cyaneifrons*, Layard.

68 specimens from various countries of the Palæarctic Region. Seebohm Bequest. [98. 11. 14, 1-68.]

757 specimens of Picarian Birds, Rails, etc. Seebohm Bequest. [98. 12. 2, 1-757.]

Includes types of *Platycercus taviunensis*, Layard; *P. koroensis*, Layard; *P. hobbsi*, Tristram; *Caprimulgus stictonus*, Swinhoe [= *C.*

monticola, Frankl. ; cf. Hartert, Cat. B., xvi., p. 547]; *Rallina formosana*, Seebohm [cf. Seebohm, Ibis, 1895, p. 210].

Henry Seebohm was one of the most enthusiastic naturalists that ever lived, and one of the best field-ornithologists in his day. He was a successful manufacturer in Sheffield, and devoted his spare time to the study of ornithology, and acquiring the knowledge of the habits of our native birds, which resulted later on in his "History of British Birds" (1883-85). After a recovery from smallpox, he was ordered by his medical adviser to go abroad for a season. The idea of leaving his business was distasteful to him, but the doctor's orders being imperative, he went to the Mediterranean, and did much useful work in Greece and Asia Minor, travelling with the veteran ornithologist, Dr. Krüper. This was the commencement of a series of ornithological expeditions. He went to Norway, Russia, Holland, and Northern Germany. On his expedition to Heligoland in 1876 he asked me to accompany him, and I experienced one of the most exciting and interesting episodes of my life.

In 1875, Seebohm went to the Petchora Valley in N.E. Russia in company with his friend J. A. Harvie Brown, and found the eggs of the Grey Plover (*Squatarola helvetica*), the Little Stint (*Limonites minuta*), and other rare birds. (See his book "Siberia in Europe," 1880.) In 1877, in company with Captain Wiggins, who died but a few months ago, Seebohm departed on his adventurous journey to the Yenesei River, a description of which is to be found in his work "Siberia in Asia" (1882). When he had made up his mind to publish a work on the Plovers and Snipes and their geographical distribution, finding many questions to be solved regarding their moults and winter quarters, he went to South Africa to study the problems for himself. His heart, however, was with the birds of the Palaearctic Region, and after the purchase of Mr. Harry Pryer's collection of Japanese birds, and sending Mr. Holst to explore the Japanese islands, he published his book on the "Birds of the Japanese Empire" in 1890.

Seebohm's intimate acquaintance with the Thrushes, Warblers, and Chats led Dr. Günther to ask him to write the fifth volume of the "Catalogue of Birds," and his work was excellent. His untimely death prevented him from completing the Monograph of the Thrushes which he had contemplated, and of which he had prepared but a fragment of the text. All the plates, however, were drawn and coloured at the time of his death, and I endeavoured to supply the letterpress as I believe my friend would have written it himself.

For an obituary notice and an excellent account of his life-work, cf. Ibis, 1896, pp. 159-162.

Seebohm (E. VICTOR).

Son of Henry Seebohm. He was fond of travelling, and during his various expeditions he collected some interesting birds and eggs for his father's collection.

Selous (F. COURTENAY).

21 birds from Matabele Land. Presented. [96. 10. 9, 1-21.]

16 birds from Potchefstroom, Transvaal. Presented. [99. 6. 26, 1-16.]

This well-known traveller and naturalist found time during his expeditions after big Game to collect a few birds for the Museum.

Cf. 'Who's Who,' 1905, p. 1446.

Sennett (G. B.).

9 birds from Arizona. Presented. [86. 3-4, 1-9].

12 birds from Texas. Presented. [86. 7. 7, 22-33.]

During a visit to Europe, this excellent naturalist spent some time at the British Museum and went with Edward Hargitt and myself to study at the Leyden Museum. His work in Texas was most important. For an account of his life and work, see the 'Auk' for 1900, p. 193.

Seoane (Dr. VICTOR LOPEZ).

44 birds from Galicia, Spain. Presented. [94. 5. 30, 1-22; 94. 6. 8, 1-4; 99. 9. 5, 1-18].

So few specimens have reached the Museum from the north of Spain, that Dr. Seoane's donations were much appreciated. His views on natural history subjects were sometimes rather eccentric, as, for instance, when he issued in 1894 a description of a supposed new Woodpecker (*Gecinus viridis galiciensis*), and attached to it the date of publication as 1870—or fourteen years earlier than the paper really appeared. By this means his intention was evidently to ante-date Mr. Howard Saunders' description of *Gecinus sharpei*, published in 1871. [Cf. Sharpe, Zool. Rec., vol. xxxi., p. 38, 1894.]

Seth-Smith (D.).

A nestling of *Phaps elegans*, died in confinement. Presented. [1904. 8. 1, 1.]

A young Tinamou (*Crypturus tataupa*), died in confinement. Presented. [1904. 6. 29, 1.]

Severtzoff (Dr. N.).

See MENZBIER, Prof. M.

Seymour (PERCY).

3 *Œstrelata gularis* from Preservation Inlet, New Zealand. Purchased. [1904. 7. 27, 1-3.]

Shanghai Museum.

53 specimens from China. Presented. [77. 1. 23, 1-53].

Two species were new to the Museum, viz., *Otis dybowskii* and *Fulix baeri*.

Sharp (HENRY).

1 Pintail (imm.), and 5 Knots from Lincolnshire. Presented. [1904. 8. 3, 1-6.]

Sharpe (Sir ALFRED), K.C.M.G.

574 specimens from Nyasa Land. Presented. [96. 2. 9, 1-37; 98. 5. 1, 1-238; 1900. 1. 20, 1-87; 1902. 7. 12, 1-91; 1902. 11. 12, 1-121; 1905. 1. 23, 1-162].

160 birds from Nyasaland. Presented. [1905. 1. 23, 1-160.]

Sir Alfred Sharpe succeeded Sir Harry Johnston as Commissioner of British Central Africa. Like his predecessor, he has interested himself in the natural history of the Colony, and his collections have been described by Capt. G. E. Shelley, the well-known authority on African birds, in the 'Ibis' from, 1896 to 1905. Cf. Shelley, 'Ibis,' 1896, pp. 229-241, 1898, pp. 551-557, 1901, pp. 161-177. Cf. also Selater, P.Z.S., 1900, pp. 1-3.

The following new species were discovered by Mr. Alexander Whyte

and Mr. McClounie, the Government collectors in British Central Africa, and presented by Sir Alfred Sharpe: *Otyphantes sharpei*, *Amydrus nyasæ*, *Cypselus alfredi*.

Cf. also 'Who's Who,' 1905, p. 1454.

Sharpe (R. BOWDLER), LL.D.

See also GERRARD, E.

164 birds, mostly from parts of the Palæarctic Region. Presented. [72. 10. 3, 1-20; 72. 10. 17, 1-92; 72. 10. 29, 1-4; 72. 11. 4, 24-63; 72. 11. 18, 1-2; 72. 11. 23, 7-10; 72. 12. 21, 2-3.]

Specimens from Scotland, Pagham Harbour, Sussex, Archangel, Turkey, etc.

14 birds from Natal and the Transvaal, collected by Mr. T. Ayres. Presented. [72. 10. 25, 1-14.]

The above-mentioned series of birds was intended for my private collection, but arriving shortly after my appointment to the Museum, was presented to the latter.

82 birds, chiefly from the Transvaal. Presented. [73. 1. 23, 1-22; 73. 10. 13, 1-9.]

17 birds from Belgium, Germany, S. Russia, etc. Presented. [73. 5. 5, 8-24.]

44 birds from Cookham, Berkshire. Presented. [73. 5. 5, 1-7; 73. 9. 13, 6-15; 74. 4. 15, 1-27.]

The collection of skins of European birds in the Museum was a very poor one in 1872, when I first held office, and much of my vacation was spent in getting together a series of British specimens from Cookham, where my family lived at the time, from Pagham Harbour in Sussex (before it was reclaimed from the sea), and at Avington Park, Hampshire, the seat of my old friend Sir Edward Shelley. Here Capt. G. E. Shelley and I made considerable collections of birds from 1871 to 1886.

6 specimens from various localities, including an example of *Spheniscus mendiculus* from the Galapagos. Presented. [73. 9. 11, 1; 73. 9. 13, 16-18, 29-30.]

44 birds from Denkeria in the interior of the Gold Coast, collected by Mr. St. Thomas David Aubinn, a native hunter. Presented. [73. 5. 24, 1-44.]

28 specimens, mostly of *Accipitres*, from Central America. Presented. [73. 5. 28, 1-28.]

29 specimens, mostly Wading-birds from Pagham Harbour. Presented. [73. 6. 4, 1-29.]

26 specimens from Greenland, New Zealand, etc. Presented. [73. 6. 5. 1-26.]

57 specimens from Cookham, mounted by Mr. W. Briggs (*vide antea*). Presented. [73. 6. 9, 1-57.]

This was the collection of birds made by myself when a boy at Cookham.

10 specimens of *Accipitres* from Darjiling, collected by Major Sharpe, and sold at Stevens' sale-rooms. Presented. [73. 7. 3, 1-10.]

I have never found out who my name-sake was, and he was unknown to Mr. Hume, but he had a fine collection of Himalayan birds, from which I procured some of the *Accipitres*, in which Order of birds I have always taken a great interest. One of the specimens obtained on this occasion is the type of *Aquila murina* of Sushkin.

A specimen of *Milvago carunculatus*, new to the collection. Presented. [73. 7. 4, 1.]

15 specimens of *Accipitres*. Presented. [73. 7. 8, 1-18.]

7 specimens from various localities, including a specimen of *Pitta sanghirensis*. Presented. [73. 7. 19, 10-16.]

69 specimens from Mombasa, collected by the Rev. T. Wakfield. Presented. [73. 9. 9, 1-69.]

This collection was described by me in the 'Proceedings' of the Zoological Society for 1873 (pp. 710-716, pl. lviii.). Types of two species (*Treron wakefieldi* and *Bradyornis subalaris*) were included.

3 Hawks and an Owl from Darjiling, collected by Major Sharpe. Presented. [73. 9. 15, 8-11.]

42 specimens, collected near Bangkok, on the Natuna Islands, in China, and Japan, by Captain Conrad. Presented. [73. 10. 20, 9-50.]

This collection was described by Dr. Otto Finsch and Capt. Conrad. (Verh. z. b. Ges. Wien, xxiii., pp. 341-360.)

194 birds from Damara Land, collected by C. J. Andersson. Presented. [73. 10. 20, 51-244.]

This was the last collection sent by Mr. Andersson to this country. I discovered it among the stores of Mr. Higgins' Agency in Bloomsbury Street, and purchased it from him. There were also a few skins from Lake N'gami, collected by Chapman.

29 specimens from Madagascar, Mauritius, and Réunion. Presented. [73. 10. 25, 1-29.]

40 birds from Avington, Hampshire. Presented. [73. 11. 17, 1-14; 73. 11. 26, 9-34.]

4 specimens from Fantee. Presented. [73. 11. 26, 1-4.]

A Griffon Vulture (*Gyps fulvus*) from S. Spain, and a Ground Hornbill (*Bucorax cafer*) from S. Africa. Presented. [73. 12. 26, 15-16.]

30 specimens of *Accipitres* from Thuringia and S. Africa. Presented. [73. 12. 31, 1-3; 74. 3. 14, 1-27.]

These specimens were presented to me by Professor Peters, the Director of the Berlin Museum, in exchange for some African birds I gave to the latter Institution.

2 Wheatears (*Saxicola leucorrhoa*) and 6 Birds of Prey, including 2 Greenland Jerfalcons (*Hierofalco candicans*) and 2 Holboell's Jerfalcons. Presented. [74. 1. 14, 1-8.]

176 birds, in spirit, from various localities. Presented. [74. 2. 9, 1-176.]

22 specimens of *Accipitres* from Demerara. Presented. [74. 3. 20, 1-22.]

72 birds from the Andamans and Nicobars. Presented. [74. 5. 13, 3-42; 74. 10. 26, 3-34.]

These were duplicate specimens from Colonel Wardlaw Ramsay's collection. The first set, with the types of the new species, went into the collection of the Marquess of Tweeddale. At the time this donation of mine was of great importance to the Museum, which possessed no specimens from the islands of the Bay of Bengal, as may be judged from the fact that 21 species were added to the Museum collection.

23 nests and eggs from Ross-shire, being those of *Chrysomitris spinus*, *Loxia curvirostra*, and *Turdus viscivorus*. Presented. [74. 5. 20, 1-23.]

The eggs of the Mistle-Thrush were sent to me by my correspondent as those of the Fieldfare (*Turdus pilaris*).

19 specimens from Accra. Presented. [74. 5. 30, 1-19.]

36 Nightjars from various localities. Presented. [74. 7. 4, 6-41.]

7 specimens from Natal and a Thrush from U. S. Colombia. Presented. [74. 9. 12, 6-12.]

29 birds from Cookham, collected by me in July 1874. Presented. [74. 8. 5, 1-29.]

61 birds from Pagham Harbour, Sussex. Presented. [74. 10. 12, 14-74.]

51 specimens from Sweden. Presented. [74. 11. 26, 1-51.]

This collection was made by Mr. W. Meves, and contained a number of beautifully prepared skins of birds, illustrating many of the changes of plumage. A series of Swedish birds is absolutely essential to the student of Palaearctic Ornithology, as Linnæus was a Swede himself, and the names of his common species were founded on Swedish examples.

126 birds, nests, and eggs from the island of Labuan, collected by Sir Hugh Low. Presented. [74. 12. 1, 1-104; 74. 12. 9, 1-17; 74. 12. 19, 1-5.]

120 birds and eggs from the neighbourhood of Constantinople, collected by Mr. T. Robson. Presented. [75. 1. 28, 1-11; 75. 4. 27, 1-28; 75. 5. 8, 1-14; 75. 5. 21, 11-34; 77. 10. 11, 1-43.]

63 birds from various localities, mostly from Mr. Basil Brooke's Sardinian collection. Presented. [75. 3. 31, 1-5; 75. 5. 5, 1-58.]

24 specimens from Kashmir. Presented. [75. 5. 29, 3-26.]

8 specimens from Greenland. Presented. [75. 9. 18, 7-14.]

42 birds from Yarkand, collected by Colonel Chapman, including specimens of *Turdus mystacinus*, Severtz., and *Accentor fulvescens*, Severtz., new to the Museum. Presented. [75. 9. 24, 1-42.]

19 specimens, mostly Wading Birds, from Muddiford Harbour, Christchurch, Hants. Presented. [75. 10. 12, 5-19.]

86 specimens from Nazeerah, Upper Assam, collected by Reid. Presented. [75. 10. 19, 1-86.]

34 specimens from various localities. Presented. [75. 11. 4, 5-11; 75. 12. 31, 1-5; 77. 5. 24, 1-18.]

12 specimens from the Astor Valley, Cashmere. Presented. [76. 12. 5, 1-12.]

43 specimens, mostly *Sylvia*, from Potchefstroom, Transvaal. Presented. [77. 5. 30, 1-9; 77. 7. 10, 1-34.]

32 birds from Avington, Hampshire. Presented. [77. 6. 13, 1-32.]

43 specimens, mostly *Accipitres*, from various localities. Presented. [77. 8. 16, 1-37; 77. 8. 28, 1-6.] The rare *Harpogus fasciatus* from Mexico was new to the Museum.

157 birds from various localities. Presented. [77. 8. 29, 1-8; 77. 10. 23, 1-36; 77. 11. 17, 54-86; 77. 12. 6, 19-65; 78. 2. 13, 1-61; 78. 11. 14, 1-19.]

Several interesting species added to the Museum, *Pinarolestes viticenis*, *Ptilotis provocator*, *Culicipeta tephrocephala*, etc.

43 birds from the neighbourhood of Constantinople, collected by Mr. W. Pearce. Presented. [77. 10. 11, 1-43.]

34 birds from the United States. Presented. [78. 1. 21, 3-36.]

45 birds from various localities. Presented. [79. 2. 20, 1-11; 81. 3. 11, 1-10; 83. 10. 9, 1-24.]

12 birds from Quilombo, Angola, collected by A. H. Heath. Presented. [81. 4. 19, 1-12.]

110 birds from various localities. Presented. [81. 5. 24, 1-9; 81. 10. 25, 1-52; 82. 1. 10, 1-28; 82. 9. 17, 1-14; 83. 9. 21, 1-7.]

12 birds from Romney Marsh, etc. Presented. [83. 8. 10, 1-7; 83. 10. 8, 1-5.]

179 birds, nests, and eggs from Brighton, collected by R. B. S., W. Swaysland and Henry Swaysland. Presented. [83. 11. 23, 1-21;

84. 2. 1, 1-40; 84. 4. 17, 1-12; 84. 4. 18, 1-10; 85. 1. 5, 1-11; 86. 1. 21, 1-6; 92. 7. 7, 1-23.]

131 birds from various localities. Presented. [84. 1. 30, 1-104; 84. 2. 25, 1-27.]

27 specimens of the Pied Wagtail (*Motacilla lugubris*) from Cookham, Brighton, etc. Presented. [84. 2. 4, 1-20.]

107 specimens of *Motacillidæ* (Wagtails and Pipits). Presented. [84. 3. 6, 1-107.]

274 birds from various localities. Presented. [84. 5. 8, 1-20; 84. 9. 1, 19-95; 84. 9. 24, 1-125.]

65 birds from the United States. Presented. [84. 9. 28, 1-10; 84. 10. 5, 1-55.]

147 birds from various parts of Great Britain and North America. Presented. [84. 11. 25, 1-127; 84. 12. 17, 1-20.]

56 specimens, mostly from Natal. Presented. [85. 1. 3, 1-56.]

125 specimens from various localities. Presented. [85. 1. 6, 1-41; 85. 3. 13, 1-26; 85. 4. 14, 1-30; 85. 7. 16, 1-28.]

A great many of these were British species collected by me at Cookham, Brighton, Romney Marsh, etc.

325 specimens from various localities, mostly Finches (*Fringillidæ*). Presented. [82. 3. 30, 1-123; 85. 2. 20, 1-52; 85. 11. 18, 1-98; 86. 10. 20, 1-52.]

650 specimens from various localities, Ceylon, Malacca, South Africa, Shoa, etc. Presented. [85. 7. 24, 1-208; 85. 9. 1, 1-248; 86. 1. 4, 1-12; 86. 7. 7, 1-21; 86. 9. 14, 5-10; 86. 12. 20, 1-52; 87. 5. 3, 1-104.]

Amongst these collections were some rare species new to the Museum, such as *Cerchneis alopecx*, Heugl., etc.

45 specimens, mostly *Sturnidæ*. Presented. [87. 3. 25, 1-22; 88. 8. 27, 1-23.]

19 birds from Swan River, West Australia. Presented. [88. 6. 18, 1-19.]

20 specimens of Larks (*Alaudidæ*) from the Transvaal, Orange River Colony, and Natal. Presented. [88. 6. 26, 1-20.]

14 birds from New Britain and Duke of York Islands. Presented. [88. 6. 28, 1-14.]

206 Starlings from the neighbourhood of Brighton. Presented. [59. 1. 1, 1-206.]

When writing the 13th volume of the "Catalogue of Birds," I made a large collection of the Common Starling from every locality I could think of, in order to prove, if possible, the question of the influx of the Siberian Starling (*Sturnus menzbieri*) into Western Europe, and especially its appearance in Great Britain. At Brighton I received great assistance from the well-known naturalists, Mr. Swaysland and Mr. Brazenor, and the bird-catchers were instructed to note the size of the flocks out of which the specimens were obtained. No practical result came from all this trouble and expenditure, it being impossible to discover, during the season of migration, whether a flock of Starlings on the Brighton Downs had arrived from the north of Europe across the Baltic Sea, or had migrated south from the north and middle of England. The conclusion arrived at was that, while Starlings from Western England were apparently the true *Sturnus vulgaris*, indistinguishable from the typical Swedish bird, a number of those from the east and south of England were intermediate between the true *Sturnus vulgaris* and *S. menzbieri*, being much more purple than green

on the head. The inference was that the Siberian Starling, extending its range westward, inter-bred with the ordinary *S. vulgaris* of Western Europe, and that the result was a mixture, just as in the case of the Carrion Crow (*Corone corone*) and the Hooded Crow (*C. cornix*).

24 birds from Hungary. Presented. [93. 3. 7, 1-24.]

Specimens shot by me during the excursions to the Neusiedler Lake after the 2nd International Ornithological Congress in 1891.

13 birds from Elopura in N.E. Borneo, collected by Mr. Harry Pryer. Presented. [93. 11. 26, 1-13.]

18 specimens from Equatorial Africa, collected by Emin Pasha, and on the Lower Congo by L. Petit. Presented. [93. 12. 2, 1-18.]

6 birds from Wells, Norfolk. Presented. [93. 12. 5, 1-6.]

8 birds from British Guiana, collected by H. Whitely. Presented. [93. 12. 9, 4-11.]

16 birds and 111 eggs from the neighbourhood of Christiansund and the Smolen Islands. Presented. [98. 6. 21, 1-64; 99. 8. 9, 1-63.]

6 birds and 53 eggs from the Sundal Valley, N. Norway. Presented. [99. 8. 15, 1-20; 1900. 8. 27, 1-33; 1901. 1. 30, 1-6.]

46 specimens of Chaffinches from Brighton. Presented. [1900. 2. 9, 1-46.]

By the rule of the Civil Service, which very properly prohibits the keeping of private collections of any group to the custody of which an officer is appointed, my series of African Passeres was transferred to the British Museum, as follows:—

474 specimens of *Nectariniidæ*, *Sturnidæ*, *Caprimulgidæ*, *Cypselidæ*, *Hirundinidæ*, *Coraciidæ*, *Upupidæ*, *Meropidæ*; including 17 species new to the collection, with types of *Anthreptes aurantia*, Verr., *Pholidornis rubrifrons*, Sharpe and Ussher, *Macrodipteryx sperlingi*, Sharpe [= *Cosmetornis vexillarius*, ♀] *Lamprocolius decoratus*, Hartl., *Lamprocolius porphyurus*, *Chætura ussheri*, Sharpe, *Tachornis gracilis* (Sharpe), *Hirundo domicella*, Finsch and Hartl., *Caprimulgus cinnamomeus*, Sharpe, *Hapododerma constantia*, Sharpe and Ussher, *Irrisor castaneiceps*, Sharpe. Purchased through Mr. E. Gerrard. [74. 5. 1, 1-474.]

129 specimens of *Alcedinidæ*, *Promeropidæ*, including 3 species new to the collection, with the type of *Promerops gurneyi*, Verr. Purchased through Mr. E. Gerrard. [74. 5. 16, 1-129.]

591 specimens of *Campophagidæ*, *Muscicapidæ*, *Laniidæ*, *Prionopidæ*, *Oriolidæ*, *Dicruridæ*, *Picidæ*, with 18 species new to the collection, and the types of *Pseudobias wardi*, Sharpe, *Artomyias ussheri*, Sharpe, *Laniarius melanothorax*, Sharpe, *Lanicterus quiscalimus*, Finsch; *Campophaga major*, Sharpe. *C. anderssoni*, Sharpe, *Stizorhina finschi*, Sharpe, *Artomyias ussheri*, Sharpe; *Campothera striata*, Layard. [75. 4. 9, 1-591.]

750 specimens of *Sylviidæ*, *Turdidæ*, *Zosteropidæ*, *Timeliidæ*, *Pycnotidæ*, *Paridæ*, *Alaudidæ*, *Motacillidæ*, with 57 species new to the collection, and types of the following, described by R. B. S., viz.:—*Drymæa swanzii*, *D. brachyptera*, *Bæocerca flaviventris*, *Ægithalus caroli*, *Craateropus haynesi*, *Alethe castanonota*, *Geocichla crossleyi*, *Pycnonotus gabonensis*, *Illadopsis gularis*, *Criniger verreauxi*. [76. 5. 23, 1-750.]

600 specimens of *Turdidæ*, *Coliidæ*, *Motacillidæ*, *Ploceidæ*, *Fringillidæ*, with 20 species new to the collection, and types of many new forms, viz.:—*Urobrachya bocagei*, *Poliopiza crocopygia*, *Crithagra leucoptera*, *Nigrita emiliae*, *N. uropygialis*, *Pytelia hypogrammica*. Purchased through Mr. E. Gerrard. [77. 7. 11, 1-600.]

364 specimens, principally *Nectariniidæ*, including 10 species new to the collection, with the type of *Nectarinia fantensis*, Sharpe [*Anthothreptes*

rectirostris (Shaw)]. Purchased through Mr. E. Gerrard. [78. 10. 26, 1-364.]

675 specimens of *Ploceidæ*, *Fringillidæ*, *Psittacidæ*, *Cuculidæ*, *Capitonidæ*, etc., including 17 species new to the collection, and types of *Ceuthmochares australis*, *Nigrita luteifrons*, *Hypochera nigerrima*. Purchased through Mr. E. Gerrard. [78. 12. 31, 223-897.]

Appointed Librarian to the Zoological Society of London in January 1867; resigned in January 1872; appointed Senior Assistant in Department of Zoology, British Museum, in September 1872; Assistant Keeper, Department of Zoology, November 1895.

See 'Who's Who,' 1905, pp. 1454-55.

Shaw (Rev. G.).

30 birds from Betsileo, Madagascar. Purchased. [79. 6. 7, 1-30.]

Upupa marginata was new to the collection.

Shelford (R.), Director of the Sarawak Museum.

13 nestlings of Bornean birds. Presented. [1900. 7. 12, 1-5; 1900. 7. 15, 1-8.]

A specimen of *Spilornis pallidus* from Sarawak. Purchased. [1905. 11. 24, 1.]

Shelley (Sir EDWARD), Bart.

50 specimens from Avington, Hants. [76. 6. 15, 1-50.]

Nest and eggs of the Coot (*Fulica atra*), with the parent birds, from Avington. Presented.

This group is interesting as being the first of the series mounted to illustrate the nesting habits of our British birds. The nest was found by myself on the lake in Avington Park during a visit to my old friend Sir Edward Shelley.

Shelley (Capt. G. E.).

7 birds from Accra on the Gold Coast. Presented. [72. 10. 25, 26-32.]

Captain Shelley visited the Gold Coast with the late T. E. Buckley, and discovered some interesting new species of birds. The winter home of our Nightingale and Wood-wren were for the first time discovered in West Africa. A memoir on the results of the expedition was published in the 'Ibis' for 1872 (pp. 281-293).

87 birds from various localities (Egypt, Gold Coast), and a few from Avington. Presented. [72. 12. 5, 1-40; 73. 11. 17, 15-16; 73. 12. 3, 33-75.]

37 specimens from Avington. Presented. [73. 1. 6, 1-37.]

Captain Shelley had formed by this time a most interesting collection of African birds, which he allowed the Museum to acquire for a much less sum than he had spent on its formation. The first instalments of this great collection were added in 1889.

236 specimens of Starlings (*Sturnidæ* and *Eulabctidæ*), including the types of *Cosmopsarus unicolor*, Shelley, *Amydrus walleri*, Shelley, *Spreo hildebrandti*, Sharpe. Purchased. [89. 3. 6, 1-236.]

114 specimens of Woodpeckers (*Picidæ*). Purchased. [89. 3. 9, 1-114.]

128 specimens of Barbets (*Capitonidæ*), including the types of *Tricholama affine* (Shelley), *Stactolama olivacea* (Shelley), *Melanobucco albicauda* (Shelley). [89. 6. 20, 1-128.]

185 specimens of Cuckoos (*Cuculidæ*), including the types of *Coccyzus albonotatus*, Shelley, and *Centropus natalensis*, Shelley. Purchased. [89. 6. 25, 1-185.]

811 specimens of Weaver-Birds and Weaver-Finches (*Ploceidæ*), including many species new to the Museum, and types of the following:—*Lagonosticta polionota*, Shelley, *L. jamesoni*, Shelley, *L. landanæ*, Sharpe, *Urobrachya zanzibarica*, Shelley, *Sharpia gurneyi* (Sharpe), *S. ayresi*, Shelley, *Malimbus rubropersonatus*, Shelley. Purchased. [89. 7. 20, 1-551; 89. 7. 25, 1-260.]

207 Weaver-birds (*Ploceidæ*) and Larks (*Alaudidæ*), including the type of *Calandrella buckleyi*, Shelley, "Ibis," 1873, p. 142. Purchased. [89. 9. 13, 1-207.]

273 specimens of Rollers (*Coraciidæ*), Hornbills (*Bucerotidæ*), and Bee-eaters (*Meropidæ*), containing the type of *Merops dresseri*, Shelley, [= *M. boehmi*, Reichenow; cf. Sharpe, Cat. B., xvii., p. 83]. Purchased. [90. 5. 25, 1-66; 90. 6. 6, 1-66; 90. 6. 10, 1-141.]

310 specimens of Plantain-eaters (*Musophagidæ*), Kingfishers (*Alcedinidæ*), and Parrots (*Psittacidæ*). Purchased. [90. 7. 7, 1-64; 90. 10. 2, 1-64; 90. 10. 10, 1-73; 90. 12. 28, 1-110.]

177 specimens of Hoopoes (*Upupidæ*), Trogons (*Trogonidæ*), Nightjars (*Caprimulgidæ*), and Swifts (*Cypselidæ*), containing the types of *Upupa somalensis*, Salvin, *Hapaloderma vittatum*, Shelley, and *Cypselus pallidus*, Shelley. Purchased. [90. 12. 4, 1-48; 90. 12. 6, 1-12; 90. 12. 16, 1-112.]

161 specimens of Game-birds (*Galliformes*), including the type of *Francolinus shelleyi*, Grant. Purchased. [91. 5. 1, 1-161.]

290 specimens of Gulls (*Lariformes*), Petrels (*Procellariiformes*), Gannets, Frigate-birds, etc. (*Pelecaniformes*), Rails (*Ralliformes*), and Wading-birds (*Charadriiformes*). Purchased. [91. 6. 18, 1-121; 91. 8. 1, 1-169.]

180 Pigeons (*Columbiformes*), including the type of *Turtur sharpei*, Shelley (= *T. isabellinus*, Bp.; cf. Salvadori, Cat. B. Brit. Mus., xxi., p. 400). Purchased. [92. 8. 2, 1-180.]

526 specimens of Herons and Storks (*Ardeiformes*), Geese and Ducks (*Anseriformes*), Birds of Prey (*Accipitriformes*), and Cormorants, Gannets (*Pelecaniformes*), etc. Purchased. [93. 8. 4, 1-95; 94. 6. 16, 1-431.]

238 specimens of Crows, Orioles, Drongos, etc., including the type of *Bradyornis modesta*, Shelley. [94. 8. 16, 1-238.]

286 specimens of Cuckoo-Shrikes (*Campophagidæ*) and Flycatchers (*Muscicapidæ*), including the types of *Hyliota australis*, Shelley, and *Erythrocercus thomsoni*, Shelley. Purchased. [95. 5. 1, 1-286.]

377 specimens of Thrushes (*Turdidæ*). Purchased. [95. 5. 1, 287-663.]

135 Bulbuls (*Pycnonotidæ*), including the type of *Phyllostrophus sharpei*, Shelley [= *P. strepitans*, Reichenow; cf. Sharpe, Cat. B., vi., p. 117.] [95. 5. 1, 664-798.]

597 specimens of Babbling-Thrushes (*Timeliidæ*), including the types of *Drymocapthus cleaveri*, Shelley, *Cichladusa rufipennis*, Sharpe, *Sphenæacus natalensis*, Shelley, *S. intermedius*, Shelley, *Apalis sharpei*, Shelley, *Dryodromas nigriceps*, Shelley. [95. 5. 1, 799-1395.]

465 specimens of Tits (*Paridæ*) and Shrikes (*Laniidæ*), including the types of *Parus albiventris*, Shelley, and *P. xanthostomus*, Shelley. [1905. 5. 1, 1396-1861.]

291 specimens of Swallows (*Hirundinidæ*), Wagtails, and Pipits (*Motacillidæ*). Purchased. [95. 5. 1, 1862-2152.]

548 specimens of Sun-birds (*Nectariniidæ*) and White-eyes (*Zosteropidæ*), including the types of *Cinnyris bouvieri* and *Zosterops kirki*. Purchased. [95. 5. 1, 2153-2700.]

424 specimens of Sun-birds (*Nectariniidæ*) and Finches (*Fringillidæ*), including the types of *Nectarinia bocagei*, *Cinnyris nesophilus*, *C. micro-rhynchus*, *Emberiza orientalis*. [95. 9. 9, 1-424.]

145 specimens from Canada and Australia. Presented. [99. 1. 30, 1-145.]

Captain George Ernest Shelley is the youngest son of the late Sir Timothy Shelley, and from his boyhood was devoted to the study of ornithology. He made four expeditions to Egypt, and has written the standard work on the birds of that country, in 1870. He has since devoted himself to the study of African birds, and has visited the Gold Coast, the Cape Colony and Natal. On consenting to write a volume of the 'Catalogue of Birds,' he parted with his private collection to the British Museum, which thus acquired one of the most celebrated collections of modern times.

Shortridge (G. C.).

See BALSTON, W. E.

Shufeldt (Dr. R. W.).

26 skeletons of North American birds. Purchased. [1902. 2. 2, 1-26.]

Siamese Royal Museum, Bangkok.

72 specimens from Siam, including the type of a new Grackle (*Sturnopastor floweri*, Sharpe). Received in exchange from the Director, Capt. Stanley S. Flower (*q.v.*). [97. 9. 1, 1-72.]

Sibbald (Dr.).

35 birds from Port Essington. Presented. [45. 5. 21, 8-42.]

Simons (PERRY O.).

See ROSENBERG.

Mr. Simons was an American collector who travelled in Ecuador, Peru, and Bolivia, in which last-named country he was murdered.

Sladen (Mrs. PERCY).

443 birds and 192 skeletons, collected by Mr. A. Robert in Matto Grosso. Presented. [1903. 12. 20, 1-635.]

—, —; *H.G. the Duke of Bedford*, and the *Hon. W. Rothschild*.

402 birds, eggs and nests from Fernando Po, containing the types of three species new to science and to the national collection. Presented. [1904. 6. 22, 1-402.]

Slater (Rev. H. H.).

See ROYAL SOCIETY.

Sloggett (Col. A. T.), C.M.G.

1054 birds, eggs, and skeletons from Deelfontein, Cape Colony. Presented. [1901. 9. 5, 1-81; 1903. 1. 6, 1-19; 1903. 3. 9, 1-54.] Cf. Sharpe, Bull. B.O.C., xii, p. 1; *id.*, Ibis, 1903, pp. 1-29, 313-367, pl. viii. This collection was made for Colonel Sloggett by two of the Museum

taxidermists, C. E. Seimund and Claude Grant, who joined the Imperial Yeomanry and fought through the Boer War. The collection was made in the neighbourhood of Deelfontein, where Colonel Sloggett was the officer in charge of the Yeomanry Hospital. A full description was given by me in the *Ibis* (*l.c.*), and a new species of Bunting was named *Fringillaria media*.

Smith (*Dr. ALEXANDER*).

5 birds from Old Calabar. Presented. [77. 11. 23, 4-8.]

Dr. Smith was a missionary in Calabar, and sent a few specimens in spirits to the Museum, among them being a remarkable little bird which had white lobes on the gape, and I named it *Lobornis alexandri* after the discoverer. It has recently been proved that these white lobes are a sign of immaturity, and *L. alexandri* is only the young of a *Parmoptila*, probably *P. woodhousei*.

Smith (*Lieut. A.*).

30 birds and eggs from New Zealand and the Falkland Islands. Presented. [43. 9. 16, 1-17; 43. 9. 26, 5-17.]

Lieut. Smith was one of the officers on board H.M.S. *Erebus* during the Antarctic Expedition.

Smith (*Sir ANDREW*).

295 birds from South Africa. Purchased. [45. 7. 6, 1-292; 48. 3. 21, 1-3.]

Included Smith's types of *Ploceus ocularius*, *P. aureo flavus*, *P. subaureus*, *P. tahatali*, *P. mariquensis*, *Ploceipasser mahali*, *Poliozpizagularis*, *Mirafra africana*, *Alamon semitorquata*, *Euryptila subcinamonea*, *Calamonastes fasciolatus*, *Scops capensis*, *Asio madagascariensis*, *A. capensis*, *Glaucidium capensis*, *Smithornis capensis*, *Cinnyris verreauxi*, *Caprimulgus natalensis*.

14 birds from South Africa. Presented. [63. 3. 10, 1-14.]

68 birds from South Africa. Presented after his death. [72. 10. 4, 52-120.]

Sir Andrew Smith was one of the early pioneers of travel into the then unknown interior of South Africa. He discovered many new species, most of which he described in his "Report of the Expedition for exploring Central Africa, from the Cape of Good Hope, June 23, 1834, under the superintendence of Dr. A. Smith. Published for the subscribers only. Printed at the Government Gazette Office, Grave Street, Cape Town, 1836." He also published some further notes in the "South African Quarterly Journal" (nos. i.-v., 1829-1831; 2nd series, nos. i.-iv., 1833-1834). While in South Africa he made the acquaintance of the Verreaux brothers, and his collections were mounted by Jules and Alexis Verreaux.

On his return to England with the collections he had made, he opened an exhibition of the results of his travels at the Egyptian Hall, Piccadilly, in 1837 (the hall Bullock had built for his Museum about the year 1811). A guide to the exhibition was called "A Catalogue of the South African Museum, now exhibiting at the Egyptian Hall, Piccadilly, the property of a society entitled 'The Cape of Good Hope Association for exploring Central Africa.' This catalogue may be had at the Hall, or of Smith, Elder & Co., Cornhill, 1837. Price one shilling."

To the great chagrin of Sir Andrew, who had done so much hard work, and discovered such a number of new forms of animal life, the exhibition was a failure, and on the 6th of June, 1838, the sale of the

collection was commenced by Messrs. J. C. and S. Stevens at their rooms in King Street, Covent Garden. The British Museum acquired most of the types, but a few passed into other hands.

A number of skins from Sir Andrew Smith's early expeditions were in the collections of Sir William Jardine and Mr. P. J. Selby, but I could not discover whether they were sent direct to these gentlemen by the explorer, or whether they were purchased at the sale above mentioned.

Sir Andrew published a big work, entitled "Illustrations of the Zoology of South Africa, consisting chiefly of figures and descriptions of the objects of Natural History collected during an expedition into the interior of South Africa in the years 1834, 1835, and 1836; fitted out by the 'Cape of Good Hope Association for exploring Central Africa,'" 4to, London, 1838-1848 (Aves, plates 1-114).

Cf. Diet. Nat. Biogr., liii., p. 15.

Smith (Dr. A. DONALDSON).

23 types of new species, collected in Somali Land.

The collection made by Dr. Donaldson Smith was a very important one. It was worked out and described by myself (*cf.* Sharpe, P.Z.S., 1895, pp. 457-520, pls. xxvii., xxviii.), and the types of the new species were generously presented to the Museum by the explorer.

The new species were described by me in the Vol. iv. of the "Bulletin of the British Ornithological Club," and were as follows:—*Spizocorys personata*, *Alaudula somalica*, *Dryoscopus rufinuchalis*, *Nilais minor*, *Bradyornis pumilus*, *Melanornis schistacea*, *Eremomela flavicristata*, *Cisticola somalica*, *Pycnonotus dodsoni*, *Phyllostrophus pauper*, *Argya saturata*, *Turacus donaldsoni*, *Lophoceros medianus*, *L. sibbensis*.

104 specimens collected on Dr. Donaldson Smith's expedition to Lake Rudolf. Presented. [1901. 6. 15, 1-104.]

Many interesting species added to the Museum, including the types of *Cossypha omoensis*, Sharpe, and *Ploceipasser donaldsoni*, Sharpe. The collection was described by me in the "Proceedings" of the Zoological Society for 1901 (pp. 602-622, pl. xxxvi).

Smith (Dr. A. DONALDSON), Farnum (J. E.), and Farnum (G. L.).

74 birds from the Khingan Mountains in Mongolia. Presented. [98. 11. 15, 1-74.]

This collection was described by me in the "Ornis" for 1901 (*cf.* Sharpe, Ornis, xi., pp. 155-172).

Smith (F. C.).

8 birds, collected by the Rev. E. H. Hubbard at Nassa, in Speke Gulf, Victoria Nyanza, containing the type of *Francolinus hubbardi*, Grant. Purchased. [95. 3. 3, 1-8.]

7 birds, nests and eggs from Bathurst, Gambia. Presented. [1905. 9. 3, 1-7.]

Smith (H.)

3 specimens of the Ptarmigan (*Lagopus mutus*) from Newtonmore, Scotland. Presented. [1905. 9. 8, 1-3.]

Smith (METCALFE).

93 birds from Australia, mostly from Queensland. Presented. [95. 4. 2, 1-7; 99. 2. 10, 1-43.]

Smith (Dr. P. W. BASSETT).

21 birds collected in N.W. Australia and Dammar Island in the Banda Sea, during the voyage of H.M.S. *Penguin*, including the types of *Zosterops bassetti* and *Rhipidura büttikoferi* (cf. Sharpe, Ann. Mag. Nat. Hist. (6), xiv., p. 57). Presented by the Lords of the Admiralty. [92. 4. 4, 1-21.]

Smith-Shand (Surgeon A. K.), R.N.

A specimen of a Wren from Iceland (*Troglodytes borealis*). Presented. [1904. 7. 12, 1.]

Smithsonian Institution, Washington.

See also U.S. NATIONAL MUSEUM.

48 birds from the West Indian Islands. Presented. [70. 4. 13, 1-48.]

4 birds from Arizona and New Mexico. Presented. *Gymnokitta cyanocephala*, *Aphelocoma woodhousei*, and *A. ultramarina* were new to the collection.

These specimens were sent to aid in the preparation of vol. iii. of the "Catalogue of Birds."

Sneed (FRANK L.).

2 specimens of *Gennæus rubripes* from the Ruby Mines, Burma. Purchased. [1905. 12. 1, 1-2.]

Söderstrom (L.).

157 birds from the Andes of Ecuador. Presented. [97. 11. 12, 1-157.]

See also HAGGARD, W. H. D.

South African Museum.

98 birds from South Africa. Purchased. [38. 6. 9, 1-98.]

Included many types of species described by Sir Andrew Smith and others, among them those of *Euplectes taha*, *Prionops talacoma*, *Schizorhis concolor*, *Ortygis lepurana*, *Francolinus natalensis*, *F. lechoho*, *F. swainsoni*, *Merula libonyana*, *Amadina erythrocephala*, *Megalopterus australis*, *Pyrrhulauda smithi*, *Philæterus lepidus*, *Mirafra africana*, *M. sabota*, *M. africanoides*, *M. cheniana*, *Erythropygia pæna*, *Strix capensis*.

149 birds from South Africa. Purchased. [41. 4. 808-834; 43. 2. 28, 21-122.]

Included Smith's types of *Merops bullockoides*, *Pyrrhulauda australis*, *P. verticalis*, *Ammomanes ferruginea*, *Burnesia substriata*, *Spiloptila ocularia*, *Cisticola subruficapilla*, *C. cherina*, *C. terrestris*, *C. abernans*, *C. natalensis*, *C. cheniana*, *Bubo capensis*, *Syrnium woodfordi*, *Cerchneis rupicoloides*, *Francolinus coqui*, *F. zephana*, *F. gariensis*, *Spatula capensis*, *Erismatura maccoa*.

South African Museum, Cape Town (W. L. SCLATER, Director).

54 Cormorants (*Phalacrocorax capensis*) from Table Bay. Presented. [1905. 2. 5, 1-5.]

Sowerby (J. LAWRENCE).

66 birds from the Fort Chiquaqua, Mashonaland. Purchased. [98. 5. 2, 1-66.]

This collection was made by a young trooper during the Matabele war, all the specimens being procured with a Mauser rifle, no gun or shot being available. A Barbet was new to science (*Stactolæma sowerbyi*, Sharpe, Bull. B.O.C., vii., p. 36, 1898). The collection was described by Mr. Sowerby in the "Ibis" for 1898 (pp. 567-575, pl. xii.).

Spanner and Co. (OLIVER).

5 Grouse and 3 Owls from Canada. Purchased. [96. 9. 7, 1-8.]

Spatz (Mr.).

6 birds from Tunis, *Cypselus koenigi* and *Caccabis spatzi* being new to the collection. Purchased. [96. 9. 5, 1-6.]

Sperling (Commander R. M.).

39 birds from the Congo. Presented. [73. 9. 8, 1-39.] Cf. Sharpe, P.Z.S., 1873, pp. 716, 717.

Commander Sperling saw service both on the east and west coasts of Africa, and was an excellent naturalist. He died suddenly of typhoid fever on his return from one of these cruises. Cf. Obituary Notice (Ibis, 1874, p. 465).

Spring-Rice (Commander Hon. FRANCIS), R.N.

10 birds from Valencia Island, Ireland. Presented. [1904. 12. 24, 1-2; 1904. 12. 28, 1-8.]

A Razor-bill (*Alca torda*) from Valencia Island, Ireland. Presented. [1905. 4. 27, 1.]

Stanford (J. BENNET).

42 specimens from Somali Land, containing the type of *Caprimulgus torridus*, Lort Phillips, Bull. B.O.C., viii., p. 23 (1898). Presented. [98. 1. 14, 1-42.]

Stanley (Capt. OWEN).

219 specimens of birds, skulls, nests and eggs, collected by Mr. John Macgillivray during the voyage of H.M.S. *Rattlesnake*. Presented. [50. 7. 20, 14; 54. 12. 5, 135-315; 55. 4. 11, 1-25.]

Capt. Stanley was in command of the *Rattlesnake*, and was a keen naturalist himself. Many new species were discovered during this voyage, one of the most interesting being Queen Victoria's Rifle-bird (*Ptilorhis victoriæ*).

Stares (JOHN).

111 Cuckoos' eggs, with the nests and eggs of the foster-parents, Meadow Pipits, from the beach near Portsmouth. Presented. [93. 7. 3, 1-53; 95. 7. 13, 10-40; 96. 3. 18, 1-27.]

Stares (JOHN) and Earle (EDWARD).

24 specimens of Avocets and Black-tailed Godwits from Denmark, with eggs (for the Public Gallery). Presented. [1900. 6. 20, 1-24.]

Steele Elliot.

See ELLIOT.

Steere (Prof. J. B.).

74 birds from Michigan. Presented. [76. 8. 21, 1-74.]

77 birds from the Philippine Islands, collected during Prof. Steere's first expedition to the Archipelago. Purchased. [76. 8. 28, 1-77.]

These were duplicates from the first collection which was described by me [Trans. Linn. Soc. (2) i., pt. vi., pp. 307-355, pls. xlv.-liv. (1877)]. 20 species were new to the Museum.

2650 birds, nests and eggs from the Philippine Archipelago, including the types procured by Prof. Steere and his companions during the second expedition to those islands. Purchased. [96. 4. 14, 1-88; 96. 4. 15, 1-117; 96. 6. 6, 1-1445.]

The following types of new species were included in this series:—*Circus philippinensis*, *Penelopides mindorensis*, *P. basilanica*, *P. samarensis*, *Corvus samarensis*, *Oriolus basilanicus*, *Artamides mindorensis*, *A. panayensis*, *Edoliisoma panayensis*, *Pseudolalage minor*, *Pericrocotus leytenis*, *Hypothymis samarensis*, *Cyanomyias helenæ*, *Rhinomyias samarensis*, *Orthotomus panayensis*, *O. samarensis*, *Cittocincla cebuensis*, *Iole guimarasensis*, *I. mindorensis*, *I. siquijorensis*, *Poliolophus basilanicus*, *Macronus mindanensis*, *Ptilocichla basilanica*, *P. mindanensis*, *Zosterops basilanica*, *Cinnyris jugularis intermedia*, *C. guimarasensis*, *Arachnothera philippensis*, *Dicaeum besti*, *Prionochilus samarensis*, *Sarcophanops samarensis*, *Ceyx basilanica*, *C. samarensis*, *C. fluminicola*, *Thriponax philippensis*, *T. mindorensis*, *Chrysocolaptes rufopunctatus*, *Iyngipicus fulvifasciatus*, *I. leytenis*, *Centropus mindorensis*, *Bolbopsittacus mindanensis*, *Loriculus worcesteri*, *L. siquijorensis*, *L. mindorensis*, *Prioniturus luconensis*, *P. mindorensis*.

Steet (G. CARRICK).

18 birds from New Zealand. Presented. [95. 2. 1, 1-18.]

Stephens (G.).

52 specimens from Sierra Leone, Madeira, and the West Indies, including a specimen of *Thryothorus musicus* new to the Museum. Presented. [94. 5. 23, 1-52.]

Stevens (SAMUEL).

64 specimens from various localities. Purchased. [48. 11. 21, 1-17; 50. 8. 14, 1-24; 51. 4. 29, 1-23.]

86 skeletons, chiefly of British Birds. Purchased. [49. 11. 13, 21-57; 51. 12. 23, 9-13; 52. 1. 23, 11-39; 52. 2. 28, 8-12.]

17 specimens from Bolivia, probably collected by T. Bridges. Purchased. [51. 5. 23, 7-23.]

27 specimens from the River Amazon, collected by Wallace and Bates. Purchased. [51. 10. 3, 1-20.]

9 birds and eggs from the Himalayas, "from Major Charlton's collection." Purchased. [52. 9. 4, 1-9.]

44 specimens from Bogotá, U. S. Colombia. Purchased. [53. 10. 30, 1-44.]

24 birds and eggs from Greenland, collected by Governor Holboell, including the type of *Hierofalco holboelli*, Sharpe, as well as the eggs. Purchased. [53. 12. 21, 1-9; 53. 12. 29, 1-15.]

26 birds from Ceylon. Purchased. [54. 1. 12, 1-15; 54. 3. 15, 1-4.]

127 birds from Bogotá. Purchased. [54. 1. 25, 1-127.]

50 specimens from South America. Purchased. [56. 1. 31, 1-50.]

50 specimens from the island of Lombok, collected by Dr. A. R. Wallace. Purchased. [87. 6. 13, 1-50.]

This was the first collection sent from the Malay Archipelago by Dr. Russel Wallace. The understanding between the traveller and George Robert Gray was, that the latter should describe the collections in their

entirety, which was done. The first set Dr. Wallace retained for himself, and the second set was to go to the British Museum. These separate series were selected by the traveller, and the types of the new species remained in the care of Mr. Samuel Stevens, until the return of Dr. Wallace. When he came back to England after his wonderful expedition to the Malay Archipelago, he settled in London, and I remember having an introduction to him from a friend, and visiting him in the Gloucester Road, Regent's Park. I was then working at my "Monograph of the Kingfishers," and I remember his showing me his private collection of these birds—many species of *Tanysiptera*, which I had never seen before; and his generous conduct in lending me his specimens to figure in my "Monograph" will never be forgotten by me. Never had any tyro such a good friend as Dr. Wallace proved to be in my case.

38 specimens from the River Amazon, collected by Mr. H. W. Bates. Purchased. [57. 10. 14, 1-38.]

74 specimens from Makassar, Celebes, collected by Dr. A. R. Wallace. Purchased. [57. 8. 3, 4-19; 58. 12. 2, 39-96.]

Many species new to the collection: *Gazzola typica*, *Macropteryx wallacei*, *Hypothymis puella*, *Geocichla erythronota*, *Lalage leucopygialis* and *Penelopides exarrhatus*.

22 specimens from Orizaba, Mexico. Purchased. [57. 12. 22, 1-22.]

56 specimens from the River Amazon and River Javari, collected by H. W. Bates. Purchased. [58. 1. 11, 1-37; 58. 4. 27, 34-52.]

Many species new to the Museum, viz.: *Thamnophilus melanurus*, *T. plumbeus*, *T. leuconotus*, *Hypocnemis cantator*, *H. leucophrys*, *H. theresæ*, *H. myiotherina*, *Pygoptila maculipennis*, *Pteroglossus humboldti*.

150 specimens from the Aru Islands and Key Islands, collected by Dr. A. R. Wallace. Purchased. [58. 3. 10, 1-150.]

16 birds from Amboina, collected by Dr. A. R. Wallace, including *Cyanalcyon lazuli* new to the collection. Purchased. [59. 3. 25, 1-5; 59. 3. 30, 1-11.]

74 birds from Dorey, New Guinea, collected by Dr. A. R. Wallace. Purchased. [59. 4. 5, 1-7.]

Several species new to the collection, e.g., *Corone orru*, *Gymnocorax senex*, *Pseudorhynchus ferrugineus*, *Chalcophaps stephani* and *Mino dumonti*.

24 birds from Mozambique, collected by Dr. Gueinzus. Purchased. [59. 5. 21, 1-24.]

4 specimens of *Semioptera wallacei* from Batchian, collected by Dr. A. R. Wallace. Purchased. [59. 6. 13, 1-4.]

39 specimens of birds from New Caledonia, collected by John MacGillivray. Purchased. [59. 6. 14, 1-39.]

Several species new to the Museum, viz., *Artamus melanoleucus*, *Symmorphus nævius*, *Merula xanthopus*, *Aplonis striata*, *Pachycephala xantherythrea*, with the type of *Myiagra melanura*, Gray.

54 birds, 12 nests and 25 eggs from Natal, collected by Dr. Gueinzus. Purchased. [60. 1. 19, 1-90.]

103 birds from the island of Batchian in the Moluccas, collected by Dr. A. R. Wallace. Purchased. [60. 2. 4, 1-103.]

This collection added to the Museum the following species: *Ceyx uropygialis*, *Alcyon affinis*, *Hermotimia auriceps*, *Dicæum schistaceiceps*, *Lalage aurea*, *Melitograis giloloensis*, *Carpophaga basilica*, *Graucalus papuensis*, *Piezorhynchus nigrimentum*, *Pitta cyanonota* and *P. rufigiventris*.

14 birds from Siam and Cambodia, collected by M. Mouhot, and containing the type of *Garrulax mouhoti*, Sharpe, Cat. B., vii., p. 444 (1883). Purchased. [60. 7. 2, 3-16.]

79 birds from Timor, E. Gilolo, Ternate, collected by Dr. A. R. Wallace. Purchased. [60. 9. 5, 1-79.]

The following species were new to the collection: *Oreicola melanolenca*, *Megaloprepia formosa*, *Eulipoa wallacei*, *Aprosictus hypophonijs*, *Pitta maxima*, *Rhipidura rufiventris*, *Philemon timoriensis*.

46 birds from Celebes, collected by Dr. A. R. Wallace. Purchased. [60. 9. 6, 1-46.]

The following were new to the collection: *Ptilopus gularis*, *P. formosus*, *Carpophaga radiata*, *Myristicivora luctuosa*, *Macropygia albicapilla*, *Chalcophaps stephani*, *Coracias temmincki*, *Pelargopsis melanorhyncha*, *Lyncornis macropterus*, *Scissirostrum dubium*, *Prioniturus platurus* and *Hypotaenidia celebensis*.

52 eggs of Indian birds. Purchased. [60. 11. 10, 1-52.]

27 birds from Ceram, collected by Dr. A. R. Wallace. Purchased. [60. 12. 6, 1-27.]

Among this series were the following species new to the collection: *Baza reinwardti*, *Philemon subcorniculatus*, *Ceyx lepida*, and *Eclectus cardinalis*.

116 birds from Ceram, Waigion, Mysol, etc., collected by Dr. A. R. Wallace. Purchased. [61. 12. 11, 1-116.]

The following species new to the collection: *Philemon novæ guineæ*, *Rhectes uropygialis*, *R. cerviniventris*, *Pseudorhectes leucorhynchus*, *P. ferrugineus*, *Machærorhynchus albifrons*, *Monarcha nigritum*, *Piezorhynchus aruensis*, *P. gutturalis*, *Todopsis wallacei*, *Micræca flavovirens*, *Edoliisoma schistaceiceps*, *Pachycephala griseonota*, *Collocalia esculenta*, *Paradisea sanguinea* and *Geoffroyus rhodops*.

114 specimens from East Timor, collected by Dr. A. R. Wallace. Purchased. [62. 3. 20, 1-114.]

Ptilotis maculata, *Philemon inornatus*, *Myzomela vulnerata*, *Dicaeum mackloti*, *Halcyon australis*, *Rhipidura semicollaris*, *R. rufiventris*, *Ptistes jonquilæus*, *Artamides personatus*, *Pachycephala calliope*, *Lalage timoriensis*, *Turacæna modesta*, and *Geopelia maugei*, were new to the collection.

35 birds from Morotai, Gilolo, Ternate, New Guinea, Salawati, collected by Dr. A. R. Wallace. Purchased. [69. 2. 11, 1-35.]

Tanyptera doris, *Ælurædus buccoides*, *Locustella fasciolata*, *Todopsis cyanocephala*, *Erythrura trichroa*, *Piezorhynchus bimaculatus*, *Oriolus phæochromus*, *Criniger chloris*, *Philemon fuscicapillus*, *Lycocorax pyrrhopterus*, *Cyclopsittacus desmaresti*, *Ptilopus monachus*, *Henicophaps albifrons*, *Habroptila wallacei*, and *Eutrygon terrestris* were new to the collection.

30 birds from the Sula Islands, collected by Dr. A. R. Wallace. *Loriculus sclateri*, *Psittuteuteles flavoviridis*, *Oriolus frontalis*, *Criniger longirostris*, *Pitta crassirostris*, *Pelargopsis melanorhynchus*, *Chibia pectoralis*, *Artamus monachus*, *Hypotaenidia sulcirostris*, and *Rallina minahassa* were new to the collection. Purchased. [62. 12. 21, 1-30.]

27 birds from Formosa, collected by Consul R. Swinhoe: *Bambusicola sonorivox*, *Myiophonus insularis*, *Trochalopectum taivanum*, *Pomatorhinus musicus*, *P. erythronemus*, *Dendrocopos insularis*, *Pericrocotus griseigularis*, and *Hypsipetes nigerrimus* were new to the collection. Purchased. [63. 2. 16, 1-27.]

15 birds from Bouru, collected by Dr. A. R. Wallace: *Pitta rubrinucha*,

Rhipidura bouruensis, *Monarcha loricata*, *Philemon moluccensis*, *Oriolus bouruensis*, *Edoliisoma marginatum*, *Criniger mystacalis*, *Athene hantu*, *Myristicivora melanura*, *Tanygnathus affinis*, and *Ninox squamipila* were new to the collection. Purchased. [63. 2. 16, 29-43.]

25 birds from Gaboon, collected by P. Du Chaillu: *Camaroptera brevicaudata*, *Nigrita luteifrons*, *Pyrenestes coccineus*, *Alethe castanea*, and *Turdinus fulvescens* were new to the collection. Purchased. [63. 12. 15, 1-25.]

25 birds from Flores, collected by Dr. A. R. Wallace: *Rhipidura diluta*, *Pachycephala fulvotincta*, *Taniopygia insularis*, *Sporæginthus flavidiventris*, *Zosterops aureifrons*, *Dicaeum ignifer*, *Osmotreron floris* and *Accipiter sylvestris* were new to the collection. Purchased. [63. 12. 16, 1-25.]

29 birds from various Molucca Islands, collected by Dr. A. R. Wallace. Purchased. [65. 9. 7, 1-29.]

8 birds from Damaraland, collected by Mr. C. J. Andersson. *Lanioturdus torquatus* new to the collection. Purchased. [65. 9. 9, 1-8.]

16 birds from Turkey in Europe, and Asia Minor, collected by T. Robson. Purchased. [65. 9. 10, 1-16.]

11 birds from various localities. Purchased. [65. 9. 18, 1-11.]

49 birds from Japan, collected by Capt. St. John. Purchased. [65. 11. 29, 1-49.]

36 birds from Mohambo, Madagascar, collected by Mr. Gerrard (cf. Newton, P.Z.S., 1865, pp. 833-837). Purchased. [66. 5. 5, 1-36.]

38 birds from Port Albany, N. Australia. Purchased. [66. 5. 7, 1-38.]

19 birds from Southern Africa, collected by C. J. Andersson. Purchased. [66. 7. 19, 1-19.]

Stewart (Lieut. A. T.), R.N.

A specimen of the flightless Merganser (*Mergus australis*) from the Auckland Islands. Presented. [1904. 4. 30, 1.]

Stirling (Mrs.).

21 birds from India and South Africa. Presented. [87. 2. 12, 1-21.]

Mrs. Stirling is the daughter of the late Mr. Arthur Grote, who wrote an excellent memoir of his friend Edward Blyth (cf. Journ. A. S. Beng., Extra No., August, 1875). The few bird-skins which she found amongst her father's effects contained specimens of some rare African Bustards.

Stokes (Capt.), R.N., H.M.S. *Acheron*.

140 birds from New Zealand. Presented. [49. 12. 12, 1-47; 52. 1. 17, 1-93.]

These specimens were collected by Dr. Lyall. Among them are the types of *Xenicus stokesi* and *Turnagra crassirostris*, new to the collection.

5 birds in spirit from New Zealand. Presented. [53. 2. 14, 37-41.]

Storey (C. B.).

55 birds from British East Africa. Presented. [1904. 2. 1, 1-11; 1904. 4. 8, 1-27; 1904. 4. 14, 1-17.]

Contained a specimen of *Laniarius cathmagmenus*, new to the collection.

48 birds in spirit from Florida. Presented. [1904. 5. 13, 1-24; 1904. 5. 14, 1-24.]

Stoliczka (Dr. F.).

6 birds from the N.W. Himalayas. Presented. [67. 9. 24, 1-6.]
Cf. Pelzeln, Ibis, 1868, pp. 302-321.

Dr. Stoliczka travelled in many parts of India and the Malay Peninsula, and collected everywhere. He was also attached to the Second Yarkand Mission and made a valuable collection of birds.

Cf. Ibis, 1866, p. 412, 1868, p. 302, 1869, p. 208, 1871, p. 474; Journal of the Asiatic Society of Bengal, 1870, p. 277, 1872, p. 120; Stray Feathers, i., p. 425; i., p. 461, 462; iii., pp. 251-220.

Cf. Obituary, Ibis, 1874, pp. 470, 471; Stray Feathers, ii., pp. 2-3.

Stone (OCTAVIUS C.).

25 specimens from S.E. New Guinea. Purchased. [77. 2. 9, 1-25.]

Mr. Stone's collection was described by me (Journ. Linn. Soc. Zool., xiii., pp. 486-505), and the following new species were described: *Sphecotheres salvadorii*, *Dicæum rubrocoronatum*, *Ælurædus stonei*, *Gerygone cinerascens* and *Ianthænas rawlinsoni* (= *Columba albigularis*, Bp. *cf.* Salvad., Cat. B., xxi., p. 313). *Cf.* "A few months in New Guinea," by O. C. Stone, 8vo, London, 1880, 258 pp.

Strachan (Lieut.-Col.).

18 birds from the River Gambia. Presented. [76. 6. 1, 1-18.]

Strader (Dr.).

See GERRARD, E.

Strange (F.).

Collected in New Zealand and Australia, and made beautiful skins. I have not been able to find out any records of his career, but I can remember that Mr. Gould always spoke of him with high appreciation as a collector.

Stuart (H. E. JOHNSTONE).

Two specimens of the Nubian Bustard (*Lissotis nuba*) from the Egyptian Sudan. Presented. [1904. 8. 9, 1-2.]

Sturt (Capt. CHARLES).

124 birds from the interior of Australia, including the type of *Cinclodroma cinnamomeum*, Gould. Presented. [46. 5. 22, 1-124.]

These specimens were procured by Captain Sturt on his adventurous journey into the interior of the Australian continent (*cf.* Dict. Nat. Biogr., lv., p. 136).

Sturt (Gen. NAPIER), C.B.

28 specimens from India and Abyssinia. Presented. [78. 3. 8, 1-28.]

General Sturt served in the expedition to Magdala, and procured some species of birds which supplemented the collections made by Dr. Blanford and Mr. Jesse. These he presented to the Museum.

Styan (F. W.).

23 specimens from Shanghai and Szechuen. Presented. [87. 3. 8, 1-23.]

Types of *Pomatorhinus styani* and *Trochaloptera cinereiceps*, new to the Museum.

105 specimens from Kiukiang. Presented. [90. 12. 24, 1-42; 94. 2. 17, 1-63.]

10 specimens from Szechuen, Ichang, Chefoo, etc. Presented. [99. 2. 22, 1-10.]

Mr. Styan is a well-known authority on the birds of the Chinese Empire, and the following are some of the most important of the memoirs which he has written on the subject :—

On a new species of *Trochalopteron* (Ibis, 1887, p. 166-168, pl. vi.).

On a collection of birds from Foochow (Ibis, 1887, p. 216-234).

Some notes on and additions to the Chinese Avifauna (Ibis, 1889, pp. 443-446).

On the birds of the lower Yangtse Basin, Part I. (Ibis, 1891, pp. 316-359).

On the birds of the lower Yangtse Basin, Part II. (Ibis, 1891, pp. 481-510).

On five apparently new species of birds from Hainan (Ibis, 1893, pp. 54-57).

Descriptions of *Pycnonotus taivanus* and *Dicaeum cyanonotum* (Ibis, 1893, pp. 469-470).

Notes on the ornithology of China (Ibis, 1894, pp. 329-337, pl. ix.).

On some Chinese species of the genus *Alcippe* (Ibis, 1896, pp. 309-312).

Description of *Chrysophlegma ricketti*, n. sp., Bull. B.O.C., vii., p. 40 (1898).

Additions to the list of Lower Yangtse birds (*t. c.*, pp. 286-289).

On birds from West China (Ibis, 1899, pp. 287-300).

Descriptions of three new species of birds from China (Bull. B.O.C., viii., p. 26 (1899)).

On the occurrence of *Nycticorax magnifica* in the Anhwei, Province of China (Ibis, 1902, p. 164).

Sudbury Museum.

42 birds from Bahia. Purchased. [43. 11. 27, 2-41; 43. 11. 29, 3-4.]

Sushkin (*Dr. P.*).

16 birds from Russia, including two specimens of *Hierofalco cherrug* from the Province of Tula. Presented and exchanged. [1901, 1. 26, 1-16.]

Dr. Sushkin spent some time in England in 1900, and studied the collection of *Accipitres* in the British Museum. He has published several important papers on the Birds of Prey.

Swan (*Messrs.*).

12 specimens from the Gran Chaco, Argentina. Purchased. [99. 11. 12, 1-12.]

Swanzy (*Andrew*).

31 specimens from the Gold Coast, including the type of *Diaphorophya blissetti*. Presented. [72. 10. 26, 33-45; 73. 1. 28, 1-18.]

Swaysland (*W.*).

44 specimens from Brighton. Purchased. [83. 10. 20, 1-44.]

The Swayslands, father and sons, were well-known Brighton naturalists, and contributed much to the history of our native birds. Seebohm made many excursions with them, and I spent a month bird-catching in November 1894, one of the most interesting experiences I ever had.

They watched the spring and autumn migrations for a series of years, and many species were detected by them for the first time in England. Some of their rarest captures passed into the collection of Mr. T. J. Monk, of Lewes.

Swinhoe (Col. CHARLES).

341 birds from the neighbourhood of Kandahar, Afghanistan. Presented. [81. 12. 1, 1-341.] Cf. Colonel Swinhoe's paper on the Birds of Southern Afghanistan, (Ibis, 1882, pp. 95-126).

332 birds from Mhow, Central India. Presented. [84. 10. 8, 1-332.] Cf. C. Swinhoe and H. E. Barnes' paper on the Birds of Central India, (Ibis, 1885, pp. 52-69, 124-138).

Colonel Swinhoe is a well-known Indian zoologist, who made some useful and interesting collections of birds, which he gave to the Museum, having been always an enthusiastic contributor to the National Collection.

Swinhoe (Consul ROBERT).

4 British birds and 5 nests with eggs. Presented. [54. 5. 29, 1-9.]

16 specimens from Amoy. Presented. [58. 6. 18, 1-16.]

23 specimens from Hainan. Purchased. [71. 3. 21, 1-23.]

8 species new to the collection, viz., *Micropternus holroydi*, *Hemixus castanonotus*, *Ixus hainanus*, *Criniger pallidus*, *Hypsipetes perniger*, *Garrulax monachus*, *Ethopyga christinae*, *Arachnechthra rhizophoræ*.

22 specimens of Birds of Prey from China. Purchased. [74. 2. 21, 1-26; 74. 3. 26, 1-9.]

A few specimens were purchased by the Museum from the collections of Chinese birds made by Consul Swinhoe, as occasion offered. His private collection was purchased, after Swinhoe's death, by Mr. Henry Seebohm, and was bequeathed to the nation with the rest of his collection by the latter.

The following is a list of the papers published by Robert Swinhoe:—

Notes on some new species of birds found on the Island of Formosa. Journ. North China Branch R. As. Soc. (Shanghai), May 1859.

Ornithology of Amoy (China). Ibis, 1860, pp. 45-68, 89, 130, 357-361.

On Chinese birds. *t.c.*, pp. 428, 429.

Notes on the Ornithology of Hong Kong, Macao and Canton, made during the latter end of February, March, April and the beginning of May, 1860. Ibis, 1861, pp. 23-57.

Notes on some birds observed about Talien Bay (N. China), from June 21 to July 25, 1860. *t.c.*, pp. 251-262.

On the Ornithology of Amoy and Foochow. *t.c.*, pp. 262-268.

Notes on Ornithology taken between Takoo and Peking, in the neighbourhood of Peiho River, Province of Chelee, North China, from August to December, 1860. *t.c.*, pp. 323-345.

Ornithological ramble in Foochow, in December, 1861. Ibis, 1862, pp. 253-265.

On some Tientsin birds collected by Mr. Fleming, R.A., in the possession of Mr. Whiteley. P.Z.S., 1862, pp. 315-325.

Additions and Corrections to the Ornithology of Northern China. Ibis, 1863, pp. 87-97, pl. iii.

The Ornithology of Formosa, or Taiwan. *t.c.*, pp. 198-219, pl. v.; 250-311, pl. vi.; 377-435.

Notes on the Ornithology of Northern Japan. *t.c.*, pp. 442-447.

On new and little-known birds from China. P.Z.S., 1863. pp. 87-94.

On the species of *Zosterops* inhabiting China and Japan, with the description of a new species. *t.c.*, pp. 203-205.

Catalogue of the birds of China, with remarks principally on their geographical distribution. *t.c.*, pp. 259-339.

Ornithological notes from Formosa. *Ibis*, 1866, pp. 292-316, pl. ix., 392-406, pl. xi.

Descriptions of four new species of Formosan birds; with further notes on the Ornithology of the Island. *Ibis*, 1864, pp. 361-370, 413-418.

A voice on Ornithology from Formosa. *Ibis*, 1866, pp. 129-138, pl. v.

Ornithological notes from Formosa. *Ibis*, 1866, pp. 392-406, pl. xi.

Jottings on birds from my Amoy Journal. *Ibis*, 1867, pp. 226-237, 385-413.

Ornithological notes from Amoy. *Ibis*, 1868, pp. 52-65.

On the Ornithology of Hainan. *Ibis*, 1870, pp. 77-97, 230-256, 342-367, pls. iv., ix., x.

On the Pied Wagtails of China. P.Z.S., 1870, pp. 120-124, 129 and 130.

On a new species of *Accentor* from North China. *t.c.*, pp. 124 and 125, pl. ix.

Descriptions of seven new species of birds procured during a cruise up the River Yangtsze. *t.c.*, pp. 131-136, pl. xi.

On the Plovers of the genus *Ægialites* found in China. *t.c.*, pp. 136-142, pl. xii.

Zoological notes of a journey from Canton to Peking and Kalgan. *t.c.*, pp. 427-451.

List of birds collected by Mr. Cuthbert Collingwood during a cruise in the China and Japan Seas, with notes. *t.c.*, pp. 600-604.

On a new Chinese Gull. P.Z.S., 1871, pp. 273-275, pl. xxii.

A revised catalogue of the birds of China and its islands with descriptions of new species, references to former notes, and occasional remarks. *t.c.*, pp. 337-423.

Descriptions of two new Pheasants and a new *Garrulax* from Ningpo, China. P.Z.S., 1872, pp. 550-554.

On a Scaup Duck found in China. P.Z.S., 1873, pp. 411-413.

On the White Stork of Japan. *t.c.*, pp. 512 and 513.

On the Long-tailed Jay of Northern China with further notes on Chinese Ornithology. *t.c.*, pp. 687-690.

On a Black Albatros of the China Seas. *t.c.*, pp. 784-786.

On a new species of Little Bittern from China. *Ibis*, 1873, pp. 73, 74, pl. ii.

On a new Chinese Owl of the genus *Ketupa*. *t.c.*, pp. 127-129.

On the Rosy Ibis of China and Japan (*Ibis nippon*). *t.c.*, pp. 249-253.

Notes on Chinese Ornithology. *t.c.*, pp. 361-372.

Notes on Chinese Ornithology. *Ibis*, 1874, pp. 266-270, pl. x.

On some birds from Hakodadi, in Northern Japan. *t.c.*, pp. 150-166.

Ornithological notes made at Chefoo (Province of Sbantung, North China). *t.c.*, pp. 422-447, pl. xiv., 1875, pp. 114-140, pl. iii.

On a new form of Reed-bird from Eastern Asia. *Ibis*, 1877, pp. 203-205, pl. iv.

On a new bird from Formosa. *t.c.*, pp. 473-476, pl. xiv.

Obituary. *Ibis*, 1878, pp. 126-128.

Swinny (H. H.).

32 birds from West Pondo Land. Purchased. [1904. 6. 4, 1-21; 1904. 7. 5, 1-11.]

Sydney Museum.

See AUSTRALIAN MUSEUM.

Taylor (J.).

21 birds from Mexico. Presented. [41. 6, 1524-1544.]

A MS. note by Dr. J. E. Gray adds: "Who received them from Mr. Morgan, of the Rio del Monte Cœmp. They were examined and said to be described by Mr. Swainson."

Taylor (EDWARD CAVENDISH)

1279 birds and 868 eggs from various localities, chiefly from Egypt and the Mediterranean. Bequeathed. [1905. 6. 28, 1-1279.]

Cf. Ibis, 1905, pp. 498-500.

Thackeray (F.).

11 birds, 3 from Ireland, 8 from Cape Colony. Presented. [84. 7. 24, 1-11.]

Thomas (OLDFIELD), F.R.S.

6 birds collected in the Province of Antioquia, U.S. Colombia, by Mr. A. E. Pratt. Presented. [98. 10. 6, 1-6.]

7 birds from California. Presented. [1904. 4. 24, 1-7].

Thomasson (J. P.).

18 specimens from Hainan, collected by the late John Whitehead. Presented. [1900. 1. 2, 1-18.]

Mr. J. P. Thomasson was the son of Thomas Thomasson of Bolton. He was born May 19th, 1841, and died May 16th, 1904. His father was a staunch supporter and personal friend of Richard Cobden, and Mr. Thomasson became an executor under Mr. Cobden's will.

In 1876 Mr. Thomasson founded one hundred Exhibitions and Scholarships to the value of £25 a year, tenable for three years. By this scheme he constructed an educational ladder by which the children of the working classes in Bolton could pass from any Elementary school to the best Secondary school available, and ultimately to the Universities.

In 1877 he was presented with the Grand Cordon of Takova by Prince Milan of Servia, as a recognition of his gifts to the Servians when down-trodden and oppressed by the Sultan.

In 1880 he was elected Liberal M.P. for Bolton, which he represented until the following election in 1885. In 1881 he purchased and presented Merc Hall and the surrounding estate, with a further gift of £5000 for a public park and Museum, to the town of Bolton.

In the same year he presented the Haulgh Board-School to the town, and also founded the Thomasson Gymnasium. In 1902 the Freedom of the Borough of Bolton was conferred upon him.

Throughout his life the late Mr. Thomasson maintained the deepest interest in the welfare of his fellow-townsmen in Bolton. By large yearly grants of money he made it possible for students at Elementary schools to pass into higher "Secondary" schools, and on to a University training; an advantage to which many now owe their high positions in the

world. A similar scheme was founded by him a little later by which the same advantages were placed within the reach of pupil teachers in Elementary schools, one of the largest Elementary schools in the Borough being erected at his sole expense.

Soon after the establishment of a Natural History Museum in the town, he purchased from Mr. Starkie Gardner of Folkestone his collection of fossils from the Gault, Greensand and Chalk—about 1500 carefully prepared examples—and presented them to the institution. Again, in 1894, he purchased a fine collection of British Lepidoptera, containing about 7500 specimens, and gave them to the town. This formed a strong nucleus, round which has grown the present Museum collection of Entomological specimens.

In 1904 he acquired an exceedingly fine collection of British birds' eggs, formed by a Boltonian, Mr. F. W. Peaples, and until his death Mr. Thomasson was busily engaged in arranging them. Unfortunately he did not live to finish the work, but he left the entire collection, with the cabinets containing it, to the Museum. It includes 1700 clutches of eggs, and over 7000 specimens, as well as 200 nests of British birds. Particularly interesting are the very full sets of Cuckoo's eggs with those of the foster-parents, of which there are 70 sets, with the eggs of 30 species of foster-parent. The examples of the eggs of Guillemots, Ospreys and Plovers are also very complete and valuable.

The Mere Hall Art Gallery, opened in 1891, was another of Mr. Thomasson's gifts to the town of Bolton, and this he supplemented by a grant of £1000 towards the purchase of artistic objects. The Mere Hall was a family mansion standing in a park of about 8 acres, which Mr. Thomasson purchased and presented to the town for an open space, now known as the Thomasson Park; and he afterwards gave a sum of £6000 towards the adaptation of the Hall for the purposes of an Art Gallery and Branch-Library.

Mr. Thomasson took great interest in Zoology, and travelled much in Norway and Lapland. He was also one of the subscribers to the Whitehead Expedition to Hainan. His donation included the types of *Harpactes hainanus*, *Lepocestes hainanus*, *Chrysophlegma styani*, and *Dryonastes castanotis*.

Thompson (ARTHUR).

A mounted pair of Elliot's Pheasant (*Calophasis ellioti*). Purchased. [80. 3. 9, 1-2.]

A mounted pair of the Common Snipe (*Gallinago gallinago*). Presented.

Thornhill (T. B. CLARKE).

16 birds from the N.-W. Himalayas. Presented. [1904. 6. 19, 1-16.]

Thwaites (T.).

See CUMING, HUGH.

Treacher (Sir WILLIAM HOOD), K.C.M.G.

See GERRARD, E.

When in Labuan as Acting-Governor, Sir W. Treacher made collections in that island and on the Lawas River, and on Mt. Kina Balu. He discovered *Hæmatortyx sanguiniceps*, *Bambusicola hyperythra*, *Dendrocitta cinerascens*. He presented his collection to the Oxford Museum.

Treasury, Lords of the.

See FEILDEN, H. W.; HART, H. C.

Trevelyan (Major HERBERT).

168 birds from the district of Kingwilliamstown, South Africa. Presented. [76. 3. 19, 1-9; 76. 6. 8, 1-6; 76. 12. 5, 13; 77. 1. 20, 1-43; 77. 7. 28, 1-20; 77. 10. 15, 21-95; 79. 8. 1, 1-6; 80. 11. 4, 1-8.]

4 birds and 2 eggs from Loch Erne, Ireland, and from Devonshire. Presented [1905. 6. 25, 1-3; 1905. 9. 7, 1; 1905. 11. 4, 1; 1905. 11. 19, 1.]

During his service in South Africa, Major Trevelyan collected extensively, and gave many interesting species of birds to the Museum.

Trevor-Battye (A. B. R.).

23 birds from Spitsbergen. Presented. [97. 2. 28, 1-23.]

Mr. Trevor-Battye is well known for his travels in Northern Europe, and his adventures in Kolguev are described in his book "Ice-bound in Kolguev," 4to, 1895.

Cf. also "Who's Who," 1905, p. 1620.

Tristram (Canon H. B.), D.D., F.R.S., etc.

265 specimens from Palestine. Purchased. [64. 11. 22, 1-265.]

Cf. Tristram, P.Z.S., 1864, pp. 426-456; *id.*, Fauna and Flora of Palestine, 4to.

41 specimens from various Pacific islands (Fiji group, New Caledonia, Loyalty Islands, etc.) Purchased. [79. 3. 5, 6-24; 80. 8. 10, 1-12; 82. 5. 29, 1-10.]

These were duplicates from Mr. E. L. Layard's collection, the first set, with the types, being purchased by Mr. Seeböhm, and bequeathed by him to the British Museum.

Some of Mr. Layard's collections were sent to Canon Tristram for description, and many of the duplicates were offered to the Museum, which thus acquired several rare species new to the National Collection, such as *Turdus pritzbucii*, *Clytorhynchus pachycephaloides*, *Myiagra luguei*, *Pachycephala littayei*, *Erythrura cyaneifrons*, *Zosterops inornata*, *Z. minuta*, *Myzomela lifuensis*, *Graucalus lifuensis*, and *Megapodius layardi*, etc. Cf. Layard, Ibis, 1878, pp. 265-280; Tristram, Ibis, 1879, pp. 180-195, pls. iv.-vi.

27 birds from the Solomon Islands, and the New Hebrides, collected by Lieut. Richards. Purchased. [80. 2. 10, 1-5; 81. 11. 14, 1-21.]

Canon Tristram was born under the shadow of the Cheviot Hills, and passed his early life in Northumberland. He early developed a taste for natural history study, and did much field-work in company with his father's friends, the late Ralph Carr-Ellison of Hedgely and J. C. Langlands of Old Bewick. The inclinations of the lad towards natural history may have been hereditary, as he is a great nephew of the Hon. Daines Barrington, Gilbert White's correspondent.

Like other boys, he began by making a collection of birds' eggs, and before the age of fifteen he had taken with his own hands, and within a walk of his home, the eggs of the Kite, Buzzard, Marsh Harrier, Hen Harrier, Peregrine Falcon, and Raven. At school and at Oxford he actively cherished his love for ornithology and entomology, having as a boy at Durham School practised taxidermy under old William Proctor, the Curator of the Museum, who had made several expeditions to Iceland. After leaving college, Tristram went to

Switzerland for six months, and resumed his lessons in taxidermy with a Mr. Linder, a naturalist of Geneva, who once disposed of a specimen of the Great Auk for £5! Entomology occupied his attention more than ornithology, though he studied the habits of the Nutcracker, Wall-Creeper and Alpine Accentor. A year was spent in Italy, notable for a visit to Savi at Pisa. On his return to England he held a curacy in Devonshire, where he met with many species of birds unknown in his native Northumbria. Ill-health compelled him to go abroad, and he became acting Naval and Military Chaplain in Bermuda. Here he found several keen ornithologists, who became his life-long friends, Colonel H. Drummond-Hay, the first President of the British Ornithologists' Union, Colonel Wedderburn, J. L. Hurdis, and Sir J. Campbell Orde, of which little band of workers Canon Tristram is the sole survivor. They all collaborated in working at the subject of migration of birds, and during the whole time of his stay in Bermuda, Tristram kept up a continual correspondence with Sir William Jardine, while he formed the nucleus of his great collection of birds, increased during a six months' tour through the United States and Canada.

Canon Tristram returned to England in 1849 to the rural parish of Castle Eden, Durham, a unique collecting ground for botany and entomology. In 1852 he made an excursion into Norwegian Lapland, finding the nests of the Great Snipe, Bar-tailed Godwit and Green Sandpiper, the eggs of which were figured in the second edition of Hewitson's work. Ill-health, however, soon made him an irregular migrant. He spent two years in Algeria and the Sahara, and a third in yachting in the Eastern Mediterranean with his friend William Gibbs.

These three years gave the naturalist a rare opportunity of observing and collecting birds, and he took full advantage of it. He was also able to make an expedition up the Nile, and passed a few weeks in Palestine, not forgetting the Jordan Valley. The ornithological results of these three years are set forth at considerable length in the early numbers of the 'Ibis,' and in his volume on the "Great Sahara."

It was after Canon Tristram's return from the Levant that the idea of forming the British Ornithologists' Union took shape in his study at Castle Eden, when John Wolley, Alfred Newton, and Osbert Salvin were on a visit. The matter having been fully discussed, they all went to Cambridge for the meeting of the British Association of 1858, and with the addition of J. H. Gurney, Dr. P. L. Sclater, F. Du Cane Godman, Percy Godman, Edward Cavendish Taylor and W. H. Hudleston (then W. H. Simpson), the foundation of the British Ornithologists' Union was accomplished, and in January 1859 the first number of the "Ibis" was published.

Since that time Canon Tristram has devoted his attention principally to the Ornithology of Palestine and Syria. His first hurried visit had suggested to him what the Jordan Valley might reveal, and having been asked by the S.P.C.K. and by Mr. John Murray to write a work on the Holy Land, he obtained leave of absence from his little country parish and spent a year (1863-64) in a systematic exploration of Palestine, taking with him Dr. B. C. Lowne as Botanist, and Mr. Edward Bartlett as Taxidermist, with several valued private friends—Sir W. C. P. Medlicott, H. M. Upcher, and others.

The outcome of this expedition was satisfactory, as it led to the formation of the Palestine Exploration Fund, through the efforts of the late Dean Stanley and Sir George Grove, the Dean making a tour with Canon

Tristram to the Universities and some of the chief towns in Great Britain for the purpose.

An expedition to Moab in 1872 with several other friends, Lonis Buxton, M. Trotter, R. C. Johnson, and Amhurst Hayne, was more fruitful in archæological than biological results, as was another very interesting seven months spent in 1881 in Northern Syria, Mesopotamia, and the Euphrates Valley, of which a full account was published in the 'Ibis.' The same periodical contains an account of the by no means inconsiderable results of the exploration by Canon Tristram and his indefatigable friend, E. G. B. Meade-Waldo, of all the seven islands of the Canary group.

In 1891 he passed seven months in Central China and Japan, and has since made two journeys to the east, but without doing much biological work. On his last visit to Palestine he was kicked by a mule and had his leg broken, but has since been as active as ever, and still performs his duties in Durham Cathedral. Appalled by the disaster which overtook the badly-catalogued collection of Sir William Jardine, which was sold for a fraction of its real value, Canon Tristram prepared and printed a catalogue of his own collection. This was purchased by the Liverpool Museum. His interest in Ornithology is, however, as keen as ever, though he writes no more. In a letter recently received by me, he says: "It is something to have known in my youth Jardine, Selby, Yarrell, Salmon, Johnstone, and the Hancocks."

Turin, Royal Zoological Museum.

60 specimens from Shoa. Received in exchange. [93. 11. 20, 1-60.] Three species, *Cypselus shelleyi*, *Elæocerthia ragazzii* and *Urobrachya traversi*, were new to the collection.

Turner (Mr.).

54 specimens from various localities. Purchased [37. 7. 15, 67-100; 39. 4. 15, 1-6; 39. 12. 18, 25-34; 43. 2. 9, 1-16].

13 birds from Pacific Islands. Purchased [46. 7. 29, 1-13].

27 Humming-birds. Purchased [47. 3. 27, 1-37].

9 Skeletons. Purchased [51. 7. 28, 37-45].

Turner was a dealer, whose specimens often wanted exact localities. Most of them have now been transferred to the duplicates.

Tweeddale (ARTHUR, 9th Marquess of).

16 birds from Ceylon. Presented [66. 5. 28, 1-16].

10 birds from Guatemala, Burma, etc. Presented [76. 2. 22, 1-10].

6 specimens of *Glauucidium* and *Garrulax leucotis*, *Gecinus erythropygus*, new to the collection.

See also RAMSAY, R. G. WARDLAW.

Tweedmouth (Lord).

954 specimens of British birds, Humming-birds, Birds of Paradise, and Game-birds. Presented. [1905. 11. 11, 1-954.]

U.S. National Museum.

20 specimens of *Hirundinidæ* from various localities in North America. Presented. [84. 7. 30, 10-29.]

119 specimens of *Mniotiltidæ* from North America. Presented. [84. 11. 21, 1-119.]

227 specimens of *Fringillidæ* and *Icteridæ* from North America. Presented. [85. 2. 6, 1-227.]

The U.S. National Museum, like the Smithsonian Institution, has always been a steadfast friend of the British Museum, and the above collections were sent to aid the production of the "Catalogue of Birds."

Upcher (H. M.).

11 birds from Buenos Aires. Presented. [97. 3. 16, 1-11.]

Mr. Upcher is a well-known Norfolk naturalist. He was one of the early members of the British Ornithologists' Union, and accompanied Canon Tristram on one of his expeditions to Palestine.

Cf. "Who's Who," 1905, p. 1637.

Ussher (HERBERT TAYLOR), C.M.G.

See also GERRARD, E.

8 birds from Lagos. Purchased. [74. 2. 21, 27-34.]

144 birds from Lumbidan and Brunei, N.W. Borneo and Labuan Island. Purchased. [77. 9. 27, 1-144.]

This collection contained the types of *Lobiophasis castaneicaudatus*, *Pitta ussheri*, and *Cypselus lowi*, described by me in the 'Proceedings' of the Zoological Society for 1877 and 1879.

7 birds from Sarawak and the Lawas River. Presented. [78. 5. 4, 1-7.]

3 birds from Lawas River and Labuan. Presented. [78. 5. 30, 1-3.]

Governor Ussher was an enthusiastic naturalist, and collected in most of the colonies of which he was the head. When Governor of the Gold Coast he made extensive collections in the interior, employing a native hunter and skinner named Aubinn in the forests of Denkira. Many new species were discovered by him, and his collections were divided between Capt. Shelley and myself. When appointed to Labuan, he made great exertions to discover the exact relation of the avifauna of the island to that of the opposite coast, and sent home valuable collections, which I described in the 'Ibis' for 1879.

Ussher (R. J.).

5 birds from Algeria. Presented. [1905. 4. 17, 1-5.]

Van Dam (D. C.).

15 birds from Réunion. Presented. [73. 5. 9, 9-23.]

Van Dam was the companion of Pollen on the latter's expedition to Madagascar. I met him in Leyden in 1873, and he gave me a few specimens from Réunion, which he had procured on that expedition.

Vaughan (Lieut.).

7 specimens (in spirits) of *Tatara vaughani*, Sharpe, Bull. B.O.C., xi., p. 2 (1900), from Pitcairn Island. Presented. [1900. 11. 25, 1-7.]

Veitch (HARRY).

77 birds from the Lawas River and Mount Kina Balu in N.W. Borneo, as well as the Sulu Islands, collected by Mr. F. Burbidge. Presented. [83. 9. 20, 1-77.]

Mr. Burbidge was a botanical collector sent out to Borneo by the great firm of horticulturists. He made some good observations on the bird-life of the country, and discovered three new species, *Tanygnathus burbidgei*, *Buchanga stigmatops*, and *Gallus stramineicollis*. *Cf.* Sharpe, P.Z.S., 1879, pp. 311-317; Salvad., Cat. B., xx., p. 432, pl. xi.

8 specimens from the Arfak Mts. in N.W. New Guinea, one, *Oreocharis arfaki*, being new to the collection. Presented. [94. 2. 16, 1-8.]

Verdey (Madame A.).

13 birds from Siberia, collected by Dr. Dybowski. Purchased. [75. 3. 15, 1-13.]

25 South American birds, mostly from Cayenne. Presented. [81. 2. 26, 1-25.]

Madame Verdey carried on the business of the Maison Verreaux in Paris after the Verreaux family had given it up.

Verner (Col. WILLOUGHBY).

4 specimens of the Little Tern from Dungeness. Presented. [87. 7. 20, 1-4.]

25 birds and 19 eggs from the Sudan. Presented. [87. 12. 22, 1-25; 88. 2. 15, 1-19.]

5 birds from Crete. Presented. [87. 12. 30, 1-5.]

Verreaux, Maison.

84 birds from Gaboon, Cape Colony and Natal. Purchased. [43. 11. 17, 1-80; 51. 2. 26, 1-4.]

164 birds from various localities. Purchased. [51. 7. 23, 7-33; 52. 3. 5, 21-26; 52. 5. 12, 1-45; 53. 3. 7, 1-11; 84. 1. 17, 1-75.]

52 birds, mostly from Gaboon. Purchased. [54. 5. 23, 1-52.]

127 birds from various localities. Purchased. [55. 4. 25, 1-37; 55. 5. 29, 1-8; 55. 7. 10, 1-40; 55. 9. 4, 1-11; 56. 3. 12, 2-9, 11-13.]

Among these was the type of *Myiagra modesta*, Gray.

149 birds from various localities, chiefly Central and South America. Purchased. [56. 11. 5, 1-27; 56. 12. 17, 1-5; 58. 2. 4, 1-48; 59. 2. 25, 1-48; 59. 2. 25, 2-17; 59. 6. 28, 5-14; 60. 7. 21, 1-17; 60. 8. 24, 3-8; 62. 1. 17, 8-11; 62. 2. 11, 1-5; 62. 8. 26, 1-11.]

18 birds from New Caledonia, Formosa, etc. Purchased. [64. 11. 30, 32-49.]

31 birds from W. Africa, Madagascar, etc. Purchased. [66. 5. 22, 1-21; 66. 7. 21, 1-10.]

152 birds from various localities. Purchased. [67. 6. 18, 1-49; 69. 5. 10, 1-42; 70. 4. 18, 1-61.]

The Maison Verreaux was one of the greatest, if not the greatest, emporium of natural history that the world has ever seen. The three brothers, Jules, Édouard, and Alexis were collecting in South Africa at the time of Sir Andrew Smith's expeditions, and they mounted the specimens which were afterwards exhibited in London, and ultimately became the property of the British Museum.

The whole of the beautiful collection formed by the three brothers was lost at sea, and on the return of Jules and Édouard to Paris (Alexis having died in South Africa), the Maison Verreaux was founded. Jules was afterwards Curator of the Ornithological Department of the Paris Museum for many years, and, in his spare time, he determined and labelled the birds in the Maison Verreaux. The specimens were often issued without any exact indication of locality, but had attached to them in Jules' handwriting a large label giving the synonymy from Bonaparte's "Conspectus," without which book Jules never travelled. He possessed an immense knowledge of birds, probably greater than any man of his generation.

See DU CHAILLU.

Victoria, Government of.

58 birds and 226 eggs from Victoria. Presented. [1901. 5. 10, 1-226; 1904. 4. 29, 2-59.]

Vieira (Dr. LOPEZ).

35 birds from Portugal. Presented. [86. 11. 20, 1-9; 86. 12. 19, 1-12; 87. 3. 18, 1-14.]

Vienna, Hof. Museum.

7 birds from Austria. Presented. [72. 10. 26, 46-52.]

Villiers (Mrs. F.).

7 Weaver Finches, died in captivity. Presented. [1905. 7. 11, 1-2; 1905. 7. 27, 1-2; 1905. 8. 4, 1; 1905. 9. 2, 2; 1905. 9. 17, 1.]

Villiers (Col. E.).

2 specimens of the Capercailzie (*Tetrao urogallus*) from Aberdeenshire. Presented. [1905. 6. 2, 1-2.]

Vincent (Capt. B.).

A specimen of *Querquedula formosa* from Corca. Presented. [1904. 6. 1, 1.]

Vingoe (Mr.).

See JANSON, E. W.

Vorderman (Dr.).

11 birds from Java, including the type of *Siphia vordermani*, Sharpe, and *Turdinus lepidopleurus* and *Corythocichla epilepidota*, new to the collection.

Dr. Vorderman is Government Physician at Batavia, and has written much on the Avifauna of Java. Hearing from me that there were some Javanese species unrepresented in the Museum, he very kindly sent the above specimens.

Waddell (Surgeon-Col. L. A.).

21 specimens from Darjiling, including the type of *Garrulax waddelli*. Presented. [96. 6. 30, 1-21.]

Colonel Waddell was attached to the Tibet Mission of 1903-4, and collected several birds. These, however, did not come to the British Museum with the rest of the collections of the expedition, but were sold privately.

Wakefield (Rev. THOMAS).

See SHARPE, R. BOWDLER.

Waldo.

See MEADE-WALDO.

Walker (THEODORE).

The groups of the Magpie, Linnet, Nightingale, Skylark, Moorhen, and Great Crested Grebe, with the nests and eggs, from Leicestershire, for the Exhibition Gallery. Presented. [78. 12. 31, 7-14.]

114 birds from various localities in Great Britain, mostly Sea-birds from St. Kilda, Isle of Skye and Lincolnshire. Presented. [79. 4. 21, 1-9; 79. 12. 5, 1-8; 81. 7. 13, 1-34; 81. 10. 20, 1-34; 82. 10. 12, 1-29.]

Wallace (Dr. ALFRED RUSSEL), F.R.S.

See STEVENS, S.

27 *Accipitres* from Amazonia. Purchased. [73. 3. 19, 1-27.]

Dr. Wallace very kindly allowed me to have his collection of Birds of

Prey for the purposes of my first volume of the "Catalogue of Birds." The rest of his South American collection passed into Dr. F. D. Godman's possession, and has been presented by the latter gentleman to the Museum. Dr. Wallace's collection was described by Dr. Sclater and Mr. Salvin (P.Z.S., 1867, p. 566).

2474 birds from the Malay Archipelago. Purchased. [73. 5. 12, 1-2474.]

This was Dr. Wallace's celebrated collection from the Malay Peninsula and Archipelago, Celebes and the Molucca Islands, and New Guinea.

The following types were included: *Criniger mystacalis*, *C. simplex*, *C. longirostris*, *Cyornis rufigula*, *Cryptolopha helianthea*, *Zosterops atrifrons*, *Acrocephalus insularis*, *Gerygone palpebrosa*, *G. sulphurea*, *G. neglecta*, *G. inornata*, *G. superciliosa*, *Aethomyias spilodera*, *Phylloscopus flavesceus*, *Monarcha loricata*, *M. dichroa*, *Saxicola dumetoria*, *Campephaga marginata*, *Chrysococcyx pæcilurus*, *Cacomantis megarhynchus*, *Picus sondaicus*, *Rhipidura torrida*, *R. longicauda*, *R. hyperythra*, *R. emeria*, *R. bouruensis*, *R. diluta*, *Pachycephala xanthocnemis*, *P. rufescens*, *P. mentalis*, *P. clio*, *P. brunnea*, *Turdus erythropterus*, *Cisticola fuscicapilla*, *C. rustica*, *Megalurus timorensis*, *Butalis hypogrammica*, *Cyornis rufifrons*, *Piezorhynchus nitens*, *Myiagra puella*, *Todopsis grayi*, *Corydalla media*, *Pitta rubrinucha*, *P. crassirostris*, *Cypselus infumatus*, *Nectarinia grayi*, *N. proserpina*, *Myzomela simplex*, *Nectarinia flavostriata*, *N. porphyrolama*, *Dicaeum ignifer*, *D. vulneratum*, *Ptilotis sonorides*, *P. virescens*, *Tropidorhynchus plumigenis*, *T. fuscicapillus*, *Prionochilus aureolimbatus*, *Oriolus frontalis*, *Pereirocotus exul*, *Ægotheles wallacei*, *Myiolestes affinis*, *Estrela flavidiventris*, *Munia pallida*, *M. tristissima*, *Erythrura modesta*, *Tanyptera acis*, *T. doris*, *T. sabrina*, *T. hydrocharis*, *T. galatea*, *Halcyon nigrocyanea*, *Ceyx cajeli*, *Halcyon rufa*, *Coryphilus pulchella*, *Trichoglossus coccineifrons*, *Cyclopsitta blythi*, *Loriculus sclateri*, *L. flosculus*, *L. amabilis*, *Tanygnathus affinis*, *T. albirostris*, *Elanus hypoleucus*, *Accipiter erythrauchen*, *A. rubricollis*, *Astur æquatorialis*, *A. muclleri*, *A. wallacei*, *A. griscogularis*, *A. henicogrammus*, *Athene florensis*, *Scops sylvicola*, *S. leucospila*, *Athene hantu*, *A. rufostriata*, *Baza stenozona*, *Spizaetus nanus*, *S. gurneyi*, *Cuncuma leucogaster*, *Eudynamis facialis*, *Graucalus caeruleogriseus*, *Calornis gularis*, *C. placidus*, *Dicrurus megalornis*, *D. atrocæruleus*, *D. umboynensis*, *D. pectoralis*, *Cacatua cristatella*, *Treron pulverulenta*, *T. floris*, *Ptilopus humeralis*, *P. celebensis*, *Macropygia batchianensis*, *M. macassariensis*, *M. magna*, *Chalcophaps hombroni*, *Ardea aruensis*, *Rallus plumbeiventris*, *R. tricolor*, *R. celebensis*, *Rallina moluccana*, *R. rufigenis*, *Gallinula frontata*, *Turnix rufilatus*, and *T. rufescens*.

See his book, 'Malay Archipelago,' 1869.

Cf. 'Who's Who,' 1904, p. 1583.

Walsingham (Lord), F.R.S.

106 birds from Mt. Shasta, California. Presented. [81. 12. 10, 1-106.]

12 specimens of the Wild Duck (*Anas boschas*), showing the moults and various stages of plumage. Presented. [98. 12. 23, 1-10.]

The following mounted groups of British birds, with their nests and eggs or young, have been presented by Lord Walsingham:—

Starling (*Sturnus vulgaris*), Norfolk.

Jay (*Garrulus glandarius*), with eggs, Norfolk.

Jay (*Garrulus glandarius*), with young, Norfolk.

Lesser Redpoll (*Linota rufescens*), Norfolk.
 Chaffinch (*Fringilla cælebs*), Norfolk.
 Hawfinch (*Coccothraustes coccothraustes*), Norfolk.
 Goldfinch (*Carduelis carduelis*), with young, Norfolk.
 Yellow Ammer (*Emberiza citrinella*), Norfolk.
 Reed Bunting (*Emberiza schenicius*), Norfolk.
 Skylark (*Alauda arvensis*), Norfolk.
 Yellow Wagtail (*Motacilla campestris*), Norfolk.
 Pied Wagtail (*Motacilla lugubris*), Norfolk.
 Tree-Pipit (*Anthus trivialis*), with young, Norfolk.
 Ring-Ouzel (*Turdus torquatus*), Yorkshire.
 Mistle-Thrush (*Turdus viscivorus*), Norfolk.
 Dipper (*Cinclus aquaticus*), Yorkshire.
 Whinchat (*Pratincola rubetra*), Norfolk.
 Stonechat (*Pratincola rubicola*), Norfolk.
 Wheatear (*Saxicola ænanthe*), Norfolk.
 Willow-warbler (*Phylloscopus trochilus*), Norfolk.
 Sand-martin (*Riparia riparia*), Norfolk.
 Whitethroat (*Sylvia cinerea*), Norfolk.
 Garden Warbler (*Sylvia hortensis*), Norfolk.
 Sedge Warbler (*Acrocephalus phragmitis*), Norfolk.
 Tree Creeper (*Certhia familiaris*), Norfolk.
 Nuthatch (*Sitta cæsia*), Norfolk.
 Spotted Flycatcher (*Muscicapa grisola*), Norfolk.
 Golden-crest (*Regulus cristatus*), with eggs, Norfolk.
 Great Titmouse (*Parus major*), Norfolk.
 Green Woodpecker (*Geococcyx viridis*), Norfolk.
 Greater Spotted Woodpecker (*Dendrocopos major*), Norfolk.
 Wryneck (*Jynx torquilla*), Norfolk.
 Wood-pigeon (*Columba palumbus*), Norfolk.
 Turtle-dove (*Turtur turtur*), Norfolk.
 Little Grebe (*Podiceps flaviventris*), Norfolk.
 Cuckoo (*Cuculus canorus*), Norfolk.
 Hedge-sparrow (*Tharrhaleus modularis*), with young.
 Nightjar (*Caprimulgus europæus*), Norfolk.
 Long-eared Owl (*Asio otus*), Norfolk.
 Sparrow-Hawk (*Accipiter nisus*), Norfolk.
 Golden Plover (*Charadrius pluvialis*), Yorkshire.
 Lapwing (*Vanellus vanellus*), Yorkshire.
 Snipe (*Gallinago gallinago*), Norfolk.
 Stone-Plover (*Edicnemus œdicnemus*), Norfolk.
 Gadwall (*Chaulelasmus streperus*), Norfolk.
 Teal (*Nettion crecca*), Norfolk.
 Shoveler (*Spatula clypeata*), Norfolk.
 Tufted Duck (*Fuligula cristata*), Norfolk.
 Pochard (*Nyroca ferina*), Norfolk.

Walter (N. F.).

157 nests and eggs of British Birds. Presented. [51. 7. 7, 1-44; 51. 12. 1, 6-7; 52. 1. 7, 1-27; 52. 3. 20, 29-92; 52. 11. 29, 3-22.]

5 eggs from Spain and 35 from Cape Colony. Presented. [54. 1. 9, 1-5; 54. 10. 24, 1-35.]

Walton (Capt. H. J.) (*Naturalist to the Tibet Frontier Commission*).

416 birds from S. Tibet, etc., including types of several new species. [1905. 12. 31, 1-416.]

Ward (ROWLAND).

12 birds from Madagascar. Purchased. [97. 11. 3, 1-12.]

8 birds from Ashanti. Presented. [99. 10. 23, 1-8.]

A specimen of the Shoe-billed Stork (*Balaniceps rex*) from Lake Mweru, British Central Africa. Presented. [1900. 2. 26, 1.]

Warsaw, Branicki Museum.

51 birds from Siberia and Peru, including the following species new to the collection, *Poecile brevirostris*, *P. oblecta*, *P. kamtschatkensis*, *Pyrrhula cinerea*, *Sitta amurensis*, *Acrocephalus bistrigiceps*, *Thinocorus orbignianus*, *Grallaria andicola*, *Fulica gigantea*, *Penelope rufiventris* and *Vanellus resplendens*. Received in exchange. [74. 5. 19, 8-57.]

Warwick.

326 birds from various localities. Purchased. [30. 12. 18, 1-24; 41. 2. 302-401; 44. 6. 2, 34-44; 44. 10. 19, 1-59; 44. 11. 15, 10-35; 44. 12. 29, 2-25; 45. 3. 6, 5-7.]

23 birds from South Australia and Port Natal. Purchased. [45. 3. 15, 26-39; 45. 4. 5, 3-11.]

41 birds from various localities. Purchased. [46. 1. 31, 61-67; 46. 4. 8, 8-42.]

35 birds from Java. Purchased. [46. 11. 24, 3-37.]

161 skeletons of birds and 136 eggs. Purchased. [46. 12. 4, 1-29; 48. 3. 8, 1-39; 50. 12. 28, 1-29; 51. 7. 5, 5-12; 51. 9. 26, 1-35; 52. 2. 20, 1-14; 52. 5. 10, 6-10; 52. 6. 4, 1-20; 52. 7. 22, 1-10; 52. 11. 22, 1-38; 52. 12. 5, 16-20; 53. 1. 18, 4-29; 53. 5. 4, 20-35; 53. 7. 12, 7-13, 16-17; 53. 10. 13, 1-19; 53. 10. 23, 3-14.]

222 birds from various localities. Purchased. [49. 11. 21, 1-7; 49. 12. 4, 1-24; 50. 8. 15, 11-161; 51. 1. 24, 1-36; 50. 4. 11, 1-12; 51. 7. 4, 1-2.]

93 birds from various localities. Purchased. [52. 11. 22, 40-52; 55. 8. 31, 1-15; 55. 10. 4, 1-2; 55. 11. 20, 1-9; 57. 3. 8, 1-14; 58. 1. 11, 38-77.]

Waterstadt (JOHN).

See GERRARD, E.

[For descriptions of his collections sent from the Moluccas, *cf.* Hartert, Nov. Zool., v., pp. 88-91 (1898); ix., pp. 537-580 (1902); x., pp. 1-17 (1903); pp. 43-64.]

Watkins and Doncaster (Messrs.).

15 birds from N. Cachar, collected by Mr. J. Inglis (*q.v.*). Purchased. [81. 10. 17, 1-15.]

Watling (T.).

See pp. .

Watson (J.).

50 birds from the neighbourhood of David, Chiriqui. Purchased. [98. 10. 7, 1-19; 98. 11. 23, 1-31.]

Way (Colonel).

85 birds from N.W. India. Presented. [81. 9. 20, 1-85.]

Webb.

23 birds from the vicinity of Shanghai, including the type of *Suthora webbiana*. Presented. [52. 3. 19, 2-24.]

Webster (F. B.) and Harris (C. M.).

718 specimens from the Webster-Harris expedition to the Galapagos Archipelago (*cf.* Rothschild, Nov. Zool.). Purchased. [99. 9. 1, 1-718.]

The Hon. Walter Rothschild and Dr. Hartert have written a memoir on this great expedition, the chief series of specimens, with the types of the new species, being in Mr. Rothschild's collection. *Cf.* Nov. Zool., vi., pp. 85-205, pls. v., vi. (1899). The British Museum secured the second set, and the following species were new to the collection: *Nesomimus macdonaldi*, *N. adamsi*, *N. personatus*, *N. barringtoni*, *N. hulli*, *N. bindloeii*, *N. bauri*, *Certhidea ridgwayi*, *C. luteola*, *C. becki*, *C. mentalis*, *C. cinerascens*, *C. bifasciata*, *Geospiza platyrhyncha*, *G. conirostris*, *G. propinqua*, *G. albemarleii*, *G. dubia*, *G. fratercula*, *G. minor*, *G. acutirostris*, *G. debilirostris*, *G. intermedia*, *G. fatigata*, *G. barringtoni*, *G. septentrionalis*, *G. salvini*, *G. townsendi*, *G. pauper*, *G. incerta*, and *G. affinis*.

Weiske (EMIL).

47 birds and 78 eggs from the interior of British New Guinea. Purchased. [1901. 4. 28, 1-47; 1901. 7. 4, 1-78.]

This collection contained the types of several species described by Professor Reichenow (Orn. M.B., ix., pp. 185-188), *Eutolmaëtus weiskei*, *Oreopsittacus frontalis*, *Cacomantis weiskei*, *Syma weiskei* (= *S. megarhyncha*, ♀; *cf.* Rothschild and Hartert, Nov. Zool., viii., p. 149), *Graucalus cornix*, *Rhectes phaeocephalus*, *Rhectes schistaceus*, *Chasmostoma weiskei*, all from S. E. New Guinea, *Climacteris weiskei*, from N. Queensland.

The following species were new to the collection: *Astur melanochlamys*, *Syma megarhyncha*, *Rhipidura auricularis*, *R. fallax*, *Pachycephala obscurior*, *Heteromyias armiti*, *Pæcilodryas caniceps*, *P. subcyanus*, *Nasiterna bruijnii*, *Ifrita coronata*, *Sericornis nigrorufa*, *S. perspicillata*, and *Melanocharis striativentris*.

Wellington, New Zealand. Colonial Museum.

80 birds from New Zealand and the Chatham Islands, including a specimen of *Apteryx haasti*, new to the collection. Received in exchange. [75. 7. 2, 1-89.]

West Australia, Government of.

98 specimens of West Australian birds. Presented. [94. 10. 26, 1-98].

This collection formed the exhibit of the Government of Western Australia at the Colonial Exhibition held in London. The specimens were of value to the Museum, as very few examples of birds from this portion of the Australian Continent were in the National Collection.

West Australian Museum, Perth, W.A. (Dr. BERNARD WOODWARD, Director).

32 specimens of *Accipitres* from various parts of Western Australia, presented through Dr. Bernard H. Woodward, the Director of the W. A. Museum. [1902. 12. 30, 1-32.]

52 birds from Western Australia, including six species new to the collection. [1905. 1. 24, 1-52.]

Wharton (C. BYGRAVE).

25 specimens from Darjiling. Presented. [76. 2. 3, 16-40.]

3 specimens from Corsica. Presented. [76. 7. 26, 1-3.]

Wharton (HENRY T.).

16 eggs from New Zealand. Presented. [98. 7. 3, 2-17.]

Whitaker (J. I. S.).

40 birds from South Tunis, including specimens of *Rhodopechys alinæ*, Whitaker, and *Garrulus ænops*, Whitaker, new to the collection. Presented. [98. 10. 12, 1-40.]

3 specimens of the Sicilian Long-tailed Tit (*Ægithalus siculus*, Whitaker), new to the collection. Presented. [1902. 10. 27, 1-3.]

2 specimens of the Red-necked Goatsucker (*Caprimulgus ruficollis*) from Southern Spain. Presented. [1905. 11. 18, 1-2.]

Whitehead (JOHN).

See also GERRARD, E.; JANSON, O.

69 specimens from Corsica, including the type of *Sitta whiteheadi*. Presented. [84. 7. 16, 1-69.]

36 specimens from Palawan, Philippine Islands. Purchased. [89. 1. 20, 1-36.]

The following species were new to the collection: *Prioniturus cyaneiceps*, *Siphia erythacus*, *Xantholestes panayensis*, *Ptilocichla falcata*, *Prionochilus johannæ* (cf. Sharpe, Ibis, 1890, pp. 38-61, pl. ii.)

60 specimens from N.W. Borneo and Mount Kina Balu, including an example of *Cissa jefferyi* new to the collection. Presented. [89. 7. 1, 1-60.]

Mr. Whitehead's wonderful collection made on Mount Kina Balu was described by me in the 'Ibis' (1887, pp. 435-454, pls. xiii., xiv.; 1888, pp. 383-396, pls. ix.-xii.; 1889, pp. 63-85, pls. ii.-iv., 185-205, pls. vii., viii., 265-283, pl. ix., 409-443, pls. xii., xiii; 1890, pp. 133-149, pl. iv., 273-292, pl. viii.). 5 new genera and 42 new species were described in the above-mentioned Memoirs.

9 birds and nests from Luzon and Negros. Presented. [96. 2. 3, 1-3; 96. 10. 31, 1-6.]

Mr. Whitehead presented the nest, with the birds, of *Dicaeum pygmaeum*, *D. hæmatostictum* and *Æthopyga magnifica*.

12 specimens from N.W. Luzon. Purchased. [97. 3. 10, 1-12.] Cf. Grant, Ibis, 1894, pp. 501-522, pls. xiv., xv.

116 birds from the Philippine Islands, including the types of *Pithecophaga jefferyi* and *Batrachostomus microrhynchus*. *Syrnium whiteheadi* was new to the collection. Purchased. [97. 6. 14, 1-116.] (Cf. Grant, Ibis, 1897, pp. 209-250, pls. v. and vi.)

74 birds' eggs from the Philippine Islands. Purchased. [98. 4. 11, 1-74.] (Cf. Grant and Whitehead, Ibis, 1898, pp. 231-249, pls. v. and vi. Cf. Whitehead, Field-notes on birds collected in the Philippine Islands in 1893-6, Ibis, 1899, pp. 81-111, 210-246, 381-399, 485-501. Notice of death, t.c. p. 642.)

Cf. Dict. Nat. Biogr., Suppl.

Whitehead (JEFFREY).

13 eggs from Java and Mount Kina Balu. Presented. [1905. 2. 24, 1-13.]

Father of John Whitehead, the celebrated explorer and collector.

Whitehead Expedition, Subscribers to the.

See THOMASSON, J. T.; SEEBOHM, H.

69 birds from the Philippine Islands. Presented. [97. 5. 13, 1-66; 97. 12. 11, 1-48.] Included the types of the following species:—*Muscicapula samarensis*, *M. luzonensis*, *Rhabdornis minor*, *R. inornatus*, *Turdus nigrorum*, *T. mindorensis*, *Turnix whiteheadi*, *Carpophaga mindorensis*,

Zosterornis dennistouni, *Z. striatus*, *Z. whiteheadi*, *Z. pygmæus*, *Hypsi-
petes fugensis*, *Prioniturus montanus*, *Collocalia whiteheadi*, *Pyrrhula
leucogenys*, *Pseudotharralens caudatus*, *Brachypteryx polioyana*, *Scops
whiteheadi*, *Rhinomyias insignis*, *Zosterops aureiloris*, *Z. luzonica*,
Cinnyris flagrans, *C. whiteheadi*, *C. obscurior*, *Æthopyga flavipe-
ctus*, *Hyloterpe albiventris*, *Stoparola nigrimontalis*, *Celtia seebohmii*, *Chimar-
rhornis bicolor*, *Lanius validirostris*, *Dendrophila mesoleuca*, *Dicaeum
luzoniense*, *Loxia luzonensis*, *Scops longicornis*, *Chlorura brunneiventris*.

Whitely (G. M.).

Nephew of Henry Whitely. He collected in Honduras.

Cf. Sclater and Salvin, P.Z.S., 1870, pp. 835-839.

Whitely (HENRY).

34 birds from Senegambia and Madagascar. Purchased. [66. 1. 30, 2-24; 66. 5. 9, 1-11.]

14 birds from Japan, collected by his son, Henry Whitely, jun. Purchased. [67. 2. 21, 1-14.] (*Cf.* Ibis, 1867, pp. 193-211, pl. iii.).

120 birds from various localities. Purchased. [67. 5. 24, 1-14; 67. 11. 30, 1-14; 68. 6. 20, 1-58; 69. 5. 12, 4-19.]

Many of these were from his son's collections from Peru (Arequipa, Tinta, and the Tambo Valley).

25 birds from Peru (Cosinpatá, Tinta, etc.), collected by Henry Whitely, jun. [70. 6. 10, 1-25.]

40 birds from China and Hainan, collected by Consul Swinhoe, duplicated from the Swinhoe Collection. Purchased. [72. 5. 27, 40-79.]

82 birds from various localities. Purchased. [72. 6. 1, 1-11; 72. 10. 4, 47-52; 72. 11. 22, 4-11; 73. 1. 10, 1-17.]

174 specimens from various localities. Purchased. [74. 4. 2, 13-25; 74. 8. 19, 1-11; 75. 3. 31, 6-14; 75. 6. 24, 9-26; 76. 1. 6, 1-90; 76. 2. 17, 1-22; 78. 3. 28, 1-11.]

17 specimens from Yquitos, Upper Amazonia, collected by his son, Henry Whitely, jun. Purchased. [79. 3. 25, 1-17.]

Porzana hauxwelli was new to the collection.

57 birds from various localities. Purchased. [80. 4. 30, 1-34; 80. 10. 13, 1-23.]

Old Mr. Whitely was formerly employed in Woolwich Arsenal, and was Curator of the Royal Artillery Institution's Museum. He had a Natural History Agency in Wellington Street, Woolwich.

See SCLATER, P. L.; GODMAN, F. D.; SALVIN, O.

Whitely (HENRY), jun.

Son of the above. A most enterprising traveller and collector in Japan and in various countries of South America. He died in the interior of British Guiana, and an obituary notice of his career appears in the 'Ibis' for 1893 (pp. 287-288).

Whitmee (Rev. J. S.).

6 specimens of *Collocalia* from Samoa (in spirits). Presented. [76. 6. 9, 1-6.]

152 birds and eggs from Samoa, Savage Island, the Ellice Islands, Loyalty Isles, etc. Purchased. [78. 1. 19, 1-14, 36-163.] (*Cf.* Whitmee, Ibis, 1875, pp. 436-447; Sharpe, P.Z.S., 1878, pp. 271-274.) Includes the type of *Lalage whitmeei*.

Whyte (ALEXANDER).

See GERRARD, E.; SHELLEY, *Capt.* G. E.

Mr. Whyte was a chemist in Ceylon, but turning his attention to Natural History he made some interesting collections in that island. He was for a long time Assistant to Sir Harry Johnston in Nyasa Land, being a good botanist and an all-round collector. He has since done some excellent work in Uganda and Liberia.

Wickham (Captain F.).

13 birds from the Chin Hills, including a male of Blyth's Tragopan (*Tragopan blythi*). Presented. [98. 11. 1, 1-13.]

Wickham (H. A.).

A specimen of *Megapodius duperreyi* from the Conflict Islands, British New Guinea. Presented. [1904. 7. 28, 1.]

Wilday (A. GASCOIGNE).

12 birds (presented) and 18 (purchased) from Hamilton Island, Corea. [91. 4. 30, 1-12; 91. 5. 3, 1-18.]

Williams (T. B.).

10 nestlings and embryos from Canada. Presented. [1901. 7. 21, 1-10.]

Wilson (C. J.).

A specimen of the White-fronted Goose (*Anser albifrons*) from co. Galway. Presented. [1904. 6. 15, 1.]

Wilson (Dr. E. A.).

See ANTARCTIC EXPEDITION: "Discovery."

Wilson (EDWARD).

270 birds from various localities. Presented. [46. 7. 16, 1-270.]

24 birds from Nienaragua. Presented. [47. 1. 16, 1-24.]

10 specimens of Humming Birds. Presented. [47. 3. 18, 1-10.]

Edward Wilson was the brother of Thomas B. Wilson, who was President of the Academy of Natural Sciences of Philadelphia, and contributed so largely to the collections of the Academy. His brother Edward acted as his agent in Europe, and procured for America the Gould collection of Australian birds and the great Masséna collection in Paris. In the latter business he was helped by Dr. J. E. Gray of the British Museum, and probably in acknowledgment of this assistance, he gave a certain number of specimens to this Museum. Among them was the type of *Sceloglaux albifacies* from New Zealand. (Cf. Witmer Stone, Auk, xvi., pp. 166-177, 1899.)

Wilson (J. W.).

A Fire-backed Pheasant (*Lophura ignita*) from North Borneo. Presented. [1905. 4. 9, 1.]

Wingate (Captain A. W. S.).

184 specimens from Yun-nan, including 6 species new to the collection, and the types of *Sitta yunnanensis*, *Lania nigriceps* and *Siva wingatei*. (Cf. Grant, Ibis, 1900, pp. 573-606, pl. xii.)

Winton.

See DE WINTON.

Witherby (H. F.).

37 birds from the White Nile, including the type of *Cisticola aridula*, Witherby, and *Anthoscopus punctifrons*, new to the collection. Presented. [1901. 3. 27, 1-36; 1901. 12. 12, 1.]

Mr. Witherby has written several essays on the birds he has studied in different lands. His travels have been extensive, and their scope is best illustrated by the titles of the Memoirs he has published:—"Forest birds" (8vo, 1894); "Birds of S.W. Spain" (Knowledge, 1899); "On the Birds observed in the Kola Peninsula" (Ibis, 1900, pp. 475-492); "An Ornithological Expedition to the White Nile" (Ibis, 1901, pp. 237-278); "Bird-hunting on the White Nile" (8vo, 1902); "An Ornithological Journey in Fars, S.W. Persia" (Ibis, 1903, pp. 501-571).

Withington (Dr. F.).

See SCLATER, Dr. P. L.

Wolley (JOHN).

This prince of field naturalists laid the foundation of all that splendid method of collecting specimens of natural history, especially birds' eggs, which has been the distinguishing feature of the work done by British Ornithologists since his day. A certain number of specimens obtained by him in Scandinavia and Lapland are in the British Museum, but his collection of eggs was bequeathed to his friend Professor Newton, who has published a most interesting and important record of the collection in "*Ootheca Wolleyana*," vols. i., ii.

Wood (Lieut.).

See KELLETT and WOOD.

Woodford (CHARLES M.).

35 birds from the Solomon Islands. Purchased. [87. 1. 17, 1-35.]

6 species new to the collection, and the type of a new Crow, *Macrororax woodfordi*.

57 birds from the island of Guadalcanar, Solomon Archipelago. Purchased. [88. 2. 7, 1-57.]

Many new species described (cf. Sharpe, P.Z.S., 1888, pp. 182-185; Grant, P.Z.S., 1887): *Astur shebæ*, Sharpe (= *A. pulchellus*, Ramsay; cf. Rothschild and Hartert, Nov. Zool., xii., p. 251, 1905); *A. woodfordi*, Sharpe [= *A. albigularis*, Gray: *id.*, Nov. Zool., viii., p. 379 (1901)]; *A. holomelas*, Sharpe [= *A. albigularis*, var. *melanot.* *id.*, Nov. Zool., viii., p. 380 (1901)]; *Ninox granti*, Sharpe; *Nasiterna aolæ*, Grant; *Graucalus holopoliis*, Sharpe; *Edolisoma erythropygiale*, Sharpe; *Pomarea erythrostrica*, Sharpe; *Myzomela sharpei*, Grant [= *M. dubia*, Ramsay]; *Phlogoenas solomonensis*, *Nycticorax mandibularis*, Grant; *Ardeiralla woodfordi*, Sharpe.

68 specimens from Guadalcanar, New Georgia, Rubiana, and Alu. Presented. [88. 3. 9, 1-68.]

[Cf. Sharpe, P.Z.S., 1888, pp. 182-185; Grant, P.Z.S., 1887, pp. 328-333, pl. xxvii.; 1888, pp. 185-204, pl. x.; Woodford, "A Naturalist among the Head-Hunters of the Solomon Islands" (8vo, 1890).]

Cf. 'Who's Who,' 1905, p. 1768.

Woodward (BERNARD), *Director of the West Australian Museum, Perth.*

See WEST AUSTRALIAN MUSEUM.

Woodward (R. B. and J. D. S.).

See GERRARD, E.

20 specimens from Zululand. Purchased. [99. 4. 3, 1-20.]

The brothers Woodward made some important collections in the Zulu country, described by me in the 'Ibis' for 1897, pp. 400-422, pl. x., pp. 495-517. They afterwards wrote an excellent summary of their work with field-notes (*cf.* Woodward, *Ibis*, 1898, pp. 216-228, 517-525).

Woosnam (Capt. R. B.).

See also BAILWARD, *Colonel R. C.*

65 birds from the Vaal River. Purchased. [1904. 11. 19, 1-65.]

Woosnam (R. B.) and Dent (R. E.).

237 birds from the Orange Colony. Purchased. [1904. 4. 1, 1-61; 1904. 11. 18, 1-176.]

41 birds from Bechuana Land. Purchased. [1904. 6. 7, 1-41].

99 birds from the Kuruman district, Cape Colony. Purchased. [1904. 7. 23, 1-99.]

Worthen (K.).

32 specimens from Texas, California, etc. Purchased. [1900. 11. 30, 11-32.]

Worthington (A. B. BAYLEY).

71 birds from Karakol, Tian Shan Mountains. Presented. [1905. 9. 14, 1-71.]

Wray (LEONARD).

139 specimens from the State of Perak in the Malay Peninsula. Presented. [86. 5. 11, 1-11; 86. 12. 22, 1-33; 87. 3. 20, 1-19; 88. 3. 18, 1-68; 88. 9. 9, 1-8.]

Mr. Wray was the first naturalist to ascend the mountains of Perak, and he discovered many new species, of which the types are now in the British Museum—*Artamides larutensis*, *Pericrocotus wrayi*, *P. croceus*, *Cryptolopha davisoni*, *Muscicapula westermanni*, *Trochalopteryx peninsulæ*, *Melanocichla peninsularis*, *Gampsorhynchus saturator*, *Alcippe peracensis*, *Minla soror*, *Siva sordidior*, *Cutia cervinocrissum*, *Æthopyga wrayi*, *Chrysophlegma wrayi*.

The collections were described by me in the 'Proceedings' of the Zoological Society (1887, pp. 431-443, pls. xxxvii., xxxviii.; 1888, pp. 268-280, pl. xv.).

Cf. 'Who's Who,' 1905, p. 1776.

Wyatt (CLAUDE W.).

3 species new to the collection. Presented. [76. 3. 3, 1-3.]

Scotocerca inquieta, *Carpodacus sinaiticus*, from the Peninsula of Sinai, and *Pachyrhamphus cinnamomeus*, from the Magdalena Valley, U.S. Colombia.

Wyatt was an enthusiastic naturalist and a good artist. He visited Palestine, Egypt and the Peninsula of Sinai, publishing the results of his journey to the last-named place in the 'Ibis' for 1870 (pp. 1-18);

cf. also the Ordnance Survey of Sinai, 1873. In 1870 he made a successful expedition to the Magdalena Valley in Colombia, and brought back a good series of birds, *Synallaxis wyatti* being named after him by Dr. Selater (*cf.* Ibis, 1871, pp. 113-131, 319-335, 373-384. He travelled to all quarters of the globe in order to procure appropriate sketches for his pictures of scenery to illustrate the plates of the "Monograph of the Swallows," to which book the present writer supplied the letter-press. His book on "British Birds" (2 vols., 4to, 1894) was a labour of love to him, and he took great delight in the production of the plates, all of which, like those of the "Monograph of the Swallows," were drawn on stone by himself.

Obituary, *cf.* Ibis, 1901, p. 347c.

Yerbury (Col. J. W.).

103 birds and eggs from Aden. Presented. [84. 7. 19, 1-8; 85. 12. 23, 1-24; 95. 5. 13, 1-58; 95. 5. 15, 1-13.]

Colonel Yerbury's donation of Aden birds was a very valuable one, as the Museum had not a good series of birds from that locality. He has written an important paper on the ornithology of the district ('Ibis,' 1886, pp. 11-24, pl. ii.).

Young (Capt. J. B.), R.N.

20 eggs of the Sooty Tern (*Sterna fuliginosa*) from Aseenscion Island. Presented. [1904. 6. 4, 1-20.]

Zaphiro (P.).

See also MACMILLAN, W. N.

57 birds and 34 eggs from Harar, Abyssinia. Purchased. [1902. 4. 8, 1-47; 1902. 11. 8, 1-44.]

Mr. Zaphiro settled at Harar and interested himself in the study of natural history. He was employed by Mr. W. N. MacMillan to collect for him on the Baro and Sobat Rivers.

See MACMILLAN.

Zincke (Rev. BARHAM).

60 eggs from Jamaica. Presented. [44. 1. 24, 1-60.]

Zoological Society of London.

An Emu (*Dromæus ater*) from South Australia [= *D. novæ hollandiæ*, Salvad., Cat. B., xxvii, p. 588]. Presented. [37. 7. 8, 23.]

2 specimens, one being *Anas chrysophthalma* [= *Clangula glaucion*]. Presented. [38. 1. 27, 2.]

50 skulls and skeletons of birds. Purchased. [50. 11. 22, 75-95; 51. 11. 10, 40-68.]

403 specimens, purchased at the dispersal of the Society's Museum. [55. 12. 19, 1-403.]

This collection contained a number of types from the voyage of the *Beagle* and other early expeditions. A few of the type-specimens were apparently missed by Mr. G. R. Gray, and found their way into other collections, but the greater number of them passed into the British Museum, as will be seen by the following list, compiled by Mr. Charles Chubb.

The following types were included: *Palæornis modesta* (Fraser), *Lorius superbus*, Fraser [= *L. cyanauchen*, S. Müll. *Cf.* Salvad., Cat. B., xx., p. 36]; *Trichoglossus mitchelli*, Gray; *Chrysotis angusta* (Vig.); *Pæocephalus rüppelli* (Gray); *Rhodopechys sanguinea* (Gould);

Camarhynchus psittaculus, Gould; *Cactornis affinis*, Gould; *Spermophila nigrogularis*, Gould [= *S. cærulescens* (Vieill.) Cf. Sharpe, Cat. B., xii., p. 126]; *Zonotrichia canicapilla*, Gould; *Otocorys penecillata* (Gould); *Alauda sinensis*, Waterh. [= *Melanocorypha mongolica* (Pall.) Cf. Sharpe, Cat. B., xiii., p. 558]; *Fringilla formosa*, Gould [= *Phrygilus gayi* (Eyd. and Ger.) Cf. Sharpe, Cat. B., xii., p. 781]; *Ammoperdix bonhami* (Fraser); *Oreortyx pictus* (Douglas); *Limnornis rectirostris*, Gould; *Limnophyes curvirostris* (Gould); *Odontophorus guttatus* (Gould); *Paradoxornis flavirostris*, Gould; *Henicornis phœnicura* (Gould); *Microhierax erythrogenys* (Vigors); *Phegornis mitchelli* (Fraser); *Mimus parvulus* (Gould); *Synallaxis brunnea*, Gould [= *Siptornis sordida* (Less.) Cf. Sclater, Cat. B., xv., p. 68]; *Synallaxis rufogularis*, Gould [= *Siptornis anthoides* (King). Cf. Sclater, Cat. B., xv., p. 70]; *Francolinus adpersus*, Waterh.; *Uropsila leucogastra* (Gould); *Salpornis spilonotus* (Frankl.); *Brachyotus galapagoensis*, Gould [= *Asio accipitimus* (Pall.) Cf. Sharpe, Cat. B., ii., p. 234]; *Caprimulgus parvulus*, Gould; *Synallaxis major*, Gould [= *Anumbius acuticaudatus* (Less.) Cf. Sclater, Cat. B., xv., p. 75]; *Pyrocephalus dubius*, Gould [= *P. nanus*, Gould Cf. Sclater, Cat. B., xiv., p. 214]; *Buteo galapagensis*, Gould; *B. ventralis*, Gould [= *B. borealis* (Gm.) Cf. Sharpe, Cat. B., i., p. 188]; *Mimus melanotis* (Gould); *M. trifasciatus* (Gould); *Agriornis leucura*, Gould [= *A. maritima* (d'Orb. et Lafr.) (Cf. Sclater, Cat. B., xiv., p. 6]; *A. microptera*, Gould [= *A. striata*, Gould Cf. Sclater, t.c., p. 5]; *Circus megaspilus*, Gould [= *C. maculosus* (Vieill.) Cf. Sharpe, Cat. B., i., p. 62]; *Nyctala richardsoni*, Bp. [= *N. tengmalmi* (Gm.) Cf. Sharpe, Cat. B., ii., p. 284]; *Palæornis modesta*, Fraser; *Gauropicoides rafflesii* (Vigors); *Treron crassirostris*, Fraser; *Ptilinopus chalcurus*, Gray [= *P. coralensis*, Peale Cf. Salvad., Cat. B., xxi., p. 104]; *Picus modestus*, Vig. [= *Microstictus funebris* (Valenc.) Cf. Hargitt, Cat. B., xviii., p. 492]; *Lyncornis macrotis* (Vig.); *Syrnium rufipes* (King); *Coccyzus ferrugineus*, Gould; *Glaucidium nanum* (King); *Actinodura egertoni*, Gould; *Nesocelus fernandinæ* (Vig.); *Pyrocephalus obscurus*, Gould; *Cactornis inornata*, Gould. [55. 12. 19, 1-403].

259 birds from various localities. Purchased. [57. 8. 4, 1-12; 57. 11. 4, 1-52; 58. 4. 3, 1-160; 59. 6. 7, 1-10; 64. 12. 26, 1-8; 67. 7. 22, 1-8; 67. 12. 12, 1-4; 71. 1. 14, 1-2; 71. 3. 20, 1-3.]

The type of *Lophophorus sclateri*. Purchased. [71. 12. 1, 1.]

54 specimens of Parrots. Purchased. [91. 4. 1, 1-54.]

The type of *Lorius tibialis* was included.

50 eggs of birds, laid in the Gardens. Purchased. [91. 6. 22, 1-50.]

4. REPTILES AND BATRACHIANS.

BY G. A. BOULENGER, F.R.S.

GENERAL SKETCH.

IN 1845 the Lizards in the Museum were arranged and catalogued by Dr. J. E. Gray, the material he had to deal with consisting of 428 specimens representing 152 species. Later accessions were named and described by Dr. Günther and Mr. O'Shaughnessy. During the years 1882-1886 Mr. Boulenger revised this group, and prepared a catalogue, in three volumes, published in 1885-1887. The number of species recognised by him as valid was 1616, of which 1206 were represented in the British Museum by 9820 specimens. The Snakes in the Museum were originally arranged and catalogued partly by Dr. J. E. Gray in 1849, partly by Dr. Günther in 1858, these catalogues enumerating 3630 specimens as belonging to 486 species. During the years 1889-1895 this group was revised and rearranged by Mr. Boulenger, the catalogue being issued in three volumes (1893-1896). The collection contained, at the completion of this work, 11,092 specimens representing 1327 species of this order. The Chelonians and Crocodiles were catalogued by Dr. J. E. Gray in 1844, and again during 1855-1872, whilst in 1873 a "Hand-list" of these Reptiles was issued by him, which gave the number of specimens of Chelonians as 1371 and of Crocodiles as 304. In 1888 Mr. Boulenger had completed a revision of these orders, and in his catalogue (published 1889) enumerated 1665 specimens of Chelonians, representing 176 species, and 236 Crocodiles belonging to 18 species, the reduction in number in this latter group being due to the elimination of useless specimens. In 1858 a catalogue of the Batrachia Salientia in the Museum was issued, Dr. Günther being the author, in which 1691 specimens were enumerated as belonging to 214 species. Mr. Boulenger had completed a revision and re-arrangement of this group in 1882, when a second edition of the catalogue was published, in which 4692 specimens were referred to 522 species; whilst in 1898 these numbers had increased to about 9500 and 850 respectively. The Batrachia Caudata and Apoda were first catalogued by

Dr. J. E. Gray in 1850, when the Museum Collection contained examples of 38 species. The second edition of the catalogue was issued in 1882, the author being Mr. Boulenger; 1021 specimens, representing 78 species, were dealt with, numbers which had risen in 1898 to nearly 2000 and 134 respectively.

In 1862 the collection of Reptiles and Batrachians was stated to consist of about 7000 specimens; of these probably about 1800 belonged to the latter class. In 1872 the number had increased to about 18,000, of which 14,000 were Reptiles and 4000 Batrachians. In 1896, at the time of its complete rearrangement, the collection numbered 38,086 specimens, representing 3905 species; of these specimens 27,275 were Reptiles and 10,811 were Batrachians. At the present day there are about 36,000 Reptiles and 15,000 Batrachians in the British Museum. In 1872, the number of additions during the year was first recorded, and from then to 1881 they averaged about 630 specimens for each year, the largest number in any one year being 2540 in 1874, when Colonel Beddome's important collection was acquired. From 1882 to the present day the numbers of Reptiles and Batrachians received have been separately recorded, and have averaged about 800 and 400 respectively in each year.

CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF REPTILES AND BATRACHIANS.

Prior to 1840 the following important collections were in the possession of the British Museum:—

The collection of Indian Reptiles made by Dr. Patrick Russell, containing the types of the species described by him in his book, "Indian Serpents," published in 1796.

A collection presented by Mr. J. Weeks, containing the types of the species described in Shaw's "General Zoology" and "Zoological Miscellany," 1789–1813.

A series of examples of species described by Messrs. Duméril and Bibron, presented by the Paris Museum.

A series presented by M. de Blainville, of the Paris Museum, representing species described by him.

1841.

Collections from Australia and the Himalayas were presented by Mr. Gould and Dr. Horsfield respectively.

1842.

Captain Sir Edward Belcher presented the Reptiles obtained during the voyage of H.M.S. *Sulphur*, and the Hon. East India Company a series from India.

1844.

The Lords of the Admiralty presented the collection made during the voyage of H.M.S. *Erebus* and *Terror*, afterwards described by Dr. J. E. Gray and Dr. Günther, and also that made by Mr. Jukes, of H.M.S. *Fly*.

1845.

Charles Darwin presented the Reptiles and Batrachians obtained during the voyage of the *Beagle*, including the types of the species described by Mr. Thomas Bell in his report, and Mr. and Mrs. J. P. G. Smith gave a large collection from Pernambuco and Para.

1846.

Mr. T. C. Jerdon presented a collection made in the Madras Presidency.

1851.

Mr. J. McGillivray presented the Reptiles obtained by him during the voyage of H.M.S. *Rattlesnake*.

1855.

The Lords of the Admiralty presented the collection of the Royal Naval Hospital of Haslar, and also that made by Mr. J. McGillivray during the voyage of H.M.S. *Herald*, including the types of the species described by Sir John Richardson in his report. The Zoological Society gave a large series of specimens, containing the types of many species described in their "Proceedings" and "Transactions."

1858.

Sir Andrew Smith presented a series of Batrachians from South Africa, containing the types of most of the species described and figured by him in the "Illustrations of the Zoology of South Africa," and Dr. Rayner gave the Reptiles collected by him during the voyage of H.M.S. *Herald*.

1859.

A series of Reptiles and Batrachians from Vancouver's Island was presented by Dr. Lyall, of H.M.S. *Plumper*, and one from St. Croix, W. I., by Prof. A. Newton.

1860.

The collection of the Hon. East India Company, containing many types of species described by Dr. Cantor, was presented by them. Reptiles from Guatemala were presented by Mr. O. Salvin, and a series from Cambogia by M. Mouhot, these being described by Dr. J. E. Gray and Dr. Günther.

1861.

Mr. G. Lennox-Conyngham presented a series of Snakes from South America, and the Smithsonian Institute one of Reptiles from North America. Snakes and Lizards from the Himalayas were received from Colonel Beddome.

1862.

The most important accessions were a series of Snakes from Bahia, described by Dr. Günther, and presented by Dr. O. Wucherer, and one of Snakes from Siam and China, collected by Dr. E. von Martens, during the Prussian Expedition to Eastern Asia. Collections made in Siam by M. Mouhot, in Australia by Mr. G. Krefft, and at Port Natal by Mr. T. Ayres, were presented.

1863.

Prof. Peters presented a series of types of species described by himself, and from Dr. P. Bleeker were obtained the typical specimens of the species described by him. Snakes from the Pelew Islands were given by Mr. G. L. King, and Reptiles from Central Africa by Captain Speke. The Rev. Charles Livingstone and Sir J. Kirk presented the Reptiles obtained by them in East and Central Africa.

1864.

The Rev. Canon H. B. Tristram presented a very fine collection from Palestine, containing examples of several new species and reported upon by Dr. Günther. The types of the Burrowing Snakes, described by Col. Beddome from the Madras Presidency, were acquired. A large series from Labuan and Borneo was presented by Mr. L. L. Dillwyn, and three collections from

Angola, including examples of many new species, by Prof. Barboza du Bocage, Dr. Welwitsch, and Mr. J. J. Monteiro respectively.

1865.

The donations included a large collection of South African Reptiles from Sir Andrew Smith, containing many types of species described and figured by him in the "Illustrations of the Zoology of South Africa," and a series of Reptiles from Siam, obtained by Sir R. Schomburgk. A collection from the Danish West Indies was received from the Copenhagen Museum.

1866.

In this year no collections of any importance were received.

1867.

Prof. Barboza du Bocage presented a series from Benguela, including many co-types of species described by him. A collection made by Mr. H. W. Bates on the Upper Amazon, and one from Sierra Leone, both containing types of new species described by Dr. Günther, were received.

1868.

The Copenhagen Museum forwarded a collection from Minas Geraes, Brazil, containing co-types of many species described by Prof. Reinhardt; and one from India, containing the types of species described by Mr. Theobald, was acquired. Sir A. Kennedy presented a series from Sierra Leone, and Sir J. Kirk the Snakes and Batrachians obtained by him at Zanzibar.

1869.

The Reptiles collected and described by Mr. W. T. Blanford from Abyssinia, including several types, were presented by him. A series from Ceylon was given by Mr. R. H. Barnes, and one of Lizards from Persia by the Marquis J. Doria. A collection made in India by Dr. A. H. Leith, and one made in the Seychelles by Prof. E. P. Wright, were presented by the collectors.

1870.

Reptiles from India and the Andaman Islands were presented by Mr. F. Day, from Formosa by Mr. R. Swinhoe, and from Australia by Mr. G. Krefft.

1871.

Collections made at Manado, Celebes, by Dr. A. B. Meyer, were received from him in this and the following year; they were reported upon by Dr. Günther, and contained the types of many new species described by him. Mr. G. H. Thwaites presented a series from Ceylon, and Mr. J. L. Brenchley one from the Fiji Islands; both included examples of several rare and new species described by Dr. Günther.

1872.

The accessions totalled 576. The St. Petersburg Museum presented a collection from Russia, Mr. T. C. Jerdon one made in India, and Mr. G. H. Thwaites a series of Ceylonese Batrachians, the latter including types of new species described by Dr. Günther.

1873.

The additions numbered 258, including two collections of Chelonians, one from North America, presented by the Smithsonian Institution, the other from Shanghai and Chefoo, presented by Mr. R. Swinhoe.

1874.

2540 specimens were received, including 1518 from Southern India, collected by Col. Beddome, and containing the types of many species described by him. Mr. W. T. Blanford presented part of the collection made by him in Persia and Baluchistan, including many types of species described by him.

1875.

The additions numbered only 131.

1876.

The specimens received were 550 in number. A collection made in North Australia by Herr Dämel, including the types of species described by Dr. Günther in the Journal of the Godeffroy Museum, was acquired.

1877.

The accessions numbered 351. The collections made by Mr. A. Everett in the Philippincs, Rev. J. S. Macfarlane in the Islands of Torres Straits, and Rev. G. Brown in Duke of York's Island, all containing types of new species described by Dr. Günther, were purchased.

1878.

The specimens received totalled 385. The types of the species described by Col. Beddome from the Anamallay Mountains, and the collection made in Murray and Cornwallis Islands by Rev. J. S. Macfarlane, containing types of species described by Dr. Günther, were acquired.

1879.

The additions totalled 380, and included a series from Russia, received in exchange from the St. Petersburg Museum, and collections made in Madagascar by Rev. G. A. Shaw, and in the Philippines by Mr. A. Everett. During this and the three succeeding years Dr. Coppinger sent home instalments of the Reptiles and Batrachians obtained by him during the survey of H.M.S. *Alert* to the Lords of the Admiralty, by whom they were presented to the Museum; this collection was reported upon by Dr. Günther, and contained the types of several new species.

1880.

The additions were 733 in number, and included a valuable collection from Arabia and India, containing several types, named and presented by Mr. W. T. Blanford, and a large series from Ecuador, obtained by Mr. C. Buckley, containing the types of many new species described by Messrs. O'Shaughnessy and Boulenger.

1881.

388 Reptiles and 75 Batrachians were received, including a series of Lizards from Algeria, presented by Mons. Lataste, and one from Mexico, presented by Mr. F. D. Godman, this being the first of a series of collections presented by Messrs. Godman and Salvin, which have been described and figured by Dr. Günther in the "*Biologia Centrali-Americana*."

1882.

The additions numbered 732 Reptiles and 363 Batrachians. The collection made during the voyage of H.M.S. *Challenger*, including the types of new species described by Dr. Günther and Mr. Boulenger, was presented by the Lords of the Treasury. A selected series from a collection made in British India by Col. Beddome was purchased, as were the Reptiles and Batrachians obtained in the province Rio Grande do Sul, Brazil, by Dr. von Ihering, and in E. Betsileo, Madagascar, by Rev. W. D. Cowan.

each containing the types of many new species described by Dr. Günther and Mr. Boulenger.

1883.

379 Reptiles and 129 Batrachians were acquired, including a series of Ground Snakes from Southern India, containing the types of several species described by Col. Beddome, and a collection made by Herr A. Forrer in Western Mexico, containing types of species described by Dr. Günther and Mr. Boulenger.

1884.

379 Reptiles and 389 Batrachians were received, among which were the collection made in the Solomon Islands by Mr. H. B. Guppy, surgeon of H.M.S. *Lark*, containing the types of many new species described by Mr. Boulenger, and a series of Frogs obtained by Dr. Hahnel at Yurimaguas, Huallaga River.

1885.

The accessions totalled 754 Reptiles and 298 Batrachians. A series of Lizards from the Russian Empire was received from the Imperial Academy of Sciences at St. Petersburg. Mons. Lataste gave a collection from Algeria, and one from Portugal was received from Dr. Gadow.

1886.

The specimens received numbered 574 Reptiles and 554 Batrachians. The collection made by Dr. J. Aitchison, Naturalist of the Afghan Boundary Commission, containing many types of species described by Mr. Boulenger, was presented, as was a series of Batrachians from Japan, formed by Dr. J. Anderson. A number of types of species described by Dr. J. G. Fischer was purchased, and a collection of Lizards from the Russian Empire, including co-types of species described by Dr. A. Strauch, was obtained from the St. Petersburg Museum.

1887.

899 Reptiles and 553 Batrachians were acquired, including a number of types of species, described by Mr. J. A. Murray, from Persia, and a small series formed by Emin Pasha in Central Africa. Mr. H. Pryer presented the Reptiles and Batrachians obtained by him in the Loo Choo Islands, and Mr. F. J. Jackson

some from East Africa, among which were several types of new species described by Dr. Günther and Mr. Boulenger.

1888.

The accessions numbered 632 Reptiles and 281 Batrachians. A collection from the West Indies, containing examples of species recently described by Dr. S. Garman, was received in exchange from the Museum of Comparative Zoology, Cambridge, U.S.A., and one made in Dominica by Mr. A. G. Ramage was presented by the Royal Society and the British Association. Mr. J. J. Fletcher gave a series of Batrachians from Australia and a collection made on the Yang-tse-Kiang by Mr. F. W. Styan was purchased.

1889.

The additions numbered 859 Reptiles and 288 Batrachians. Part of the collection of Dr. J. G. Fischer, including many types of species described by him, was purchased, as was a selected series from the collection made by Signor L. Fea in Burma, including co-types of many species described by Mr. Boulenger. A number of Lizards from Mexico, many of them types of species described by Dr. Günther, were presented by Mr. F. D. Godman.

1890.

643 Reptiles and 258 Batrachians were received, including a collection from Ceylon, presented by Mr. E. Green, and one from Mexico, presented by Messrs. Godman and Salvin.

1891.

The specimens received totalled 760 Reptiles and 688 Batrachians; among them a collection from Algeria, described and presented by Dr. J. Anderson, and one from India, presented by Mr. W. T. Blanford.

1892.

764 Reptiles and 578 Batrachians were received, including a collection from Nyassaland, made and presented by Sir Harry Johnston, which, with a further collection presented in 1893, was described by Dr. Günther.

1893.

The specimens acquired numbered 816 Reptiles and 419 Batrachians, among which were a series of Snakes from Central

America and Mexico, many of them types of species described by Dr. Günther, presented by Mr. F. D. Godman. A selection from the collection made by Signor L. Fea in the Karin Hills was purchased, as was a collection made in Borneo by Mr. A. Everett, the former containing co-types, the latter types of new species described by Mr. Boulenger.

1894.

1259 Reptiles and 545 Batrachians were received, including further collections from Mexico, presented by Mr. F. D. Godman, and from Borneo made by Mr. A. Everett, which were described by Dr. Günther and Mr. Boulenger respectively. A small series of Indian snakes, types of species described by Dr. Cantor, was acquired by exchange from the Oxford University Museum, and Miss Layard presented a collection from Ceylon.

1895.

1448 Reptiles and 670 Batrachians were acquired, among them numerous specimens from Mexico and Central America, presented by Messrs. Godman and Salvin, and a collection from British New Guinea, made by Mr. A. S. Meek and described by Mr. Boulenger. Collections from the Niger, from Somaliland and from Aden, were made and presented by Dr. W. H. Crosse, Mr. E. Lort Phillips, and Colonel Yerbury respectively.

1896.

The accessions totalled 886 Reptiles and 647 Batrachians. The collection made in Celebes by Drs. F. and P. Sarasin, containing the types of many new species described by Dr. F. Müller and Mr. Boulenger, was presented by the collectors. Capt. S. S. Flower presented a series from the Malay Peninsula, Dr. Forsyth Major one from Madagascar, and the Marquis G. Doria two collections, from Erythrea and Somaliland respectively.

1897.

The number of specimens received was 1873 Reptiles and 741 Batrachians, including the very important collection made by Dr. J. Anderson in Egypt, and described in the "Zoology of Egypt," Vol. I., published in 1898. A collection made by Mr. A. Everett in Lombok, Timor, etc., was purchased, Sir Harry Johnston gave one from Nyassaland, and the Marquis

G. Doria one from British New Guinea. Each of these contained types of several new species described by Mr. Boulenger.

1898.

The additions numbered 892 Reptiles and 656 Batrachians, among them a large collection from Siam, received in exchange from the Royal Siamese Museum, and one made in Ecuador by Mr. Rosenberg, containing types of many new species described by Mr. Boulenger.

1899.

939 Reptiles and 297 Batrachians were received. A series from the Galapagos Islands, containing numerous types of species described by Dr. Baur, was purchased, as were collections made by Mr. A. B. Percival in S. Arabia and Mr. J. D. la Touche in China. A number of specimens obtained by Messrs. W. R. Ogilvie Grant and H. O. Forbes on Socotra and Abd-el-Kuri was presented by the Royal Society; among them were the types of several new species described by Mr. Boulenger.

1900.

457 Reptiles and 237 Batrachians were added to the collection, including large series from Peru and the Gaboon, containing types of several new species described by Mr. Boulenger.

1901.

The number of accessions was 681 Reptiles and 687 Batrachians. The Secretary of State, Congo Free State, gave a collection from the Congo Free State, containing co-types of species described by Mr. Boulenger. Mr. F. D. Godman presented a series of Batrachians from Mexico and Central America, including the types of the species described by Dr. Günther in the "*Biologia Centrali-Americana*," and Sir Harry Johnston a collection from Uganda.

1902.

The number of specimens received was 878 Reptiles and 681 Batrachians. A further series of Batrachians from Central America, including numerous types of species described by Dr. Günther, was presented by Mr. F. D. Godman. Mr. H. J. Darlington gave a large collection from Mashonaland, and other important collections acquired were the following:—one

made in the Andes of Colombia by Mr. Kay Thompson ; one from Bolivia and N. W. Argentina, formed by the late Mr. P. O. Simons ; one from Ecuador ; one from the Andes of Peru, made by Mr. Ockenden ; one made in the Gaboon and Cameroon by Mr. G. L. Bates, and the collection made in Abyssinia by Mr. E. Degen. All these contained numerous types of new species described by Mr. Boulenger.

1903.

The number of specimens received was 1271 Reptiles and 670 Batrachians. The most important collections acquired were one from Southern Arabia ; one from the Malay Peninsula, presented by Messrs. N. Annandale and H. C. Robinson ; one made in Mexico by Dr. Gadow and one made in the Andes of Venezuela by Sr. Briceño. Each of these included examples of several new species which were described by Mr. Boulenger.

1904.

969 Reptiles and 607 Batrachians were received. A collection of skins of Indian Snakes, prepared over a century ago by Dr. Patrick Russell, including the original examples described by this pioneer in Indian Herpetology, was purchased. Other important collections acquired were one from Yunnan, made by Mr. John Graham ; a collection made by Mr. G. L. Bates in South Cameroon ; a collection made in Angola by Dr. W. J. Ansorge ; a large series from Bolivia, and a collection from Western Australia, presented by L. Clarke Webster, Esq., all of which were described by Mr. Boulenger.

ALPHABETICAL LIST OF THE MORE IMPORTANT CONTRIBUTORS
TO THE COLLECTION OF REPTILES AND BATRACHIANS.

Admiralty, Lords of the.

The Reptiles and Batrachians obtained in Australia and New Zealand during the voyage of H.M. Ships *Erebus* and *Terror*, including many types, in part described by Dr. J. E. Gray in 1845, the report being completed by Dr. Günther in 1875, were presented by the Lords of the Admiralty in 1844.

The collection made by Mr. J. McGillivray during the voyage of H.M.S. *Herald*, chiefly from the Islands of the Pacific, including the types of the species described by Dr. J. E. Gray in 1852, was presented by the Lords of the Admiralty in 1855.

Aitchison (JAMES EDWARD TIERNEY). [1835-1898]

The collection made by Dr. J. Aitchison, Naturalist of the Afghan Boundary Commission, containing the types of many new species described by Mr. Boulenger, was presented in 1886.

Anderson (JOHN). [1833-1900]

The Reptiles and Batrachians obtained by Dr. Anderson in Egypt, the greater part of the material on which is based his great illustrated work "Zoology of Egypt," vol. i. published in 1898.

Beddome (RICHARD HENRY). [1830-]

In 1874 the large collection made by Colonel Beddome in Southern India was acquired; it contained examples of many species then unknown and also the types of the species described by him. Further collections, made by Col. Beddome, received in 1882 and 1883, also included several types of species described by him.

Blanford (WILLIAM THOMAS). [1832-1905]

Sets of the Reptiles collected by Mr. Blanford, including the types of many species described by him, were given by him to the Museum, those obtained in Abyssinia being presented in 1869, those from Persia and Baluchistan in 1874, and those from Arabia and India in 1880.

Bleeker (PIETER). [1819-1878]

A large series of Reptiles from the Malay Archipelago, including the types of the species described by Dr. Bleeker, was purchased in 1863.

Barboza du Bocage (JOSÉ VICENTE).

A collection of Reptiles from Benguela, containing examples of the species described by Dr. Barboza du Bocage, Director of the Lisbon Museum, was presented by him in 1867.

Cantor (THOMAS EDWARD).

The Reptiles and Batrachians collected by Dr. Cantor and described by him in the "Catalogue of Reptiles of the Malay Peninsula," published in 1847-1850, have found their way into the British Museum, partly through the incorporation of the collection of the East India Company in 1860, partly through exchange with the Oxford University Museum in 1894.

Congo Free State, Secretary of State of the.

A series of Reptiles and Batrachians from the Congo Free State, including co-types of many new species described by Mr. Boulenger, was presented between 1897 and 1901.

Darwin (CHARLES ROBERT). [1809-1882]

The Reptiles and Batrachians obtained during the voyage of the *Beagle*, in 1832-1836, chiefly from S. America, including the types of the species described by Mr. T. Bell in his report, published in 1843, were presented by Charles Darwin in 1845.

Hon. East India Company.

The entire collection of the East India Company, containing many types of species described by Dr. Cantor, was presented in 1860.

Fea (LEONARDO).

Selected series from the collections made by Signor L. Fea in Burma and the Karin Hills, including types of many new species described by Mr. Boulenger, were purchased in 1889 and 1893.

Fischer (JOHANN GUSTAV). [1819-1889]

In 1886 a series of Reptiles, including many types of species described by Dr. Fischer, was purchased of him, and in 1889, after his death, a considerable portion of his collection of Reptiles and Batrachians, containing the types of numerous species and also many rarities, reported upon in his numerous contributions to herpetology, was acquired from his widow.

Godman (FREDERICK DUCANE) [1834-] and Salvin (OSBERT). [1835-1898]

Large collections of Reptiles and Batrachians from Mexico and Central America, including the types of new species described and figured by Dr. Günther in the "Biologia Centrali-Americana," have been presented by Messrs. Godman and Salvin at various dates since 1881.

McGillivray (JOHN). [1822-1867]

See LORDS OF THE ADMIRALTY.

Russell (PATRICK). [1727-1805]

The collection of Reptiles made by Dr. Russell, including the types of the species described and figured by him in his book on "Indian Serpents," published in 1796, are preserved as skins in the British Museum.

St. Petersburg Museum.

Series of Reptiles from various parts of the Russian Empire, containing co-types of new species described by Dr. A. Strauch, have been obtained by exchange from the St. Petersburg Museum in 1872, 1879 and 1886.

Sarasin (CARL FRITZ) and (PAUL BENEDICT).

A collection of Reptiles and Batrachians made in Celebes by Drs. F. and P. Sarasin, containing the types of many new species described by Dr. F. Müller and Mr. Boulenger, was presented by the collectors in 1896.

Smith (*Sir* ANDREW). [1797-1872]

In 1857, Sir Andrew Smith presented a series of Batrachians, and, in 1865, a large collection of Reptiles, both from South Africa, and containing the types of most of the species described and figured by him in the "Illustrations of the Zoology of South Africa."

Smithsonian Institution.

Collections from North America, containing typical examples of species described by Drs. Baird and Girard, were presented by the Smithsonian Institution in 1861 and 1873.

Weeks (J.).

The collection presented by Mr. Weeks contained the types of the species described in Shaw's "General Zoology" and "Zoological Miscellany" during 1789-1813.

5. FISHES.

By G. A. BOULENGER, F.R.S.

GENERAL SKETCH.

PRIOR to 1858, when Dr. Günther commenced the classification of the Fishes in the British Museum, the arrangement of this collection had not received much attention, a large proportion of the specimens being unnamed. The principal accessions received at various times and incorporated in the Museum Collection had in many cases been named by the previous owners, or had formed the basis of special reports, *e.g.*, Mr. John Reeve's collection of Chinese Fishes, General Hardwicke's Indian Fishes, Dr. Parnell's collection from Scottish Rivers, Dr. Gronow's collection, Mr. Yarrell's British Fishes, and the collections made during the voyages of the *Erebus* and *Terror*, *Herald*, *Sulphur*, *Samarang*, *Rattlesnake*, etc. Dr. J. E. Gray had worked at certain groups, and in 1851 published a "List of the Fishes belonging to the order Chondropterygii," and Dr. J. J. Kaup, of Darmstadt, had been engaged to work out the Eels and Lophobranchii, and in 1856 produced a "Catalogue of Apodal Fish" and a "Catalogue of Lophobranchiate Fish." Dr. Günther's rearrangement of the collection proceeded concurrently with the publication of his classical catalogue. The first three volumes, dealing with the Acanthopterygii, were published in 1859, 1860 and 1861 respectively. Vol. IV., containing the Pharyngognathi and Anacanthini, was completed in 1862. The next three volumes, dealing with the Physostomi, appeared in 1864, 1866 and 1868 respectively, and the eighth and last volume, in which the Eels, Lophobranchii, Plectognathi, Dipnoi, Ganoidei, Chondropterygii, Cyclostomata and Leptocardii were included, was published in 1870. Since that time the assistants working at the collection (Messrs. O'Shaughnessy, Boulenger, and Regan) have been mainly occupied in naming and incorporating accessions, but in 1895 the first volume of a second edition of the Catalogue, written by Mr. Boulenger, and dealing with the Centrarchidæ, Percidæ, and part of the Serranidæ, made its appearance, the Fishes dealt with having been rearranged in their cases, and the preparation of a second volume is now in progress.

In 1858, when Dr. Günther commenced the arrangement of the general collection, it contained about 16,000 specimens, including the Haslar collection of 1600, and the Yarrell collection of about 650. In 1870, at the completion of the catalogue, the number had risen to 29,267, the increase having been at the average rate of 1000 specimens a year, the greatest number of accessions being received in the years 1860 (about 2000 specimens, including the East India Company's Collection of 950 Fishes), 1862 (1700 additions) and 1867 (1900 additions). Since 1870, the collection has increased at the rate of about 1275 specimens a year, the greatest number added in any one year being 6130 in 1889, when the Day collection of about 4600 specimens was received, and at the present day the total number of specimens in the collection amounts to about 73,000.

A CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF FISHES.

Prior to 1839 the British Museum received the collection of Indian Fishes made by General Hardwicke, described and figured in Dr. J. E. Gray's "Illustrations of Indian Zoology," published in 1830-1832, and the Fishes collected in China by Mr. John Reeves and his son during the years 1812-1831 were presented to the Museum, together with a series of drawings by native artists, forming the basis of Sir John Richardson's "Report on the Ichthyology of China," published in 1845.

1839.

Dr. R. Parnell presented a collection of Fishes from Scotch rivers, including the types of the species described by him in his essay "On the Fishes of the Firth of Forth."

1844.

A collection of Fishes, mostly representing species described by Prof. Schlegel, was purchased from the Leyden Museum, and the Lords of the Admiralty presented the collections made during the voyage of H.M.S. *Erebus* and *Terror*, and H.M.S. *Sulphur*, described by Sir John Richardson in his Reports, and containing many types.

1845.

A series of Fishes of the Red Sea, representing species described by Dr. Rüppell, was purchased of him.

1846.

Fishes from Australia were presented by Mr. J. B. Jukes, of H.M.S. *Fly*, and from Madras by Mr. T. C. Jerdon.

1847.

The collection made during the voyage of H.M.S. *Samarang*, including the types described by Sir John Richardson in his Report, was presented by the Lords of the Admiralty, and the Earl of Derby presented the Fishes obtained by Mr. McGillivray during the voyage of H.M.S. *Fly*.

1848.

Dr. R. Parnell presented a collection of Fishes from North America and the West Indies, and Lieut. Spence, R.N., a series from Plymouth.

1850.

Mr. J. M. McGillivray presented the collection of Fishes made by him during the voyage of H.M.S. *Rattlesnake*, and a series from Egypt was purchased of Dr. Rüppell.

1851.

Sir Andrew Smith presented a series from Cape Colony, many being the types of species described by him.

1853.

The collection of Dr. L. T. Gronow, a learned ichthyologist of Leyden, who died in 1777, was purchased at an auction sale in London, together with a MS. catalogue and many original drawings.

1855.

The collection of the Royal Naval Hospital of Haslar was presented by the Lords of the Admiralty, and the Zoological Society presented a series of Fishes selected from their collection,

including many types of species described in the Transactions and Proceedings of the Society.

1856.

The collection of British Fishes made by Mr. W. Yarrell, containing the types of the species described by him, was acquired, and the Fishes obtained during the voyage of H.M.S. *Herald* in the Pacific, described by Sir John Richardson, were given by the Lords of the Admiralty.

1858.

A large number of Fishes from Amboyna, Sumatra, etc., collected and described by Dr. Bleeker, was purchased of him.

1859.

The Hon. East India Company gave a collection of Indian Freshwater Fishes, including the types of the species described by McClelland. The Rev. R. T. Lowe presented Fishes from Madeira and the Canary Islands in this year, and also in 1860, 1863, and 1864, including the types of the species described by him. Fishes from Vancouver's Island were presented by Dr. Lyall, of H.M.S. *Plumper*, and from Australia by Dr. G. Bennett.

1860.

The entire collection of the Hon. East India Company, containing the types of the species described by Dr. Cantor, was presented by them, and a series from the New Hebrides by Mr. J. McGillivray.

1861.

Fishes obtained by Mr. J. Y. Johnson at Madeira, including the types of new species described by him, were presented in this year, and also in 1862, 1863, and 1864. A collection made by Capt. Dow in Panama, containing the types of many new species described by Dr. Günther, and a series from Cambogia, obtained by M. Mouhot, were presented.

1862.

From Dr. Bleeker was obtained a series of Labridæ and Pleuronectidæ from the Malay Archipelago, containing the types of the species described by him. Mr. J. Petherick, H.M. Consul at Khartoum, presented a large collection of Fishes from the Nile in this year and in 1863, described by Dr. Günther in

the Appendix to Petherick's "Travels in Africa," and Mr. R. Swinhoe, H.M. Consul at Formosa, a collection from that island. Fishes from Natal were sent by Mr. T. Ayres, and from the Pacific by Mr. Raynor.

1863.

A collection of Indian Siluridæ, including all the types of the species described by Dr. Bleeker, was obtained from him, and the types of the species described in Mr. Bennett's "Fishes of Ceylon" were received. The Rev. Charles Livingstone presented a series of Fresh-water Fishes from East and Central Africa, described by Dr. Günther, and Captain Mitchell a large collection from Madras.

1864.

Sir Lambert Playfair presented a collection of Fishes from Zanzibar, which, with those subsequently sent by him in 1865, 1866, and 1867, formed the basis of Günther and Playfair's "Fishes of Zanzibar," and contained the types of the species therein described. A second series of the East Indian Pharyngognathi described by Dr. Bleeker was received from him, and the collection made in Palestine by the Rev. H. B. Tristram was obtained. Mr. G. Krefft presented collections of Australian Fishes, illustrating the species described by him, and Captain Dow, a collection from Central America, including the types of species described by Dr. Günther.

1865.

Messrs. Godman and Salvin presented a collection from Central America, containing many types, and with those presented by Captain Dow in 1861, 1864, and 1867 forming the basis of Dr. Günther's "Fishes of Central America." Fishes from India were presented by Mr. F. Day, from Siam by Sir R. Schomburgk, and from China by Mr. R. Swinhoe.

1866.

From Dr. Bleeker was received a collection of East Indian Cyprinidæ, containing a complete series of types of the species described by him.

1867.

Series of the typical examples of the Clupeidæ, Eels, Gymnodontes, Lophobranchii, Sharks, and Rays, described by Dr. Bleeker, were obtained from him.

1868.

Mr. F. Day gave a collection from Southern India, containing types of new species described by him, and a series of Fresh-water Fishes from Minas Geräs, including the types of species described by Prof. Reinhardt, was presented by the Copenhagen Museum. Mr. J. C. Melliss presented a fine collection from St. Helena, and the Marquis G. Doria one from Borneo

1869.

A series of types was obtained from the Godeffroy Museum. Dr. R. O. Cunningham presented the South American Fishes collected by him during the Magellan Straits Survey Expedition, and Messrs. Blanford and Jesse those obtained by them during the Abyssinian Expedition.

1870.

Collections of Fishes from India were presented by Mr. F. Day and Mr. T. C. Jerdon.

1871.

A large collection from Australian coasts and the South Pacific, containing the types of many of the species described by Dr. Günther in the "*Fische der Südsee*," was obtained from the Godeffroy Museum, and from Dr. Klunzinger was received a series, including the types of most of the species described by him from the Red Sea. A collection from Australia was presented by the Australian Museum, Sydney, one from Tasmania by Mr. Morton Allport, and one from the South Pacific by Mr. J. L. Brenchley. Large series of Marine Fishes, obtained by Dr. A. B. Meyer at Manado, Celebes, were acquired in this year and in 1872.

1872.

The total number of accessions was first recorded, being 1238. These included a large collection of Fresh-water Fishes from Bengal, presented by Mr. T. C. Jerdon, and one from Tasmania, containing the types of many new species described by Dr. Günther, presented by Mr. Morton Allport. From the St. Petersburg Museum was received a series of Fresh-water Fishes of S.E. Russia, and from the New Zealand Institute one of Fishes of New Zealand.

1873.

The number of specimens received was 1014. A series from the South Pacific, including many types of species described by Dr. Günther, was obtained from the Godeffroy Museum, and a large collection made at Shanghai and Chefoo by Mr. R. Swinhoe was acquired.

1874.

The accessions totalled 618. Collections from the South Pacific were presented by the Rev. S. J. Whitmee in this year and in 1875, and included many types of species described by Dr. Günther. The Fishes obtained by Dr. Rein and Prof. von Fritsch during their travels in Morocco were received.

1875.

The additions numbered 513, and included a further collection from Tasmania, presented by Mr. Morton Allport, and a series from Lake Baikal, received in exchange from the Warsaw Museum.

1876.

The total number of accessions was 718, including a collection from Rodriguez and Kerguelen Land, made during the "Transit of Venus" Expedition, and one from the Rio das Velhas, Brazil, containing many desiderata, received from the Copenhagen Museum.

1877.

The accessions totalled 297, and included a series from Polynesia, purchased of the Godeffroy Museum, and a collection made during the Arctic Expedition, both containing types of species described by Dr. Günther.

1878.

The additions numbered 449, the most important collection being one made in Japan by Mr. H. B. Joyner, containing the types of many new species described by Dr. Günther.

1879.

1414 specimens were received. The collection made by Dr. Coppinger, of H.M.S. *Alert*, in the Straits of Magellan and the South Pacific, including the types of the species described by

Dr. Günther, was presented by him in instalments during this and the three following years. A series from various parts of the Russian Empire was received in exchange from the Imperial Academy of Sciences at St. Petersburg.

1880.

The number of accessions was 917. The Shore Fishes obtained during the voyage of H.M.S. *Challenger*, including the types of the species described by Dr. Günther in his Report, were presented by the Lords Commissioners of the Treasury. The Smithsonian Institution presented a series from the Atlantic Coast of the United States, and one of Fresh-water Fishes of the United States, including the types of 28 species described by Prof. Jordan, was acquired, as was a collection made in Ecuador by Mr. C. Buckley, containing the types of many new species described by Mr. Boulenger.

1881.

The number of specimens added to the collection was 866. These included a series from the Pacific, purchased of the Godeffroy Museum, and described by Dr. Günther, and some rarities from Madeira, presented by Mr. J. Y. Johnson.

1882.

The accessions numbered only 164.

1883.

The specimens received totalled 1373. Collections of Fishes from the United States, Jamaica, Chili, Hawaii, New South Wales, Singapore, Madras, and Norway, were obtained from the "International Fisheries Exhibition." A series of Fishes belonging to species described by Dr. Sauvage was received from the Paris Museum, and Dr. Nüsslin presented the types of the species and varieties of *Coregonus* described by him from the Swiss Lakes.

1884.

The number of accessions was 551, including a series from the United States, representing species described by Prof. Jordan, and one from the Niger, obtained by Mr. W. A. Forbes.

1885.

The additions numbered 485. Mr. A. S. G. Jayakar presented a collection made by him at Muscat, Arabia, this being the first of a series of collections from that locality presented by him in 1885, 1888, 1889 and 1891, each of which contained types of new species described by Mr. Boulenger. Collections made by Dr. von Ihering in the Province Rio Grande do Sul, Brazil, described by Mr. Boulenger, were purchased in this year and in 1886 and 1891. A series of Atlantic Fishes was received from the Christiania Museum, and one of American Fishes from the Museum of Comparative Zoology, Cambridge, U.S.A.

1886.

The additions were 486 in number, including a collection from New Zealand: purchased.

1887.

1248 specimens were added to the collection. The Deep-sea Fishes collected during the voyage of H.M.S. *Challenger*, including the types of the species described by Dr. Günther in his Report, were presented. Mr. F. J. Jackson gave a collection from East Africa, and a series from Indiana and Florida was obtained from the Indiana University.

1888.

The additions numbered 1569. The collection made by Dr. Dickson at Constantinople was presented by him, and Fishes from the Yang-tse-Kiang, collected by Mr. F. W. Styan, including the types of new species described by Dr. Günther, were received in this year and in 1889.

1889.

The specimens received were 6130 in number. The collection of Fishes bequeathed to the Museum by Mr. F. Day, contained 4400 Indian Fishes, representing species described by him in the "Fishes of India," and 155 British Salmonidæ. The Pelagic Fishes obtained during the *Challenger* Expedition, including the types of the species described in Dr. Günther's Report, were presented. A series from North America was presented by the United States Fisheries Commission, and one of South American Siluridæ, containing many types, was received from the Museum of Comparative Zoology, Cambridge, U.S.A.

1890.

1587 additions were made to the collection. Fishes obtained during the French *Talisman* and Cape Horn Expeditions, mostly duplicates of bathybial species described by Prof. Vaillant, were received from the Paris Museum. A series of Deep-sea Fishes from the Indian Ocean, obtained during the survey of H.M.S. *Investigator*, was procured from the Indian Museum, Calcutta; this contained co-types of many of the species described by Dr. A. Alcock, as did each of the series subsequently received in 1891, 1895, 1896 and 1898. Mr. J. Y. Johnson presented 13 Deep-sea Fishes from Madeira, including the types of 4 new species described by him, and Sir J. Murray 76 specimens from off the Scottish Coast. Prof. A. Agassiz gave a number of Brazilian Fishes, mostly obtained during his father's expedition; and a collection from Australia was transferred from the Imperial Institute.

1891.

The accessions numbered 1772. The collection made by Dr. and Mrs. Eigenmann in British North America and California, including the types of the new species described by them, was purchased in this and the two following years. A series from various parts of the Russian Empire, including the types of many species described by Dr. Herzenstein, was received from the St. Petersburg Museum. A collection made in China by Mr. A. E. Pratt, containing the types of new species described by Dr. Günther, and one from the Sittang River, Burmah, made by Mr. E. W. Oates, and including several desiderata, and types of new species described by Mr. Boulenger, were presented. Series from Ceylon and from the coast of Ireland were given by Mr. H. Nevill and Dr. Grenfell respectively.

1892.

1582 specimens were received, including a collection from the West Coast of Ireland, presented by the Royal Dublin Society, one of Fresh-water Fishes from Siberia, obtained from the St. Petersburg Museum, and one from Matto Grosso, Brazil, including many rarities and the types of new species described by Mr. Boulenger, presented by Messrs. Moore and Evans.

1893.

The accessions totalled 1599. Mr. E. W. Oates presented a collection from the Shan States, containing the types of new species described by Mr. Boulenger, and one made in Borneo by Mr. A. Everett was purchased. A series selected from the collection made by Signor L. Fea in Burma, including the types of many species described by Dr. Vinciguerra, was purchased.

1894.

The additions to the collection numbered 901. Fishes from Borneo were presented by Rajah Brooke and Mr. C. Hose, and from Chili by Prof. F. Lataste. A series from Mexico, representing species described by Dr. J. H. Bean, was received in exchange from the National Museum, Mexico, and another from North Mexico, including the types of several species described by Mr. A. J. Woolman, was purchased.

1895.

The accessions were 670 in number. A collection made during the Hopkins's Expedition, from the West Coast of Mexico, containing the types of several new species described by Prof. Jordan, and one from the River Paraguay, made by Dr. Ternetz, including the types of many new species described by Mr. Boulenger, were purchased. A series from Madeira was presented by Messrs. C. Baring and W. R. Ogilvie Grant, and another, obtained during Dr. Donaldson Smith's Expedition to Lake Rudolf, containing the types of some new species described by Dr. Günther, was purchased.

1896.

The additions numbered 1004. From the Smithsonian Institution was received a series of 362 specimens from the deep sea off the coast of North America, including the types of many species described by Messrs. Goode and Bean and Dr. S. Garman. Fishes from the Ogowe River, collected by Miss Kingsley, including the types of several new species described by Dr. Günther, were purchased. A collection from the Shiré River was presented by Sir Harry Johnston, one from Brazil by Dr. Goeldi, and one from the Upper Congo by the Rev. J. W. Weeks, all three containing types of new species described by Mr. Boulenger.

1897.

The additions totalled 1359. In this and the four following years Mr. F. W. Townsend presented collections from the Persian Gulf, Kurrachee, and the Mekran Coast, containing many desiderata and the types of several new species described by Mr. Boulenger. A series from the Russian Empire, including the types of many species described by Prof. Kessler, was received from the St. Petersburg Museum. A collection made by Dr. J. Bach in the River Jurua, Brazil, and one from the Upper Congo, were purchased; both contained types of species described by Mr. Boulenger. Sir Harry Johnston presented a collection from Nyassaland, Mr. J. Stanley Gardiner one from Rotuma, and Dr. Goeldi another from the Amazon. Part of a collection made in Bolivia and Argentina by Dr. Borelli was received from the Turin Museum.

1898.

The additions were 2111 in number. The Secretary of State of the Congo Free State presented collections from the Congo Free State in this and the two following years, these forming to a great extent the basis of Mr. Boulenger's work, "*Les Poissons du Bassin du Congo*," and including co-types of the new species described by him and figured in the "*Annales du Musée du Congo*," 1898-1902. The Royal Society presented the Fishes obtained by Mr. J. E. S. Moore in Lake Tanganyika, including the types of numerous new species described by Mr. Boulenger in his report. A series of Siamese Fishes was received from the Royal Siamese Museum, and another from Ecuador, obtained by Dr. H. Festa and including several types, from the Turin Museum. Dr. J. D. F. Gilchrist gave collections from the Cape of Good Hope, including examples of several new or rare species, in this year and again in 1900 and 1902.

1899.

1128 specimens were received. A series from the Russian Empire, including many types, was obtained from the Imperial Academy of Sciences at St. Petersburg. The collection made by Mr. R. T. Günther on his expedition to Lake Urmi, and that made by Messrs. W. R. Ogilvie Grant and H. O. Forbes at Socotra and Abd-el-Kuri, were presented by the Royal Society. General Lugard gave a series from the Upper Niger.

1900.

The number of specimens received was 1144. Dr. D. S. Jordan presented a series of co-types of species described by him from Alaska, and a collection of 258 specimens from the Pacific, mostly co-types of species described by him was purchased, as was one from the Senegal, made by M. Delhez.

1901.

The additions numbered 1265. Sir George Newnes presented the Fishes obtained during the *Southern Cross* Antarctic Expedition, including the types of the new species described by Mr. Boulenger in his Report, and Mr. J. Stanley Gardiner a collection from the Maldiv Islands, forming the basis of a Report by Mr. Regan, and containing the types of the new species described by him. The Secretary of State of the Congo Free State presented a series from the Ubangi, including co-types of several species described by Mr. Boulenger, and Dr. W. J. Ansorge the types of eight new species from Nigeria, also described by Mr. Boulenger. A series from the Atlantic Coast of Central and South America, including the types of several species described by American authors, was purchased.

1902.

The accessions totalled 1685. The Director of the Royal Natural History Museum, Brussels, presented a series of fishes from the Congo, containing co-types of several new species described by Mr. Boulenger. Mr. F. W. Styan sent a small but valuable collection from Shanghai, and one from Morocco, made by Herr Rigggenbach and described by Dr. Günther, was purchased. Large series of Fresh-water Fishes collected by Dr. W. J. Ansorge in Southern Nigeria and by Mr. G. L. Bates in Cameroon and the Gaboon, including the types of many new species described by Mr. Boulenger, were acquired. Mr. R. Gordon Smith presented a collection made by him in Japan, containing many desiderata. The Fishes collected by Mr. E. Degen in Abyssinia prove to be of great interest, examples of all the species described by Rüppell having been obtained, besides many hitherto unknown, which have been described by Mr. Boulenger.

1903.

The accessions totalled 1744. A collection from Japan, including co-types of several species described by Dr. D. S. Jordan, was acquired, as was a large series from Panama, including co-types of many species described by Dr. Jordan and other American authors. Dr. Günther presented a collection from the Gold Coast made by the late Mr. R. B. N. Walker and described by the donor. Other important collections containing examples of new species were one made by Mr. G. L. Bates in South Cameroon and one from the Coast of Natal, presented by Mr. J. F. Quekett, which were described by Mr. Boulenger, and a collection made in the Andes of Venezuela by Sr. Briceño and one from Rio Janeiro, presented by Dr. E. A. Göldi, which were described by Mr. Regan.

1904.

1530 Fishes were added to the collection. H.M. the King of Portugal presented a series from the coast of Portugal, mostly examples of large size taken at considerable depths. Dr. J. D. F. Gilchrist presented a collection from the seas of South Africa, including co-types of several species described by him. A series of Fresh-water Fishes from Cuba, including specimens of the Blind Cave-fishes, previously unrepresented in the collection, was received from Prof. C. H. Eigenmann. A collection made in Angola by Dr. W. J. Ansorge was acquired. Important collections described by Mr. Boulenger, and containing examples of several new species, were a second one made by Mr. G. L. Bates in South Cameroon, one from Uganda and the Niger, presented by Mr. J. S. Budgett shortly before his death, and one from Lake Victoria, presented by Colonel Delmé-Radcliffe. Mr. F. W. Townsend presented a collection from the Persian Gulf and the Sea of Oman; a series from Thibet was received from Captain H. J. Walton, and one from Yunnan from Mr. John Graham. These were described by Mr. Regan and included the types of many new species.

ALPHABETICAL LIST OF THE MORE IMPORTANT CONTRIBUTORS
TO THE COLLECTION OF FISHES.

Admiralty, Lords of the.

The collection of Fishes made during the voyage of H.M. Ships *Erebus* and *Terror*, under the command of Captain Sir James Ross: presented in 1844.

The Fishes collected during the voyage of H.M.S. *Sulphur*, under the command of Captain Sir Edward Belcher: presented in 1844.

The Fishes obtained during the voyage of H.M.S. *Herald*, under the command of Captain Kellett: presented in 1856.

The above collections were separately reported on by Sir John Richardson, and they contain the types of the new species described by him.

Bleeker (PIETER). [1819-1878]

The Fishes received from Dr. Bleeker during the years 1859-1867 included all the types of the species described and figured by him in the first four volumes of the "Atlas Ichthyologique," and also the types of many species described in the later volumes. The British Museum Collection contains the types of the Siluridæ, Cyprinidæ, Clupeidæ, Muraenidæ, Labridæ, Pleuronectidæ, Gymnodontes, Lophobranchii and Elasmobranchii described by Dr. Bleeker.

Congo Free State, Secretary of State of the.

The collections presented during the years 1898-1901 formed, to a great extent, the basis of Mr. Boulenger's work, "Les Poissons du Bassin du Congo," published in 1901, and contain co-types of the new species described therein, and figured in the "Annales du Musée du Congo," 1898-1902.

Coppinger (RICHARD WILLIAM).

During the survey of H.M.S. *Alert* in the years 1880-1882 Dr. Coppinger made collections of Fishes from the Straits of Magellan and the South Pacific, and presented them to the Museum, where they have been reported upon by Dr. Günther.

Day (FRANCIS). [1829-1889]

A large collection of Fishes made by Mr. Day and bequeathed by him to the Museum, was acquired at his death in 1889. It included 4400 Indian Fishes and 155 British Salmonidæ, many of them being co-types of the species described by him in the "Fishes of India," or illustrating his account of the "Fishes of Great Britain," and "British and Irish Salmonidæ."

Dow (J. C.).

Fishes obtained by Captain Dow in Central America and presented by him to the Museum in 1861, 1864, and 1867, formed, with the collections made by Messrs. Godman and Salvin in 1859 and 1865, the basis of Dr. Günther's "Fishes of Central America," published in the "Transactions of the Zoological Society" in 1868.

Hon. East India Company.

A collection of Fresh-water Fishes of India, containing the types of the species described by M'Clelland in his memoir on "Indian Cyprinidæ," published in 1839, was presented in 1859, and in 1860 the East India Company presented their entire collection of Fishes, including the types of the species described in Dr. Cantor's "Catalogue of Malayan Fishes."

Eigenmann (CARL H.) and (ROSA SMITH).

During the years 1891-1893 more than 1400 specimens of Fishes from Canada, British Columbia, and California, were purchased of Dr. and Mrs. Eigenmann, including the types of all the new species described by them from British North America.

Fea (LEONARDO).

In 1893 a series of Fishes, selected from the collection made by Signor L. Fea in Burma, containing co-types of most of the new species described by Dr. Vinciguerra, was purchased.

Godeffroy Museum, Hamburg.

From 1869-1881 many desiderata, including types, were received from the Godeffroy Museum. These were principally from the Australian coasts and the Pacific, and, with Whitmee's collections, formed the basis of Dr. Günther's "Fische der Südsee," published in the Journal of the Godeffroy Museum.

Godman (FREDERICK DU CANE). [1834-]

See Dow.

Gronow (LAURENCE THEODORE). [1730-1777]

The collection of Dr. Laurence Theodore Gronow, better known by his latinised name of Gronovius, was purchased at an auction in London in 1853, together with 84 original drawings, and a manuscript catalogue, which was printed in 1854 by the authorities of the British Museum. Dr. Gronow was a Senator of Leyden, and one of the best ichthyologists of his time.

Hardwicke (THOMAS) [-1835]

The collection of Indian fishes made by General Hardwicke, including the types of the species described and figured by Dr. J. E. Gray in the "Illustrations of Indian Zoology," published in 1830-1832.

Haslar, Royal Naval Hospital of.

See SMITH.

Indian Museum, Calcutta.

Deep-sea Fishes of the Indian Ocean, obtained during the survey of H.M.S. *Investigator*, including many co-types of species described by Dr. A. Alcock, have been received in exchange from the Indian Museum during the years 1890-1898.

Johnson (JAMES YATE).

Fishes obtained at Madaira by Mr. Johnson, including the types of many new species described by him and by Dr. Günther, were presented by him in 1861-1864 and again in 1881 and 1890.

Leyden Museum.

A collection of Fishes from Japan, containing duplicates of many species described by Prof. Schegel in the "Fauna Japonica;" purchased in 1844.

Lowe (RICHARD THOMAS).

Fishes from Madeira, the Canary Isles, etc., collected and described by the Rev. R. T. Lowe, including many types, were presented by him during the years 1859-1864.

Newnes (Sir GEORGE).

The collection made during the voyage of the *Southern Cross* in Antarctic waters, containing the types of the new species described by Mr. Boulenger in his Report, was presented by Sir George Newnes in 1902.

Paris Museum.

Specimens from the French *Talisman* and Cape Horn expeditions, mostly duplicates of bathybial species described by Prof. Vaillant, were received in exchange from the Paris Museum in 1890.

Parnell (RICHARD). [-1882]

A collection of Fishes from the Firth of Forth and Scottish Rivers, containing the types of the species described by Dr. Parnell in his essay "On the Fishes of the Firth of Forth," was presented by him in 1839.

Playfair (Sir ROBERT LAMBERT). [1828-1899]

Collections of Fishes from Zanzibar, forming the basis of Günther and Playfair's "Fishes of Zanzibar," published in 1866, and containing the types of the new species described therein, were presented by Sir Lambert Playfair during the years 1864-1869.

Reeves (JOHN). [1774-1856]

The Fishes collected in China by Mr. J. Reeves and his son during the years 1812-1831, together with a series of drawings taken from living or fresh specimens, formed the basis of Sir John Richardson's "Report on the Ichthyology of China," published in 1845.

Salvin (OSBERT). [1835-1898]

See Dow.

Smith (Sir ANDREW). [1797-1872]

Fishes from the Cape of Good Hope, collected by Sir A. Smith, M.D., including the types of most of the species described by him in the "Illustrations of the Zoology of South Africa," 1838-1849. Some of these were presented by Sir A. Smith to the British Museum in 1851, others to the Royal Naval Hospital of Haslar, these latter coming into the possession of the British Museum in 1855, with the rest of the Haslar collection.

Smithsonian Institution.

In 1861 and 1880 collections of American Fishes were presented by the Smithsonian Institution, and in 1896 a large series of deep-sea Fishes from off the coasts of North America, including the types of many species

described by Messrs. Goode and Bean and by Dr. S. Garman, was received in exchange.

Treasury, Lords Commissioners of the.

The large collection of Fishes made during the voyage of H.M.S. *Challenger* in 1873-1876, forming the basis of three Reports, by Dr. Günther, *i.e.*, "Shore Fishes," published in 1880, "Deep-sea Fishes," 1887, and "Pelagic Fishes," 1889; and containing the types of the new species described in them. The different series were presented on the publication of the respective Reports.

Yarrell (WILLIAM). [1784-1856]

The collection of British Fishes made by Mr. Yarrell, forming the basis of his book, "British Fishes," published in 1835-1836, was received in 1856.

6. INSECTA.

LIST OF OFFICERS MORE OR LESS CONNECTED WITH THE ENTOMOLOGICAL DEPARTMENT IN PAST YEARS.

Date of Appointment.	ASSISTANTS.	Date of Appointment.	KEEPERS OF NATURAL HISTORY.	Date of Appointment.	ASSISTANT KEEPERS.
1756	Henry Rimius.	1756	{ Joseph Empson, M.D.		
1757	William Hudson.				
1758	Rev. A. Planta.				
1765	D. C. Solander, M.D.	1765	Rev. S. Harper.		
1773	John O. Justamond.				
1776	Rev. P. H. Maty.	1782	Rev. P. H. Maty.		
1778	Edw. W. Gray.	1787	Edw. W. Gray.		
1782	Rev. C. G. Woide.				
1791	George Shaw.	1807	George Shaw.		
1807	Charles König.	1813	Charles König.		
1813	W. E. Leach, M.D.				
1816	J. G. Children.				
1837—Zoology made a separate Department.					
			KEEPERS OF ZOOLOGY.		
		1837	J. G. Children.		
1821	G. Samouelle.				
1824	J. E. Gray.	1840	J. E. Gray.		
1831	G. R. Gray.			1869	G. R. Gray.
1835	Adam White.				
1842	Edw. Doubleday.				
1850	F. Smith.			1872	A. Günther.
1863	A. G. Butler.	1875	A. Günther.*	1875	F. Smith.
1866	C. O. Waterhouse.			1879	A. G. Butler.
1879	W. F. Kirby.				
1886	C. J. Gahan.				
1889	F. A. Heron.				
1889	E. E. Austen.				
1895	Sir G. F. Hampson.	1895	Sir W. H. Flower.†		
1895—Insects made a separate Section.					
1896	G. J. Arrow.	1898	{ Prof. E. Ray Lankester.	1901	{ Sir G. F. Hampson (acting).

* First appointed in 1862.

† Appointed Director in 1884.

PROGRESS IN THE COLLECTION OF INSECTS IN THE BRITISH
MUSEUM SINCE THE PURCHASE BY THE GOVERNMENT OF
THE COLLECTION OF SIR HANS SLOANE IN 1753.

At the time of its acquisition the Sloane Museum is said to have contained 5394 Insects; there is, however, evidence that this number included Arachnida and Myriapoda. The present number of Hexapoda in the Museum collection amounts approximately to 1,018,000.

Until the Museum was opened to the public at the commencement of 1759, it was hardly to be expected that many additions would be made to the collections, and it seems clear that for many years subsequently the accessions to this class were extremely few; indeed, in Edwards' "Lives of the Founders of the British Museum" (Trübner & Co., 1870), p. 334, we read: "To the Zoological Collections, the additions made, whether by gift or by purchase—save as the result, more or less direct, of 'Voyages of Discovery,' . . . were for many years very unimportant."

A study of a "Synopsis of the Contents of the British Museum," published by Messrs. Taylor, of Shoe Lane, indicates that in 1815 the whole of the Insects were exhibited to the public in two cases, in Room X. of the upper floor in Montague House, in such a way as to show the distribution of the Class into Orders. Some years later, however, a private collection contained in cabinets was available for students, provided that they made application to the officer in charge two days before their intended visit, as only a limited number of visitors could be admitted at the same time.*

When it is borne in mind that up to 1808 all visitors to the Museum had to be admitted by ticket (to secure which certain formalities had to be gone through), and that consequently "the aggregate number of persons admitted as visitors—exclusive of

* "Synopsis of the Contents," ed. 26, 1832, p. 36, footnote.

students—was, for some years, restricted to sixty persons, as a maximum, in any one day,* it is hardly surprising that the general public should not have greatly exerted itself to add to the collection of Insects.

The exact rate of increase to the collection cannot be accurately discovered until 1876, at which date the number of additions to the Class was first recorded in the Annual Report of Progress. Prior to that date the term "Annulosa" was employed for the Arthropoda generally, for many years, and subsequently for all excepting the Crustacea; there is, however, one exception to this rule in 1844, a year in which the additions to the Annulosa were greatly in excess of those in previous years, amounting to no less than 19,191 (of which 18,436 were insects).

PROGRESS IN THE ARRANGEMENT OF THE COLLECTIONS.

Nothing very definite is known respecting the earlier arrangement of the Insect collections, but there is internal evidence to show that from 1813 to 1835 it was carried on by Dr. W. E. Leach, and Messrs. J. G. Children and G. Samouelle; from 1835 to 1842 the greater part of the work of arrangement in all Orders was continued by Mr. Adam White. At that date Mr. Edward Doubleday relieved him of the care of the Lepidoptera, and in 1850 Mr. F. Smith entered the service and took charge of the Hymenoptera. So far as can be ascertained, the progress in the arrangement of the various Orders between 1844 and 1900 is as follows:—

COLEOPTERA.

From 1842 to 1850 this Order was under the charge of Mr. Adam White, who, in 1846, arranged the *Cetoniadæ* and, in 1847, the *Hydrocanthari*; commencing the *Buprestidæ* the same year, he completed them in 1848; then proceeded to the *Cleridæ*, completed in 1849. In 1851 Mr. F. Smith arranged and catalogued the *Cucujidæ*; in 1852, the *Passalidæ*; Mr. Adam White being engaged in the same and subsequent years upon the *Longicornia*, which he completed in 1855; in 1856 Prof. C. H. Boheman arranged and catalogued the *Cassididæ*; in 1856 also the British *Curculionidæ* were catalogued, and probably arranged, by Mr. John Walton; in 1858 the *Hispidæ* were catalogued and

* "Lives of the Founders," p. 324.

arranged by Dr. J. S. Baly, and in 1860 the early group of the *Halticidæ* by the Rev. Hamlet Clark.

Owing to the acquisition of the Bowring collection in 1863, the collection of Coleoptera became so congested that a complete expansion and rearrangement of the various families became necessary; therefore, in 1864, Mr. F. Smith rearranged the *Cetoniadæ*, *Buprestidæ*, and the straight-horned *Curculionidæ*. He completed the arrangement of the *Curculionidæ* in 1865. In 1866 Mr. C. O. Waterhouse commenced the arrangement of the *Melolonthidæ*, *Rutelidæ*, and other Lamellicorn families, and in 1867 he arranged the Hydradephaga, Mr. Smith commencing the arrangement of the Phytophaga, which was continued for some years.

In 1874, owing to the purchase of the Saunders collection of *Buprestidæ*, that family again needed revision and expansion. This work was undertaken conjointly by Messrs. F. Smith and C. O. Waterhouse. In 1875 the *Passalidæ* and part of the Longicorns were arranged by Mr. Waterhouse, the Longicorns being continued in 1876 and 1877; in 1878 he arranged the *Lycidæ* and catalogued them. From this date to 1887 little or nothing seems to have been done in the arrangement of this Order, the time of Mr. Waterhouse having been chiefly occupied with the registration, labelling, and incorporation of accessions, and the description of new species. In 1887, however, Mr. C. J. Gahan commenced a complete revision and rearrangement of the Longicorn Coleoptera, incorporating the numerous accessions received since its last arrangement, and this work was continued until 1890, when this Assistant took up the Phytophaga. Meanwhile, in 1888, Mr. Waterhouse arranged the *Bostrichidæ* and, in 1889 and 1890, the *Scarabæidæ*. In 1891 Mr. Gahan commenced the *Galerucidæ*, which he completed in 1894. In 1895 Mr. Gahan proceeded to the *Eumolpidæ*, which he completed in 1897, since which time he has devoted his time to the incorporation of accessions, working out and more critically revising certain of the more difficult groups of Longicorns and identification of undetermined material. In 1897 the *Endomychidæ* and *Coccinellidæ* were arranged by Mr. G. J. Arrow, who, in 1898, arranged the *Melolonthidæ*, expanded and partly arranged the *Dynastidæ*, and commenced the *Rutelidæ*, which he completed in 1900, subsequently dealing with the remaining families of *Lamellicornia* (*Geotrupidæ*, *Aphodiidæ*, etc.) and in 1904 undertaking the *Passalidæ*. He also expanded the *Cicindelidæ* in 1899. A

revision of the great series of Clavicorn families begun by him in 1900 has continued with necessary interruptions up to the present time, but the more important families, such as *Silphidæ*, *Histeridæ*, *Nitidulidæ*, *Cucujidæ* and *Colydiidæ*, have been completed.

In 1902 Mr. Gahan completed the incorporation of the Godman-Salvin collection of Longicornia. In 1903 he arranged the *Cebrionidæ*, *Rhipiceridæ*, *Dascillidæ*, *Lycidæ* and *Lampyridæ*, incorporating the Godman-Salvin collections and other accessions. The Janson collection of *Elateridæ* having been presented by Mr. Godman in 1903, Mr. Gahan in 1904 commenced the arrangement of this family, and during the year carried it forward as far as to the end of the group *Monocrepidini*.

In 1903, on the acquisition of Capt. Kerremans' collection of *Buprestidæ*, Mr. Waterhouse began the rearrangement of this family, and this work is still in hand.

ORTHOPTERA.

The collection of Orthoptera was roughly arranged, probably about 1850, by Mr. Adam White; the *Phasmidæ* were subsequently (apparently in 1853) rearranged and revised by Prof. J. O. Westwood. In 1867 the *Blattariæ* were systematically arranged and catalogued by Mr. F. Walker, who proceeded to the Dermaptera Saltatoria in the following year, and completed the Order in 1870. In 1888 Mr. W. F. Kirby rearranged the *Blattariæ*, and from that date continued the rearrangement of the Orthoptera until it was completed. At present the Orthoptera are again being revised and catalogued, the first volume of the printed catalogue (*Forficulidæ* to *Phasmidæ*) having recently appeared. The revision and cataloguing of the remaining families, commencing with the *Gryllidæ*, is at present in progress.

NEUROPTERA.

The first attempt at a systematic arrangement of the Museum collection of Neuroptera seems to have been that undertaken by Walker in 1852, when he arranged and catalogued the Order. In 1857 Dr. Hagen revised and catalogued the *Termitina*. In 1886 the rearrangement of the Neuroptera was commenced by Mr. W. F. Kirby and was continued at intervals up to 1900, by which time the important groups of Odonata and Planipennia had been completely re-arranged.

LEPIDOPTERA.

The first systematic arrangement of the Butterflies was probably commenced by Mr. Edward Doubleday on his entry into the service in 1842; these were catalogued by him in the Lists published between 1844 and 1848. In 1851 Mr. G. R. Gray revised the *Papilionidæ*, publishing a catalogue of the family in 1852 and a List in 1856. In 1864 Dr. A. G. Butler began a complete rearrangement of the Butterflies, introducing for the first time the Continental method of setting, as being in every respect more satisfactory than that then in general use in Great Britain. This rearrangement, owing to the small extent of the collection at that date, occupied less than two years, but the revision, expansion, and naming-up of various genera was continued for several years later, the family *Satyridæ* being completely revised and catalogued in 1867. In 1890 the sub-family *Morphinæ* was expanded and numerous accessions incorporated by Mr. F. A. Heron; various genera of *Nymphaliniæ* were also expanded and rearranged by the same gentleman. In 1891 Mr. Heron commenced the rearrangement of the *Danainæ*, which had become greatly congested; he also commenced the *Hesperiadæ* in conjunction with Lieut. E. Y. Watson. These groups were all completed in 1892. In 1893 the *Euphædra* group of Nymphaline Butterflies was revised and expanded, and in 1894 the *Amathusiinæ* and *Danainæ* of the Old World were again arranged in order to incorporate the large series from the Godman and Salvin collection; the rearrangement of various Nymphaline genera was also continued by Mr. Heron in this and the succeeding years up to 1900. In 1895 he arranged the *Elymnianæ*, and Dr. Butler the *Acræinæ*. In 1896 Mr. Heron arranged part of the *Satyridæ*, and Dr. Butler commenced a revision and rearrangement of the *Pieridæ*, completing the sub-family in 1898. In 1897 Mr. Heron commenced the arrangement of the *Ithomianæ* and *Heliconinæ*, and in 1898 continued the *Satyridæ*, the genus *Erebia* being arranged by Mr. H. J. Elwes. In 1899 Dr. Butler commenced a preliminary examination and rearrangement of the *Lycænidæ*, which he completed in 1900; Mr. Heron commenced a rearrangement of the *Papilionidæ*, and continued that of the *Satyridæ*, *Ithomianæ* and *Nymphaliniæ*.

Between the beginning of 1902 and the end of 1904 the *Satyridæ* were completely rearranged by Mr. Elwes and Mr. Heron. In 1904, while Mr. Elwes, who had previously (in 1899)

arranged *Argynnis*, rearranged the Holarctic genera of the *Nymphalidæ*. The *Elymnianæ*, *Amathusianæ*, *Brassolinæ* and *Morphinæ* were arranged by Mr. Heron, who commenced the same year the revision of the *Danainæ*.

Very little had been done towards the arrangement of the Moths until 1849 when Mr. J. F. Stephens commenced the arrangement and cataloguing of the British Collection. In 1853 Mr. H. T. Stainton revised and catalogued the *Tineina*, and in 1855 Messrs. H. T. Stainton and Edwin Shepherd revised the work done by Mr. Stephens. From 1853 to the commencement of 1866 Mr. F. Walker was engaged upon the arrangement and cataloguing of the general collection of Moths; and in 1872, the collection having become congested and greatly needing revision, Dr. Butler commenced the rearrangement, but had for a time to give them up in order to devote his time to the rearrangement of the *Arachnida*, *Myriapoda*, and part of the *Crustacea*; however, he resumed them in 1874, continuing them without assistance until 1890, when Mr. W. Warren was engaged to rearrange the *Geometrites* and *Pyrallites*, which were completed in 1893. Meanwhile Dr. Butler was arranging the *Noctuidæ*, which were completed in 1893. The Moths were then placed under the charge of Sir G. F. Hampson, who, in 1892, had commenced a rearrangement with the families *Psychidæ*, *Cossidæ*, *Arbelidæ*, *Hepialidæ*, *Uraniadæ*, *Epiplemidæ*, and *Sesiadæ*; in 1893 he rearranged the *Crambinæ* and *Phycitinæ*, completing the latter in 1894; in 1895 he arranged the *Thyrididæ* and part of the *Pyrallidæ*, completing these, the *Orneodidæ*, *Pterophoridæ*, and commencing the *Sphingidæ* in 1896; in 1897 he completed the *Sphingidæ* and rearranged the sub-families *Nolinæ* and *Galerianæ*; in 1898 he revised and catalogued the *Syntomidæ*, rearranged the *Saturniadæ*, *Ceratocampidæ*, *Brahmæidæ*, *Bombycidæ*, and *Drepanidæ*; in 1899 he revised and catalogued the Lithosiid group of *Arctiadæ* and rearranged the *Cymatophoridæ*, *Notodontidæ*, *Lasiocampidæ*, *Chrysopolomidæ*, *Endromidæ*, *Megalopygidæ*, *Limacodidæ*, *Ratardidæ*, *Argyrotypidæ*, *Dalceridæ*, and *Arbelidæ*; in 1900 he arranged and revised the remainder of the *Arctiadæ*, and the *Agaristidæ*, of which he published a catalogue in 1901; he also arranged the *Lymantriadæ*, *Hypsidæ*, *Uraniadæ*; in 1902-3 he wrote a catalogue and rearranged the *Noctuid* sub-family *Agrotinæ*, and in 1904 the sub-family *Hadeninæ*.

HYMENOPTERA.

With the exception of the *Chalcididæ*, which were revised by Mr. F. Walker and catalogued from 1846 to 1848, it is probable that no systematic arrangement of the Order was carried out until Mr. F. Smith took it up subsequent to his appointment in 1850. In 1851 his first British Catalogue, and in 1853 his first General Catalogue, appeared, the last volume of which was published in 1859. In 1855 Mons. T. Desvignes revised the *Ichneumonidæ*, of which a list was published in 1856. In 1880 and 1881 Mr. W. F. Kirby rearranged and studied the families *Tenthredinidæ* and *Siricidæ*, a catalogue of which appeared in 1882; he also commenced the *Cynipidæ*, *Evaniadæ*, and *Chalcididæ*. In 1897 Col. Ch. Bingham commenced a rearrangement of the Order, with the family *Pompilidæ*, which he has now completed and has since then arranged the *Formicidæ* and commenced the *Vespidæ*.

DIPTERA.

The first systematic arrangement of the Museum collection of this Order was probably attempted by Adam White during the first ten years of his service. In 1847 the collection was taken up by Mr. F. Walker, who published his first catalogue-list in 1848 and his last in 1855; in 1874 Mr. F. Smith arranged the Order, completing it in 1875. In 1890 Mr. E. E. Austen began the arrangement and formation of a British Collection of Diptera, the collection previously existing having been much neglected; in 1891 he began the rearrangement of the *Syrphidæ* of the General Collection, and completed that of the British *Hippoboscidæ* and *Æstridæ*; the *Syrphidæ* were continued in 1892 and 1893, the British *Limnobiidæ*, *Tipulidæ*, *Chironomidæ* and *Bibionidæ* being also arranged in the latter year; in 1894 and 1895 he arranged the British *Muscidæ* and the *Cutiterebrinæ* of the General Collection; in 1896 the British *Conopidæ*, *Leptidæ*, and *Bombylidæ* were arranged, and the *Ortaliidæ* and *Trypetidæ* commenced; in 1897 and 1898 the British *Cordyluridæ* were studied with a view to their arrangement. In 1900 the study, arrangement, and monographing of the *Culicidæ* (mosquitoes) were undertaken by Mr. F. V. Theobald, who published the first two volumes of his monograph of the family in 1901, and the third volume in 1903. In 1901 Mr. Austen arranged or

rearranged several families in the British Collection, and in 1902-1903 worked out the Tsetse-flies (*Glossina*), upon which he published a monograph in the latter year. In 1903-1904 he rearranged those portions of the general collection comprised in the families *Hippoboscidae*, *Nycteribidae*, *Streblidae*, and *Muscidæ* *Calyptratæ* down to the end of the section *Rutelia*, and incorporated the extensive series of Central American material belonging to these families contained in the Godman-Salvin collection. The first portion of the *Tabanidae* (including the *Pangoninæ* and the genus *Hæmatopota*) were rearranged by Miss Gertrude Ricardo between 1900 and 1904, and between 1898 and 1904 the *Midaidæ*, *Conopidae*, and part of the *Bombylidæ* were similarly dealt with by Lieut.-Colonel J. W. Yerbury.

RHYNCHOTA.

This Order was arranged and partly named up by Mr. Adam White prior to 1850, and the Hemiptera Homoptera were rearranged by Mr. F. Walker and catalogued between 1849 and 1852. In 1851-2 Mr. W. S. Dallas prepared a list of these families of the Hemiptera Heteroptera (*Pentatomidæ*, *Coreidæ* and *Lygæidæ*), which he appears to have arranged in 1853; the whole Heteroptera were subsequently rearranged and catalogued by Mr. Walker between 1866 and 1873. In 1874 Dr. A. G. Butler rearranged a portion of the Homoptera, which then numbered 10,161 specimens, referable to 4046 species, and completely revised many of the genera and the whole of the New World *Membracidæ*. In 1895 Mr. W. F. Kirby rearranged the *Cicadidæ*. In 1897 Mr. E. A. Waterhouse commenced a rearrangement of the British Hemiptera, which was completed in 1899; and in the latter year Mr. W. L. Distant commenced a complete revision and rearrangement of the general collection of the Order; he has completed the Heteropterous section and is now at work on the Homoptera.

APTERA.

For many years these were crowded together, without much pretence at arrangement, in three or four cabinet-drawers, the only exception being that the British Anoplura were placed in the order of the list published by the Trustees in 1852, but without special labels. These were all gone over and arranged by Dr. Butler about 1873, and have not subsequently been rearranged.

A CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS TO
THE COLLECTION OF INSECTS TO THE END OF 1904.

The following collections of Insects formed during the last quarter of the 18th and first quarter of the 19th centuries are in the Museum :—

1. Some of Drury's types of *Lepidoptera* obtained in the Milne Collection (*v. p.* 593), and described between 1770 and 1782.

2. Most of the Fabrician types described between 1775 and 1805 as being contained in the Banks Collection were received with that collection (*v. p.* 580) presented in 1863 by the Linnæan Society.

3. A large proportion of the species described in 1803 by A. H. Haworth in his "*Lepidoptera Britannica*" (*v. pp.* 589 and 597).

4. Most of the species described in 1818 by the Rev. W. Kirby in "*A Century of Insects*" and "*New Species of Insects collected in New Holland by Robert Brown*," also portions of his collections of British *Coleoptera*, and *Hymenoptera* described in 1802 in his "*Apum Angliæ*" (*v. p.* 591).

5. The species described in 1802 by Marsham in his "*Coleoptera Britannica*" obtained in the Stephens Collection (*v. p.* 596).

1826.

The collection of British and Foreign Insects formed by Dr. W. E. Leach was presented; the number of specimens is not recorded.

1835.

The large collection of Insects of all Orders made by Major-General Thos. Hardwicke, chiefly at Nepal, bequeathed to the Trustees.

1839.

A selection of about 1749 Insects, mostly *Coleoptera* and *Lepidoptera* (including some types from Drury's collection), from the collection of G. Milne : purchased.

1840.

The most important collection obtained in this year was that of Mr. J. G. Children, of which 8286 specimens of all Orders were purchased.

1842.

In this year, and again in 1845 and 1847, Dr. Andrew Sinclair, R.N., presented a number of Insects of different Orders from New Zealand. These are chiefly of interest from the fact that some of them became the types of species described in the "Voyage of the *Erebus* and *Terror*."

1844.*

The chief addition was a collection of 6735 Insects of all Orders, including many types, presented by the Entomological Club.

1846.

1700 Lepidoptera collected by Mr. E. Doubleday in the United States. Many of these were types of new species described by M. A. Guenée in the "Species Général des Lépidoptères," and a few described by Dr. Boisduval.

1850.

241 Australian and other Insects of various Orders collected by Mr. John Macgillivray during the voyage of H.M.S. *Rattlesnake*. 24 specimens were added in the succeeding year. Although the entomological results of the voyage were not of great importance, a few of the species obtained were subsequently described: presented. 182 Insects obtained on the N.W. coast of America by Capt. Kellett, C.B., and Lieut. Wood, of H.M.S. *Herald* and *Pandora*, were also presented.

1851.

407 Insects collected by John Rae during Sir John Richardson's Arctic Land expedition: presented.

In this year the extensive selections from the collections made by Mr. H. W. Bates on the Amazons were commenced, and these were continued up to 1870.

1852.

The most valuable accession was H. Denny's collection of British Anoplura, containing the types described and figured in

* In this year the first Insect Catalogue—"A List of Lepidopterous Insects in the British Museum," Part I., by E. Doubleday—was published.

his "Monographia Anoplurarum Britanniae," and consisting of 714 examples: purchased.

1853.

The collection of British Insects formerly belonging to James Francis Stephens, Esq., containing the types of species described in his works and those of other British entomologists.

1854.

A collection of 1313 Insects of various Orders, from Auckland, New Zealand, presented by Col. Bolton. Many of these subsequently formed the types of new species.

1855.

The results of the voyage of H.M.S. *Herald*, consisting of 217 Insects of various Orders: presented by the Lords of the Admiralty. A second collection was presented in 1856, consisting of 140 specimens, and a third in 1860, consisting of 164 specimens.

A valuable collection of 143 European Trichoptera, named and, in many cases, compared with the original types: presented by Dr. Hagen.

The Wollaston collection of 4000 Coleoptera from Madeira and the Salvages, arranged and described by the collector: purchased.

A collection of 155 Insects, obtained in Arctic America by Capt. Collinson, R.N., of H.M.S. *Enterprise*: collected and presented by him.

In this year the selection of specimens from the wonderful collections made by A. R. Wallace in the Malay Archipelago and the Moluccas was commenced, and continued up to 1862. A few added in 1874.

1856.

A collection of 106 Micro-Diptera from Germany, named by Herr Winnertz, the author of a monograph of the *Cecidomyidæ*: presented by F. Walker, Esq.

A large collection of *Cecidomyidæ*, including the types of Mr. Walker's descriptions in vol. iv. of the "Insecta Britannica" (vol. iii. Diptera): presented by the describer.

A large collection of named European Lepidoptera, chiefly important as forming the basis of the general European collection for many years: purchased from A. Becker.

1000 named German Coleoptera, including co-types of *Staphilinidæ* named by Dr. Märkel : purchased.

1004 co-types of European *Curculionidæ*, &c., named by Schoenherr and Germar : presented by John Walton, Esq. (225 additional specimens were presented by him in 1859).

1857.

A collection of 1196 *Coccinellidæ* (the result of twenty-five years' collecting), named by M. Mulsant, and including 500 species collected by Messrs. Buquet, Cremiere, Gehin, and Jekel, and 50 species compared with the types of Messrs. Chevrolat and Deyrolle : purchased.

The collection of European Coleoptera formed by the late Herr Braasche, consisting of 10,858 specimens : purchased.

1858.

5631 Insects of various Orders, being the remainder of the collection made in Madeira by T. V. Wollaston, Esq. : purchased.

5628 Insects of all Orders from the collection of the Entomological Society : purchased.

1859.

512 Insects of various Orders from Vancouver and adjoining islands : presented by Dr. Lyall, R.N., of H.M.S. *Plumper*, by whom they were collected.

1375 Insects of all Orders from Southern Australia, being part of the Bakewell collection : presented in Mr. Bakewell's name by Mr. McLeay.

A collection of about 3500 Insects of all Orders, many of which originally formed part of Mr. Vigers' collection, including the types described by him in the *Zoological Journal* ; also numerous British Insects from the Wilkin's collection, including types described by Messrs. Kirby, Spence, and others : presented by the Zoological Society of London.

6983 German *Ichneumonidæ* and 1700 *Tenthredinidæ*, being the private collection of the late Herr Ruthe : purchased.

A collection of 638, named Ceylonese Coleoptera, including the types described by Messrs. Walker and Pascoe : presented by Dr. Templeton. In the following year 171 Ceylonese Insects of various Orders, including Walker's types, were added to this donation.

1860.

The Horsfield and other collections of Insects made by the officers of the East India Company in Java, the Malay Peninsula, Ceylon, India, &c. Of these no less than 4939 were from Java and 3181 from other localities; they include numerous types of species described by Messrs. Horsfield, Moore, Guenée, Westwood, Bohemann, Walker, and others: presented by the Secretary of State for India in Council.

328 Staphylinidæ, described and named by Dr. Kraatz: purchased.

686 European Coleoptera, named by M. Jekel: purchased from Dr. Baly.

1861.

899 European and 82 N. American *Staphylinidæ*, described and named by Dr. Kraatz: purchased. 176 miscellaneous, named Coleoptera, from the same source, were added in 1862; also 533 European *Curculionidæ*.

49 types of Neuroptera from Ceylon and America: described and presented by Dr. Hagen.

1862.

641 European Lepidoptera, named by Dr. Herrich-Schäffer: purchased. (A considerable addition in the then poor state of the European collection.)

1863.

507 British *Curculionidæ*, being as perfect a series as could be secured at the sale of Mr. Walton's collection.

423 Insects from various localities, being the types of species described by the Rev. W. Kirby in his "Century of Insects" and other papers: presented by the Entomological Society of London.

314 Coleoptera, Hymenoptera, and Diptera, from S. America, &c., being the types of species described by Messrs. Haliday, Walker, and Curtis: presented by the Linnean Society of England.

The collection of Insects formed by the late Sir Joseph Banks, consisting of 4081 specimens, and including numerous types of species described by Fabricius: presented by the Linnean Society.

The collection of Coleoptera made by John C. Bowring, Esq., including the Tatum collection of Geodephaga; the Jekel collection of Rhynchophora, together with those collected on the Amazon by Bates; the Chevrolat and Curtis collections of Longicornia; a very extensive series collected by the donor in China, Malaysia, &c.; also selections from the collections made by Brettingham, Wallace, Mouhot, and others, amounting altogether to 84,163 specimens: presented by Mr. Bowring.

A series of 199 Insects, of various Orders, collected chiefly by Charles Darwin during the voyage of H.M.S. *Beagle*, and including the types of species described by Messrs. G. R. Waterhouse, J. O. Westwood, and E. Newman: presented by the Entomological Society.

175 Coleoptera and 116 Hymenoptera from Ceylon, being the types of species described by Mr. F. Walker: presented by the Entomological Society.

1864.

4423 Coleoptera and 127 Hemiptera, being the collection of these Orders made by T. V. Wollaston, Esq., in the Canaries: purchased.

An important selection from the collection of Chilian Coleoptera made by M. Germain, consisting of 37 families, 448 species, and 968 specimens: purchased.

1865.

3207 Hemiptera, being the Saundersian collection of that Order, including all the species collected by Messrs. Bates and Wallace: presented by W. Wilson Saunders, Esq.

1867.

A selection from the Bakewell collection of *Buprestidæ* (515 specimens), and the whole of his Lamellicorns (2430 specimens), arranged by Reiche, and comprising the collections of Messrs. Dejean, Reiche, Dupont, Buquet, and Gory: purchased.

5600 Phytophagous Coleoptera and 8000 Hydradephaga, being the collection of the late Rev. Hamlet Clark; it included the collections of Messrs. Laferté, Thomson, Chevrolat, Aubé, and Dejean: purchased.

1535 Coleoptera and 130 Hemiptera, &c., being the collections made by T. Vernon Wollaston, Esq., in the Cape Verde Islands, including his types: purchased.

1868.

2118 Neuroptera, and 5213 Rhynchota and Diptera from various localities : presented by W. Wilson Saunders, Esq.

56 types of British *Ephemeridæ* preserved in glycerine : presented by A. E. Eaton, Esq.

The collection of British *Ichneumonidæ* formed by the late T. Desvignes, Esq., consisting of 6881 specimens, including most of his types : purchased.

1062 *Nitidulidæ*, including the types of species described by Andrew Murray, Esq. : purchased.

1869.

The typical specimens of Indian Hymenoptera, with their nests (33 specimens), described by Charles Horne, Esq., in his paper published in the Transactions of the Zoological Society, vol. vii. : presented by the describer.

1870.

186 Orthoptera from various localities, authentically named by Herr Brunner, some of them co-types of species described in his memoirs on Orthopterous Insects (in the following year 364 specimens were added) : purchased.

1871.

1495 Insects of various Orders, chiefly Coleoptera, from the Azores, including the types of 16 new species described by Crotch in the Proceedings of the Zoological Society for 1867 : presented by F. D. Godman, Esq., F.R.S. (A second collection of 4100 specimens in 1876.)

1873.

2400 European Micro-Lepidoptera named by Dr. O. Staudinger : purchased.

1874.

The collection of *Buprestidæ* formed by Edward Saunders Esq. (7267 specimens, mostly named), including 364 types : purchased.

1875.

The types with pupæ and galls of *Cacoecia gallicolens* and *Mesoleptus mülleri*, from New Zealand, described in the "Voyage of the *Erebus* and *Terror*": presented by Dr. A. G. Butler.

17 types of Heterocerous Lepidoptera from Costa Rica, described by Butler in "Lepidoptera Exotica": purchased.

A collection of 171 Insects of all Orders from the South Sea Islands, made by the officers of H.M.S. *Pearl*, under the command of Commodore Goodenough, including many species new to science (about 50 in the Butterflies alone): presented by W. Wykeham Perry, Esq. The same gentleman had already presented 9 South Sea Butterflies in the previous year, and he continued to add specimens of various Insects obtained during various voyages up to 1883, but the most important were those secured during the voyage of H.M.S. *Pearl*.

An interesting series of 188 Butterflies from Swaziland and Natal, including the whole of the 152 examples of *Teracolus*, collected by E. C. Buxton, Esq. These formed the principal material for a revision of that difficult genus, and many of them became types of new species: presented by E. C. Buxton, Esq.

1876.

From this date the annual increase to the collection of Insects was first recorded, 13,526 having been added during the year.

A collection of 381 Insects, of various Orders, collected by Messrs. G. Gulliver and H. H. Slater at Rodriguez during the *Transit of Venus* expedition, including the types of 45 new species: presented by the Royal Society.

A collection of 2345 Insects obtained by the late Dr. Welwitch in Angola; delivered by his executors as a present from the King of Portugal.

78 Insects, of various Orders, collected in the Galapagos Islands during the voyage of H.M.S. *Petrel*, including the types of several new species: presented by Commander W. E. de C. Cookson, R.N.

The collection of Lepidoptera formed by Capt. Stackhouse Pinwill in Malacca and Penang, consisting of 1488 specimens, referable to 283 species, of which 35 were new to science and upwards of 70 new to the collection: presented by the collector. This collection formed the basis of a paper on the Butterflies of Malacca published in the Transactions of the Linnean Society.

A series of 2400 European Heterocerous Lepidoptera named by Dr. Staudinger, an important accession at the time, as it served to fill up many blanks in the Museum collection, which was then very poor in Palearctic forms : purchased.

1877.

In this year the working out and incorporation of the collections of Insects obtained during the voyage of H.M.S. *Challenger* were commenced, and were completed in 1888 ; they consisted of 1000 Coleoptera, 321 Lepidoptera, and 368 Insects of other Orders.

Total number of accessions 10,514.

The private collection of Japanese Lepidoptera formed by F. M. Jonas, Esq., during three years' residence in Yokohama. This was the first large collection received from Japan, and included between 200 and 300 species new to science : purchased.

133 Heterocerous Lepidoptera from New Zealand, including the types of 43 new species, were presented by Dr. Hector, C.M.G., and John D. Enys, Esq.

17 Lepidoptera from Duke of York Island, including the types of species described by Osbert Salvin, Esq., F.R.S. : presented by F. D. Godman, Esq., F.R.S.

The first selection from Dr. J. W. H. Trail's important collection of Amazon Insects, consisting of 160 Butterflies and 170 Moths, including the types of 128 new species. In 1879 a further selection of 168 Moths, including the types of 55 new species ; in 1881 a third selection of 209 Moths, including 106 types ; and in 1897, 1200 Coleoptera and 39 other Insects : presented by the collector.

91 Insects from Grinnell Land, including several types, being the proceeds of the Arctic Expedition : collected chiefly by Capt. Feilden, R.N.

1878.

The accessions numbered 4526.

A part of the collection formed by the late Andrew Murray, including the types of his monograph of the genus *Catops*, portions of his Old Calabar collection, so far as determined, including 132 types ; also the types of five species from Quito : purchased.

The typical series of 248 Coleoptera collected by the naturalists of the expedition sent by the Geographical Society of Bremen to Western Siberia : purchased.

In this year Col. Charles Swinhoe commenced the presentation of various collections and types to the Museum. Between 1878 and 1892 these mounted up to 9895 Insects, including the types of 490 Lepidoptera collected and described by himself. Since then his types (described from his son's collection) have been purchased.

1879.

The accessions, including the Hewitson Collection, amounted to 34,347.

The Collection of Exotic Butterflies bequeathed by W. C. Hewitson contained 24,625 specimens, among which were numerous types of species described by the donor, by A. R. Wallace, A. G. Butler, &c.

102 Lepidoptera from Tenasserim, including 55 types of species described by J. Wood-Mason, Esq. : purchased.

3445 Hymenoptera, including 554 types, being a selection from the collection of the late F. Smith, Esq. : purchased.

1860 Insects of various Orders, also many pupa-cases, &c., selected from the collection of the East India Museum, including about 200 types : transferred by H.M. Secretary of State for India.

The Wollaston collection of St. Helena Lepidoptera, consisting of 364 specimens, including the types of 38 species, collected and described by Mrs. Vernon Wollaston : purchased.

A selection of 1062 Lepidoptera from Sikhim and Bhotan, from the well-known collection formed by Dr. W. Lidderdale, containing many new and rare species : purchased.

83 Lepidoptera, including the types of 11 species, described by the donors, from New Ireland and New Britain : presented by Messrs. Godman and Salvin.

63 Insects, larvæ, &c., collected by Dr. Coppinger during the voyage of H.M.S. *Alert* : presented by the Lords of the Admiralty.

Further collections were received as follows :—18 examples in 1880, 17 in 1882, 22 in 1884, and 57 in 1886.

1880.

The accessions numbered 15,359.

A portion of the collection of Phytophagous Coleoptera formed by Dr. J. S. Baly, consisting of 5696 specimens, including numerous types : purchased.

A second portion, consisting of 4202 specimens, was purchased

in 1881; a third, 2184 specimens, in 1885; a fourth, consisting of 1863 *Hispidæ* and 3934 *Halticidæ* (including 636 types), in 1886; and the final portion, consisting of 8273 *Galerucidæ* (of which 473 were types), in 1890.

A fine series of North American Micro-Lepidoptera, consisting of 476 specimens, including the types of 118 species, described by the donor in "Illustrations of Typical Lepidoptera Heterocera," part iv.: presented by Lord Walsingham.

302 Moths from Chekiang, including about 50 types of species described by W. B. Pryer, Esq.: purchased.

1881.

The accessions numbered 27,599.

A portion of the Heteromorous Coleoptera collected by F. Bates, Esq., consisting of 8602 specimens, including numerous types: purchased.

A second portion, consisting of 13,789 specimens, was purchased in 1897.

A portion of the collection of Continental Hymenoptera formed by Herr Buchecker, consisting of 7898 named specimens: purchased.

The first half of the collection of N. American Lepidoptera formed by Mr. A. R. Grote, consisting of 3247 named and selected specimens, of which many are types: purchased.

The second half of this collection was purchased in the following year, and consisted of 2807 specimens.

1882.

The additions to the Insects numbered 7277.

A selection from the fine collection of Lepidoptera collected by Thomas Edmonds, Esq., in Chili, including the whole of the types of species described by Dr. Butler in the Transactions of the Entomological Society. This selection consisted of 104 Butterflies, including 34 types, and 530 Moths, of which 214 are types: presented by the collector.

1883.

22,848 specimens were added to the collection.

The first half of the Zeller collection of Palæarctic and Nearctic Lepidoptera (chiefly the former), consisting of 17,000 specimens, principally carefully identified: purchased.

The second half of this important collection was purchased in the succeeding year, and consisted of 14,000 specimens.

The private collection of Hemiptera, formed chiefly in Scotland, by the late George Norman, consisting of 2350 specimens: bequeathed by the collector.

1884.

The accessions numbered 34,991.

The collection of the late F. A. de Roepstorff, from the Andaman and Nicobar Islands, consisting of 10,000 Coleoptera: presented by his widow.

94 Lepidoptera from Palestine, including 28 types of species described by the late Prof. Zeller: presented by Canon H. B. Tristram.

9 Lepidoptera, including 5 types from the Caroline Islands, described in the account of the United States *Eclipse* expedition: presented by Prof. E. G. Holden.

1885.

The number of accessions was 17,467.

The first of the numerous and valuable donations presented by Messrs. Godman and Salvin, from Central America, consisting of 7851 specimens. Further collections, both from Central America and the Old World, have been presented from time to time up to the present. A detailed account is given in the other part of this report.

5 types of Lepidoptera from the Island of Dominica: presented by G. F. Angas, Esq.

58 types of Lepidoptera from Karachi, Mhow, &c., received in exchange from the Karachi Museum.

1886.

The number of accessions was 21,609.

18 types of Lepidoptera from Buenos Ayres: presented by Dr. Carlos Berg.

1887.

There were 18,166 accessions.

The collection of Macro-Lepidoptera made by Lord Walsingham in California and Oregon in the years 1871-2, consisting of 1737 specimens: presented by the collector.

A collection of Lepidoptera, mostly British, with carefully

mounted larvæ and pupæ, the whole represented by 5680 specimens : presented by Lord Walsingham.

The collection of Macro-Lepidoptera Heterocera made in the Kangra district by the Rev. J. H. Hocking, consisting of 3561 specimens. This collection contained numerous types of species described by Dr. F. Moore, and was the material used for "Illustrations of Typical Specimens of Lepidoptera Heterocera," part vii. : purchased.

121 Lepidoptera from the Chapman collection, including 49 types of species, chiefly from the Congo, described by the late F. Walker, Esq. : purchased.

1888.

The accessions were 7068.

A selection from the collection of Hawaiian Coleoptera formed by the Rev. T. Blackburn, consisting of 898 specimens, of which 334 are types : purchased.

1889.

The accessions were 37,508.

A collection of British Insects, consisting of 3143 Coleoptera, 6246 Diptera, 1407 Hymenoptera, 150 Lepidoptera, 66 Neuroptera, 85 Hemiptera, and 3 Orthoptera ; many of the specimens figured or mentioned in Curtis' "British Entomology" : presented by W. Clifton, Esq.

The collection of British Lepidoptera formed by the late William Buckler, the author of a well-known work on the larvæ of British Butterflies and Moths : presented by Robert Newbury, Esq.

The collection of Lepidoptera formed by Sir George Hampson in the Nilgiri Hills, consisting of 391 Butterflies and 2027 Moths, representing 989 species, of which about 300 were new to science. This collection formed the basis for part viii. of "Illustrations of Typical Specimens of Lepidoptera Heterocera" : purchased.

A collection of 2400 named Moths from Australia, collected by Dr. G. H. Raynor, and including types of some of the species described by E. Meyrick, Esq. : purchased.

The types of 96 European Hymenoptera from the collection of the late Dr. O. Schmiedeknecht : purchased.

8 rare Butterflies from the Solomon Islands, four of them being types of species described by G. F. Mathew, Esq. : purchased.

1890.

The accessions numbered 45,081.

Mr. J. J. Walker, R.N., who from time to time, since 1884, had presented specimens from his collections to the Museum, commenced in 1890 the transmission of the important series obtained by him as Chief Engineer of H.M.S. *Penguin* (presented by the Lords of the Admiralty), 778 Insects of various Orders being secured during the voyage between Aden and Australia. In 1891, 3825 Coleoptera were added; in 1892, 3173 Coleoptera; in 1893, 1114 Coleoptera; in 1895, 569 Lepidoptera and 195 Formicidæ named by Prof. Forel.

The collection of European Lepidoptera formed by the late Prof. Frey, containing 16,000 specimens referable to 4500 species.

12 Butterflies from the Araguaya River, S. America, including the types of 7 species, described by Miss E. M. Sharpe: presented by E. Reynolds, Esq.

24 Lepidoptera from the Sabaki River, E. Africa, including the types of 4 species, described by Sir George F. Hampson: presented by Keith Anstruther, Esq.

1891.

The number of accessions was 20,707.

The collection of Coleoptera of the family *Endomychidæ*, formed by the Rev. H. S. Gorham, consisting of 790 specimens, of which 91 are types: purchased.

A series of 145 Phytophaga from Ecuador, named and described by Martin Jacoby, Esq.: presented by Messrs. Godman and Salvin.

The Butterflies of the groups *Limnaina* and *Euplœina*, from the Indian collection of Dr. F. Moore, 926 species, including 90 types: purchased.

In 1894 the *Satyrinæ* of the same collection were added, consisting of 1732 specimens, including 130 types or co-types; in 1895, the *Morphinæ* and *Elymnianæ*, consisting of 313 specimens; in 1898, the *Charaxina*, *Potamina*, and *Euthaliana*, 819 specimens, 68 types; in 1899, the *Limenitina*, consisting of 1007 examples, were added; also, in 1900, 700 other *Nymphaliniæ*, including 57 types.

A further instalment, *Argynnina* (530 specimens), was purchased in 1901, and the rest of the *Nymphalidæ*, the *Erycinidæ*, and part of the *Papilionidæ* (685 specimens, including

45 types) in 1902. The remaining *Papilionidæ* (1020 examples) were acquired in 1903.

A collection of 733 Lepidoptera from Ceylon, forming the principal material used in "Illustrations of Typical Lepidoptera Heterocera," part ix. : presented by E. E. Green, Esq.

1892.

The number of accessions was 48,028.

A selection from the collection of Indian Insects, formed by the late E. T. Atkinson, Esq., consisting of 4500 Coleoptera, 8000 Rhynchota, 59 Lepidoptera, and 4 Diptera, including many types : purchased.

A selection of 2460 Lepidoptera from the collection formed by Lieut. E. Y. Watson in India and Burma, including co-types of many species, named by Messrs. De Nicéville and Watson : presented by the collector. The following additional specimens were subsequently presented :—373 in 1894, 150 in 1895, 1048 in 1897, 432 in 1898.

1893.

The accessions numbered 106,591.

The collection of Coleoptera formed by F. P. Pascoe, Esq., F.R.S., consisting of 48,500 specimens, of which 3191 are types : purchased.

The collection of Lepidoptera formed by the late H. T. Stainton, Esq., F.R.S., consisting of 33,569 specimens, also his entomological correspondence and a series of drawings of larvæ of Microlepidoptera : presented by his widow.

1894.

The accessions numbered 39,096.

The collection of Coleoptera made by Sir George Hampson in the Nilgiris, consisting of 1800 specimens : presented by the collector.

The first half of the collection of Indian Moths formed by Dr. F. Moore, consisting of 10,990 specimens, of which 859 were types : purchased. The second half of this collection, consisting of 10,591 specimens, of which 997 were types, was purchased in the following year.

A series of 1500 Moths, formerly a part of the collection of

the late W. Wilson Saunders, Esq., including a number of types of species, described by the late Francis Walker, Esq. : purchased.

132 Insects, chiefly Odonata, including the types of 4 new species : presented by the Joint Committee of the Royal Society and British Association for the Exploration of the West Indies. In 1895 a collection of 2716 Insects from Grenada and St. Vincent was added ; in 1896, 610 Coleoptera, 67 Lepidoptera, 870 Hymenoptera, 25 Orthoptera, 19 Odonata, 17 Diptera, 23 Rhynchota ; in 1897, 889 Phytophaga, 262 *Elateridæ*, and 59 *Dascillidæ* ; in 1898, 631 Coleoptera from St. Vincent and Grenada ; in 1899, 2382 Coleoptera, 2288 Hymenoptera, and 42 tubes of *Formicidæ* from the same islands.

A series of 528 Diptera, including 231 types or co-types of exotic *Syrphidæ*, described by the late Mons. J. M. F. Bigot : presented by G. H. Verrall, Esq.

1895.

The accessions were 27,463.

A collection of 145 Lepidoptera from Lake Nyasa, presented by R. Crawshay, Esq. This was the first of a series of extremely valuable collections presented in his own name by this indefatigable collector. A collection received in 1893 was also made by him, but was forwarded by Sir H. H. Johnston and confounded with that of his collector, Mr. A. Whyte. In 1896 Mr. Crawshay sent a further consignment of 285 Lepidoptera, 12 Coleoptera, and 5 Hemiptera ; in 1898, 22 Diptera, also 33 Lepidoptera from Mombasa and its vicinity ; in 1899, 301 Lepidoptera chiefly from Machakos, 178 Lepidoptera and 1 Dipteron chiefly from Masailand ; in 1899, 5 Coleoptera and 345 Lepidoptera from Maranga, &c. ; and in 1900, 5 Diptera, 425 Lepidoptera, and 24 Coleoptera from the Kikuyu country. The number of new species and of species new to the collection in these consignments was remarkable, exceeding that produced by any other collector of E. African insects whose collections have been added to the Museum series.

1896.

The number of accessions for the year was 74,481.

The collections of British Insects formed by the late Dr. J. A. Power, consisting of 30,000 Coleoptera and 6000 Hemiptera : purchased.

The Merlin collection of Greek Insects, consisting of 3009 named specimens : presented by Mrs. Merlin.

Series of 629 Moths from Pulo Laut and 285 other Malayan examples, including 54 types of *Pyralidæ*, described by E. Meyrick : presented by H. J. Elwes, Esq. In 1897 a further consignment of 84 Moths, including additional types, was added to this donation.

The Cameron collection of *Cynipidæ* and *Tenthredinidæ*, 618 species, including 141 types, 391 microscope slides, 103 larvæ, 242 drawings, galls, &c. ; also 12 other types of Hymenoptera were added in 1897 : presented by F. D. Godman, Esq., F.R.S. In 1899 an additional series of 94 Hymenoptera, chiefly types of species described by the same author, was added by purchase.

1897.

The accessions were 44,069.

The principal additions in 1897 were continuations of collections previously received, and are already noted.

1898.

The accessions numbered 15,731.

The collections obtained by Dr. C. W. Andrews during the expedition to Christmas Island, and embodied in the published report, entitled "A Monograph of Christmas Island," published by the Trustees in 1900 : the number of Insects added was 1094.

1899.

The accessions were 62,042.

The collection of Insects made by Mr. E. E. Austen during his stay in Sierra Leone with the expedition for the study of malaria, consisting of 126 Coleoptera, 606 Lepidoptera, 92 Orthoptera, 237 Odonata, 275 Hymenoptera, 294 Diptera, and 79 Rhynchota. Many of these were forms of considerable interest.

The pick of the collection of Insects obtained by Mr. W. R. O. Grant during his expedition, in company with Dr. H. O. Forbes, to the islands of Sokotra and Abd-el-Kuri, consisting of 200 Coleoptera, 341 Lepidoptera, and a Wasp's nest. All the types of new species were included in the selection : presented by the Royal Society.

A series of 128 Moths from Ecuador, chiefly types of species, described by the donor : presented by M. Paul Dognin.

The collection of Hymenoptera, chiefly aculeate, formed by the late Rev. W. Farren White, consisting of 17,451 specimens, largely from the collection of the late F. Smith, Esq. : presented by Mrs. White.

1900.

The number of accessions was 33,719.

The collection of Hymenoptera formed in S.W. Persia by Sr. M. M. de la Escabra, amounting to 2435 specimens : purchased.

The first portion of the Heterocerous Lepidoptera from the collection of J. H. Leech, Esq., consisting of 5854 specimens from the eastern Palæarctic and Oriental regions : purchased.

1901.

The number of accessions was 116,545.

25,645 Lepidoptera and 485 other Insects were selected from the collection formed by the late Philip Crowley, who by his will bequeathed to the Trustees all specimens required from his collections ; they included a few types described by himself and A. G. Butler.

The collection of 18,130 butterflies from the Palæarctic Region, China and Japan, and 33,000 Moths from Europe formed by the late J. H. Leech was presented to the Museum by his mother, Mrs. N. Leech ; it includes all his types of butterflies from China and Japan, and the collections formed by M. Sand (France), Dohlmann (Denmark), Mutzell (Berlin) and G. D'Emmich (Buda-Pesth).

Dr. Montandon's collection of 1916 Rhynchota including many types and co-types was acquired by purchase.

1902.

The number of accessions was 28,031.

A selection of 4,264 Satyridæ from the Holarctic Region was presented by H. J. Elwes, Esq., being all that were required from his collection to complete the Museum Series.

A collection of 1,009 N. American Diptera, chiefly from the Tyler-Townsend collection, was acquired by purchase.

A collection of 98 Lepidoptera, collected in Central Africa and including types described by Miss E. M. Sharpe, was presented by Mr. E. S. Grogan.

A collection of 121 Insects, collected in Nigeria by Dr. C. Christy, and including types described by Miss E. M. Sharpe, was presented.

A collection of 885 Insects from Townsville, Queensland, was purchased.

1903.

The number of accessions was 94,429.

3199 Butterflies from the Holarctic Region, 444 from Chili, and 400 *Satyridæ* from the Oriental Region: presented by H. J. Elwes, Esq., F.R.S.

272 Lepidoptera from Morocco: presented by E. G. Meade-Waldo, Esq.

24,500 Coleoptera of the family *Elatæridæ*, being the collection formed by the late E. W. Janson: presented by F. Du Cane Godman, Esq., F.R.S.

10,866 Coleoptera of the family *Buprestidæ*, being the collection formed by Capitaine C. Kerremans: purchased.

1904.

The number of accessions was 77,316.

1700 Nymphaline Butterflies belonging to *Apatura*, *Limenitis*, *Neptis*, *Vanessa* and allied genera mainly from the Holarctic Region, 200 *Amathusiæ* and *Elymnianæ* from the Oriental Region, and 410 *Satyridæ*, mainly Oriental: presented by H. J. Elwes, Esq., F.R.S.

1890 Coleoptera of the family *Trichopterygidæ*, 727 of the family *Corylophidæ*, 175 *Scaphidiidæ* and *Silphidæ*, and 4 *Amphizoidæ*, the collections of the late Rev. A. Matthews: purchased.

3500 British Homoptera, and 1771 specimens of *Coccidæ*, the collections formed by J. W. Douglas, Esq.: purchased.

ALPHABETICAL LIST OF THE PREVIOUS OWNERS OF COLLECTIONS
OF INSECTS WHICH CONTAINED TYPES WHEN ACQUIRED BY
THE MUSEUM: WITH WHICH ARE INCORPORATED THE NAMES
OF THE CHIEF AUTHORS OF TYPES PRESERVED IN THE
MUSEUM.

By CHAS. O. WATERHOUSE.

Abbot (JOHN).

J. Francillon's copy of Abbot's drawings is in the Museum. It is comprised in seventeen volumes. Some of these figures have served as types of new species.

Aldrich (J. M.).

See WEST INDIES.

Andrews (Dr. C. W.).

See CHRISTMAS ISLAND.

Angas (GEORGE FRENCH). [1822-1886]

Some types of Lepidoptera from Dominica, B. W. I.

Arrow (GILBERT JOHN). [1873-]

The types of numerous species of Coleoptera described by him.

See CHRISTMAS ISLAND.

Ashmead (WILLIAM H.).

See WEST INDIES.

Aurivillius (C.).

Types of African *Eupterotidæ* and *Chrysopolomidæ*.

Austen (ERNEST EDWARD). [1867-]

The types of various Diptera described by him.

Bakewell (ROBERT). [1858-]

In 1867 the Trustees purchased a first selection of 2,430 species from a large collection of Lamellicorn Coleoptera, which was in the possession of Mr. Bakewell at the time of his death.

This collection was purchased by Bakewell from Laferté, and it appeared to be exactly in the state in which he bought it.

Laferté's collection was based upon that of Dejean, and the Dejeanian labels were all retained; but with it were amalgamated collections from Reiche, Dupont, Buquet and Gory.

The selection was made by me, and while making the selection I named all the Muscum species. Mr. Janson, who was well acquainted

with the circumstances of the collection, informed me that Reiche was chiefly responsible for the arrangement and nomenclature; and accepting this view, all the Muscum specimens named from it are labelled "so named in Reiche's collection."

The remainder of the collection subsequently became the property of M. René Oberthür.

In 1871 the Trustees purchased a selection from Bakewell's collection of Heteromera. This was valuable, as it contained that of Lacordaire; these latter are, however, only recognisable when they bear labels in his handwriting.

These are incorporated with the general collection.

See F. BATES.

Baly (JOSEPH SUGAR). [1817-1890]

The Trustees purchased portions of Baly's collection of Phytophagous Coleoptera at different times between 1880 and 1905, the whole collection, numbering 28,000 specimens, being now in the Museum.

Some portions of this collection are still unincorporated.

See also GODMAN and SALVIN.

Banks (Sir JOSEPH). [1743-1820]

This collection was presented to the Museum by the Linnean Society in 1863. It consists of over 3,000 specimens. It was received in the original Banksian cabinet, but as the drawers were by no means dust-proof, the specimens were transferred to good cabinets. The species are, however, kept in the order of Fabricius' *Systema Entomologica*. Some of the species mentioned by Fabricius as being in this collection were not in it when it was received by the Museum.

Considering that the collection is considerably more than a hundred years old, and that it was for so many years in a badly-fitting cabinet, the specimens are in a very fair state of preservation.

This is kept intact as a separate collection.

Bates (FREDERICK). [1829-1903]

In 1881 and 1897 the Museum purchased in two portions the entire collection of Heteromorous Coleoptera formed by Mr. F. Bates. It contains 7,200 species, 22,390 specimens. The collection is excellently arranged. It will be incorporated with the general collection when circumstances permit.

Mr. Bates notes the following as having been acquired by him:—

"Laferté's collection, comprising second specimens from Dejean's collection."

"R. Bakewell's collection, including that of Lacordaire."*

"G. R. Waterhouse's collection."

"First selection from Major Parry's collection."

"Desbrochers des Loges' collection of Asida."

At the death of this entomologist a small collection of *Rutelidæ* described by him was acquired by the Museum, which now contains the whole of his types of Coleoptera.

* The remaining portion after the British Muscum had made a selection.

Bates (HENRY WALTER). [1825-1892]

See GODMAN and SALVIN.

See GORHAM.

"Beagle" Voyage.

A large proportion of the insects collected by Charles Darwin during the voyage of the "Beagle," including the type-specimens described by G. R. Waterhouse, J. O. Westwood and E. Newman.

Bingham (Colonel CHARLES THOMAS). [1848-]

Most of the types of Hymenoptera described by this author, except some in the collections of Mr. Distant and Mr. Rothney.

Blackburn (Rev. THOMAS).

A collection of Coleoptera made in the Hawaiian Islands by the Rev. T. Blackburn was purchased in 1888.

This was a first selection made by Mr. Blackburn containing 419 species, 898 specimens, of which 334 were types.

This is at present kept as a separate collection.

Bowring (JOHN CHARLES). [1821-1893]

In 1863 Bowring presented to the Museum his entire collection of Coleoptera, consisting of about 230,000 specimens.

Bowring himself collected energetically while abroad in China, &c., and also employed persons to collect for him.

He purchased Chevrolat's entire collection of Longicornia. This was intact when it came to the Museum, but the specimens have now been incorporated with the general collection, each bearing the label "Bowr. Chevr."

Chevrolat's collection was founded on that of Dejean, and the Dejeanian labels are preserved.

He also purchased Jekel's collection of Rhynchophora; but as the species were in most cases represented by a single example only, the series obtained by Bowring should probably be regarded as a first pick of the collection. The specimens were all numbered by Jekel.

They are now all incorporated with the Museum collection.

Bowring also possessed Tatum's collection of Geodephaga, and the collection was in its original state when received by the Museum. The specimens have been incorporated with the Museum collection, but may be recognised by the rather large printed numbers (on tinted paper) which refer to Tatum's register, which is in the Insect Room. Tatum also used coloured labels (indicating the quarter of the world whence the specimens came) for the specific names, and these labels are preserved.

Bowring stated in a letter to Dr. Gray when he presented the collection that he possessed Major Parry's collection of *Anthribidæ*.

These were incorporated with the Museum collection. They bear no distinguishing ticket, and it is only those specimens which have labels in Parry's handwriting (generally on thin coloured paper) that can now be recognised as his.

In a vast collection like Bowring's there were of course large numbers of specimens which have been put aside as duplicates, and which have been used for purposes of exchange, or given to local museums.

Brown (EDWIN). [1819-1876]

Edwin Brown had very extensive collections of Coleoptera.

He purchased James Thomson's collection of Geodephaga, or at least a considerable portion of it. He also had a large number of specimens marked "ex cab. Castelnau."

He purchased A. R. Wallace's collection of Malayan *Cetoniadæ*.

His collections were sold by auction at Stevens' Rooms in March, 1877.

The Trustees purchased several lots of Cicindelidæ and Carabidæ, including types of Thomson, Guérin, &c. Some of the Carabidæ were in the original cartons as purchased from Thomson.

The Trustees also purchased lots of *Cetoniadæ*, including *Euryomia*, with all Wallace's types, and a series of *Protatia*.

Other lots were purchased by Mr. Pascoe, and these are also now in the Museum.

Buckler (WILLIAM). [1814-1884]

The collection of British Lepidoptera formed by W. Buckler, chiefly from specimens bred when preparing the illustrations for "The Larvæ of the British Butterflies and Moths," was presented to the Museum in 1889 by Mr. Robert Newbury.

Burr (MALCOLM).

See SOKOTRA EXPEDITION.

Butler (ARTHUR GARDINER). [1844-]

All the types of species described in the Museum Catalogues, and in his numerous papers, except a few in the collection of the Hon. Walter Rothschild, in the Oxford Museum, and a few described from the collections of M. Fenton and H. Roberts.

See CHRISTMAS ISLAND.

Cameron (PETER).

His collection of *Cynipidæ* and *Tenthredinidæ*, which was the basis of his "Monograph of British Phytophagous Hymenoptera."

Presented by Dr. Godman in 1896.

A large number of the type-specimens of Hymenoptera described by Mr. Cameron in his various papers are in the Museum; mostly obtained by purchase.

Candèze (ERNEST CHARLES). [1827-1898]

See JANSON.

"Challenger" Voyage.

The insects collected during the voyage of H.M.S. "Challenger" are in the Museum.

Champion (GEORGE CHAMPION).

See GODMAN and SALVIN, and WEST INDIES.

Chevrolat (LOUIS ALEXANDRE AUGUSTE). [1799-1884]

See BOWRING, CLARK, and KERREMANS.

Children (JOHN GEORGE). [1777-1852]

In 1816 J. G. Children was appointed an Assistant Keeper in the Museum; and in 1837, when the Zoological collections were made into a separate Department, Children was the first Keeper. He had, however, a private collection of Insects of all orders, and when these were sold in 1840 a large number of specimens were purchased by the Trustees. Specimens had, moreover, been previously presented by him in 1839.

These are all incorporated in the general collection.

Christmas Island Expedition.

The insects collected in 1897-98 by Dr. C. W. Andrews, and described in the "Monograph of Christmas Island" by A. G. Butler, Sir G. F. Hampson, Lord Walsingham, W. F. Kirby, C. O. Waterhouse, C. J. Gahan, G. Lewis and G. J. Arrow, are in the Museum, except the Microlepidoptera, which are in Lord Walsingham's collection.

Clark (Rev. HAMLET). [1823?-1867]

In 1867 the Trustees purchased his entire collection of *Hydradephaga*, consisting of about 8000 specimens, and *Phytophaga*, about 56,000 specimens.

Clark purchased the collections of Laferté and Chevrolat, as well as considerable numbers from the collections of James Thomson* and others.

All these are incorporated with the general collection.

Cockerell (THEODORE DRU ALLISON). [1866-]

See WEST INDIES.

Crowley (PHILIP). [1837-1901]

See p. 577.

Crotch (GEORGE ROBERT). [1841?-1874]

The series of Coleoptera collected for Dr. Godman in the Azores, and which formed the subject of a paper by G. R. Crotch in the Proceedings of the Zoological Society for 1867, was presented to the Museum by Dr. Godman in 1871.

It is at present kept as a separate collection.

Curtis (JOHN). [1791-1862]

The types of the "Descriptions of the Insects collected by Capt. P. P. King in the Survey of the Straits of Magellan." Trans. Linn. Soc., 1837-39.

These were presented by the Linnean Society in 1863. They are at present in a separate cabinet, but will be incorporated when circumstances permit.

Dallas (WILLIAM SWEETLAND). [1824-1890]

All the types described by this author in the Catalogue of Hemipterous Insects in the British Museum.

* I am not sure that he purchased Thomson's entire collection; he probably divided it with Baly, but I remember seeing the collection at his house in its original state with the large round coloured tickets.—CHAS. O. W.

De Bormans (A.).

A first selection from his collection of *Forficulidæ* including the types of species described by him. Purchased in 1900.

Dejean (COMTE PIERRE FRANÇOIS M. AUGUSTE. [1780-1845]

See BOWRING (Longicornia), BAKEWELL (Lamellicornia), F. BATES (Heteromera), JANSON (Elateridæ).

Denny (HENRY). [1803-1871]

The type specimens of Denny's "Monographia Anoplurorum Britanniae" were purchased by the Trustees in 1852.

They are incorporated with the Museum collection.

Desbrochers Des Loges (JULES).

See F. BATES.

Desvignes (THOMAS). [1812?-1868]

Desvignes' entire collection of 6880 British Ichneumonidæ was purchased by the Trustees in 1868.

It was arranged in the Museum collection of British Hymenoptera by the late F. Smith, when many duplicates were separated.

Distant (WILLIAM LUCAS). [1845-]

See GODMAN and SALVIN.

Mr. Distant was engaged by the Trustees in 1899 and following years to arrange and name the general collection of Hemiptera, and many of his types are in the Museum.

Doubleday (EDWARD). [1811-1849]

Numerous types described alone or in conjunction with Westwood and Hewitson in the "Genera of Diurnal Lepidoptera," and many other works.

Douglas (JOHN WILLIAM). [1814-]

In 1904 the Trustees purchased from the widow of the late Philip B. Mason the whole of J. W. Douglas' collection of *Coccidæ*, consisting of 182 species and 1771 specimens. Also his collection of British Homoptera, which contained 350 species and 3500 specimens.

Druce (HERBERT).

See GODMAN and SALVIN.

Drury (DRU).

See G. MILNE.

East India Company's Museum.

When this collection was given up in 1860 the British Museum received by presentation about 9000 specimens of insects. The most

important part was the collection made in Java by Dr. Horsfield and others, about 4940 specimens, many of them described by MacLeay in "*Annulosa Javanica*," as well as types described by Westwood, Boheman, Walker, Guenée; and by Horsfield and Moore in the Catalogues of Lepidoptera in the Museum of the East India Company. These were for many years kept as a separate collection, but the specimens are now being labelled and incorporated with the general collection.

Elwes (HENRY JOHN).

In 1901 the Trustees accepted his offer to present from his Holarctic Collection of Butterflies all specimens required to render the Museum series as complete as possible, he himself to rearrange the general collection from this region and incorporating the Hewitson, Leech, and other collections. The rearrangement was commenced in 1902, and at present the *Satyridæ* and *Nymphalidæ* have been completed, 4264 specimens from the Elwes collection having been incorporated, including types.

The Elwes collection includes those formed by Gr. Grumm Grshimaïlo and H. Christoph.

Entomological Club.

The Entomological Club presented to the Museum the greater portion of their collections in 1844, retaining only the British Lepidoptera and British Diptera. There were 4959 Coleoptera, 72 Orthoptera, 76 Neuroptera, 732 Hymenoptera, 100 Homoptera, 160 Hemiptera, 440 Lepidoptera, 177 Diptera, 19 Aptera.

There were many type specimens described by Newman and others. They are incorporated in the general collection.

"Erebus" and "Terror" Voyage.

Besides the specimens from New Zealand mentioned as being in the British Museum, many others described by Adam White from Major Parry's and other collections are now in the Museum.

Fabricius (JOHN CHRISTIAN). [1745-1808]

See BANKS.

Fairmaire (LÉON MARC HERMINIE). [1820-]

See KERREMANS.

Fauvel (ALBERT). [1840-]

See WEST INDIES.

Fernando Noronha.

The insects collected by Messrs. H. N. Ridley and G. A. Ramage in Fernando Noronha, and described in the Journal of the Linnean Society of London, vol. xx., 1888, by C. O. Waterhouse and W. F. Kirby, are in the Museum: presented by the Royal Society.

Forel (AUGUSTE HENRI). [1848-]

See WEST INDIES.

Frey (*Prof.* HEINRICH). [1822-1890]

Frey's entire collection of European Lepidoptera was purchased by the Trustees in 1890. It consisted of about 18,000 specimens.

The specimens have been incorporated with the general collection, except the Micro-Lepidoptera.

Fruhstorfer (H.).

The types of certain Rhopalocera described by him.

Gahan (CHARLES JOSEPH). [1862-]

The types of numerous species of Coleoptera described by him.

See CHRISTMAS ISLAND, GODMAN and SALVIN, SOKOTRA, and WEST INDIES.

Godman (FREDERICK DU CANE). [1834-]

See G. R. CROTCH, and WEST INDIES.

Godman (F. D.), and **Salvin** (O.).

Messrs. Godman and Salvin have from time to time presented to the Museum their extensive collections of Central American insects described in the "Biologia Centrali-Americana."

The groups which have at present been received are:—

COLEOPTERA—

7,851	Geodephaga,	named by H. W. Bates.
7,618	Clavicornia	" { D. Sharp, G. Lewis, and Rev. A. Matthews.
7,396	{ Lamellicornia	" "
	{ Pectinicornia	" "
2,795	Buprestidæ	" C. O. Waterhouse.
823	Eucnemidæ	" G. H. Horn, M.D.
4,342	Elateridæ	" G. C. Champion.
95	Rhipiceridæ	" "
67	Cebrionidæ	" "
964	Dascillidæ	" "
6,742	Malacodermata	" Rev. H. S. Gorham.
12,636	Heteromera,	" G. C. Champion.
968	Brenthidæ	" D. Sharp.
6,920	Longicornia	" H. W. Bates and C. J. Gahan.
13,752	Phytophaga	{ M. Jacoby, G. C. Champion, and J. S. Baly.
2,585	(Cassididæ)	
1,404	(Hispidæ)	{ D. Sharp.
487	Bruchidæ	
1,449	Erotylidæ	{ Rev. H. S. Gorham.
466	Endomychidæ	
2,418	Coccinellidæ	

LEPIDOPTERA—

6,368	{ Danainæ	{ F. D. Godman and O. Salvin.
	{ Ithomianæ (in part),	
	{ Satyridæ.	
	{ Nymphalidæ (in part).	

LEPIDOPTERA (*continued*)—

12,883	Zygænidæ	}	named by H. Druce.
	Arctiadæ		
	Pericopidæ		
	Sesiadæ		
	Saturnidæ		
	Ceratocampidæ		
	Lymantriadæ		
	Agaristidæ		
	Limacodidæ		
	Perophoridæ		
	Megalopygidæ		
	Drepanidæ		
	Cossidæ		
	Hepialidæ		
	Bombycidæ		
	Notodontidæ		
	Noctuidæ		
	Geometridæ		
	Uraniadæ		
	Myrididæ		
	Pyalidæ		

DIPTERA—

17,525 specimens, named by Baron Osten-Sacken, Prof. S. W. Williston, and F. M. van der Wulp.

ORTHOPTERA—

1,098	Forficulidæ, named by A. de Bormans.	}	H. de Saussure and L. Zehntner.
	Blattidæ		
	Mantidæ		
	Gryllidæ		
	Locustidæ		

RHYNCHOTA—

5,543	<i>Hemiptera</i> :	
	Pentatomidæ, named by W. L. Distant.	
	Coreidæ	" "
	Lygæidæ	" "
	Pyrrocoridæ	" "
	Capsidæ	" "

HYMENOPTERA—

10,004	Terebrantia, named by P. Cameron.	
	Parasitica	" "
	Fossores	" "
2,247	Formicidæ, named by A. Forel.	

The Coleoptera from Central America described in the Transactions of the Entomological Society, supplementary to the Biologia, are also in the Muscum. They are:—

532	Cicindlidæ, named by H. W. Bates.	
2,703	Carabidæ	" "
870	Cerambycidæ	" "
787	Lamiadæ	C. J. Gahan.
252	Hispidæ	G. C. Champion.

Besides the insects from Central America, Messrs. Godman and Salvin have presented considerable portions of their Old World Rhopalocera, numbering altogether 11,461 specimens; belonging to the Danainæ, Satyrinæ (part), Elymnianæ, Acræinæ, Nymphalinæ (part), Pierinæ and Papilioninæ (part).

Gorham (*Rev.* HENRY STEPHEN).

See GODMAN and SALVIN, and WEST INDIES.

The Rev. H. S. Gorham's collection of *Endomychidæ* was for a time in the possession of Mr. G. Lewis, who added to it those collected by H. W. Bates, including the types of his monograph of the genus *Corynomalus*.

The whole of this collection was purchased by the Trustees in 1891, and has been incorporated with the general collection.

Grant (WILLIAM ROBERT OGILVIE). [1863—]

See SOKOTRA.

Gray (GEORGE ROBERT). [1808–1872]

The types of Lepidoptera described by him in his Catalogue of *Papilionidæ*, and in his papers; also many of the insects described in Griffiths' edition of Cuvier's "Animal Kingdom."

Grimshaw (PERCY H.).

See HAWAIIAN ISLANDS.

Grote (AUGUSTUS RADCLIFFE).

Grote's collection of North American Lepidoptera, consisting of 6,054 specimens, was purchased for the Museum in 1881 and 1882.

Grote's collection contained the types of some species described by Dr. Morrison and by H. Edwards.

The specimens, except the Micro-Lepidoptera, are all incorporated with the general collection.

Grouvelle (A.).

See WEST INDIES.

Guenée (ACHILLE). [1809–1880]

Besides the types of species described in his works as being in the Museum collection, there are others received from the East India Museum, and some species were based on Abbot's figures.

Hagen (*Dr.* HERMAN AUGUST). [1817–1893]

The Termitidæ collected on the Amazons by H. W. Bates, which were the subject of notes by Dr. Hagen in *Linnaea Entomologica*, vol. xii., p. 270, &c., were purchased for the Museum in 1865.

They are at present kept in a separate drawer.

Hampson (*Sir* GEORGE FRANCIS). [1860—]

The types of Butterflies described by Sir G. F. Hampson from Nilgiris, as well as Butterflies and Moths from East Africa, and many of the types described in the "Fauna of British India" and supplementary papers in the Transactions of the Bombay Society; also those in his papers on the classification of *Pyralidæ*, and of *Phycitinae* and *Gallerianæ* in the Romanoff Mémoires, vol. viii., are in the Museum, besides the species described in Museum Catalogues and other papers, except such as are in the Collections of Hon. W. Rothschild, H. J. Elwes, Herbert Druce, and the late Dr. O. Staudinger.

See CHRISTMAS ISLAND, SOKOTRA, and WEST INDIES.

Hardwicke (*Major-General THOMAS*).

The Hardwicke Bequest was received in 1835. There was a considerable number of Insects of all orders, also of drawings, chiefly from Nepal, but many from other parts of the world. Some of the species labelled Nepal have since been found to have been so marked in error.

The specimens are incorporated with the general collection.

See REV. F. W. HOPE.

Hawaiian Islands.

The insects collected in the Hawaiian Islands at the instance of the Joint Committee of the Royal Society and British Association.

The following groups, described in the "Fauna Hawaiiensis," have been received:—

HYMENOPTERA, named by		R. C. L. Perkins.
DIPTERA	"	P. H. Grimshaw and P. Speiser.
MAORO-LEPI- DOPTERA	}	E. Meyrick.
NEUROPTERA		
ORTHOPTERA	"	R. C. L. Perkins.
	"	"

COLEOPTERA—

Cioidæ,	named by	R. C. L. Perkins.
Hateromera	"	"
Rhynehophora	"	"
Longicornia	"	D. Sharp.
Phytophaga	"	"
HEMIPTERA	"	G. W. Kirkaldy.

Haworth (*ADRIAN HARDY*). [1767–1833]

A large proportion of the species described in "Lepidoptera Britannica," 1803, chiefly Noctuidæ, Geometridæ, and Microlepidoptera, about 125 species, are in the Museum. They are at present kept in a separate drawer. They bear Haworth's original trapezoidal-shaped labels, and the small square blue tickets with which his British Insects were marked.

There are also in the Museum a few of his Coleoptera received with Kirby's collection. Among them are the specimens of *Coccinella* which were the subject of his monograph in the Trans. Ent. Soc., 1807, p. 257.

These are at present in a separate drawer.

See J. F. STEPHENS.

Heron (*FRANCIS ARTHUR*). [1864–]

The types of a few Rhopalocera described by him.

Hewitson (*WILLIAM CHAPMAN*). [1806–1878]

His entire collection of Lepidoptera Rhopalocera, consisting of 24,600 specimens. This included most of the types described by A. R. Wallace.

This collection was received in 1879. It was bequeathed to the Trustees on condition that it was kept intact as a separate collection for a period of twenty-one years; and his Will expresses a wish that it should remain undisturbed for a further period of twenty-one years.

This collection is for the most part still in the original cabinets, but is now being incorporated with the general collection.

Hope (REV. FREDERIC WILLIAM). [1797-1862]

The species diagnosed in the "Synopsis of the new species of Nepaul Insects in the collection of Major-General Hardwicke," in Gray's Zoological Miscellany, 1831.

These formed parts of the Hardwicke bequest to the Museum. They have been incorporated with the general collection.

Horn (CHARLES), and **Smith** (F.).

The nests of Hymenoptera figured and the species described by these authors in the Transactions of the Zoological Society, vol. vii, pp. 161-196.

Horn (GEORGE HENRY). [1840-1897]

See GODMAN and SALVIN.

Dr. Horn visited England on two or three occasions, and spent much time in examining the N. American Coleoptera, and named a considerable number of species. He particularly named all the specimens of *Lachnosterna* from specimens he had with him, which had been the subject of his monograph.

Horsfield, M.D. (THOMAS). [1773-1859]

See EAST INDIA MUSEUM.

Howard (LELAND O.).

See WEST INDIES.

Jacoby (MARTIN).

See GODMAN and SALVIN, and WEST INDIES.

Janson (EDWARD WESLEY). [1822-1891]

The entire collection of *Elateridæ* formed by E. W. Janson was presented in June, 1903, by Dr. F. D. Godman. It consists of 25,000 specimens, of which at least 1000 are original types. Janson purchased the collection of this family made by M. Candèze, and which was the basis of his Monograph. He also bought a second collection formed by Candèze, and he possessed (according to a note found among his papers) the collections of Latreille, Dejean, Buquet, Reiche, Laferté, Gory, Parry, A. Deyrolle, Schaum (part), Bakewell (including Curtis), W. W. Saunders, Mniszech, E. Brown, A. Murray, H. Clark, and Atkinson. He also had large series of specimens collected by Wallace, Bates, Buckley, &c.

Jekel (HENRI). [1816-1891]

See BOWRING.

Kaye (WILLIAM JAMES).

The types of Lepidoptera described in his paper on the Moths of Trinidad.

Kerremans (CHARLES).

His entire collection of *Buprestidæ*, numbering 10,000 specimens, 3377 species, of which over 1700 are type-specimens. Purchased in 1903.

In 1885, Capitaine Kerremans became possessed of Chevrolat's collection, and in 1894 obtained Fairmaire's collection of exotic species. A large number of the types of these two authors are therefore now in the Museum.

Kirby (*Rev.* WILLIAM). [1759–1850]

Most of the specimens which were the subjects of the following memoirs are in the Museum.

“A Century of Insects.” *Trans. Linn. Soc.*, xii. 1818.

About sixty of these species were presented by the Entomological Society in 1863. They are at present in a separate drawer, but will be incorporated when circumstances permit.

“New species of Insects collected in New Holland by Robert Brown, Esq.” *Trans. Linn. Soc.*, xii. 1818.

Some of these at least are in the Museum.

The Coleoptera described in Richardson's “Fauna Boreali-Americana.” Vol. iii. 1837.

These are incorporated in the general collection.

KIRBY'S BRITISH COLEOPTERA.

Portions of his collection of British Coleoptera are in the Museum, containing the Hydradephaga, Clavicornia, Brachelytra, Lamellicornia, Serricornia, Malacodermata, Rhynchophora and Phytophaga.

These are kept in a separate cabinet. The most important part contains the specimens of *Apion* which were the subject of his monograph in vols. ix. and x. of the Transactions of the Linnean Society, 1808–11.

KIRBY'S BRITISH BEES.

The Bees which were the subject of Kirby's “*Monographia Apum Angliæ*,” 1802, are in the Museum. They are kept in separate drawers.

Kirby (WILLIAM FORSELL). [1844–]

The types of most of the species described by this author, except a few Lepidoptera in the Dublin Museum, in the collection of Mr. H. Grose Smith, and some Orthoptera and Neuroptera in Mr. Distant's collection.

See CHRISTMAS ISLAND, and FERNANDO NORONHA.

Kirkaldy (GEORGE WILLIS).

See HAWAIIAN ISLANDS, and SOKOTRA.

Lacordaire (JEAN THEODORA). [1801–1870]

See F. BATES.

Laferté (F. DE).

See BAKEWELL, F. BATES, and CLARK.

Leach, M.D. (WILLIAM ELFORD). [1790–1836]

Dr. Leach's collection was presented to the Trustees in 1826. It is incorporated with the general collection.

Leech (JOHN HENRY). [1862-1900]

LEPIDOPTERA—

A selection from Mr. J. H. Leech's collection of Palæarctic Moths (except the European), consisting of some 10,000 or 12,000 specimens, was purchased by the Trustees in 1900. They are all incorporated.

The rest of his collection, consisting of the whole of his Butterflies and his European Moths, was presented by his mother, Mrs. N. Leech, in 1901. In it are included the collections formed by M. Sand (France), Dohlmann (Denmark), Mutzell (Berlin), and G. D'Emmick (Buda-Pesth).

Lewis (GEORGE).

See CHRISTMAS ISLAND, GODMAN and SALVIN, and WEST INDIES.

Lord (JOHN KEAST).

Insects from Vancouver I. and British Columbia.

See F. WALKER.

Marshall (Rev. THOMAS ANSELL). [1827-1903]

In 1904 the Trustees purchased from the widow of the late Philip B. Mason the Rev. T. A. Marshall's collections of *Tenthredinidæ*, *Ichneumonidæ*, *Braconidæ* and *Chalcididæ*, consisting of 6984 specimens—the most valuable series being the *Braconidæ*, monographed in the Transactions of the Entomological Society of London between the years 1885 and 1895.

In December, 1868, the collections which Marshall then had were lost through the foundering of the vessel which was conveying them from Milford to Barnstaple.

Marshall (THOMAS). [-1819]

See J. F. STEPHENS.

Mason (PHILIP BROOKES). [1842-1903]

See DOUGLAS, MARSHALL, and MATTHEWS.

Matthews (Rev. ANDREW). [1815-1897]

In 1904 the Trustees purchased from the widow of the late Philip B. Mason the whole of the Rev. A. Matthews' collection of *Trichopterygidæ*, consisting of 355 species, 1890 specimens, of which 127 were types; his collection of *Corylophidæ*, consisting of 153 species, 727 specimens, of which 85 were types; also his specimens of *Amphizoa*, *Scaphidiidæ* and *Silphidæ*.

See GODMAN and SALVIN, and WEST INDIES.

McLachlan (ROBERT). [1839-1904]

Some types of Neuroptera described, during his rearrangement of the *Myrmeleonidæ*, in the Journ. Linn. Soc.

See SOKOTRA.

Meyrick (EDWARD).

The types of species of Moths described by him in his papers on the collections made by Mr. Doherty in the Malayan subregion in the Transactions of the Entomological Society for 1894 and 1897, as being in Mr. Elwes's collection, have been presented to the Museum by Mr. Elwes.

See HAWAIIAN ISLANDS, and Dr. G. H. RAYNOR.

Milne (G.).

Milne's collection was sold in 1839. Some portions, chiefly Coleoptera and Lepidoptera, about 1749 specimens, were purchased by the Trustees. Among them certain type specimens of Lepidoptera from Drury's collection have been recognised.

Montandon (A. L.).

His collection of Hemiptera of the family *Plataspinae*, and a first selection of the families *Anthocoridae*, *Belostomatidae* and *Capsidae*.

Moore (FREDERIC).

Dr. Moore's collection of Indian Lepidoptera has been purchased by the Trustees in separate portions. The whole of the Heterocera are in the Museum and are incorporated with the general collection. Of the Rhopalocera, the *Erycinidae* and *Papilionidae*, *Satyridae*, *Nymphalidae*, are in the Museum, and for the most part incorporated.

The types described as in the Collection of W. S. Atkinson are in the late Dr. Staudinger's collection; those described in the Yarkand Expedition are in the Calcutta Museum; those described in the Collection of A. E. Russell are lost, and some types are in the Oxford Museum.

Murray (ANDREW). [1812-1878]

In 1868 the Museum obtained by purchase the collection of 1,062 specimens of *Nitidulidae* formed by A. Murray.

The collection was named throughout, but only the early portion was monographed in the Transactions of the Linnean Society in 1864.

The specimens are incorporated in the general collection.

In 1878 the Trustees purchased from Janson portions of Murray's other collections, viz. :—

His Old Calabar collection from Cicindela to the Longicornia, omitting the Elateridae, which Janson retained.

His collection of Catops which had been the subject of a monograph.

Also type specimens of certain species described from Cordova.

All these are incorporated in the general collection.

Newman (EDWARD). [1801-1876]

The type specimens of a considerable proportion of the species of Coleoptera described by Newman from Australia, N. America, the Philippine Islands and other localities are in the Museum. They were chiefly presented by the Entomological Club; but many others were obtained by purchase. There are also a few Lepidoptera. The specimens are incorporated with the general collection.

Norris (T.).

Norris' collection was sold by auction in 1873. More than seven hundred specimens, with numerous types described by F. Walker, were purchased by the Trustees; many others passed into Mr. F. Moore's collection, and these are also now in the Museum.

Olivier (GUILLAUME ANTOINE). [1756-1814]

Besides the species mentioned by this author as being in the Banksian collection, a few *Buprestidae*, which were in Capitaine Kerremans' collection from Chevrolat, are now in the Museum.

Parry (*Major* FREDERICK JOHN SIDNEY). [1811-1885]

When Major Parry's collection was broken up and sold, certain portions were purchased by the Trustees, including 60 type specimens of Lucanidæ,* some Cetoniadæ, and Cleridæ.

Major Parry was a frequent visitor to the Museum, and the Museum collection of Lucanidæ was to a great extent named with his assistance.

See F. BATES and BOWRING.

Pascoe (FRANCIS POLKINGHORNE). [1813-1893]

Pascoe's entire collection of Coleoptera was purchased in 1893. The arranged portion of the collection contained 33,700 specimens, of which 3,191 were types of his species. Besides these there were numbers of specimens which were regarded as duplicates or were unexamined, bringing the total number of specimens up to 48,500.

In its original state the collection was remarkable for the small space it occupied. The cabinet drawers were small and shallow, and short pins and very small labels were used. Pascoe seldom kept more than two specimens of a species, and was generally satisfied with one; many of the specimens regarded by him as duplicates were therefore wanted for the Museum collection. If a species varied in size he always chose the smallest, and rarely put an imperfect specimen into his cabinet.

Perkins (ROBERT C. L.).

See HAWAIIAN ISLANDS.

Petiver (JAMES). [1659-1718].

Petiver's collection of insects is contained in two folio volumes, the specimens being flattened on pieces of card and covered with talc. Some other specimens are mounted in glass frames of various sizes. The specimens are mostly in bad condition. The chief interest of the collection lies in its age (one of the *Libellulæ* being dated August 1700) and in the fact that some of the specimens are figured in the collector's works. It formed part of the original British Museum, having been purchased by Sir Hans Sloane.

Power (JOHN ARTHUR). [1810-1886]

His entire collections of British Coleoptera and Hemiptera. Purchased in 1896.

As Dr. Power often kept unnecessarily large series of specimens, only a selection was made for incorporation, care being taken to secure individuals from all localities. All the specimens were originally mounted in rows on long strips of card, which made a careful examination very difficult. Those which were incorporated in the British Collection were therefore all re-mounted. Many others were incorporated in the general collection.

Pryer (W. B.).

Types of Lepidoptera from China.

Raynor (Dr. G. H.).

In 1899 the Trustees purchased 2400 specimens of Lepidoptera from New South Wales from Dr. Raynor's collection. They were chiefly named by Mr. Meyrick and contained some of his types.

* Most of the other Lucanidæ were purchased by M. R. Oberthür.

Reiche (L.).

See BAKEWELL.

Ricardo (Miss).

See SOKOTRA.

Rosenstock (R.).

The types of Lepidoptera described from Anstralia.

Rothschild (Hon. WALTER).

Some types of *Sphingidæ* described in his Monograph.

Salvin (OSBERT). [1835-1898]

See GODMAN and SALVIN.

Saunders (EDWARD).

Mr. Edward Saunders' collection of Buprestidæ was purchased by the Trustees in 1874. It consisted of 7,267 specimens, 2,974 species, of which 364 were original types. Mr. Saunders visited many of the Continental museums, and spared no pains in seeking out original type specimens, with which he compared his own. These specimens are marked "compared with type."

The specimens are incorporated with the Museum collection, but all bear a ticket with his name.

Saunders (Sir SYDNEY SMITH). [1809-1884]

The collection of fig insects formed by Sir S. Saunders, and which was the basis of memoirs by himself and Prof. Westwood in the Transactions of the Entomological Society, was purchased by the Trustees in 1884.

Saunders (WILLIAM WILSON). [1809-1879]

In 1865 W. W. Saunders presented to the Trustees his entire collection of Hemiptera, 3,207 specimens. It was particularly valuable on account of the large series of specimens collected by A. R. Wallace and H. W. Bates.

In 1868 he also presented his collections of Neuroptera, 2,000 specimens, and Diptera, 5,000 specimens, containing a considerable number of types described by F. Walker, including the series of species collected by Wallace in the Malay Archipelago,* and described in the Journal of the Linnean Society, vols. 3, 4, 5, 8 and 9; and those collected by Bates on the Amazons and described in the Transactions of the Entomological Society, &c.

The specimens are incorporated with the general collection, but bear a ticket with his name.

In 1894 the Tineidæ of the Saunders collection including many types described by F. Walker were acquired by purchase.

Sharp (DAVID). [1840-]

See GODMAN and SALVIN, and HAWAIIAN ISLANDS.

Sharpe (Miss EMILY MARY).

The types of Lepidoptera described in the collections made by J. L. Bonhote in the Bahamas, Dr. C. Christy in Nigeria, and E. S. Grogan in Central Africa.

* A few of the types from this collection found their way into that of the Rev. F. W. Hope, and are now in the Oxford Museum.

Smith (FREDERICK). [1805-1879]

The Museum purchased a first selection from F. Smith's collection of exotic Hymenoptera, including all his types, and types of certain species described by Saussure.

This series is incorporated in the general collection.

The remaining portion of his collection passed into the possession of the Rev. Farren White, and was subsequently, in 1899, presented to the Museum by Mrs. Farren White.

See HORN.

Sokotra Expedition.

Insects collected during the Expedition to Sokotra under Dr. H. O. Forbes and Mr. W. R. Ogilvie Grant, including the types described by the following entomologists:—

HYMENOPTERA, named by	W. F. Kirby.
DIPTERA	Miss Ricardo.
LEPIDOPTERA *	W. R. Ogilvie Grant and Sir G. F. Hampson.
NEUROPTERA	R. McLachlan and W. F. Kirby.
ORTHOPTERA	M. Burr.
HEMIPTERA	G. W. Kirkaldy.
COLEOPTERA	C. J. Gahan.

These were presented by the Royal Society, and described in the Bulletin of the Liverpool Museums, 1899-1900.

South (RICHARD). [1848-]

Types of many of the *Pyralidæ* described from China in the collection of J. H. Leech.

Speiser (P.).

See HAWAIIAN ISLANDS.

Stainton (HENRY TIBBATS). [1822-1892]

Stainton's entire collections, consisting of 27,300 specimens, were presented by his widow in 1893.

With the exception of a few miscellaneous specimens, which have been incorporated, the specimens remain in the cabinets as they were received.

His entomological letters, and a collection of water-colour drawings of Lepidoptera and their larvæ, are also in the Museum.

Stephens (JAMES FRANCIS). [1792-1852]

His entire British collections were purchased in 1853 from Mrs. Stephens. It contained about 90,000 specimens. Stephens, in his "Manual of British Coleoptera," gives an account of his collection. He states that it contains "the original specimens described in the 'Coleoptera Britannica' of Marsham." It is difficult in some cases to identify these types, but most of Marsham's specimens have a very small, round, white ticket attached to them. According to an old sale catalogue now in the Museum, Marsham's collection was sold by auction at 38, King Street,

* The Micro-Lepidoptera are in the collection of the Rt. Hon. Lord Walsingham and were described by him.

Covent Garden, on July 7th, 1820. It seems, however, extremely probable that this sale was made after Stephens had selected from it what he required, as there is in the Museum a manuscript list in Stephens' handwriting headed, "List of Insects taken from Marsham's Cabinet," with the prices paid for the specimens.

Stephens also states (Man. Brit. Coleopt., p. iv.) that his collection included the greater portion of the species "subsequently named or monographed by Kirby, Leach, etc., as well as all the obscure species described by Haworth in 'Lepidoptera Britannica.'" The meaning of this sentence is a little uncertain, but it probably means that his collection contained the species (but not necessarily the original specimens) of these authors, for the bulk of their types came to the Museum from quite another source. (See HAWORTH.)

His British Coleoptera are kept as a separate collection as Stephens arranged them. The Macrolepidoptera were re-arranged by Dr. Butler, but although the length of the series was in many cases reduced, all the original labels and nomenclature have been preserved.

The Microlepidoptera were arranged and catalogued by the late H. T. Stainton in 1854, but are now being incorporated in the British collection of Lepidoptera.

The Diptera and Rhynchota are kept as a separate collection. The Orthoptera and Neuroptera have been re-arranged, but the original labels are preserved.

Throughout these collections, whenever Stephens' specimens have been mixed with others, they are distinguished by small oval tickets; specimens from other sources have round tickets with the register number.

Swinhoe (Colonel CHARLES).

Nearly all the type specimens of Lepidoptera described by Colonel Swinhoe have been acquired by the Trustees, either by presentation or purchase, except those described in his volumes on the collections of the Oxford Museum.

Tatum (T.).

See BOWRING.

Theobald (FREDERICK VINCENT).

The specimens and types described in the "Monograph of *Culicida*."

Thomson (JAMES). [fl. 1854-1888]

See EDWIN BROWN, H. CLARK.

Uhler (P. R.).

See WEST INDIES.

Vigers (NICHOLAS AYLWARD). [1785-1840]

Vigers' collection was at one time in the Zoological Society's Museum. When this was broken up in 1859, a selection was made of all that was desirable for the Museum.

Vigers had purchased S. Wilkin's collection of British Coleoptera, and portions of this were transferred to the Museum intact; it contained original type specimens of a few species.

Vigers' specimens are incorporated in the general collection; those from Wilkin's collection are at present kept in separate drawers.

Walker (FRANCIS). [1809–1874]

Besides the specimens described by this author in the Museum Catalogues, there are in the Museum :—

(1.) The Ceylonese Coleoptera diagnosed by him in the *Annals and Mag. Nat. Hist.*, II., 1858, pp. 202, 280; III., 1859, pp. 50, 258; IV., 1859, pp. 217–220. Orthoptera in IV., 1859, p. 220; Hymenoptera in IV., 1859, p. 370; V., 1860, p. 304; VI., 1860, p. 357.

The majority of these are at present in a separate drawer, but some have been already incorporated in the general collection.

(2.) The insects from British Columbia collected by J. K. Lord during the Boundary Commission. They are chiefly Hymenoptera, Lepidoptera and Coleoptera. They were enumerated and the new species described in J. K. Lord's "The Naturalist in Vancouver Island and British Columbia," 1866.

The specimens are incorporated in the general collection.

(3.) The Diptera described in "Insecta Britannica," Diptera, vol. III., Calicidæ, &c.

These specimens are for the present kept together in a separate drawer.

(4.) Walker presented to the Museum from time to time specimens of *Chalcididæ* described by him. They are incorporated in the general collection.

The type specimens of Moths described by Walker in Parts 27 to 30 and the corresponding Supplement of the Museum Catalogue as being in the collection of W. W. Saunders, were purchased by the Museum in 1894. Also the types of the species from Congo described in Dr. Chapman's paper on the Insects of Congo (*Proc. N. Hist. Soc. Glasgow*, i., p. 325, 1869), purchased in 1887.

The other types of Lepidoptera described as being in the Saunders' Collection are in the Oxford Museum, as also are most of those described in Fry's Collection; the types of Birchall Collection from Bogotá are with Mr. H. Druee; some of the types from Canada are at Ontario, Canada; some from Bengal are in the Devon and Exeter Museum, and some from Australia are at Melbourne.

The types from Ceylon described in F. L. Layard's Collection are lost, also those from South Africa described as in D'Urban's Collection and those from the Red Sea in J. K. Lord's Collection.

See also W. W. SAUNDERS, and T. NORRIS.

Wallace (ALFRED RUSSELL). [1823–]

See EDWIN BROWN, and W. C. HEWITSON.

Walsingham (Lord). [1843–]

The types of Tineidæ, &c., described by Lord Walsingham in Moore's "Lepidoptera of Ceylon," are in the Museum; also the types of N. American Tortricidæ described in Ill. Het. B.M. Pt. IV.

See CHRISTMAS ISLAND, SOKOTRA, and WEST INDIES.

Walton (JOHN). [1784–1862]

In 1859 Walton presented to the Museum a number of rare and also several (then) unique specimens of British Cureulionidæ; and in 1863,

when his collection was sold, as complete a set as possible was purchased of the specimens which had been the subject of his papers "On the British Insects of the family Curculionidæ" published in the Ann. and Mag. Nat. Hist., 1844, &c.

These specimens are incorporated in the collection of British Coleoptera.

Walton, when engaged in writing the papers above referred to, put himself in communication with Germar, Schönherr and Chevrolat, and received numerous specimens from them. Unfortunately he did not indicate from whom the various specimens were received. A considerable number of these were purchased by the Trustees in 1863. They are kept in two separate drawers with the original labels.

Warren (WILLIAM).

The types described in his papers on Lepidoptera from the Punjab and Brazil and also those described during his rearrangement of the families *Thyrididæ* and *Pyralidæ* are in the Museum.

Waterhouse (CHARLES OWEN). [1843—]

The types of all the species described by him in his numerous papers.

See CHRISTMAS ISLAND, FERNANDO NORONHA, and GODMAN and SALVIN.

Waterhouse (GEORGE ROBERT). [1810—1888]

All the type specimens that were in his collection of Coleoptera before it was broken up were presented to the Museum by G. R. Waterhouse in 1875.

Watson (EDWARD YERBURY). [—1897]

Numerous types of *Hesperiadæ*, and of Oriental Rhopalocera.

West Indies.

The collections made in the West Indies, chiefly in Grenada and St. Vincent, at the instance of the Committee of the British Association. Presented by the British Association.

HYMENOPTERA—

Parasitica, named by W. H. Ashmead. Proc. Zool. Soc. 1896.

Chalcididæ „ L. O. Howard. J. Linn. Soc.

Formicidæ „ A. Forel. Tr. Ent. Soc. 1897.

Aculeata „ W. H. Ashmead. Tr. Ent. Soc. 1900.

DIPTERA, named by S. W. Williston. Tr. Ent. Soc. 1896.

Dolichopidæ and Phoridæ, named by J. W. Aldrich. Tr. Ent. Soc. 1896.

LEPIDOPTERA—

Rhopalocera, named by F. D. Godman and O. Salvin. Proc. Zool. Soc. 1896.

Heterocera „ G. F. Hampson. Ann. Mag. Nat. Hist. 1895. Tr. Ent. Soc. 1898.

[Tineina * „ Lord Walsingham. Proc. Zool. Soc. 1897.]

* These are in Lord Walsingham's collection.

COLEOPTERA—

Pselaphidæ,	named by	A. Raffray.
Clavicornia	„	A. Grouvelle.
Histeridæ	„	G. Lewis.
Corylophidæ	}	Rev. A. Matthews.
Trichopterygidæ		
Copridæ	}	„ G. J. Arrow.
Aphodiidæ		
Trogidæ		
Hybosoridæ		
Orphnidæ	}	„ G. J. Arrow.
Melolonthidæ		
Rutclidæ		
Dynastidæ		
Buprestidæ	„	C. O. Waterhouse.
Elateridæ	}	„ G. C. Champion.
Dascillidæ		
Malacodermata	„	Rev. H. S. Gorham.
HETEROMERA	„	G. C. Champion.
LONGICORNIA	„	C. J. Gahan.
PHYTOPHAGA (except Hispidæ and Cassidæ), named by M. Jacoby.		
Hispidæ	}	named by G. C. Champion.
Cassididæ		
EROTYLIDÆ	}	„ Rev. H. S. Gorham.
COCCINELLIDÆ		

The Brachelytra have been named by M. A. Fauvel, but the new species are not yet described.

RHYNCHOTA—

Homoptera,	named by	P. R. Uhler. Proc. Zool. Soc. 1893-5.
Coccidæ	„	T. D. A. Cockerell. J. Trinid. Club 1896.
Orthoptera	„	C. Brunner von Wattenwyl and J. Redtenbacher. Proc. Zool. Soc. 1892-3.
Neuroptera	„	W. F. Kirby. A. M. N. H. 1894.

Westwood (JOHN OBADIAH). [1805-1893]

Alone, or in conjunction with E. Doubleday and W. C. Hewitson, numerous types of Lepidoptera described in the "Genera of Diurnal Lepidoptera," "Areana Entomologica," &c.

See BEAGLE.

White (ADAM). [1817-1879]

The types of nearly all the species described by this author are in the Museum.

See "EREBUS" AND "TERROR."

Wilkin (S.).

See VIGORS.

Williston (SAMUEL WENDALL).

See WEST INDIES.

Wollaston (THOMAS VERNON). [1822-1878]

The Museum acquired the following collections:—

The Coleoptera from the Canary Islands.

Insects of all orders from Madeira, including the specimens described by Stainton in the Ann. and Mag. Nat. Hist., 1859, iii., p. 209.

The Coleoptera from the Cape Verde Islands; with which are insects of other orders but which are unnamed.

Insects of all orders from St. Helena, including the Lepidoptera described by Mrs. Wollaston in the *Ann. and Mag. Nat. Hist.*, 1879, iii., p. 219.

These collections are kept in separate cabinets.

Wood-Mason (JAMES). [1846-1893]

Types of Lepidoptera from Tenasserim.

Zeller (PHILIPP CHRISTOPH). [1808-1883]

Zeller's collection of Lepidoptera, consisting of 31,000 specimens, was secured for the Museum in 1883-84. The Pterophoridae and Tineidae were not included.* It consisted chiefly of European species, but there were many exotic specimens, including some types.

The types from Syria described as being in Canon Tristram's collection are also in the Museum.

The specimens are incorporated with the general collection.

* These are in the possession of Lord Walsingham.

TABULATION OF THE ORDERS AND FAMILIES OF INSECTA WITH
DATES OF ARRANGEMENT OF BRITISH MUSEUM COLLECTION.

By SIR GEORGE HAMPSON, Bart.

APHANIPTERA.

Of this Order there are in the Museum 18 named species; 200 specimens,
of which 122 are unidentified.

DIPTERA.

Of this Order there are in the Museum 7377 named species;
46,900 specimens, of which 15,000 are unidentified.

APHANIPTERA.

Sub-orders and Families.	Arranged by			
<i>Pulicidæ</i>	F. Smith	1875

DIPTERA.

ORTHORAPHA.				
NEMATOCERA—				
<i>Cecidomyidæ</i> . .	F. Walker	1848	F. Smith (?) 1856
<i>Mycetophilidæ</i> . .	,,	1848
<i>Bibionidæ</i> . . .	,,	1848
<i>Simulidæ</i> . . .	,,	1848
<i>Clironomidæ</i> . .	,,	1848
<i>Orphnephilidæ</i> . .	,,	1848
<i>Psychodidæ</i> . .	,,	1848
<i>Culicidæ</i> . . .	,,	1848	F. V. Theobald, 1900-3
<i>Dixidæ</i>	,,	1848
<i>Ptychopteridæ</i> . .	,,	1848
<i>Limnobiidæ</i> . .	,,	1848
<i>Tipulidæ</i> . . .	,,	1848
<i>Rhyphidæ</i> . . .	,,	1848
BRACHYCERA—				
<i>Stratiomyidæ</i> . .	F. Walker	1848	F. Walker 1854	<i>Raphiocerinæ</i> , and certain other genera, E. E. Austen, 1896-7
<i>Tabanidæ</i> . . .	,,	1848	,, 1854	<i>Pangoninæ</i> , Miss Ricardo, 1900-4
<i>Leptidæ</i>	,,	1848

APHANIPTERA.

No. of Drawers, Jan 1905.	Unincorporated Material. Remarks, &c.
$\frac{1}{2}$	The named species are mainly British, and are about 14 in number. There are also a few specimens of <i>Sarcopsylla penetrans</i> , L.; "the jigger," from Brazil and Nyasaland, in spirit; and 60 or 70 unnamed specimens from various localities, carded.

DIPTERA.

$\frac{1}{2}$	<p>The family consists of 1 genus, 2 species, represented by 1 specimen of <i>Orphnephila testacea</i>, Ruthe.</p> <p>Accessions—$5\frac{1}{2}$ drawers, 12 small boxes, and some glass tubes.</p>
$1\frac{1}{2}$	
1	
$\frac{1}{10}$	
$1\frac{1}{2}$	
..	
$\frac{1}{15}$	
32	
Small part	
"	
$2\frac{1}{2}$	
5	
Small part	
$3\frac{1}{2}$	
21	
$1\frac{1}{4}$	

DIPTERA—continued.

Sub-orders and Families.	Arranged by				
BRACHYCERA—contd.					
<i>Chiromyzidæ</i> . . .	F. Walker	1848
<i>Cænomyidæ</i> . . .	„	1818
<i>Acanthomeridæ</i> .	„	1848	F. Smith	1874-5	..
<i>Asilidæ</i>	„	1848	F. Walker	1854-5	Various small genera E. E. Austen, 1890-19
<i>Milvidæ</i>	„	1848	„	1854	Col. Yerbury, 1898
<i>Nemestrinidæ</i> . .	„	1849	F. Smith	1874-5	..
<i>Bombylidæ</i> . . .	„	1849	Genus <i>Bombylius</i> , Col. Yerbury, 1901
<i>Therevidæ</i> . . .	„	1848	F. Smith	1874-5	..
<i>Scenopinidæ</i> . .	„	1849
<i>Cyrtidæ</i>	„	1849	F. Walker	1854	..
<i>Empidæ</i>	„	1849
<i>Dolichopodidæ</i> .	„	1849	F. Smith	1874-5	..
<i>Lonchopteridæ</i> .	„	1849
<i>Platypezidæ</i> . .	„	1849
<i>Pipunculidæ</i> . .	„	1849
CYCLORRHAPHA.					
PROBOSCIDEA—					
<i>Syrphidæ</i>	F. Walker	1849	F. Smith	1874-5	<i>Syrphinæ</i> , E. E. Austen, 1891-
<i>Conopidæ</i>	„	1849	Col. Yerbury, 1901
<i>Æstridæ</i>	„	1849	{ <i>Cutiterebrinæ</i> , E. E. Austen, 1894 <i>Æstrinæ</i> , E. E. Austen, 1903
<i>Muscidæ</i>	„	1849	F. Smith	1874-5	The major portion E. E. Austen, 1903-4
<i>Anthomyidæ</i> . .	„	1849	„	1874-5	..

DIPTERA—*continued.*

No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
Small part	
"	
$\frac{1}{4}$	
17	
2	
$\frac{1}{2}$	
9 $\frac{1}{2}$	Names of modern genera inserted by Col. Yerbury, 1896
Small part	
"	
$\frac{1}{2}$	A number of species identified by Dr. B. Wandolleck, 1899.
1	
2	
$\frac{1}{6}$	
$\frac{1}{3}$	
$\frac{1}{2}$	
28	
4	
1	
78	
2 $\frac{1}{2}$	

DIPTERA—continued.

Sub-orders and Families.	Arranged by					
PROBOSCIDEA—contd.						
<i>Cordyluridæ</i> . .	F. Walker	1849
<i>Phycodromidæ</i> . .	„	1849
<i>Hclomyzidæ</i> . .	„	1849	F. Smith	1874-5
<i>Sciomyzidæ</i> . .	„	1849	„	1874-5	A few small genera, E. E. Austen, 1890-1901	
<i>Psilidæ</i>	„	1849	„	1874-5	<i>Loxocera</i> and <i>Platystyla</i> E. E. Austen, 1899	
<i>Micropezidæ</i> . .	„	1849	„	1874-5
<i>Ortalidæ</i>	„	1849	„	1874-5	Various genera. E. E. Austen, 1898	
<i>Trypctidæ</i>	„	1849	„	1874-5	Various genera. E. E. Austen, 1899	
<i>Lonchæidæ</i>	„	1849	„	1874-5
<i>Sapromyzidæ</i> . .	„	1849	„	1874-5
<i>Celyphidæ</i>	„	1849	„	1874-5
<i>Opomyzidæ</i>	„	1849	„	1874-5
<i>Sepsidæ</i>	„	1849	„	1874-5
<i>Piophilidæ</i>	„	1849	„	1874-5
<i>Diopsidæ</i>	„	1849	„	1874-5
<i>Ephydridæ</i>	„	1849	„	1874-5
<i>Geomyzidæ</i>	„	1849	„	1874-5
<i>Drosophilidæ</i> . .	„	1849	„	1874-5	<i>Stegana</i> , E. E. Austen, 1898-9	
<i>Chloropidæ</i>	„	1849	„	1874-5
<i>Milichidæ</i>	„	1849	„	1874-5
<i>Agromyzidæ</i>	„	1849	„	1874-5
<i>Phytomyzidæ</i> . .	„	1849	„	1874-5
<i>Astiadæ</i>	„	1849	„	1874-5

DIPTERA—continued.

No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
$\frac{1}{3}$	
$\frac{1}{10}$	
$\frac{1}{2}$	
1	
$\frac{1}{4}$	
1	
4	
$2\frac{1}{4}$	
$\frac{1}{10}$	
$\frac{1}{3}$	
$\frac{1}{10}$	
$\frac{1}{10}$	Species of <i>Opomyza</i> determined by Herr Czerny, 1901.
$\frac{1}{4}$	
Small part	
$\frac{1}{4}$	
$\frac{1}{2}$	
Small part	
$\frac{1}{4}$	
$\frac{1}{4}$	
..	A single specimen of <i>Milichia speciosa</i> , Wlg.
$\frac{1}{7}$	
$\frac{1}{10}$	
Small part	Family consists of genus <i>Astia</i> . 3 species in B. M.

DIPTERA—*continued.*

Sub-orders and Families.	Arranged by			
PROBOSCIDEA— <i>contd.</i>				
<i>Borboridæ</i> . . .	F. Walker	1849	F. Smith 1874-5
<i>Phoridæ</i> . . .	„	1849	„ 1874-5
EPROBOSCIDEA—				
<i>Hippoboscidæ</i> . .	F. Walker	1849	E. E. Austen 1905
<i>Braulidæ</i> . . .	„	1849	C. O. Waterhouse	„ 1903
<i>Nycteribidæ</i> . .	„	1849	Adam White 1856	„ 1903
<i>Streblidæ</i> . . .	„	1849	C. O. Waterhouse	„ 1903
BRITISH DIPTERA .	„	1849 (32 drawers)	E. E. Austen 1890-1902

DIPTERA—continued.

No. of
Drawers,
Jan. 1905.

Unincorporated Material. Remarks, &c.

$\frac{1}{4}$ Genus *Borborus* only represented, and by very few specimens.

$\frac{1}{4}$

5

$\frac{1}{10}$ The family consists of 1 species—*Braula cæca*, Ritz.

2

Unincorporated material of various Families:—

1 Godman-Salvin Coll.:

*5 drawers *Diptera Orthorrhapha*.

*2 boxes *Dolichopodidæ* and *Trypetidæ*.

*8 boxes *Syrphidæ* and *Conopidæ*.

7½ *10 boxes *Cyclorrhapha*.

Yerbury Coll., Ceylon, 1890-2:

Arranged under families, and a considerable number of species provisionally determined. 8 drawers received 1892.

Bingham Coll., 1896, Sikkim and Burma:

†2 drawers *Asilidæ* and *Syrphidæ*.

Khasi Hills, Assam:

†2 drawers chiefly *Asilidæ*, *Bombylidæ*, *Syrphidæ*, and *Muscidæ*.

H. Pryer Coll., Japan:

†2 drawers.

C. W. Andrews, Christmas I.:

Arranged under families. 1 drawer.

G. A. K. Marshall, Natal:

†2 drawers.

E. E. Austen, Coll., Brazil:

Arranged under families, and a certain number of species determined. 2 drawers.

O. Thomas, Argentina and Uruguay:

†½ drawer.

†1 drawer *Tabaninæ*, various localities.

*3 drawers types of *Syrphidæ*, described by M. F. Bigot, and presented by G. H. Verrall, 1894 and 1901.

†2 drawers containing collections from Algeria, A. E. Eaton; Ceylon. E. E. Green; and Queensland, G. Turuer.

Yerbury Coll., Corsica and S. France, 1893:

The majority of species provisionally determined. 2 drawers.

O. Thomas, Brittany and Portugal, 1892 and 1896:

†1 drawer.

India, chiefly N.W. Provinces:

A number of species provisionally determined. 5 boxes belonging to Bombay Nat. Hist. Soc. A named specimen of each species to be returned when worked out.

*3 drawers of N. American Diptera, from the collection of Prof. Tyler Townsend, by whom the specimens were named: purchased from E. Brunetti, 1902-3.

* Accessions which have been classified and named.

† Unclassified accessions.



LEPIDOPTERA.

Of this Order there are in the Museum 41,210 named species ;
355,767 specimens, of which 22,629 are unidentified.

LEPIDOPTERA.

Families and Sub-families.	Arranged by		
NYMPHALIDÆ—			
<i>Danaïinæ</i> . . .	E. Doubleday 1842-8	A. G. Butler 1864-6	F. A. Heron 1891-
<i>Ithomianæ</i> . . .	„ 1842-8	„ 1864-6
<i>Elymnianæ</i> . . .	„ 1842-8	„ 1864-6	F. A. Heron 1894-
<i>Brassolinæ</i> . . .	„ 1842-8	„ 1864-6	„ 1900-
<i>Amathusianæ</i> . . .	„ 1842-8	„ 1864-6	„ 1899-
<i>Morphinæ</i> . . .	„ 1842-8	„ 1864-6	„ 1899-
<i>Acræinæ</i> . . .	„ 1842-8	„ 1864-6	A. G. Butler 1899-
<i>Heliconinæ</i> . . .	„ 1842-8	„ 1864-6	F. A. Heron 1899-
<i>Nymphalinæ</i> . . .	„ 1842-8	„ 1864-6	„ 1890-1900
<i>Calinaginæ</i> . . .	„ 1842-8	„ 1864-6	„ 1900-
<i>Pseudergolinæ</i> . . .	„ 1842-8	„ 1864-6
SATYRIDÆ . . .	E. Doubleday 1842-8	„ 1866-7	F. A. Heron 1899-
PIERIDÆ . . .	„ 1842-8	„ 1871-2	A. G. Butler 1897-
LYCÆNIDÆ . . .	„ 1842-8	„ 1864-6	„ 1899-1900
ERYCINIDÆ—			
<i>Libytheinæ</i> . . .	E. Doubleday 1842-8	A. G. Butler 1864-6	F. A. Heron 1899-
<i>Nemeobianæ</i> . . .	„ 1842-8	„ 1864-6	„ 1899-
<i>Euselasianæ</i> . . .	„ 1842-8	„ 1864-6	„ 1899-
<i>Erycininæ</i> . . .	„ 1842-8	„ 1864-6	„ 1899-
PAPILIONIDÆ . . .	G. R. Gray 1851	„ 1864-6	„ 1899-
HESPERIIDÆ—			
<i>Pyrrhopyginæ</i> . . .	E. Doubleday 1842-8	A. G. Butler 1864-6	E. Y. Watson au F. A. Heron 1891-

LEPIDOPTERA.

		No. of Species. Adam White, 1854.	No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
F. A. Heron	1904-5	83 species	266	Accessions—*3 boxes.
"	1897-8		51	" *33 boxes, Godman-Salvin Coll.
"	1904		30	
"	40	
F. A. Heron	1904	..	70	
"	1904	..	34	
<i>Actinote</i> , F. A. Heron,	1897	219	47	Accession—*1 box, Moore Coll.
..	..	235	17	
<i>Argynnis</i> , <i>Melitæa</i> , <i>Li-</i>		636	638	Accessions—*15 boxes, Moore Coll.
<i>menitis</i> , <i>Apatura</i> ,				*40 " Godman-Salvin Coll.
<i>Vanessa</i> , H. J. Elwes,				†2 drawers, various.
1903-4; <i>Precis</i> and				
<i>Tanaëcia</i> , A. G. But-				
ler, 1901.				
..	1	
..	1	
H. J. Elwes and F. A.		293	370	Accessions—6 drawers.
Heron, 1902-4				
..	..			" †6 boxes.
..	..	385	345	
..	..	558	166	" 2 drawers.
				*1 box, Moore Coll.
..	..		2	
..	..		10	
..	..		2	
..	..		22	
F. A. Heron	1900-2	270	276	Accessions—*2 drawers.
				14 boxes, Moore Coll.
				†5 drawers.
..	..		11	

LEPIDOPTERA—*continued.*

Families and Sub-families.	Arranged by		
HESPERIADÆ—contd.			
<i>Hesperianæ</i> . . .	E. Doubleday 1842-8	A. G. Butler 1864-6	E. Y. Watson and F. A. Heron 1891-
<i>Pamphilinæ</i> . . .	„ 1842-8	„ 1864-6	„ 1891-
SYNTOMIDÆ . . .	F. Walker 1854	A. G. Butler 1876	G. F. Hampson 1891
ARCTIADÆ—			
<i>Nolinæ</i> . . .	F. Walker 1863	A. G. Butler 1877	G. F. Hampson 1902
<i>Lithosianæ</i> . . .	„ 1854	„ 1877	„ 1902
<i>Arctianæ</i> . . .	„ 1855	„ 1876	„ 1902
AGARISTIDÆ . . .	„ 1854	„ 1875	„ 1902
NOCTUIDÆ—			
<i>Agrotinæ</i> . . .	F. Walker 1856-8	A. G. Butler 1890-5	G. F. Hampson 1902
<i>Hadeninæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Cucullianæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Acronyctinæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Eutelianæ</i> . . .	„ 1856-8	„ 1890-5	G. F. Hampson 1902
<i>Stictopterinae</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Sarothripinæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Acontianæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Catocalinæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Mominæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Plusianæ</i> . . .	„ 1856-8	„ 1890-5	„ 1902
<i>Noctuinae</i> . . .	„ 1856-8	„ 1890-5	„ 1902

LEPIDOPTERA—*continued*.

		No. of Species. Adam White, 1854.	No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	64	Unincorporated general collections of Rhopalocera:—
..	71	21,000 specimens, Hewitson Coll. } Named, but 10,880 ,, Leech Coll. } will require 18,000 ,, Crowley Coll. } careful †14 drawers. } examination. *20 boxes unset material. *2 boxes larvæ.
..	61	
..	7	
..	58	
..	84	
..	26	
..	74	
..	70	
..	33	
..	94	
..	6	
..	4	
..	9	
..	8	
..	60	
..	2	
..	12	
..	144	

LEPIDOPTERA—continued.

Families and Sub-families.	Arranged by			
NOOTUIDÆ—contd.				
<i>Erastrianæ</i> . . .	F. Walker	1856-8	A. G. Butler 1890-5
<i>Hypeninx</i> . . .	„	1856-8	„ 1890-5
<i>Hyblæinx</i> . . .	„	1856-8	„ 1890-5
PTEROTHYSANIDÆ .	F. Walker	1855	A. G. Butler 1877	G. F. Hampson 1
LYMANTRIADÆ . .	„	1853	„ 1877	„ 1
COCYTIADÆ . . .	„	1854	„ 1875	„ 1
HYPSIDÆ	„	1854	„ 1875	„ 1
SPHINGIDÆ—				
<i>Acherontianæ</i> . .	F. Walker	1856	A. G. Butler 1875	G. F. Hampson 1
<i>Smerinthinx</i> . .	„	1856	„ 1875	„ 1
<i>Ambulycinæ</i> . .	„	1856	„ 1875	„ 1
<i>Chærocampinæ</i> .	„	1856	„ 1875	„ 1
<i>Sphinginx</i> . . .	„	1856	„ 1875	„ 1
<i>Macroglossinx</i> . .	„	1856	„ 1875	„ 1
CYMATOPHORIDÆ .	„	1856	„ 1890	„ 1
EUPTEROTIDÆ . .	„	1855	„ 1875	„ 1
NOTODONTIDÆ . .	„	1855	„ 1877	„ 1
GEOMETRIDÆ—				
<i>Boarmianæ</i> . . .	F. Walker	1860-2	W. Warren 1892	R. South
<i>Geometrinæ</i> . . .	„	1860-2	„ 1893
<i>Avidalianæ</i> . . .	„	1860-2	„ 1893
<i>Larentianæ</i> . . .	„	1860-2	„ 1893
<i>Enochrominæ</i> . .	„	1860-2	„ 1893
<i>Orthostixinx</i> . .	„	1860-2	„ 1893

LEPIDOPTERA—*continued*.

		No. of Drawers, Jan. 1905.		Unincorporated Material.	Remarks, &c.
..	38		
..	39		
..	1		
..	1		
..	52		
..	1		
..	39		
..	2		
W. Rothschild	1904	..	11		
..	7		
W. Rothschild	1904	..	44		
..	39		
..	16		
..	4		
..	24		
..	44		
..	185		
..	36		
..	42		
..	131		
..	11		
..	9		

LEPIDOPTERA—continued.

Families and Sub-families.	Arranged by			
SATURNIADÆ . . .	F. Walker	1855	A. G. Butler 1876	G. F. Hampson 1898
BOMBYCIDÆ . . .	"	1855	" 1876	" 1898
SABALIADÆ . . .	"	1855	" 1875	" 190
BRAHMLÆIDÆ . . .	"	1855	" 1876	" 1898
CERATOCAMPIDÆ . .	"	1855	" 1876	" 1898
URANIADÆ . . .	"	1854	" "	" 1898
PSYCHIDÆ . . .	"	1855	" "	" 1898
HETEROGYNIDÆ . .	"	1855	" "	" 1898
ARBELIDÆ . . .	F. Walker	1856	A. G. Butler 1875	G. F. Hampson 1898
ARGYROTYPIDÆ . .	"	"	" "	" 1898
RATARDIDÆ . . .	"	"	" "	" 1898
COSSIDÆ . . .	F. Walker	1856	A. G. Butler 1875	" 1898
LASIOCAMPIDÆ . .	"	1855	" 1875	" 1898
ENDROMIDÆ . . .	"	1855	" 1875	" 1898
CHRYSOPOLOMIDÆ .	"	1855	" 1875	" 1898
PEROPHORIDÆ . .	"	1855	" 1875	" 1898
MEGALOPYGIDÆ . .	"	1856	" 1877	" 1898
LIMACODIDÆ . . .	"	1855	" 1876	" 1898
DALCERIDÆ . . .	"	1853	" 1877	" 190
NEOCASTNIADÆ . .	"	"	" "	" 1898
CASTNIADÆ . . .	F. Walker	1854	A. G. Butler 1877	" 188
EUSCHEMONIDÆ . .	"	"	" "	G. F. Hampson 1898
ZYGÆNIDÆ—				
<i>Himantopterina</i> .	F. Walker	1854	A. G. Butler 1876	G. F. Hampson 1898
<i>Chalcosiana</i> . .	"	1854	" 1877	" 1898
<i>Zygænina</i> . . .	"	1854	" 1876	" "
CALLIDULIDÆ . .	"	1854	" 1877	G. F. Hampson 190

LEPIDOPTERA—*continued*.

			No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	90	
..	5	
..	1	
..	3	
..	7	
G. F. Hampson	1900	..	30	
„	1901	..	10	
„	1901	.	1	
..	1	
..	1	
..	1	
G. F. Hampson	1901	..	21	
..	40	
..	1	
..	2	
..	1	
..	3	
..	18	
..	1	
..	1	
..	10	
..	1	
G. F. Hampson	1902	..	1	
„	1902	..	21	
„	1902-3	..	10	
..	2	

LEPIDOPTERA—*continued*.

Families and Sub-families.	Arranged by			
DREPANIDÆ . . .	F. Walker	1855	A. G. Butler 1877	G. F. Hampson 1893
THYRIDIDÆ 1893
PYRALIDÆ--				
<i>Gallerianæ</i> . . .	F. Walker	1863	..	G. F. Hampson 1893
<i>Crambinæ</i>	1863 1893
<i>Schœnobianæ</i>	1863 1893
<i>Anerastianæ</i>	1863 1893
<i>Phycitinae</i>	1863 1893
<i>Epipaschianæ</i>	1858-9	W. Warren 1890-1	.. 1893
<i>Chrysauginæ</i>	1858-9	.. 1890-1	.. 1893
<i>Endotrichinæ</i>	1858-9	.. 1890-1	.. 1893
<i>Pyralinæ</i>	1858-9	.. 1890-1	.. 1893
<i>Hydrocampinæ</i>	1858-9	.. 1890-1	.. 1893
<i>Scoparianæ</i>	1858-9	.. 1890-1	.. 1893
<i>Pyraustinae</i>	1858-9	.. 1890-1	.. 1893
ORNEODIDÆ	1864 1893
PTEROPHORIDÆ	1864 1893
SESIADÆ	1856 1893
TORTRICIDÆ	1863-4
TINEIDÆ	1863-4
HEPIALIDÆ	1856	A. G. Butler 1875	G. F. Hampson 1893
MICROPTERYGIDÆ	1863 1893
BRITISH LEPIDOPTERA	R. South	1902-4		

LEPIDOPTERA—continued.

			No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	8	
..	8	
..	4	
..	30	
..	6	
..	7	
..	43	
..	6	
..	7	
..	4	
..	13	
..	15	
..	9	
..	86	
..	1	
..	7	
..	13	
..	18	Accessions— 6 B. M. drawers. Unnamed, except the Moore and Trail collections and a few other species. *32 drawers, Stainton Coll., European. 40 " " " Exotic, partly named. *38 boxes, Frey Coll., European. *2 " Grote Coll., N. American. Wollaston Coll., *1 drawer from Madeira. *1 " " St. Helena.
..	36	
..	18	
..	1	
..	1	



THYSANOPTERA.

RHYNCHOTA.

Of these Orders there are in the Museum 11,700 named species ;
57,650 specimens, of which 17,300 are unidentified.

THYSANOPTERA.

Sub-orders and Families.	Arranged by			
THIRIPSIDÆ . . .	F. Walker	1852

RHYNCHOTA.

HETEROPTERA.

GYMNO CERATA—

<i>Pentatomidæ</i> . .	Adam White . .	W. S. Dallas	1851	F. Walker	1867
<i>Coreidæ</i>	1852	..	1871
<i>Berytidæ</i>	1852	..	1871
<i>Lygæidæ</i>	1852	..	1872
<i>Pyrrhocoridæ</i>	1872
<i>Tingididæ</i>	1873
<i>Phymatidæ</i>	1873
<i>Aradidæ</i>	1873
<i>Hebridæ</i>	1873
<i>Hydrometridæ</i>	1873
<i>Henicocephalidæ</i>	1873
<i>Reduviadæ</i>	1873
<i>Saldidæ</i>	1873
<i>Æpophilidæ</i>	1873
<i>Ceratocombidæ</i>	1873
<i>Cimicidæ</i>	1873
<i>Anthocoridæ</i>	1873
<i>Polyclenidæ</i>	1873
<i>Capsidæ</i>	1873

CRYPTOCERATA—

<i>Gelastocoridæ</i>	1873
<i>Nepidæ</i>	1873
<i>Naucoridæ</i>	1873
<i>Belostomatidæ</i>	1873
<i>Notonectidæ</i>	1873
<i>Corixidæ</i>	1873

THYSANOPTERA.

	No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
.. ..	1	

RHYNCHOTA.

W. L. Distant 1899-1900	63	
„ 1900-1	37	
„ 1900-1	1	
„ 1901	18	
„ 1901	7	
„ 1901	6	
„ 1901	2	
„ 1901-2	5	
„ 1902	1	
„ 1902	6	
„ 1902	1	
„ 1902-3	38	
„ 1903	1	
„ 1904	1	
„ 1904	2	
„ 1904	1	
„ 1904	4	
„ 1904	1	
„ 1904	19	
„ 1904	2	
„ 1904	5	
„ 1904	4	
„ 1904	4	
„ 1904	2	
„ 1904	2	

RHYNCHOTA—continued.

Sub-orders and Families.	Arranged by				
Homoptera—					
<i>Cicadidæ</i> . . .	F. Walker	1850	F. Walker	1858	A. G. Butler 1874
<i>Fulgoridæ</i> . . .	"	1851	" 1874
<i>Cercopidæ</i> . . .	"	1851	F. Walker	1858	" 1874
<i>Membracidæ</i> . .	"	1851	"	1858	" 1877
<i>Jassidæ</i>	"	1851	"	1858	" 1874
<i>Psyllidæ</i> . . .	"	1852	"	1858	" 1874
<i>Aphidæ</i>	"	1852	" 1874
<i>Aleurodidæ</i> . .	"	1852	" 1874
<i>Coccidæ</i>	"	1852	" 1874
Anoplura—					
<i>Pediculidæ</i> . . .	H. Denny	1852	A. G. Butler 1874

RHYNCHOTA—continued.

	No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
W. L. Distant 1904	30	In progress.
„ 1897	73	
„ 1901 (part)	14	
.. ..	17	
.. ..	15	
.. ..	2	
.. ..	7	
.. ..	1	
.. ..	7	
.. ..	1	Unincorporated material of <i>Rhynchota</i> of various Families: — Six drawers.



COLEOPTERA.

Of this Order there are in the Museum 67,300 named species;
398,000 specimens, of which 130,000 are unidentified.

COLEOPTERA.

Sub-orders and Families.			Arranged by		
GEODEPHAGA—					
<i>Cicindelidæ</i>	F. Smith 1864	G. J. Arrow	1899-19
<i>Carabidæ</i>	C. O. Waterhouse 1872	R. I. Pocock 1885. 11 drawers, <i>Pterostich</i> and allies.	
<i>Amphizoidæ</i>	„ 1872	G. J. Arrow	19
HYDRADEPHAGA—					
<i>Dytiscidæ</i>	. .	Adam White 1847	C. O. Waterhouse 1872
<i>Gyrinidæ</i>	. .	„ 1847	„ 1872	G. J. Arrow	19
BRACHELYTRA—					
<i>Staphylinidæ</i>	C. O. Waterhouse 1868
CLAVICORNIA—					
<i>Pselaphidæ</i>	C. O. Waterhouse 1869	G. J. Arrow	19
<i>Gnostidæ</i>	„ 1869	„	19
<i>Paussidæ</i>	„ 1869	„	19
<i>Scydmaenidæ</i>	„ 1869	„	19
<i>Silphidæ</i>	„ 1869	„	19
<i>Trichopterygidæ</i>	„ 1869	„	19
<i>Scaphidiidæ</i>	„ 1869	„	19
<i>Histeridæ</i>	„ 1869	„	19
<i>Phalacridæ</i>	„ 1869	„	19
<i>Nitidulidæ</i>	„ 1869	„	19
<i>Trogositidæ</i>	„ 1869	„	19
<i>Colydiidæ</i>	„ 1869	„	19
<i>Rhysodidæ</i>	„ 1869	„	19

COLEOPTERA.

		No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	..	43	
..	..	126	{ Accessions—†7 B. M. drawers. †9 drawers, Pascoe Coll. *20 drawers, 6 boxes, Godman-Salvin Coll.
..	..	31	Accessions—†1 B. M. drawer.
..	..	10	
..	Accessions—†2 B. M. drawers. *W. Indian Coll., identified by Mons. Fauvelle.
..	..	15	Accessions— to Clavicornia. †2 B. M. drawers. †3 drawers, Pascoe Coll. *3 boxes, Godman-Salvin Coll.
..	..	3	
..	..	4	
..	..	15	
..	..	3	
..	..	3	
..	..	26	
..	..	3	
..	..	37	
..	..	11	
..	..	17	
..	..	1	

COLEOPTERA—*continued.*

Sub-orders and Families.	Arranged by					
CLAVICORNIA-- <i>contd.</i>						
<i>Cucujidæ</i> . .	F. Smith	1851	C. O. Waterhouse	1869	G. J. Arrow	11
<i>Cryptophagidæ</i>	1869
<i>Derodontidæ</i>	1869	}
<i>Lathridiadæ</i>	1869		
<i>Othniadæ</i>	1869		
<i>Mycetophagidæ</i>	1869	}
<i>Thorictidæ</i>	1869		
<i>Dermestidæ</i>	1869		
<i>Byrrhidæ</i>	1869
<i>Georyssidæ</i>	1869	}
<i>Parnidæ</i>	1869		
<i>Heteroceridæ</i>	1869		
PALPICORNIA—						
<i>Hydrophilidæ</i>	C. O. Waterhouse	1869
PECTINICORNIA—						
<i>Lucanidæ</i>	C. O. Waterhouse	1867
<i>Passalidæ</i> . .	F. Smith	1852	..	1875	G. J. Arrow	
LAMELLICORNIA—						
<i>Aphodiadæ</i>	C. O. Waterhouse	1866	G. J. Arrow	
<i>Orphnidæ</i>	1866	(expanded)	
<i>Hybosoridæ</i>	1866	..	
<i>Geotrupidæ</i>	1866	..	
<i>Trogidæ</i>	1866	..	
<i>Scarabæidæ</i>	1866	C. O. Waterhouse	188

COLEOPTERA—*continued*.

		No. of Drawers, Jan. 1906.	Unincorporated Material. Remarks, &c.
..	..	19	
..	..	1	
..	..	1	
..	..	1	
..	..	1	
..	..	1	
..	..	1	
..	..	1	
..	..	9	Accessions—†1 B. M. drawer.
..	..	30	Accessions—†1½ B. M. drawer.
..	..	22	Accessions—†1 B. M. drawer. *3 boxes, Godman-Salvin Coll.
..	..	10	Accessions—†3 B. M. drawers. *7 drawers, Pascoc Coll.
..	..	3	
..	..	1	
..	..	15	
..	..	9	
..	..	72	

COLEOPTERA—continued.

Sub-orders and Families.				Arranged by	
LAMELLICORNIA-- <i>ctd.</i>					
<i>Glaphyridæ</i>	C. O. Waterhouse 1866	G. J. Arrow	
<i>Melolonthidæ</i> 1866	..	
<i>Rutelidæ</i> 1866	..	
<i>Dynastidæ</i> 1867	.. (expanded)	
<i>Cetoniadæ</i>	Adam White	1846	F. Smith 1863	C. O. Waterhouse (partly expanded)	
SERRICORNIA—					
<i>Buprestidæ</i>	Adam White	1848	F. Smith 1863	F. Smith and C. O. Waterhouse	11
<i>Triaxidæ</i>	C. O. Waterhouse 1869	C. J. Gahan (expanded)	
<i>Monommidæ</i> 1869		
<i>Eucnemidæ</i> 1869		
<i>Elateridæ</i>	G. R. Waterhouse,	about 1853	.. 1869	C. J. Gahan (part)	
MALACODERMATA—					
<i>Cebrionidæ</i>	C. O. Waterhouse 1870	C. J. Gahan	
<i>Rhipidoceridæ</i> 1870	..	
<i>Dascillidæ</i> 1870	..	
<i>Cyphonidæ</i> 1870	..	
<i>Lycidæ</i> 1870	C. O. Waterhouse	
<i>Lampyridæ</i> 1870	C. J. Gahan	
<i>Telephoridæ</i> 1870	
<i>Drilidæ</i> 1870	
<i>Melyridæ</i> 1870		
<i>Cleridæ</i>	Adam White	1849	.. 1870	
<i>Lymexylonidæ</i> 1870	

COLEOPTERA—continued.

		No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	..	2	
..	..	90	Accessions—†1 B. M. drawer.
..	..	61	
..	..	50	Accessions—†1 B. M. drawer.
C. O. Waterhouse 1895 (partly expanded)		50	Accessions—†3 B. M. drawers. *4 boxes, Godman-Salvin Coll.
..	..	74	* On the acquisition of the Saunders Coll. Accessions—†3 $\frac{1}{2}$ B. M. drawer. *9 drawers, Godman-Salvin Coll.
..	..	8	Accessions—*2 drawers. Godman-Salvin Coll.
..	..	77	Accessions—†3 B. M. drawers. *5 drawers, Godman-Salvin Coll. Janson Coll., 100 boxes of various sizes, containing about 15,000 specimens.
..	..	2	
..	..	2	
..	..	3	
..	..	6	
C. J. Gahan	1903	21	
..	..	21	
..	..	6	} Accessions—†3 B. M. drawers. *11 boxes, Godman-Salvin Coll.
..	..	5	
..	..	8	
..	..	1	

COLEOPTERA—continued.

Sub-orders and Families.			Arranged by			
MALACODERMATA— <i>continued.</i>						
<i>Cupesidæ</i>	C. O. Waterhouse 1870	}
<i>Ptinidæ</i>	„ 1870	
<i>Bostrichidæ</i>	„ 1870		C. O. Waterhouse	188
<i>Cioidæ</i>	„ 1870		G. J. Arrow	190
HETEROMERA—						
<i>Tenebrionidæ</i>	C. O. Waterhouse 1868		G. J. Arrow	189
<i>Cistelidæ</i>	„ 1868		„	189
<i>Nilionidæ</i>	„ 1868		„	189
<i>Pythidæ</i>	„ 1868		„	189
<i>Melandryidæ</i>	„ 1868		„	189
<i>Lagriadæ</i>	„ 1868		„	189
<i>Pedilidæ</i>	„ 1868		„	189
<i>Anthicidæ</i>	„ 1868		„	189
<i>Pyrochroidæ</i>	„ 1869		„	189
<i>Mordellidæ</i>	„ 1869		„	189
<i>Rhipidophoridæ</i>	„ 1869		„	189
<i>Cantharidæ</i>	„ 1869		Mrs. Thomas	1895
<i>Ædemeridæ</i>	„ 1869		G. J. Arrow	189
<i>Stylopidæ</i>	. . .	F. Smith (?)
RHYNCHOPHORA—						
<i>Attelabidæ</i>	F. Smith 1863-5	
<i>Curcurionidæ</i>	„ 1863-5	
<i>Scolytidæ</i>	„ 1863-5	
<i>Brentidæ</i>	„ 1863-5	
<i>Anthribidæ</i>	„ 1863-5	

COLEOPTERA—continued.

		No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	..	2	
..	..	4	
..	..	6	
..	..	124	Accessions—†6 B. M. drawers. *52 boxes, Bates Coll. *34 „ Godman-Salvin Coll.
..	..	6	
..	..	1	
..	..	1	
..	..	2	
..	..	5	
..	..	1	
..	..	3	
..	..	1	
..	..	4	
..	..	3	
..	..	42	
..	..	8	
..	..	1	
..	..	6	The <i>Rynchophora</i> were Jekel's Collection, presented to the Museum by Mr. Bowring. It was arranged by Jekel in cabinets of Museum pattern. Mr. Smith expanded it, and incorporated as many of the Museum specimens as he was able, leaving all the obscure species in magazine drawers; about 15,000 unnamed specimens. The Pascoe Coll., 13,000 specimens, has also to be incorporated. A great number of these are named.
..	..	147	
..	..	4	
..	..	10	
..	..	15	

COLEOPTERA—continued.

Sub-orders and Families.				Arranged by		
LONGICORNIA—						
<i>Trictenotomidae</i> .	Adam White	1855	C. O. Waterhouse	1876	C. J. Gahan	1887-1900
<i>Parandridæ</i> .	"	1855	"	1876	"	1887-1900
<i>Prionidæ</i> . .	"	1855	"	1876	"	1887-1900
<i>Cerambycidae</i> .	"	1855	"	1877	"	1887-1900
<i>Lamiadæ</i> . .	"	1855	"	1877	"	1887-1900
PHYTOPHAGA—						
<i>Bruchidæ</i> . .	"	"	F. Smith	1863	"	"
<i>Sagridæ</i> . . .	"	"	"	1866-70	C. J. Gahan	1890
<i>Donaciadæ</i> .	"	"	"	1866-70	"	1890
<i>Crioceridæ</i> . .	"	"	"	1866-70	"	1890
<i>Megascelidæ</i> . .	"	"	"	1866-70	"	1890
<i>Megalopidæ</i> . .	"	"	"	1866-70	"	"
<i>Clythridæ</i> . .	"	"	"	1866-70	"	"
<i>Chlamidæ</i> . .	"	"	"	1866-70	"	"
<i>Cryptocephalidæ</i>	"	"	"	1866-70	"	"
<i>Lamprosomidæ</i> .	"	"	"	1866-70	"	"
<i>Eumolpidæ</i> . .	"	"	"	1866-70	C. J. Gahan	1890
<i>Chrysomelidæ</i> .	"	"	"	1866-70	"	"
<i>Halticidæ</i> . .	"	"	"	1866-70	"	"
<i>Galerucidæ</i> . .	"	"	"	1866-70	C. J. Gahan	1890
<i>Hispidæ</i> . . .	Dr. J. S. Baly	1858	"	1866-70	"	"
<i>Cassididæ</i> . .	Dr. Bohemann	1856	"	1866-70	"	"
TRIMERA—						
<i>Erotylidæ</i> . .	"	"	C. Waterhouse	"	"	"
<i>Languriadæ</i> . .	"	"	"	"	G. J. Arrow	1890
<i>Endomychidæ</i> .	"	"	"	"	"	1890
<i>Coccinellidæ</i> . .	Adam White (?)	"	"	"	"	1890
<i>Corylophidæ</i> . .	"	"	"	"	"	1890

COLEOPTERA—*continued*.

		No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	..	1	Accessions—3 drawers.
..	..	1	
..	..	62	
..	..	156	
..	..	219	
..	..	4	Accessions—47 drawers, 6 boxes, Baly Coll. A large proportion of these are named, but there are many hundreds of specimens that have not been examined.
..	..	4	*4 drawers, 32 boxes, Godman-Salvin Coll.
..	..	3	
..	..	10	
..	..	1	
..	..	5	
..	..	10	
..	..	6	
..	..	18	
..	..	2	
..	..	44	
..	..	30	
..	..	26	
..	..	45	
..	..	13	
..	..	27	
G. J. Arrow	1902	34	
..	..	9	
..	..	10	Accessions—*1 box, Godman-Salvin Coll.
..	..	26	Accessions—*4 boxes, Godman-Salvin Coll.
..	..	3	

HYMENOPTERA.

Of this Order there are (in 1904) in the Museum 19,600 named species ;
132,000 specimens, of which 34,000 are unidentified.

HYMENOPTERA.

Sub-orders and Families.	Arranged by					
SESSILIVENTRES —						
<i>Cephidæ</i> . . .	F. Smith	1860	F. Smith	1874	W. F. Kirby	1874
<i>Oryssidæ</i> . . .	„	1860	„	1874	„	1874
<i>Siricidæ</i> . . .	„	1860	„	1874	„	1874
<i>Tenthredinidæ</i> . .	„	1858	„	1874	„	1874
PETIOLATA.						
ENTOMOPHAGA—						
<i>Cynipidæ</i> . . .	„	„	„	„	W. F. Kirby	1874
<i>Proctotrypidæ</i> . .	„	„	„	„	„	„
<i>Chalcididæ</i> . . .	F. Walker	1846-8	F. Walker	1860	W. F. Kirby	1889
<i>Ichneumonidæ</i> . .	F. Smith	. . . }	„	„	„	„
<i>Braconidæ</i> . . .	„					
<i>Stephanidæ</i> . . .	„	1860	„	„	W. F. Kirby	1874
<i>Megalyridæ</i> . . .	„	1860	„	„	„	1874
<i>Evaniadæ</i> . . .	„	1860	„	„	„	1874
<i>Pelecniidæ</i> . . .	„	1860	„	„	„	1874
<i>Trigonalidæ</i> . . .	„	1860	„	„	„	1874
TUBULIFERA—						
<i>Chrysididæ</i> . . .	F. Smith	1874	W. F. Kirby	1889	„	„
ACULEATA.						
ANTHOPHILA—						
<i>Apidæ</i>	F. Smith	1853-4	„	„	„	„

HYMENOPTERA.

No. of Drawers,
Jan. 1905.

Unincorporated Material. Remarks, &c.

1

1

3

21

4

4

30

39

3

3

42

HYMENOPTERA—*continued.*

Sub-orders and Families.	Arranged by					
DIPLOPTERA—						
<i>Eumenidæ</i> . . .	F. Smith	1857
<i>Vespidæ</i> . . .	„	1857
<i>Masaridæ</i> . . .	„	1857
FOSSORES—						
<i>Mutillidæ</i> . . .	F. Smith	1855
<i>Scoliadæ</i> . . .	„	1855	W. F. Kirby	1889
<i>Sapygidæ</i> . . .	„	1855
<i>Thynnidæ</i> . . .	„	1859
<i>Pompilidæ</i> . . .	„	1855	C. T. Bingham	1
<i>Sphegidæ</i> . . .	„	1856
HETEROGYNA—						
<i>Formicidæ</i> . . .	F. Smith	1858-9	W. F. Kirby	1888	C. T. Bingham	1
<i>Dorylinæ</i>	„	1
<i>Ponerinæ</i>	„	1
<i>Dolichoderinæ</i>	„	1
<i>Camponotinæ</i>	„	1

HYMENOPTERA—*continued.*

No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.																																								
20																																									
6																																									
20																																									
5																																									
60																																									
20																																									
68	<p>Unincorporated material of various Families of <i>Hymenoptera</i>:—</p> <table> <tr> <td>*Farren White Coll.</td> <td>55</td> <td>store boxes.</td> <td></td> </tr> <tr> <td>*Hawaiian Coll.</td> <td>9</td> <td>"</td> <td>(worked out).</td> </tr> <tr> <td>†Persian Coll.</td> <td>10</td> <td>"</td> <td></td> </tr> <tr> <td>*W. Indian Coll.</td> <td>9</td> <td>"</td> <td>"</td> </tr> <tr> <td>Marshall Coll.</td> <td>21</td> <td>"</td> <td></td> </tr> <tr> <td>Dodd Coll.</td> <td>7</td> <td>"</td> <td></td> </tr> <tr> <td>Haviland Coll.</td> <td>4</td> <td>"</td> <td></td> </tr> <tr> <td>*Buchecker Coll.</td> <td>16</td> <td>drawers, European.</td> <td></td> </tr> <tr> <td>*Godman-Salvin Coll.</td> <td>6</td> <td>"</td> <td><i>Formicidæ.</i></td> </tr> <tr> <td>Accessions partly named and partly sorted in families or by localities</td> <td>129</td> <td>"</td> <td>Partly incor- porated.</td> </tr> </table>	*Farren White Coll.	55	store boxes.		*Hawaiian Coll.	9	"	(worked out).	†Persian Coll.	10	"		*W. Indian Coll.	9	"	"	Marshall Coll.	21	"		Dodd Coll.	7	"		Haviland Coll.	4	"		*Buchecker Coll.	16	drawers, European.		*Godman-Salvin Coll.	6	"	<i>Formicidæ.</i>	Accessions partly named and partly sorted in families or by localities	129	"	Partly incor- porated.
*Farren White Coll.	55	store boxes.																																							
*Hawaiian Coll.	9	"	(worked out).																																						
†Persian Coll.	10	"																																							
*W. Indian Coll.	9	"	"																																						
Marshall Coll.	21	"																																							
Dodd Coll.	7	"																																							
Haviland Coll.	4	"																																							
*Buchecker Coll.	16	drawers, European.																																							
*Godman-Salvin Coll.	6	"	<i>Formicidæ.</i>																																						
Accessions partly named and partly sorted in families or by localities	129	"	Partly incor- porated.																																						



NEUROPTERA.

Of this Order there are (in 1904) in the Museum 1864 named species ;
9056 specimens, of which 1200 are unidentified.

ORTHOPTERA.

Of this Order there are (in 1904) in the Museum 3900 named species ;
18,800 specimens, of which 3200 are unidentified.

APTERA.

Of this Order there are (in 1904) in the Museum 21 named species ;
140 specimens, of which 65 are unidentified.

NEUROPTERA.

Sub-orders and Families.				Arranged by	
AMPHIBIOTICA.					
ODONATA—					
<i>Libellulidæ</i> —					
<i>Libellulinæ</i>	W. F. Kirby 1885-7
<i>Cordulianæ</i>	” 1885
<i>Æschnidæ</i> —					
<i>Gomphinæ</i>	W. F. Kirby 1885
<i>Æschinæ</i>	” 1885
<i>Agrionidæ</i> —					
<i>Agrioninæ</i>	F. Walker	1853	R. McLachlan . . .	W. F. Kirby	1886
<i>Cænagrioninæ</i>	” 1886
EPEMERÆ	F. Walker	1853
PERLIDÆ	”	1852
PSEUDONEUROPTERA—					
<i>Termitidæ</i>	F. Walker	1853	H. Hagen 1858
<i>Embiadæ</i>	”	1853	R. McLachlan
<i>Psocidæ</i>	”	1853	”
PLANIPENNIA—					
<i>Sialidæ</i>	F. Walker	1853	R. McLachlan 1867	W. F. Kirby	1900
<i>Rhaphidiadæ</i>	”	1853	” 1867	”	1900
<i>Myrmeleonidæ</i>	”	1853	” 1867	”	1899-1900
<i>Ascalaphidæ</i>	”	1853	” 1871	”	1900
<i>Nemopteridæ</i>	”	1853	” 1867	”	1900
<i>Mantispidæ</i>	”	1853	” 1867	”	1900
<i>Nymphidæ</i>	”	1853	” 1867	”	1900
<i>Osmylidæ</i>	”	1853	” 1867	”	1900
<i>Mucropalpidæ</i>	”	1853	” 1867	”	1900
<i>Coniopterygidæ</i>	”	1853	” 1867
<i>Hemerobiadæ</i>	”	1853	” 1867	W. F. Kirby	1900
<i>Panorpidæ</i>	”	1853	” 1867	”	1900
<i>Bittacidæ</i>	”	1853	” 1867	”	1900

NEUROPTERA.

				No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
W. F. Kirby	1890	102	} Accessions—†1 drawer of pupæ.
"	1890	8	
W. F. Kirby	1890	21	}
"	1890	40	
..	23	} Accessions—3 drawers.
W. F. Kirby	1890	38	
..	11	}
..	3	
..	2	}
..	1	
..	2	}
..	7	
..	1	} Accessions—6 drawers.
..	39	
..	13	}
..	3	
..	3	}
..	1	
..	3	}
..	2	
..	1	}
..	8	
..	2	}
..	2	

NEUROPTERA—continued.

Sub-orders and Families.		Arranged by			
TRICHOPTERA—					
<i>Phryganeadæ</i>	. .	F. Walker	1852	R. McLachlan
MALLOPHAGA	. . .	A. G. Butler	1873

ORTHOPTERA.

CURSORIA—					
<i>Forficulidæ</i>	. .	Adam White	1850	J. O. Westwood
<i>Hemimeridæ</i>
<i>Blattidæ</i>	. . .	Adam White	1850
<i>Mantidæ</i>	1850	H. W. Bates
<i>Phasmidæ</i>	1850	J. O. Westwood	1859
(G. Gray, 1835.)			
SALTATORIA—					
<i>Achetidæ</i>	. . .	Adam White	1850
<i>Phasgonuridæ</i>	1850
<i>Locustidæ</i>	1850

APTERA.

THYSANURA—				
<i>Campodeidæ</i>	. .	A. G. Butler	1873	}
<i>Japygidæ</i>	. . .	„	1873	
<i>Muchilidæ</i>	. . .	„	1873	
<i>Lepismidæ</i>	. . .	„	1873	
COLLEMBOLA—				
<i>Lipuridæ</i>	. . .	A. G. Butler	1873	}
<i>Poduridæ</i>	. . .	„	1873	
<i>Smyntthuridæ</i>	. .	„	1873	

NEUROPTERA—continued.

				No. of Drawers, Jan. 1905.	Unincorporated Material. Remarks, &c.
..	9	Accessions—1 drawer.
..	7	

ORTHOPTERA.

W. F. Kirby	1890	W. F. Kirby	{ 1896 1902-3 }	16	{ 1 drawer accessions, and * $\frac{1}{2}$ drawer Godman-Salvin Coll.
..	1	
W. F. Kirby	1888-9	W. F. Kirby	{ 1897 1903 }	64	{ 1 drawer accessions, and * $2\frac{1}{2}$ drawers Godman-Salvin Coll.
..	1886-7	..	{ 1897 1903 }	96	{ †1 drawer accessions, and * $2\frac{1}{2}$ drawers Godman-Salvin Coll.
..	1887-8	..	{ 1894-5 1904 }	165	†2 drawers accessions
W. F. Kirby	1889	W. F. Kirby	1898	38	{ 1 drawer accessions, and * $1\frac{1}{2}$ drawers Godman-Salvin Coll.
..	1890 1	..	1899	173	{ †1 drawer accessions, and * $7\frac{1}{2}$ drawers Godman-Salvin Coll.
..	1900-2	186	{ †13 drawers accessions, sorted by localities.

APTERA.

..	{ 1 drawer.
----	----	----	----	----------------



7. ARACHNIDA.

By R. J. POCOCK.

A. LIST OF THE OFFICERS MORE OR LESS CONNECTED WITH THE COLLECTION OF ARACHNIDA.

Date of Appointment.	ASSISTANTS.	Date of Appointment.	KEEPERS.	Date of Appointment.	ASSISTANT-KEEPERS.
1813	W. E. Leach.				
1816	J. G. Children.				
1824	J. E. Gray.				
1835	Adam White.				
1863	A. G. Butler.	1875	Dr. A. Günther.	1872	Dr. A. Günther.
1872	E. J. Miers.	1895	Sir W. H. Flower, K.C.B.	1879	A. G. Butler.
1885	R. I. Pocock.	1898	Prof. E. Ray Lan- kester.	1895	E. A. Smith, L.S.O.
1904	Dr. W. T. Cal- man.				

I. TERRESTRIAL ARACHNIDA.

B. REGISTRATION, PRESERVATION, AND IDENTIFICATION OF THE COLLECTIONS.

THERE is no evidence that additions to the collection were registered and numbered before 1826.

Previous to 1838, accessions of Arachnida were entered in an undated register, entitled "Catalogue of Aptera," which also included Myriopoda and Apterous Insects. The majority of the entries appear to be in the handwriting of S. Parrell, an attendant

in the Department; the remainder, in that of Adam White. Since the first specimens entered in this register formed part of Dr. Leach's collection, which was acquired by the Trustees in 1826, it is evident that the date of commencement of registration of accessions is not earlier than that year.

In 1838 the first dated register was started, the Arachnida, Myriopoda, Crustacea, and Insects being all included in the one volume. The Arachnida and Myriopoda continued to be entered in the Insect register, often under the vague and comprehensive heading "Aptera," until 1889, when a separate register was commenced for them, and the method of registration followed in the case of the vertebrated animals, instead of that practised for the insects, was adopted.

Up to 1870 or thereabouts, the collection of Arachnida consisted of a number of dried and pinned specimens contained, with scarcely an attempt at systematic arrangement, in one of the old 40-drawer cabinets. No special attention was paid to them, and apart from the account of the Arachnida written by G. R. Gray, in vol. xiii. of Griffith's "Animal Kingdom," 1833, and a small number of papers by Adam White, containing descriptions of a few species, no publications based upon the Museum material were issued.

Subsequently to 1863, the collection was under the charge of Mr. A. G. Butler, who was appointed an Assistant in that year. Since Mr. Butler's first paper upon the group was published in 1873, it may be inferred that he commenced the arrangement of the collection in new 20-drawer cabinets in about the year 1870. The groups he selected for special study are mentioned below under their appropriate ordinal headings. Most of his descriptive and systematic work was based upon dried specimens, the spirit collection at that time being practically non-existent. During subsequent years its growth was slow, and in 1886, when the Arachnida were placed under Mr. Pocock's care, the spirit collection, composed of sorted and unsorted material of this class, was contained in one table-case in the spirit house. At the present time the collection, including both dried and spirit-preserved material, is contained in four 20-drawer cabinets and one 40-drawer cabinet, and in twenty-four closely packed table-cases in the spirit house.

In 1904 the collection of Arachnida consisted of about 31,000 specimens, 3,500 named species and 400 unnamed species.

ORDER SCORPIONES.

The first publication containing reference to the collection of Scorpions appears to be vol. iii. of the "Hist. Nat. Ins. Aptères," 1844, wherein the author, M. Paul Gervais, described some of the species preserved in the Museum cabinets. There is also some internal evidence that, probably somewhere about 1860, Dr. Peters examined the collection, or part of it, and identified some of the species; but he described no new forms. The dried specimens contained in the cabinet were more or less roughly named by Mr. A. G. Butler, or his predecessors, who had charge of the Arachnida; but it was not until 1889 that the systematic study of the Scorpions was commenced. In that year Mr. R. I. Pocock started to work up the collection, beginning with the compilation of a MS. catalogue of the described species, in which were entered, under their appropriate generic and specific headings, the names, numbers, and histories of the specimens preserved in the Museum. Since 1889, the collection has rapidly grown, by the presentation, exchange, and purchase of specimens from all parts of the world. These have been named and catalogued. At the present time the collection is considerably the richest in the world, so far as the numbers of species, specimens, and types are concerned.

Most of the types are those of the species established by Mr. Pocock. In addition to these and the types of the species described by Gervais above alluded to, the Trustees acquired by purchase from M. Goudot, in 1846, some of Gervais's types or co-types of his Colombian species. In 1889 and 1897 Mr. E. W. Oates presented his entire collection of Burmese Scorpions, amounting to over 300 specimens, including the types and co-types of the species he had described. Amongst the named Scorpions contained in Keyserling's collection was the type of one species. Also the types of one of Kraepelin's species, and co-types of others were received in exchange from the Hamburg Museum in 1898; and co-types of several species of *Opisthophthalmus* were similarly acquired from the South African Museum, Cape Town, in 1899.

ORDER PEDIPALPI.

Up to 1872 the Museum material of Pedipalpi belonging to the family *Thelyphonidæ* had never been systematically studied. In that year Mr. A. G. Butler published in the "Ann. Mag. Nat.

Hist." a catalogue of the described species, indicating by the letters "B. M." those that were represented in the Museum, and described eight new forms.

In 1894 the identification of the collection was again taken in hand by Mr. R. I. Pocock, who prepared a MS. catalogue of the described species, entering in it under their specific headings, the specimens in the National Collection. The fairly extensive material that has come to hand since 1894 has been identified, and, in the case of new species, described. The series of Indian and Burmese specimens, including the types of his own species, that was presented by Mr. E. W. Oates in 1897, made a valuable addition to the National Collection.

The *Schizonotidæ* are represented in the Museum by one specimen only, namely, the type of *Trithyreus suboculatus*.

The material of Pedipalpi of the group Amblypygi (*Phrynidæ*) contained in the British Museum became of historical importance in 1844, when an account of it, containing descriptions of three new species, was published by Gervais in the third volume of his "Hist. Nat. Ins. Aptères." In 1873, Mr. A. G. Butler worked through the collection, and published the results in the "Annals and Magazine of Nat. Hist." for that year. Some new species were described, and the species identified by the author as represented in the British Museum were indicated by the letters "B. M." A second paper upon the collection was published by Mr. Butler in 1879.

In 1894, the collection was again catalogued by Mr. R. I. Pocock, who drew up a MS. list of all the described species of the sub-order, entering in it under their proper generic and specific headings the specimens preserved in the Museum. The accessions since 1894 have been similarly named and catalogued.

ORDER ARANEÆ.

Before 1890 very little attention had been paid to the collection of Spiders. A few species only had been named by G. R. Gray, Adam White, A. G. Butler, and the Rev. O. P. Cambridge; the dried specimens had been roughly arranged under their generic and family headings; but the material in the spirit-house was for the most part unnamed and unsorted. In 1890 Mr. Pocock started to work out the species of the group Mygalomorphæ, adopting the method of cataloguing already pursued in the case of the

Scorpiones, Pedipalpi, and Solifugæ. A list of the described species was prepared, and the specimens of the various families, species and genera were systematically determined, and entered in the list under the appropriate headings. With the remaining species of this order, however, namely, those belonging to the extensive group Arachnomorphæ, it was considered advisable, on account of the vast numbers of species involved, and the relative unimportance from a Museum standpoint of many of them, on account of their small size and infrequency of occurrence, to follow a different plan, namely, that of working through the entire collection faunistically. This was found to be the only practical method of enriching the collection, by meeting the wishes or stipulations of collectors, while at the same time it fulfilled the desired purpose of getting the general collection into a satisfactory state, as regards generic and specific determination. This work was commenced in 1897, and has been systematically followed since. After 1895 the late Mr. F. O. P. Cambridge gave voluntary and valuable help by working out and describing the material of various genera.

ORDER SOLIFUGÆ.

The Museum material of this order was apparently named for the first time in 1873, when Mr. A. G. Butler published in the "Annals and Magazine of Nat. Hist." for that year a list of the described species, indicating by the letters "B. M." those that were represented in the National Collection. At that time the Museum contained about twenty-five species, amongst which were only two types, namely, that of *Galeodes brevipes*, described by Gervais on a visit to the Museum in 1842, and of *Solpuga hostilis*, described by White in Methuen's "Life in the Wilderness." Mr. Butler added one new species to the list.

In 1895, Mr. R. I. Pocock worked through the entire collection, described a large number of new species, prepared a MS. catalogue of the known species of the order, and entered in the catalogue under the appropriate species the specimens represented in the Museum. Since 1895, numerous additions which have been named and, if necessary, described by Mr. Pocock, have been made to this section of Arachnida. At the present time the Museum is rich in specimens of the larger species belonging to the genera *Solpuga*, *Galeodes*, and *Rhagodes*, but the smaller species and genera are poorly represented in the collection.

ORDER PSEUDOSCORPIONES.

The collection of this order has never been systematically studied, and is not extensive. In addition to specimens from various parts of the world, the dried portion of the collection contains the types of Leach's British species, the type of *Chelifer bravaissi*, Gerv., and some examples from different parts of England, which were identified by the Rev. O. P. Cambridge. The bulk of the spirit-preserved material is derived from the named species forming part of Keyserling's collection. This consists of various species of *Cheliferidæ* and *Obisiidæ* from Europe, and the typical or eo-typical examples of the Australian species described in the last volume of that author's work, "Die Araehniden Australiens."

ORDER OPILIONES.

The fairly extensive collection of this order is represented by both dried and spirit-preserved material, which has never been systematically worked through and named. In 1833 two species of *Gonyleptes* were described by G. R. Gray in Griffith's "Animal Kingdom." In 1873 and 1874, Mr. A. G. Butler published a list of the known species of *Gonyleptidæ*, determined the Museum material of this family, and described several new species; and in 1897 Mr. R. I. Pocock worked out the relatively small amount of material of *Sironidæ* and *Oncopodidæ* and named a few new species.

The large number of *Gonyleptidæ* and *Cosmetidæ*, and the Australian species of *Assamiidæ* and *Phalangodidæ*, contained in Keyserling's collection, were determined by W. Sørensen, and in 1899 duplicate examples of the species of *Sironidæ* were sent to Dr. H. J. Hansen for examination and identification.

ORDER PODOGONA.

This order is represented by a single specimen of *Cryptostemma afzelii*, collected by Mr. E. E. Austen at Sierra Leone, and by two examples of *C. karschii*, obtained on the Benito River, Congo, by Mr. G. L. Bates. The two species were examined and identified by Dr. H. J. Hansen.

ORDER ACARI.

Apart from a few casually received specimens of various families from different localities, the collection of Acari, which has never been systematically studied, consists mainly of specimens of the larger tropical *Trombidiidæ*, of a considerable number of mostly unnamed specimens of *Ixodidæ*, and of Mr. A. D. Michael's series of British *Oribatidæ*, which was received in 1879 and 1888, and formed the basis of that author's monograph of the British *Oribatidæ*, published by the Ray Society. The specimens, including the types of the species described in the volume, are mounted upon 106 microscopical slides.

ALPHABETICAL LIST OF AUTHORS WHO HAVE ESTABLISHED SPECIES
UPON SPECIMENS NOW CONTAINED IN THE BRITISH MUSEUM.

BUTLER, A. G.	KULCZINSKI, W.
CAMBRIDGE, O. P.	LEACH, W. E.
CAMBRIDGE, F. O.	LUCAS, H.
GERVAIS, PAUL.	OATES, E. W.
GRAY, G. R.	PECKHAM, G. W.
GUÉRIN-MENEVILLE.	POCOCK, R. I.
GÜNTHER, A.	PURCELL, W. F.
HANSEN, H. J.	SIMON, E.
HOGG, H. R.	THORELL, T.
KEYSERLING, E.	WALCKENAER.
KIRBY, W.	WATERHOUSE, C. O.
KOCH, CARL LUDWIG.	WHITE, A.
KRAEPELIN, K.	

LIST OF THE PRINCIPAL COUNTRIES WHENCE THE MUSEUM HAS
RECEIVED ARACHNIDA, WITH THE NAMES OF THE DONORS
OR COLLECTORS.

EUROPE.

VARIOUS COUNTRIES ON THE CONTINENT: Keyserling's collection.

ENGLAND: F. Walker; O. Thomas; R. I. Pocock; A. D. Michael.

FRANCE (BRITTANY): O. Thomas.

GERMANY: Dr. Eger; O. Thomas.

ITALY: O. Thomas.

SPAIN AND BALEARIC ISLANDS: O. Thomas; Colonel Yerbury; G. C. Champion.

MADEIRA AND SALVAGES ISLANDS: W. R. O. Grant.

ASIA AND AUSTRALIA.

ARABIA: G. Doria; A. G. Jayakar; Col. Yerbury; A. B. Percival.

PERSIA: Karachi Museum: R. T. Günther; W. D. Cuming; B. T. Finch;
S. Butcher; and F. W. Townsend.

AFGHANISTAN: Dr. Aitcheson.

BALUCHISTAN: F. W. Townsend; H. I. Pocock.

INDIA: R. C. Wroughton; H. M. Phipson; G. F. Hampson; J. S. Jambunathan; G. P. Staunton; C. A. Barber; H. Ferguson; G. R. Henderson; H. K. Slater.

CEYLON: E. E. Green; Col. Yerbury; W. Freeman.

BURMA: E. W. Oates; John Anderson; G. Doria (Fea Coll.).

MALAY PENINSULA: H. N. Ridley; S. S. Flower.

SIAM: S. S. Flower; M. Daly.

CHINA: P. Bassett Smith; C. D. Rickett and J. Latouche.

PHILIPPINE ISLANDS: H. Cuming; A. Whitehead.

BORNEO: A. Everett; C. Hose.

CELEBES, AMBOIN AND MOLUCCAS, &c.: W. Kükenthal; G. Doria.

SOLOMON ISLANDS, NEW BRITAIN, &c.: Lords of the Admiralty; A. Willey;
C. M. Woodford.

AUSTRALIA: Keyserling's collection; Godeffroy Museum.

NEW ZEALAND: Prof. F. W. Hutton.

SANDWICH ISLANDS: R. C. L. Perkins.

AFRICA.

ALGERIA: John Anderson.

TUNISIA: Joseph I. S. Whitaker.

EGYPT: John Anderson; S. S. Flower; C. W. Andrews.

SOKOTRA: I. B. Balfour; W. R. O. Grant and H. O. Forbes.

SOMALILAND: E. Lort Phillips; Donaldson Smith; C. V. A. Peel.

BRITISH EAST AFRICA: F. J. Jackson; C. Stuart Betton; J. W. Gregory.

NYASALAND: Sir Harry Johnston (collected by A. Whyte); Dr. Percy
Rendall; A. B. Percival.

MASHONALAND: J. ff. Darling; G. A. K. Marshall.

TRANSVAAL: W. L. Distant; Dr. Percy Rendall; J. P. Cregoe.

ORANGE RIVER COLONY: Capt. G. E. H. Barrett-Hamilton.

NATAL: H. A. Spencer; G. A. K. Marshall; G. P. Staunton; G. F. Leigh;
J. F. Quekett.

CAPE COLONY: H. A. Spencer; Dr. Schönland; A. N. Stenning; Dr. R.
Broom; W. F. Purell; Rev. J. Hull.

TROPICAL WEST AFRICA: Congo: G. L. Bates; Old Calabar and Cameroons:
Miss Kingsley; Capt. Burton; Fantee: G. A. Higlett; Niger: Dr.
Crosse; Sierra Leone: Surg.-Capt. Clements; E. E. Austen.

MADAGASCAR: Deans Cowan; R. Baron.

AMERICA.

VARIOUS LOCALITIES IN NORTH AND SOUTH AMERICA: Keyserling's collection.

UNITED STATES: G. W. Peckham (*Attidae*).

TEXAS: William Taylor.

CENTRAL AMERICA: Godman and Salvin; A. Dugés.

BAHAMAS: J. L. Bonhote.

LESSER ANTILLES; West Indian Exploration Committee.

TRINIDAD: T. Potter; W. Ince; J. H. Hart.

DEMERARA: J. J. Quelch; W. L. Slater; P. Macconnell.

VENEZUELA: Dr. Ernst.

EQUADOR: P. O. Simons; F. Rosenberg.

BRAZIL: Messrs. Siemens Bros.; H. von Jhering and Michaelis.

C. CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS.

1826.

In 1826, the Leach collection (see p. 676) was presented.

1835.

In 1835, the Hardwicke Bequest was received. The collection, which contained a considerable number of specimens from India, was incorporated without registration. The exact localities assigned to certain specimens are known to be erroneous.

1838.

In 1838, 34 dried specimens of British Arachnida of the orders Araneæ, Pseudoscorpiones, Opiliones and Acari were presented by Mr. Francis Walker.

1839.

In 1839, 10 Arachnida, principally Spiders from Honduras, were purchased from Mr. Miller, and 3 specimens belonging to the genera *Mygale*, *Eripus*, and *Goniosoma* from Brazil, were purchased from Mr. Mornay.

1840.

In 1840, 34 dried Spiders from Natal and Cape Colony were purchased from Dr. Krauss. One of these specimens was subsequently described as the type of *Selenops kraussii*. Seventeen Spiders from Lapland were presented by Mr. F. Walker.

1841.

In 1841, 152 dried Arachnida, principally from North America, and forming part of Mr. J. G. Children's collection, were added to the Museum collection.

1842.

In 1842, 60 Arachnida from the Philippine Islands were purchased from Mr. Cuming.

1843.

12 Arachnida from the Swan River, including specimens of a then undescribed Scorpion (*Urodacus novæ-hollandiæ*), were presented by Dr. Richardson.

1846.

132 Arachnida from Colombia, containing the types and co-types of the Scorpions and Opiliones from that country described by Gervais, were purchased from M. Goudot.

1850, '51 and '54.

Three collections of British Spiders were purchased from Mr. Walker. The first contained 250 species named by Mr. Blackwall, and mounted as microscopic preparations; the second, 40 species represented by dried specimens, also named by Mr. Blackwall; the third, 74 species named by Messrs. Blackwall and Meade.

1863.

In 1863, the Rev. W. Kirby's collection, containing the types of three species of *Gonyleptes*, and the Banks' collection, containing some of the types of Fabricius's species, were presented by the Entomological Society.

1873.

In this year the most important additions to the collection were the burrows and representatives of three of the species of the Trap-door Spiders, presented by Mr. J. Treherne Moggridge and collected in the Riviera by the donor, which are described and figured in the author's work, "Harvesting Ants and Trap-door Spiders."

1876.

122 Arachnida, collected by Messrs. Gulliver and Slater, attached to the "*Transit of Venus*" expedition, in Rodriguez and referred by Mr. A. G. Butler to 31 species, were presented by the Royal Society. Several of the species in this collection

were described as new by Mr. Butler in the "Annals and Magazine of Nat. Hist." for 1875, and a full report upon the collection was published in vol. clxviii. of the "Phil. Trans. R. Soc." The Arachnida from Kerguelen, collected on this same expedition and described by the Rev. O. P. Cambridge in the volume referred to, were received and registered in 1879.

1881.

Number of accessions unrecorded.

The most important additions were: a series of 38 named Spiders from Australia, containing the types or co-types of some of the species described by Dr. L. Koch in "Die Arachniden Australiens," purchased from the Godeffroy Museum. Twenty-two Arachnida from Sokotra, collected by Prof. I. B. Balfour and presented by the British Association. Amongst these Arachnida were specimens subsequently made the types of new species by Mr. Pocock.

1882.

Accessions amounted to 389, of which the following were the most important. A series of 214 Spiders collected in Madagascar by the Rev. Deans Cowan and purchased from that gentleman. Some of the new species contained in this collection were described by Mr. A. G. Butler in the "Annals and Magazine of Nat. Hist." and the "Proc. Zool. Soc." for that year. 40 Spiders, Scorpions, and Solifugæ from Bushire and Karachi, received in exchange from the Karachi Museum. A further set of the co-types or types of 54 Australian Spiders described by Ludwig Koch in "Die Arachniden Australiens" and purchased from the Godeffroy Museum (see p. 674).

1885.

The accessions, including Myriopoda, amounted to 95. The most important addition to the Arachnida was a collection of 39 Acari, Scorpions, Spiders and Solifugæ from the Gambia, presented by Sir Alfred (then Capt.) Maloney.

1887.

Accessions, 244.

Specimens referable to 22 species of Spiders, collected by Mr. C. M. Woodford in the Solomon Islands, were purchased from the collector and made the basis for a special report upon

the Arachnida of these islands, published by Mr. Pocock in the "Ann. Mag. Nat. Hist." for 1898. 40 Spiders and Scorpions mostly new to the collection and containing specimens subsequently made the types of new species from Kilimanjaro; presented by Mr. F. J. Jackson.

1888.

Accessions, 1215.

148 Arachnida from S. Brazil were purchased from Mr. Michaelis. Specimens referable to 40 named species of Spiders from Germany were purchased from Dr. Eger. 76 microscopical slides of British *Oribatidæ*, containing the remainder of the types and other specimens of this family upon which the Monograph of the British *Oribatidæ* was based, were presented by Mr. A. D. Michael. Over 600 Spiders from Ootacamund and the Nilgiri Hills were presented by Mr. G. F. Hampson. Many of the species contained in this valuable series were subsequently described by Mr. Pocock in 1900.

1889.

Accessions, 1428.

A valuable named collection was received this year from the Marquis G. Doria of the Genoa Museum (p. 673). A set of 329 British Spiders belonging to 53 species, collected by Messrs. O. Thomas and R. I. Pocock, was presented by the donors after being identified by Mr. C. Warburton. A collection of about 500 Arachnida, mostly from Rio Grande do Sul and identified by E. Keyserling, was purchased from the collector, Dr. H. von Jhering.

1890.

Accessions, 10,766.

The large number of accessions for this year was due to the purchase of the Keyserling collection (see p. 675). The rest of the additions were of no great moment, apart from a series of 143 Arachnida collected and presented by Mr. H. A. Spencer, containing a large number of species new to the collection, which had previously received but little well-preserved and workable material from South Africa.

1891.

Accessions, 560.

A further instalment of South African Spiders, consisting of 71 specimens, was presented by Mr. H. A. Spencer.

58 specimens, representing 17 species of named *Attidæ* from North America, were presented by Mr. G. W. Peckham. 5 species of Arachnida from the Mergui Archipelago, including specimens subsequently described as types ; presented by Dr. J. Anderson.

1892.

Accessions, 351.

A collection of 89 Spiders from Madeira, including the types of two new species presented by Mr. W. R. Ogilvie-Grant and identified by Mr. C. Warburton ("Ann. Mag. Nat. Hist." 1892). 20 Scorpions from Cape Town, including a species new to the collection ; presented by Mr. H. A. Spencer. A valuable series of Arachnida, principally Scorpions, from Egypt ; collected and presented by Dr. J. Anderson.

1893.

Accessions 469.

85 Scorpions, principally from Burma and Aden, containing examples of new species ; presented and mostly collected by Mr. E. W. Oates. 22 Arachnida from Persia and Western India, containing examples of new species ; purchased from Mr. F. Moore. 33 Arachnida from Masailand, containing several new species collected and presented by Dr. J. W. Gregory ; the Scorpions were described by Mr. Pocock in the "Annals and Mag. Nat. Hist." for June 1896. A collection of 38 Arachnida of various orders, mostly from India, and containing specimens of several new species which have been subsequently described, was presented by Mr. H. M. Phipson.

1894.

Accessions 876.

A further instalment of 62 Arachnida from Egypt ; presented by Dr. J. Anderson. 58 Arachnida, containing many species new to the collection, from Southern India ; presented by Dr. J. R. Henderson. 51 Arachnida collected in Guatemala by Dr. Otto Stoll ; presented by the collector. 25 Arachnida from Zomba, collected by Mr. A. Whyte and presented by Sir Harry Johnston. The first instalment of the Spiders from St. Vincent and the Scorpions and Pedipalpi from the Lesser Antilles, were received from the West Indian Exploration Committee (see p. 677).

1895.

Accessions 2302.

Mr. Oates's collection from Burma and the Andaman Islands was presented by the collector (see p. 676). 58 Scorpions and Solifugæ from Aden, containing species new to science and to the Museum; presented by Col. Yerbury. 20 Arachnida from Mashonaland; presented and collected by Mr. G. A. K. Marshall. 27 Arachnida from Somaliland, including new species described by Mr. Pocock in 1896, were presented by the collector, Mr. E. Lort Phillips.

1896.

The accessions were 2764.

1500 Arachnida from the Lower Amazons, collected by Messrs. Austen and Cambridge during the expedition of Messrs. Siemens Bros.' cable ss. "*Faraday*," from Para to Manaos; the Scorpions and Pedipalpi were reported upon by Mr. Pocock ("Ann. Mag. Nat. Hist.," April 1897) and the Spiders of the group Mygalomorphæ and Ctenidæ by Mr. F. Cambridge (P.Z.S., 1896 and "Ann. Mag. Nat. Hist.," January, 1897). 463 Scorpions from various parts of India, including many new species procured principally through the instrumentality of Mr. R. C. Wroughton and Mr. H. M. Phipson, were presented by the Bombay Natural History Society. The collection of *Attidæ* from St. Vincent was presented by the West Indian Exploration Committee (see p. 677). The types and specimens of Max Weber's Scorpions were presented by Dr. Max Weber.

1897.

Accessions 2525.

431 Scorpions, Spiders, and Pedipalpi from Burma, including the types of the species of *Thelyphonus* described by Mr. E. W. Oates; presented by Mr. E. W. Oates (see p. 192). 140 Scorpions and Spiders from the Nyika plateau, presented by Sir Harry Johnston and reported upon, with other material from British Central Africa, by Mr. Pocock ("Ann. Mag. Nat. Hist." (7), ii., 1898). 275 Scorpions and Pedipalpi from India, including new species of *Stenochirus* and *Labochirus*, presented by the Bombay Natural History Society. 146 Arachnida, mostly Scorpions and Spiders, including specimens of many new species described by Mr. Pocock in P.Z.S. for 1898; collected and presented by Mr. C. Steuart Betton. 77 Scorpions, Spiders, and Solpugas

from Somaliland, including the types of 17 species described by Messrs. Pocock and Simon in "Through Unknown African Countries": presented by Dr. Donaldson Smith. Also in this year were received Dr. Kükenthal's collection (see p. 675) and a further series of Spiders from St. Vincent, presented by the West Indian Exploration Committee (see p. 677), and the Spiders of the Horn Expedition (see p. 674).

1898.

Accessions 2199.

80 *Arachnida* from Trinidad, including specimens of many undescribed species, were presented by Mr. Walter Ince; this collection formed the basis for a paper upon the Trinidad Spiders in the British Museum, by Mr. F. Cambridge (P.Z.S., 1898). The first instalment of the Godman and Salvin collection of Central American *Arachnida*, consisting of 115 specimens, including many types of *Mygalomorphæ* (see p. 674). 53 *Arachnida* collected by Mr. Simon in Ecuador, including specimens of several new Scorpions and Spiders, many of which have been subsequently described. A further series of Indian Spiders, presented by the Bombay Natural History Society. A collection of 105 *Arachnida* collected by Mr. C. W. Andrews in Christmas Island and described in the "Monograph of Christmas Island," published by the Trustees, was presented by Sir J. Murray, K.C.B., F.R.S. A collection of 67 *Arachnida* from New Britain, including the types and other species described in Dr. A. Willey's "Zoological Results," was presented by Dr. A. Willey. 193 *Arachnida*, collected by Mr. G. L. Bates on the Benito River, and including the species described by Mr. Pocock in P.Z.S., 1899, were purchased from the collector.

1899.

Accessions 3111.

Amongst these was a fine series, consisting of nearly 200 Scorpions and Spiders collected by Mr. W. R. Ogilvie-Grant and Dr. H. O. Forbes, by means of a grant from the Royal Society, in the islands of Abd-el-Kuri and Sokotra. Extensive and valuable collections, adding largely to our knowledge of African *Arachnida*, were also received—to wit, 116 specimens collected by Mr. J. ff. Darling in Rhodesia; 102 specimens from the same country, collected by Mr. Guy Marshall; 150 Spiders from the Benito River, procured by Mr. G. L. Bates; and 130 Spiders

and Scorpions sent from Grahamstown by Dr. Schönland. From India also very important accessions were received, namely, 940 Scorpions, Spiders, &c., principally from the Bombay Presidency, presented per Messrs. H. M. Phipson and R. C. Wroughton by the members of the Bombay Nat. Hist. Society; 104 from Travancore, presented by Mr. Harold Ferguson; and 98 specimens from the Persian Gulf, Baluchistan, &c., presented by Mr. F. W. Townsend. Valuable though less extensive collections procured by Mr. F. Gleadow in the Himalayas and Mr. E. E. Green in Ceylon were also received.

1900.

The accessions amounted to 994, of which the most important was a collection of 103 Spiders and Scorpions, including several new and rare species, collected by Mr. P. O. Simons in Peru and Ecuador; the Arachnida, including examples of several new and subsequently described species collected by Mr. C. V. A. Peel in Somaliland.

1901.

2187 specimens were added to the collection during this year. The most noteworthy accessions were:—200 Spiders from Mauritius; 194 specimens from Cape Colony, including new species of *Acanthodon* and *Harpactira*, presented by Dr. Schönland; 65 Arachnida from Cape Town, including four new species of *Hermachastes*, *Aranea*, *Agelena*, and *Lycosa*, presented by the Rev. J. Hull; 280 Scorpions and Spiders collected in Cape Colony by Miss Leppan, including many new species; 45 Spiders and Scorpions from Pearston, Cape Colony, presented by Dr. R. Broom; 200 Spiders from New Zealand, presented by Prof. F. W. Hutton; 533 Spiders from Central America, the representatives of the families *Scytodidæ*, *Filistatidæ*, *Dysderidæ*, *Clubionidæ*, *Sparassidæ*, *Drassidæ*, *Anypphænidæ*, and *Thomisidæ*, determined and described by Mr. F. O. Pickard Cambridge in vol. ii. of the Araneidea of the "Biologia Centrali-Americana"; presented by F. Du Cane Godman, Esq., D.C.L., F.R.S.

1902.

Accessions, 1798.

A collection of 300 Spiders and Opiliones from Natal, including many rarities and some new species, presented by G. F. Leigh, Esq.; 100 Spiders from Natal, including examples

of many new species, presented by J. F. Quekett, Esq.; 130 Arachnida from the Congo, 150 specimens from Madagascar, and 200 from South America, purchased; 150 Spiders from Beira, Natal, and East London, including several new species and others new to the collection, also 64 Spiders from Kolar, Jalarpat, and Bangalore, presented by G. P. Staunton, Esq.; 60 Arachnida from Vredefort Road, in the Orange River Colony, presented by Capt. G. E. H. Barrett-Hamilton.

1903.

Accessions, 2753.

The Arachnida (379 specimens) collected during the "Challenger" expedition, including many new and rare species, were received from the Rev. O. P. Cambridge. 34 Spiders from South Arabia, collected by Mr. G. W. Bury, 90 Spiders from the Peloponnesus, 70 Arachnida from Cyprus, collected by Miss D. M. A. Bate, and 228 specimens from the Cameroons and Congo; purchased. 150 Arachnida from Natal, presented by J. F. Quekett, Esq.; 130 Spiders from Natal and the Transvaal, presented by J. P. Cregoe, Esq., and some minor acquisitions.

1904.

Accessions, 980.

The most important additions were:—20 Arachnida from the Congo, presented by Drs. Christy, Dutton, and Todd, of the Liverpool School of Tropical Medicine; 70 specimens from Fernando Po, presented by the Fernando Po Exploration Committee; 160 Arachnida from North Angola, collected by Dr. W. J. Ansorge, purchased; 30 specimens from Zululand and Namaqualand, presented by C. W. Rudd, Esq.; and 559 Arachnida, including all the types described in the "Fauna Hawaiensis" of the species collected by Mr. R. C. L. Perkins in the Sandwich Islands, presented by a Joint Committee of the Royal Society and the British Association.

D. ALPHABETICAL LIST OF THE PRINCIPAL CONTRIBUTORS TO THE COLLECTION OF ARACHNIDA.

Abbot (JOHN).

J. Francillon's copy of Abbot's drawings contains figures of species of North American Spiders, which agree so closely with the descriptions and references published in Walckenaer's "Histoire Naturelle des

Insectes; Aptères," as to leave little doubt that it was this series of figures that Walckenaer had before him. These figures, therefore, may be regarded as the types of the species.

Admiralty, Lords of.

From 1891-1895, some valuable Arachnida, collected by Messrs. J. J. Walker, R.N., and P. W. Bassett-Smith, Surgeon R.N., in Australia, China, the Solomon Islands, etc., were presented by the Lords of the Admiralty.

Anderson (JOHN). [1837-1900].

From 1890-1895, Dr. Anderson presented a valuable series of Algerian, Egyptian, and Arabian Scorpions and Solpugas, also the Arabian specimens were collected on Mr. Theodore Bent's expedition to the Hadramaut. A Report upon the latter, in which the Egyptian species were also enumerated and discussed, was published by Pocock in "Journ. Linn. Soc. Zool." xxv. 1895.

See also Indian Museum.

Ausserer (ANTON).

See KEYSERLING.

Banks (Sir JOSEPH). [1743-1820.]

This collection, presented to the Trustees by the Linnean Society in 1863, contains one drawer of dried Arachnida, amongst which are a few of the types described by Fabricius in the "Systema Entomologica." These specimens are not incorporated with the rest of the Museum material, but remain, with the Insects, in the Banksian cabinets in the Entomological Department.

Bankok, the Royal Museum.

A series of Siamese Arachnida, collected by Captain S. S. Flower, was, through the instrumentality of the collector, then Superintendent of the Museum, received in exchange in 1897-1898.

Bates (G. L.).

In 1898, Mr. Bates sent the first of a most valuable series of Arachnida from the Benito River on the Congo (See "Proc. Zool. Soc.," 1899). This and subsequent collections contained many new and interesting species, and added largely to our knowledge of West African Arachnida.

Betton (C. STEUART).

In 1897, Mr. Betton presented the first instalment of Arachnida collected by himself during the laying of the railway from Mombasa to Uganda. A report describing the new species appeared in the "Proc. Zool. Soc." for 1898. Additional material was received in ensuing years.

Bombay Natural History Society.

At various times from 1893 to 1900 over 1700 specimens of Indian Arachnida of the orders Scorpiones, Pedipalpi, Araneæ, and Solifugæ, were presented through the instrumentality of Messrs. R. C. Wroughton and H. M. Phipson. These collections, which, with exception of some of the Araneæ, were reported upon by Mr. Pocock in the Arachnida of the Fauna of British India, contained a large number of new and interesting forms, and added greatly to our knowledge of the Arachnid fauna of Hindostan.

"Challenger" Expedition.

379 specimens collected by this expedition were received from the Rev. O. P. Cambridge in 1903. They include examples of many rare and new species.

Cowan (*The Rev. WILLIAM DEANS*).

A series of 214 Spiders from Madagascar, many of which were described by Mr. Butler as new, was purchased in 1882 from the collector.

Darling (*JAMES FFOLLIOTT*).

In 1897 and 1899, Mr. Darling presented a large number of Arachnida containing many new or otherwise interesting species collected by himself at Untali, Mazoe, Salisbury and Enkeldoorn in Mashonaland.

Distant (*WILLIAM LUCAS*). [1845-]

A series of Arachnida from the Transvaal, presented by Mr. Distant in 1898, and described by Mr. Pocock in "Ann. Mag. Nat. Hist." for that year, was the first collection of any extent received from that part of South Africa.

Doria (*The Marquis GIACOMO*). [1840-]

In 1889, the Marquis Giacomo Doria, Director of the Civic Museum of Natural History at Genoa, presented, through Mr. O. Thomas, a valuable collection of Arachnida, containing about 360 specimens and 188 species which had been collected in Europe, Tunis, Abyssinia, Aden, Burma, Amboina, Celebes, etc., by Doria himself, or by collectors in his employ. The species had been named by P. Pavesi, E. Simon, and T. Thorell, and the co-types of many were contained in the collection.

Everett (*ALFRED HAST*). [-1898]

Collections of Arachnida from Borneo, Palawan, Celbes, etc., received between 1894 and 1897, contained specimens from localities not previously represented in the Museum, as well as examples of new species.

Fabricius (*JOHANN CHRISTIAN*). [1745-1808]

See BANKS.

Ferguson (*HAROLD*).

During 1899, Mr. Ferguson sent several instalments of Arachnida of various orders from Travancore in South India.

Flower (*Capt. STANLEY S.*).

From 1895 to 1898, Captain Flower presented several instalments of Arachnida, containing new and rare species, collected by himself in the Malay Peninsula. Since 1898 he has also added considerably to the series of Egyptian Arachnida in the collection. [See also under Bangkok, the Royal Museum.]

Gervais (*FRANCOIS LOUIS PAUL*). [1816-1879]

See KEYSERLING and GOUDOT.

Gleadow (*F.*).

In 1899, a series of Arachnida from the Himalayas, containing examples of species new both to science and to the Museum, was presented by Mr. F. Gleadow.

Godeffroy Museum.

In 1881 and 1882, the Trustees purchased from the Godeffroy Museum, Hamburg, a series of Australian Spiders, which had been named by Dr. Ludwig Koch, and are mentioned in that author's classic work, "Die Arachniden Australiens." Some of these specimens are the types, and some only the eo-types, of the species therein described.

Godman (F. DU CANE) [1834-] and Salvin (OSBERT) [1835-1898]

In 1898, Mr. F. D. Godman presented the first instalment of the Central American Arachnida, the account of which is in course of publication in the "Biologia Centrali-Americana." This instalment consisted of the Mygalomorphæ, represented by 115 specimens, amongst which were the types and other examples of the species identified and described by the Rev. O. P. Cambridge and Mr. F. Cambridge. A second collection, containing 533 Arachnida, including specimens of the families Scytodidæ, Filistatidæ, Dysderidæ, Clubionidæ, Sparassidæ, Drassidæ, Anyphoenidæ and Thomisidæ, was presented by Mr. Godman in 1901. This series was described by Mr. F. O. Pickard Cambridge.

Goudot (JUSTIN).

In 1846, the Trustees purchased from M. Goudot a series of Arachnida from Colombia, containing the types or eo-types of the Scorpions and Opiliones, collected in that country by Mr. Goudot and described by Paul Gervais in vol. iii. of the "Hist. Nat. des Insectes; Aptères."

Grant (WILLIAM ROBERT OGILVIE). [1863-]

From 1891 to 1899, Mr. Grant has collected for and presented to the Museum a large number of Spiders. Apart from a few specimens from various parts of Great Britain, his most important contributions are his collections from Madeira and the Salvæge Islands and the series procured in Sokotra in conjunction with Dr. H. O. Forbes.

Green (E. ERNEST).

In 1890, 1895, 1899, Mr. Green enriched the collection by valuable donations of Spiders, Scorpions, etc., from Ceylon.

Guérin-Meneville.

See KEYSERLING.

Hampson (GEORGE FRANCIS, Bart.). [1860-]

In 1888, 1889, Sir George Hampson presented about 700 Spiders, several of them new or rare species which were collected by himself in the Nilgiri Hills and at Ootacamund in S. India.

Hogg (HENRY ROUGHTON).

See HORN.

Horn (WILLIAM AUSTIN).

12 Spiders belonging to 9 species, collected on Mr. W. A. Horn's expedition to Central Australia, and containing some of the eo-types of the species described by Mr. H. R. Hogg in the report upon this expedition, were presented by Mr. W. A. Horn in 1897.

Hose (CHARLES).

From 1891-1898, the Museum procured from Mr. C. Hose instalments of Arachnida from Borneo, including many species new to the collection.

Ihering (HERMANN VON). [1850-]

In 1889, a collection from Rio Grande do Sul, consisting of about 500 specimens, named by Keyserling, was purchased from the collector.

Jayakar (Dr. A. G.).

From 1891-1894, Dr. Jayakar collected and presented to the Museum the first series of Arachnida received from Muscat.

Keyserling (GRAF EUGEN). [1833-1889]

Keyserling's collection of Arachnida, composed of nearly 10,000 specimens referable to over 2000 identified species, was purchased by the Trustees in 1890 and was incorporated in the general collection. With exception of the Acari and Podogona, all orders of Arachnida are represented. In addition to a large number of named species from various localities, the collection contains the types of the new species of Spiders described by Keyserling in the following works:—

1. Die Spinnen Amerikas: Laterigradæ. By E. Keyserling. 1880.
2. " " Theridiidæ. By E. Keyserling. 1884-86.
3. " " Brasilianische Spinnen. By E. Keyserling. 1891. Completed and Edited by Dr. George Marx.
4. " " Epeiridæ. By E. Keyserling. 1892-93. Completed and Edited by Dr. George Marx.
5. Die Arachniden Australiens. By L. Koch and E. Keyserling. 1883-89.

There are also in the collection the types of the species of Mygalomorphæ belonging to Keyserling, which Dr. Anton Ausserer established ("Verh. zool.-bot. Ges.," Wien, 1879); some of Dr. Ludwig Koch's types from Australia and elsewhere; the types of some of the species of Scorpiones and Pseudoscorpiones described in "Die Arachniden Austral.," 1885, by L. Koch and E. Keyserling, and of the Opiliones described by W. Sörensen in the same work; also a few types of species established by Gervais, Guérin-Meneville and Lucas. Lastly, amongst the Neotropical Opiliones, which were named by W. Sörensen, many new species are indicated. It does not appear, however, that the descriptions of the latter have yet been published.

Kirby (Rev. WILLIAM). [1759-1850]

Mr. Kirby's collection of Insects, presented by the Entomologica Society in 1863, contained the types, now incorporated, of three species of Opiliones described in "Tr. Linn. Soc.," xii., 1818.

Koch (LUDWIG). [1825-]

See GODEFFROY MUSEUM and KEYSERLING.

Kükenthal (Dr. WILLIAM).

In 1897, Dr. W. Kükenthal presented a collection of 57 species of Spiders, represented by 142 specimens, collected in the East Indies by the donor and named by Mr. Poeoek in "Abh. Senckenberg., Ges.," xxiii., 1897. The collection contained the types of the new species described in the report.

Leach (WILLIAM ELFORD). [1790-1886]

Dr. Leach's collection, which contained the types and other specimens of the species of *Pseudoscorpiones* and *Ixodes*, described in the "Trans. Linn. Soc.," xi. and "Zool. Misc.," iii., 1817, as well as several pinned examples of British Spiders and Opiliones and Acari, of no special value, was presented to the Trustees in 1826.

Lort Phillips (E.).

In 1895, Mr. Lort Phillips presented a collection of Arachnida from Somaliland, which, apart from the new forms it contained, is of interest as being the first series of Arachnida received from that country.

Marshall (GUY A. K.).

In 1894 and succeeding years, Mr. Marshall collected for the British Museum a valuable series of Arachnida, including many previously undescribed species, in Natal and Mashonaland. The collections have been named, and for the most part reported upon.

Oates (EUGENE WILLIAM). [1845-]

In 1889, Mr. Oates presented a collection of over 100 Scorpiones and Pedipalpi from Burma, amongst which were the types and other specimens of the species described by him in the "Journal of the Bombay Nat. Hist. Soc.," iii., 1888. The rest of Mr. Oates's material of Scorpiones and Pedipalpi, including the types of his species of *Thelyphonidæ*, described in the "Journ. Asiatic Soc.," Bengal, lviii., 1889, was handed over to the Trustees in 1897. Mr. Oates's collection of Burmese Spiders was presented to the British Museum with the request that it should be sent to Dr. Thorell for determination. The descriptive catalogue of the collection was published by the Trustees in 1895. The collection, which contained about 1100 specimens, referable to 310 species, and a large number of types, was incorporated in the general collection in 1895. In this year the Museum also received from Mr. Oates his collection of Spiders from the Andaman Islands, which was reported upon by Thorell in "Ann. Mag. Nat. Hist." (6), ix., 1892.

Peckham (GEORGE W.).

See WEST INDIAN EXPLORATION COMMITTEE.

Ridley (HENRY N.).

Since 1890, Mr. Ridley has from time to time sent valuable and extensive collections of Arachnida from Singapore.

Sandwich Islands Committee.

In 1904 the collection of Arachnida made in the Sandwich Islands by Mr. R. C. L. Perkins was presented by the Joint Committee of the Royal Society and the British Association. It consists of 559 specimens, reported upon by Mons. E. Simon in the "Fauna Hawaiensis."

Schönland (Dr.).

In 1899, Dr. Schönland presented to the Museum the first of a very valuable series of Arachnida from Grahamstown in Cape Colony.

Siemens (Messrs.).

In 1897, the Arachnida collected on the Amazons by Messrs. E. E. Austen and F. O. P. Cambridge during the laying of the cable by the

SS. "*Faraday*," were presented by Messrs. Siemens. This was the first collection of any extent and in a proper state of preservation that the Museum had received from Brazil.

Simon (EUGÈNE). [-1818]

See WEST INDIAN EXPLORATION COMMITTEE and DORIA.

Simons (P. O.). [-1902]

In 1900, the Museum received from Mr. Simons the first of a series of Andean Arachnida collected in Ecuador and Peru. This collection contained many new and rare species.

Sörensen (WILLIAM).

See KEYSERLING.

Spencer (HENRY ALEXANDER). [1862-]

From 1890-1897, Mr. H. A. Spencer presented collections of Arachnida from Cape Town, Port Elizabeth, King Williamstown, East London and Durban. These collections contained the first properly preserved material of any extent that the Museum had received from South Africa.

Staunton (GEORGE P.).

In 1899, Mr. G. P. Staunton sent the first of a series of collections of Spiders from Bangalore and Madras. In 1902 he sent 64 additional specimens.

Thomas (OLDFIELD).

From 1889-1897, Mr. Thomas collected and presented to the Museum a large number of Spiders from England and various places on the Continent; also from La Plata. It was through his instrumentality also that the valuable collection of identified species from the Genoa Museum was presented by the Marquis G. Doria.

Thorell (TORD TAMERLAN THEODOR). [1830-1901]

See OATES and DORIA.

Townsend (F. W.).

In 1899-1900, Mr. F. W. Townsend presented several instalments of Arachnida collected by himself in the Punjab, Baluchistan, and Persia, adding many new forms to the collection from a region which was poorly represented in the Museum.

Walckenaer (CHARLES ATHANASE, *Baron*). [1771-1852]

See ABBOT.

West Indian Exploration Committee.

The Arachnida collected in the Lesser Antilles by Ramage, Sherring, Smith, and others, under the direction of the West Indian Exploration Committee, were presented to the British Museum at various dates between 1889 and 1897. The first instalment was a small series from Dominica and St. Lucia received in 1889. In 1894, the Spiders of the families *Aviculariidae*, *Filistatidae*, *Uloboridae*, *Dysderidae*, *Oonopidae*, *Caponiidae*, *Scytodidae*, and *Pholcidae*, which had been worked out by M. Eugène Simon, and described in the "*Proc. Zool. Soc.*" for 1891 and 1894; and the Scorpions and Pedipalpi, described by R. I. Pocock in the "*Journ. Linn. Soc.*" xxiv., were received and incorporated. The

Spiders of the families *Clubionidæ*, *Thomisidæ*, *Lycosidæ*, *Argiopidæ*, etc., completing the series, were received from M. Simon in 1897.

Whitehead (JOHN).

From 1894-1896, series of Arachnida collected by Mr. J. Whitehead in the Philippines were presented by the subscribers to the Whitehead Expedition. These collections were almost the first properly preserved material received by the Museum from the Philippines.

Yerbury (Col. J. W.).

From time to time since 1892, Colonel Yerbury has collected and presented to the Museum a large number of Arachnida from Ceylon and a valuable collection of Scorpions from Aden and the neighbourhood. He has also added to the collection of European Arachnida by donations of specimens from Corsica, Portugal, and different parts of the British Islands.

II. ORDER XIPHOSURA.

The curatorial history of the King-Crabs is the same as that of the Crustacea down to 1893, when the care of them was transferred to the assistant in charge of the Arachnida.

The earliest specimens received by the Museum belonged to Dr. Leach's collection, which was acquired by the Trustees in 1826. These were entered in the first volume of the MS. catalogue of Crustacea (pp. 1-3). The date of this catalogue is unknown; but since the specimens of *Limulus* belonging to the Hardwicke Bequest, which was received in 1835, were entered on p. 3 in the same handwriting as that in which Leach's specimens were entered, it is evident that the date of the commencement of this catalogue cannot be earlier than 1835. This handwriting appears to be that of J. E. Gray, or of an attendant, S. Parrell. Subsequent accessions were entered by the same hand, with additions by Adam White, on pp. 535-536, in the second volume, and on pp. 1031-1033 in the third volume. A MS. hand-list of the specimens contained in the collection was compiled by the last-named author. The date of this is uncertain, but since it contains an entry of specimens received from Edward Blyth in 1846, it cannot be earlier than that year.

From 1838 to 1876 accessions were recorded in the "Insect" Register, together with the rest of the Arthropoda; from 1876 to 1893 in the Register set apart for Crustacea, and from 1893 to 1900 in the Register of Arachnida and Myriopoda.

The first mention in literature of the British Museum collection of *Limulus* was apparently made by Leach in 1819, when in the "Dict. Sci. Nat.," vol. xiv., he described a species *L. tridentatus*, from an unlocalised specimen in the British Museum. In 1847, in the list of "Specimens of Crustacea in the collection of the British Museum," published by the Trustees, Adam White compiled a complete synonymical hand-list of the known species all of which were then represented in the Museum.

CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS.

1826.

Leach's collection contained, according to the old register, three specimens from North America, one of which was the type of *L. sowerbii*, Leach ; also a specimen from Florida, sent to Dr. Leach by Thos. Say, as the type of *Limulus australis*, Say ; and an unlocalised specimen named in the old register *Limulus latreillei*, Leach. The types of *L. australis* and *L. latreillei* are not now traceable ; that of *L. sowerbii* is still in the Museum cabinets. The type of *L. macleaii*, which Leach in 1819 declared to be in his collection, is also untraceable, and there is no mention in the old MS. catalogues of 1846 and earlier, nor in the published catalogue of 1847, of the type of *L. tridentatus*, which Leach himself declared to be in the Museum in 1819.

1835.

The Hardwicke Bequest contained three specimens in spirit, and one dried specimen of *Limulus rotundicauda*, ticketed Bengal and the East Indies.

1844-1846.

In 1844, two specimens of *L. tridentatus* from Japan were received from the Leyden Museum, and in 1846 three specimens of *Limulus rotundicauda* from the East Indies, presented by Edward Blyth, Esq. ; two specimens of *L. moluccanus* from Singapore, presented by the Earl of Derby, and one from Torres Straits presented by J. B. Jukes, Esq.

1879-1884.

A specimen of *L. rotundicauda*, collected by Dr. Cantor in Penang, was transferred from the Indian Museum in 1879; in 1880, a specimen of the same species and one of *L. moluccanus*, collected by Dr. P. Bleeker, were purchased, and in 1884 two examples of *L. tridentatus* from Swatow in China were received from the Commissioner of the Chinese Court of the Fisheries Exhibition of 1883.

1897.

Three examples of *L. tridentatus* from Kudat in British North Borneo were presented by G. W. Johnstone, Esq. Also two examples of *L. tridentatus* from Kudat, three of *L. moluccanus* from Brunei and the Gulf of Siam, and two of *L. rotundicauda* from the Gulf of Siam, collected by Capt. S. S. Flower, were received in exchange from the Royal Museum, Bankok.

III. ORDER PYCNOGONIDA.

The Marine Arachnida of this order were formerly attached to the collection of Crustacea, and until 1893 were in the charge of the same curators and entered in the same registers as the Crustacea. In 1893 they were transferred, with the Xiphosura, to the care of the assistant responsible for the Arachnida. Scarcely any special attention in the way of systematic descriptive work has ever been paid to this group. Beyond the registration and provisional determination of accessions it has been impossible to give time to working it up. Consequently at the present time the collection is hardly up to the standard of excellence attained by that of some continental museums, although the material obtained on the "*Challenger*" expedition is of exceptional value. Previous to the arrival of this collection, the Museum material had been determined by Mr. Adam White and Mr. E. J. Miers, both of whom established a few new species. Since that date all the identified material has been received from external sources, principally from the Museums of Christiania and Copenhagen and from the Norman collection.

LIST OF THE COLLECTIONS CONTAINING TYPE-SPECIMENS AT
THE TIME OF THEIR ACQUISITION.

Leach (WILLIAM ELFORD). [1790-1836]

Dr. Leach's collection, received in 1826, contained the types of *Ammothea carolinensis*, *Nymphon gracile*, and *N. femoratum*, described in "Zool. Misc." I., pp. 33 and 45, 1814.

Goodsir (HARRY D. S.).

In 1844, Mr. Goodsir presented the type-specimen of *Nymphon johnstoni*, Good., together with a number of Crustacea from the Firth of Forth.

Jeffreys (JOHN GWYN). [1809-1885]

In 1873, Mr. Gwyn Jeffreys presented the type of *Parazetes auchenicus*, Slater, which was collected off the coast of Japan by Capt. St. John.

"Challenger."

The Pycnogonida of the "*Challenger*," presented by the Lords Commissioners of the Treasury in 1881 and identified by Dr. P. P. C. Hoek, contained about 120 specimens belonging to 36 species, of which 33 were described as new and 3 as the types of new genera. The arrival of this valuable collection more than doubled the number of specimens contained in the Museum. A few specimens, containing the types of new species, which were apparently retained by Dr. Hoek for further research, were not received until 1898.

Haddon (Prof. ALFRED CORT). [1855-]

In 1892, the Museum received from Prof. Haddon the types of *Rhopalorhynchus clavipes*, *Parapallene haddoni* and *Ascorhynchus tenuirostris*, collected in Torres Strait, and identified by G. H. Carpenter (see "Proc. R. Dubl. Soc.," vii., 1892).

CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS.

1842.

Amongst a series of Crustacea collected in the South Seas by Capt. Sir E. Belcher (H.M.S. "*Sulphur*") and presented to the Museum in 1842, were two examples of Pycnogonida, which Adam White described as *Nymphon phasma* and *N. johnstonianum* (see "Proc. Zool. Soc.," 1847, p. 125).

1874.

15 specimens of *Nymphon* from Spitzbergen; presented by the Rev. A. E. Eaton.

1876-1878.

3 specimens forming the basis for Mr. Miers's description of *Nymphon gracilipes* and *Tanystylum stylicherum*, collected by the Rev. A. E. Eaton on the "*Transit of Venus*" Expedition to Kerguelen, were presented by the Royal Society in 1876 (see "*Ann. Mag. Nat. Hist.*" (4), xxi., p. 76, 1875, and "*Phil. Trans.*," clxviii., pp. 200-214). In 1877-1878, with the Crustacea collected on the Arctic Expedition by Mr. H. C. Hart and Capt. Feilden, were received 28 specimens of the genus *Nymphon*, of which one species was described by E. J. Miers as *N. obtusidigitatum* (see "*Ann. Mag. Nat. Hist.*" (4), xx., p. 108, 1877); presented by the Lords Commissioners of the Treasury.

1881.

In addition to the "*Challenger*" collection, which was received in this year (see p. 681), six specimens of *Nymphon strömii* and *curtipes*, were presented by Dr. P. P. C. Hoek. Dr. Hoek also despatched to the Museum the Pycnogonida dredged by the "*Knight-Errant*" in the Faroe Channel, a report of which was published on pp. 94-99 of the report on the Pycnogonida of the "*Challenger*." The collection contained 81 specimens referable to species of *Nymphon*, *Collossendeis* and *Pycnogonum*.

1890-1892.

In 1890, 80 specimens referable to 13 named species from the coasts of Norway, Spitzbergen, and Jan Mayen, were received in exchange from the Christiania Museum.

In 1891, 9 specimens referable to 6 species of *Nymphon* from the Kara Sea, identified by Dr. H. J. Hansen, were received in exchange from the Copenhagen Museum. In 1892, 10 specimens, still unnamed, collected by P. Bassett Smith, Esq., Surg. R.N., on the Holothuria Bank, were presented by the Lords of the Admiralty.

1898-1899.

120 specimens belonging to six species of *Nymphon* and *Pycnogonum* from the Faroe Channel and Trondhjem Fiord, were

purchased from the Rev. Canon Norman in 1898. In the same year, 120 specimens referable to 10 species obtained by the "*Challenger*," "*Triton*," and "*Knight-Errant*," expeditions, which Dr. P. P. C. Hoek had not previously returned to the Museum, were received from him. Amongst them were the types of four species of "*Challenger*" material not mentioned in the official report. In 1899, 8 specimens belonging to 6 species determined by Mr. W. S. Bruce and collected by him in Franz Josef Land on the Harmsworth-Jackson Expedition, were presented by Mr. Alfred Harmsworth.

8. MYRIOPODA.

By R. I. POCOCK.

A. LIST OF THE OFFICERS MORE OR LESS CONNECTED WITH THE COLLECTION OF MYRIOPODA.

Date of Appoint- ment.	ASSISTANTS.	Date of Appoint- ment.	KEEPERS.	Date of Appoint- ment.	ASSISTANT KEEPERS.
1813	W. E. Leach.				
1824	J. E. Gray.		J. E. Gray.		
		1875	Dr. A. Günther.	1872	Dr. A. Günther.
1835	Adam White.	1895	Sir W. H. Flower, K.C.B.	1879	A. G. Butler.
1863	A. G. Butler.	1898	Prof. E. Ray Lan- kester.	1895	E. A. Smith, I.S.O.
1885	R. I. Pocock.				

B. CURATORIAL WORK, REGISTRATION AND CATALOGUES.

The numerical registration of accessions to the collection of Myriopoda was instituted at some date after 1826, when Dr. Leach's collection was presented. The first entry in the old undated register of Aptera is the name of one of the species described by Thomas Say, who sent his types to Dr. Leach. It is impossible to say over how many years this register extended ; but, apart from the species belonging to Leach's collection, only ten Myriopoda were entered in it. In 1838 dated registration of the Arthropoda began, the Crustacea, Arachnida, Myriopoda, and Insecta all being included in one volume. Since 1889 the Myriopoda, with the Arachnida, have been entered in a separate register.

The collection of Myriopoda became of historical importance

when, in 1844, the Trustees published a biographical and synonymical list of the specimens contained in the Museum at that time. This list was apparently compiled by George Newport, although edited and prefaced by Dr. J. E. Gray. The collection was composed of representatives of 94 species of Chilopoda and 75 of Diplopoda, amongst which were the type-specimens of the species described by Dr. Leach in the "Zoological Miscellany" (1817) and elsewhere; of the North American species described by T. Say, and of the species established by Dr. J. E. Gray in Griffith's "Animal Kingdom," xiv., 1832. The numerous species instituted by Newport himself during the preparation of this list were described in vol. xiii. of the "Ann. Mag. Nat. Hist.," and in vol. xix. of the "Trans. Linn. Soc. Lond.," 1845; the paper contained in the last-named publication being Newport's classical monograph of the Chilopoda.

This list was followed in 1856 by a descriptive catalogue of the collection, which was unfortunately never finished owing to Newport's death. It contained a complete list of the described species of Chilopoda, with diagnoses of the greater number available for examination. The numbers of species represented in the collection amounted at that time to 106, showing an increase of twelve species in the twelve years that had elapsed since the issue of the synonymical list in 1844.

The Diplopoda were omitted from this volume, and the preliminary diagnoses of the species published by Newport in 1844 were never subsequently issued in completer form.

From 1856 to about 1870 no time or attention was given to this group. It appears to have been placed in Mr. Butler's charge on his appointment in 1863. Mr. Butler's first paper, dealing with the Zephroniidae or Pill-Millipedes, was published in 1873. Hence it is probable that he arranged the dried collection of Myriopoda, in the cabinets in which they are now stored, in about the year 1870. From 1870 to 1882 Mr. Butler issued a few papers upon Myriopoda, most of them treating of accessions to the collection of Pill-Millipedes. He described, as well, however, some species from Duke of York Island, Madagascar, and Rodriguez; those from the latter locality being collected by Messrs. Gulliver and Slater during the "Transit of Venus" Expedition.

Since 1886 the collections which have added most largely to the value of the Myriopod material in the British Museum, and

which by the published reports have contributed most extensively to our knowledge of the classification and distribution of this group, are those mentioned under heading D. (p. 695), as collected by Mr. E. Thurston in South India ; by Mr. E. E. Green in Ceylon ; by Mr. E. W. Oates, Dr. Anderson and Sig. L. Fea in Burma ; by Dr. Max Weber in the Dutch East Indies ; by the collectors employed by Messrs. F. D. Godman and O. Salvin in Central America, and by the West Indian Exploration Committee in the Lesser Antilles.

In 1886 the Myriopoda were placed in Mr. Pocock's charge. In the following year a MS. catalogue of all the described species was commenced, and the accumulated material in the Museum and the incoming accessions were in subsequent years gradually worked out, the catalogue at the same time being completed and all the specimens represented in the collection entered in it under their appropriate specific headings.

The four orders of Myriopoda—namely, the Chilopoda, Diplopoda, Symphyla, and Pauropoda—have the same history from the point of view of registration, determination and catalogue work.

The Pauropoda and Symphyla, especially the former, are so poorly represented in the collection as to require merely a passing notice.

Of the Diplopoda and Chilopoda, the latter have received the larger share of curatorial attention, and have twice been completely worked out, first of all by Newport in 1844 and secondly by Pocock in 1886 and subsequent years. As compared with the material in other museums, all the families are fairly well represented from the various countries enumerated below (p. 688). This is especially true of the *Scolopendridæ*, *Scutigæridæ* and *Lithobiidæ* ; less so of the burrowing *Geophilidæ*, which escape the notice of collectors. Of the *Craterostigmatidæ*, the British Museum possesses the only two specimens known, which were collected in Tasmania by Mr. G. M. Thomson.

The collection of Diplopoda is less complete than that of the Chilopoda, although the series of Pill-Millipedes is unique for the numbers of species and type-specimens. From only a few extra-European countries, such as Burma, Ceylon, the Amazons, and West Indies, can it be claimed that the Museum material is fairly representative of the fauna.

The collection of Myriopoda in 1904 contained about 8900 specimens, 850 named species, and 500 unnamed species.

LIST OF AUTHORS WHO HAVE DESCRIBED SPECIES OF
MYRIOPODA IN THE BRITISH MUSEUM.

BUTLER, A. G.	POCOCK, R. I.
COOK, O. F.	SAUSSURE, H. DE.
GERVAIS, P.	SAY, THOMAS.
GRAY, J. E.	SILVESTRI, F.
HUTTON, F. W.	STUXBERG, A.
LEACH, W. E.	VERHOEFF, C.
NEWPORT, G.	WOOD, J. G.

LIST OF THE PRINCIPAL COUNTRIES WHENCE COLLECTIONS HAVE
BEEN PROCURED, WITH THE NAMES OF DONORS OR COL-
LECTORS.

EUROPE.

SWEDEN: Dr. A. Stuxberg.

BRITISH ISLANDS: W. R. O. Grant; W. E. Leach; G. Newport; R. I. Pocock; O. Thomas; Col. Yerbury; and others.

FRANCE: O. Thomas; A. Dollfus.

AUSTRIA AND GERMANY: C. Verhoeff; O. Thomas.

ITALY: O. Thomas.

PORTUGAL: O. Thomas; Col. Yerbury.

SPAIN AND BALEARIC ISLANDS: O. Thomas; R. I. Pocock; Colonel Yerbury.

AFRICA.

MADEIRA, AZORES, CANARY AND SALVAGES ISLANDS: W. R. O. Grant.

ALGERIA, TUNISIA AND EGYPT: J. Anderson.

SOMALILAND: E. Lort-Phillips; Donaldson Smith.

BRITISH EAST AFRICA: C. Stuart Betton; J. W. Gregory.

MASHONALAND: G. A. K. Marshall; J. ff. Darling.

NATAL AND CAPE COLONY: H. A. Speneer.

ZULULAND: C. D. Rudd.

LIBERIA: O. F. Cook.

FERNANDO Po: Exploration Committee.

ASIA AND AUSTRALIA.

SIBERIA: A. Stuxberg.

CHINA: P. W. Bassett Smith and J. J. Walker.

BURMA: E. W. Oates; L. Fea; J. Anderson.

INDIA: J. R. Henderson; E. Thurston; — Jerdon; H. Ferguson; H. K. Slater.

CEYLON: E. E. Green.

MALACCA: H. N. Ridley; S. S. Flower.

SIAM: S. S. Flower.

SUMATRA: Max Weber.

BORNEO: A. Everett; C. Hose; G. Whitehead.

PHILIPPINE ISLANDS: H. Cuming.

CELEBES: Max Weber.

SOLOMON ISLANDS, &c.: C. M. Woodford; Arthur Willey.

AUSTRALIA : Baldwin Spencer.
 TASMANIA : G. M. Thomson.
 NEW ZEALAND : C. Chilton.
 SANDWICH ISLANDS : R. C. L. Perkins.

AMERICA.

UNITED STATES : T. Say.
 TEXAS : W. Taylor.
 CENTRAL AMERICA : F. D. Godman and O. Salvin.
 WEST INDIES : West Indian Exploration Committee : T. D. A. Cockerell.
 VENEZUELA : Dr. Ernst.
 COLOMBIA : J. Goudot.
 ECUADOR : E. Whymper ; P. O. Simons.
 AMAZONS : E. E. Austen and F. P. Cambridge.
 LA PLATA : O. Thomas.

C. CHRONOLOGICAL LIST OF ACCESSIONS.

1841.

Four species of Centipedes, including the one subsequently described as *Scolopendra Childreni*, and one species of Millipede represented by the specimen afterwards named *Lysiopetalum lineatum*, were presented by Mr. J. G. Children. In this year also Mr. E. Doubleday's collection, containing the types of three species of Centipedes subsequently described by Newport, was presented.

Previous to 1844 two Centipedes from Egypt were presented by Mr. J. Burton. One of them was subsequently described by Newport as the type of *Scolopendra canidens*. These specimens were not registered and the date of their presentation is consequently unknown.

1842.

Dr. Dieffenbach presented the specimens from New Zealand which Newport described as *Cormocephalus rubriceps* and *Spirostreptus antipodarum*; also specimens of two species of Centipedes and two of Millipedes, said to be from China, and afterwards described by Newport, were presented by Capt. Sir Edward Belcher, R.N.

1844.

9 Brazilian species of Centipedes and Millipedes, including specimens which afterwards served as the types of Newport's

species, were presented by John Miers, F.R.S. Also a valuable series of Millipedes from the Philippine Islands, subsequently described by Newport, was purchased from Mr. Cuming. A new species of Centipede had been previously purchased from Cuming in 1841. Newport himself presented 13 Centipedes from Paramatta and the types of *Scolopendra angusta* and *S. valida* from the Canary Islands were presented by Mr. Barker Webb. In this year also three species of Centipedes from New Zealand, Tasmania and Australia, collected on Sir James Ross's Antarctic Expedition of 1835-1843 and subsequently described by Newport, were received.

1846.

The type of *Siphonophora luteola*, Gerv., and several Millipedes which must be regarded as the co-types or topotypes of species described by Gervais, from Colombia, were purchased from M. Goudot.

1861.

12 species of Central American Myriopoda named by M. de Saussure and alleged to be his types, were purchased from M. Sallé (see above, p. 698).

From 1863-1873 and again in 1875 no return of Myriopoda was made in the annual report of accession, nothing of sufficient importance to deserve mention having been added to the collection.

1874.

A valuable addition was made in the form of a series of 27 species of Myriopoda from Sweden, which were identified and presented by Dr. A. Stuxberg.

1876.

50 Myriopoda referred to 12 species collected in Rodriguez by Messrs. Gulliver and Slater, on the "Transit of Venus" Expedition, were presented by the Royal Society. These species were described by Mr. Butler in the Ann. Mag. Nat. Hist. for that year, and subsequently in the "Philosophical Transactions," vol. clxviii., for 1879. In this year also Dr. Stuxberg presented a collection of Siberian Myriopoda containing the types or co-types of 11 species described by himself in the Ann. Mag. Nat. Hist. for 1876 (see p. 698).

1881.

52 Centipedes, mostly belonging to the genus *Scolopendra*, were collected by Prof. I. B. Balfour in the island of Sokotra and presented to the British Museum by the British Association.

1886.

Specimens of 9 species of Myriopods, apparently typical of species named by F. W. Hutton, were purchased from the Commissioner to New Zealand at the Indo-Colonial Exhibition.

1887.

The accessions amounted to 44.

The most important was a donation from Mr. L. Wray of five Centipedes and two suctorial Millipedes, belonging to a new genus, subsequently described by Mr. Pocock as *Pseudodesmus verrucosus*.

1888.

Accessions 216.

6 species of Myriopoda collected in Dominica by Mr. G. A. Ramage, and reported upon by Mr. Pocock in the Ann. Mag. Nat. Hist. for that year, were presented by the West Indian Exploration Committee. A series of 49 Myriopods from Madagascar was purchased from the Rev. R. Baron.

1889.

Accessions 1492.

48 specimens of Myriopoda referable to 17 species mostly identified by Dr. Karsch, from Tunis and other localities, presented, through Mr. Oldfield Thomas, by the Marquis G. Doria. A collection of 250 British Centipedes containing many species new to the collection, and previously unrecorded as British, presented and collected by Messrs. O. Thomas and R. I. Pocock; also about 200 Myriopoda from Austria and Liguria, containing species new both to science and to the Museum, presented and collected by Mr. O. Thomas; 51 named Myriopoda from Liguria, containing species new to the collection, and co-types of some of Latzel's species, were presented by Dr. G. Caneva, through Mr. O. Thomas.

450 Chilopoda, referable to 24 species, mostly new to the collection from Burma, presented and collected by Mr. E. W. Oates (see p. 697).

1890.

Accessions 608.

38 specimens from Madras containing representatives of 5 new species and others new to the collection, presented by Mr. Edgar Thurston ; also 65 specimens representing many species new to science and to the Museum collection, presented by Mr. E. E. Green (see p. 697).

98 Centipedes and Millipedes from Cape Colony and Natal, including a large number of species new to the collection ; collected and presented by Mr. H. A. Spencer. A collection of 98 specimens belonging to 17 species from Algeria, presented by Dr. Anderson.

1891.

Accessions 405.

28 specimens from Madeira, including examples of two new species of Centipedes collected and presented by Mr. W. R. Ogilvie-Grant. A further series of South African Myriopoda, consisting of 80 specimens, representing several species new to the collection, was presented by Mr. H. A. Spencer.

A collection of 15 Centipedes and Millipedes belonging to 8 species, two of which were new, from the Madras Presidency ; presented by Mr. E. Thurston (see p. 698).

1892.

Accessions 1560.

A further set of 46 Millipedes from South Africa collected and presented by H. A. Spencer.

198 Millipedes referable to 17 species from Burma, collected and presented by Mr. E. W. Oates and identified by Mr. Pocock (see p. 697).

A collection of 319 Millipedes from the south of England, and 280 from Austria and Italy, containing many species new to the collection, collected and presented by Mr. O. Thomas.

61 Myriopods from Japan, Borneo and Gt. Loo-Choo, collected by P. A. Holst, were purchased from Mr. H. Seeböhm in 1891-92, and reported upon by Mr. Pocock in *Ann. Mag. Nat. Hist.*, for April, 1895. A small series of 16 Myriopods from Jamaica, containing examples of six new species, was presented by Mr. T. D. A. Cockerell.

1893.

Accessions 260.

131 Myriopoda referable to 20 genera and containing a large number of undescribed species, all from the eastern parts of

Australia, presented by Prof. Baldwin Spencer. The Centipedes contained in this collection were worked out by Mr. Pocock in 1901.

13 species of Centipedes and Millipedes, represented by 44 specimens, collected in Masailand and presented by Dr. J. W. Gregory. This collection was described by Mr. Pocock in 1896.

1894.

Accessions 846.

The collection of Myriopods from the Lesser Antilles, obtained by the collectors in the employ of the West Indian Exploration Committee, was presented this year (see p. 699).

275 Centipedes and Millipedes, chiefly from Guatemala and containing many undescribed species, presented by Dr. Otto Stoll.

198 Myriopoda from South India, comprising specimens of many new species, presented by Dr. J. R. Henderson.

1895.

Accessions 279.

33 Millipedes of the family *Polydesmidæ*, referable to eleven named species from Liberia, presented by Mr. O. F. Cook.

23 Centipedes and Millipedes from Somaliland, described by Mr. Pocock in 1896, collected and presented by Mr. E. Lort Phillips.

The collection of Myriopods from Burma, containing co-types of the species collected by Sig. J. L. Fea, presented by Mr. R. I. Pocock (see p. 696).

1896.

Accessions 1336.

Max Weber's collection of Myriopods was presented by the collector (see p. 699).

800 specimens, representing many new but undescribed species from the Lower Amazons collected by Messrs. E. E. Austen and F. O. P. Cambridge during the expedition of Messrs. Siemens Bros.' cable S.S. *Faraday*, from Para to Manaos.

1897.

Accessions 458.

In addition to the Godman and Salvin collection of Centipedes (see p. 696), the following were the principal additions made this year :—

130 Myriopods from Malacca and Siam, collected and presented by Capt. S. S. Flower.

13 Myriopods from Somaliland, described by Mr. Pocock in "Unknown African Countries," presented by Dr. Donaldson Smith.

1898.

Accessions 762.

327 Centipedes and Millipedes from Siam and the Malay Peninsula, collected by Capt. S. S. Flower and received in exchange from the Royal Siamese Museum, Bangkok.

36 Centipedes and Millipedes, principally from New Britain, and including the types and other specimens of the species described by Mr. Pocock in Dr. A. Willey's "Zoological Results."

1899.

Accessions 309.

100 specimens from Sokotra and Abd-el-Kuri, including examples of several new species, collected by Mr. W. R. Ogilvie-Grant and Dr. H. O. Forbes.

12 Centipedes and Millipedes from Mazoe, Rhodesia, presented by Mr. J. ff. Darling; and 27 specimens from British East Africa, collected and presented by Mr. C. S. Betton.

1900.

Amongst the accessions, which amounted to 448, were 92 specimens referable to 51 species from Central Europe, mostly new to the British Museum, collected and determined by Dr. Carl Verhoeff, from whom they were purchased; about 200 specimens collected in Spain and the Balearic Islands by Messrs. Thomas and Pocock; 28 specimens, including representatives of new species, collected by Mr. P. O. Simons in Peru and Ecuador.

1901.

Accessions 152.

32 Centipedes and Millipedes from the South of Spain, presented by Colonel Yerbury; 32 Centipedes and Millipedes from Singapore and Malay Peninsula, presented by H. N. Ridley, Esq.; 39 specimens from Mysore, presented by H. K. Slater, Esq.

1902.

Only 98 specimens were obtained this year, including:—34 Centipedes and Millipedes from South America, purchased; 12

examples from Copenhagen of three species new to the collection, presented by Dr. H. J. Hansen; 18 specimens from Morocco, presented by E. G. B. Meade-Waldo, Esq.

1903.

Accessions 488.

191 Centipedes and Millipedes from Central Europe, determined by Dr. C. Verhoeff, purchased; 150 specimens from the Azores collected by Mr. W. R. Ogilvie Grant, many of them new to the collection.

1904.

Accessions 153.

25 Myriopoda from Fernando Po, presented by the Fernando Po Exploration Committee; 30 Myriopoda from Zululand, presented by C. D. Rudd, Esq.; 53 specimens from the Sandwich Islands, including the types of all the species described by Prof. F. Silvestri in the "Fauna Hawaiiensis," presented by a Joint Committee of the Royal Society and British Association.

D. ALPHABETICAL LIST OF THE PRINCIPAL CONTRIBUTORS TO THE COLLECTION OF MYRIOPODA.

Anderson (JOHN). [1837-1900]

In 1890 Dr. Anderson presented an important series of Myriopoda, collected by himself in Algeria and Tunisia, which was reported upon by Mr. Pocock in the Proc. Zool. Soc. for that year. In subsequent years Dr. Anderson from time to time presented Centipedes from Egypt, and in 1894 about 25 Centipedes and Millipedes collected on Mr. Theodore Bent's expedition to the Hadramaut. These, containing two new forms, were described in Vol. XXV. of the Journ. Linn. Soc. [See also Indian Museum.]

Bankok, the Royal Museum.

In 1897-1898 the Museum received in exchange from the Royal Siamese Museum, Bankok, various instalments of Myriopoda from Siam, collected by Capt. S. S. Flower.

Barker-Webb (PHILIP). [1793-1854]

In 1844 Mr. Barker Webb presented to the Museum co-typical examples of the two species of *Scolopendra*, namely *S. augusta* and *S. valida*, from the Canary Islands, described by H. Lucas in Webb and Berthelot's Hist. Nat. des Iles Canaries.

Betton (C. STEUART).

From 1897 to 1900, during the construction of the railway from Mombasa to Uganda, Mr. Betton collected and presented to the Museum representatives of many species new to the collection.

Caneva (G).

In 1889, 51 Myriopoda from Liguria, including the co-types of two species described by Dr. R. Latzel, were presented by Dr. Caneva, through Mr. O. Thomas, to the Museum.

“Challenger.”

The Myriopoda collected on the voyage of the *Challenger* were sent to the Museum, when the collections were dispersed on the return of the expedition. In 1892, when the material was sorted and worked out and registered, a considerable number of new and interesting species were discovered. A report upon the collection was published by Mr. Pocock in the *Annals and Magazine of Nat. History* for that year.

Chilton (CHARLES).

In 1892 Mr. Chilton presented a collection of Myriopoda from Dunedin, containing species new to the collection.

Doria (the Marquis GIACOMO). [1840—]

In 1889 the Marquis G. Doria presented, through Mr. O. Thomas, 48 specimens of Myriopoda, referable to 17 species, principally from Tunis, which had been identified for the Genoa Museum by Drs. Karsch and Latzel.

Fea (LEONARDO).

A collection of 30 species of Burmese Centipedes and Millipedes, including the co-types of the species obtained by Sig. L. Fea, and worked out by Mr. Pocock (*Ann. Mus., Genoa, 1891–1895*) for the Marquis G. Doria, was presented by the describer in 1895 and incorporated in the general collection.

Flower (Capt. STANLEY S.).

In 1896, 1897, and 1898 Capt. Flower collected and presented to the Museum, in several instalments, a fine series containing many new species of Myriopoda from Siam and the Malay Peninsula.

See also under BANKOK.

Godman (FREDERICK DU CANE) [1834—] and Salvin (OSBERT) [1835–1898]

The Central American Chilopoda, containing examples of 29 species, with many types, named by R. I. Pocock in the “*Biologia Centrali-Americana*,” were received and incorporated in 1897.

Goudot (JUSTIN).

A collection of Myriopoda from Colombia, purchased from Mr. Goudot in 1846, contained the type of *Siphonophora luteola*, Gervais. Also several Millipedes, which are certainly topo-types, perhaps co-types, of species described by Gervais and based upon material collected by Mr. Goudot.

Grant (WILLIAM ROBERT OGILVIE). [1863-]

In addition to specimens from various parts of Great Britain, Mr. Grant has presented collections of Myriopoda containing examples of species previously undescribed, as well as others not previously represented in the Museum collection, from Madeira in 1891, 1897; from the Canaries and Salvages Islands in 1897, and from Sokotra and Abd-el-Kuri in 1899.

Green (E. ERNEST).

In 1890 Mr. Green sent to the Museum a valuable set of Ceylonese Myriopoda, most of the species, of which many were new, being previously unrepresented in the Museum. This collection was described by Pocock in the Journ. Bombay Nat. Hist. Soc. for 1892. A second instalment was received in 1899.

Henderson (JOHN R).

In 1894 Dr. Henderson presented about 200 Myriopoda, collected by himself in various parts of the Madras Presidency. The collection contained a large number of species both undescribed and new to the Museum series.

Hutton (FREDERICK WOLLASTON). [1836-]

In 1886 the Trustees purchased from the Commissioner of New Zealand to the Indo-Colonial Exhibition a small series of identified Myriopods which are apparently the types of species from New Zealand described by Prof. F. W. Hutton.

Indian Museum (*Trustees of*).

In 1889 the Trustees of the Calcutta Museum presented to the British Museum specimens and co-types of the species of Myriopoda collected by Dr. John Anderson in the Mergui Archipelago and described by Mr. Pocock in the Journ. Linn. Soc. for 1888. Although small in number of species, this collection was the first the Museum had received from Burma.

Keen (Rev. J. H.).

A collection of 38 Myriopoda from Queen Charlotte Island, British Colombia, presented by Mr. Keen in 1890, is the only series the Museum has ever received from British Colombia.

Latzel (ROBERT).

See CANEVA.

Leach (WILLIAM ELFORD). [1790-1836]

Dr. Leach's collection was presented to the Trustees in 1826. It contained the types of the British species of Centipedes and Millipedes described by Leach in Tr. Linn. Soc., XI., and Zool. Misc. III., 1817, as well as the types of some North American species established by Say, which that author had presented to Leach.

Oates (EUGENE WILLIAM). [1845-]

Mr. Oates's valuable collection of Burmese Myriopoda was presented in 1889. This was the first extensive collection of this group ever brought to England from that country. It contained about 450 specimens representing a large number of new and interesting species. The collections were described by Pocock in the "Annale" of the Genoa Museum in a series of papers ranging from 1891-1895.

Sallé (AUGUSTE). [-1896]

A collection consisting of twelve species of Central American Myriopoda, named by De Saussure, was purchased from M. Sallé in 1861. The specimens were apparently sold as the types of the species. This is certainly not true in all cases; but there is no reason to doubt that when the localities on the labels agree with the localities affixed to the descriptions, the specimens may be claimed as the types or co-types.

Sandwich Islands Committee.

In 1904 the collection of 53 specimens obtained in the Sandwich Islands by Mr. R. C. L. Perkins was presented by a Joint Committee of the Royal Society and the British Association. The collection includes all the types described in the "Fauna Hawaiiensis."

Saussure (HENRI LOUIS FRÉDÉRIQUE). [1829-]

See SALLÉ.

Say (THOMAS). [1787-1834]

See LEACH.

Spencer (HENRY ALEXANDER). [1862-]

From 1890-1897 Mr. H. A. Spencer presented to the Museum several consignments of Myriopoda collected by himself in Cape Colony and Natal. These were the first well-preserved specimens received from South Africa.

Stuxberg (ANTON).

In 1876 a collection of 14 species, 11 of which were represented by typical or co-typical examples, from Siberia, was presented by Dr. A. Stuxberg. The species were described by Dr. Stuxberg in the *Ann. Mag. Nat. Hist.* for April, 1876.

Taylor (WILLIAM).

From 1889-1892 Mr. W. Taylor presented instalments amounting in all to about 100 specimens of Myriopoda collected by himself in Texas. Nearly all the species contained in this collection were new to the Museum series, it being the first collection ever received from that country.

Thomas (OLDFIELD). [1858-]

From 1889-1900 Mr. Oldfield Thomas presented to the Museum large numbers of Myriopods collected by himself in various parts of England, France, Germany, Italy, Portugal, Spain, the Balearic Islands, and La Plata. The series obtained in Italy and Germany was the first collection of Myriopods of any extent that the Museum had received from the Continent.

See also DORIA.

Thurston (EDGAR).

In 1890-1891 the Museum received from Mr. Thurston, of the Govt. Central Museum, Madras, specimens of about 20 species, of which nearly half were undescribed and almost all new to the collection, from the Madras Presidency. The species were described by Pocock in the *Ann. Mag. Nat. Hist.* for 1890, and the *Journ. Bombay Nat. Hist. Soc.* for 1892.

Verhoeff (Dr. CARL).

In 1903 a named collection of 92 specimens belonging to 50 different species, mostly new to the collection, from various parts of Europe, was purchased from Dr. Verhoeff.

Webb.

See BARKER-WEBB.

Weber (MAX).

A collection of 91 species of Centipedes and Millipedes, principally from Sumatra and Java, and including the types and other specimens of the species described by R. I. Pocock in Max Weber's "Zool. Ergebnisse, etc.," II., was presented by Max Weber in 1896.

West Indian Exploration Committee.

The Chilopoda and Diplopoda collected in the Lesser Antilles, under the direction of this committee, were presented to the British Museum in 1894 and named by R. I. Pocock (J. Linn. Soc. XXIV.). The collection contained the types of many new species, and has been incorporated.

Whymper (EDWARD). [1840—]

A series of 34 Myriopods referable to 7 species, 2 of which were new, collected by Mr. Whymper in the Andes of Ecuador and presented in 1890, was the first collection from that country received by the Museum.

Willey (ARTHUR). [1867—]

In 1898, Dr. Willey's collection of Myriopoda from the Solomon Islands, New Britain, etc., was presented by him. It consisted of 36 specimens referable to 19 species, whereof 13 were new. The species were described in vol. i. of Dr. Willey's "Zoological Results."

9. MOLLUSCA.

By E. A. SMITH, F.L.S., I.S.O.

A. LIST OF OFFICERS MORE OR LESS CONNECTED WITH THE COLLECTION OF MOLLUSCA IN PAST YEARS.

Date of Appoint- ment.	ASSISTANTS.	Date of Appoint- ment.	KEEPERS.	Date of Appoint- ment.	ASSISTANT- KEEPERS.
1765	Dr. D. C. Solander.				
1813	Dr. W. E. Leach.	1837*	J. G. Children.		
1816	J. G. Children.	1840	J. E. Gray.		
1824	J. E. Gray.	1875	Dr. A. Günther.		
1841	Dr. W. Baird.	1895	Sir W. H. Flower, K.C.B.	1872	Dr. A. Günther.
1867	E. A. Smith.	1898	Prof. E. Ray Lankester.	1895	E. A. Smith, I.S.O.

* This year Zoology was made a separate Department.

B. PROGRESS AND ARRANGEMENT OF THE COLLECTION OF MOLLUSCA.

1759-1904.

IN this account of the formation and progress of the collection of Mollusca in the British Museum it has only seemed necessary to refer to the principal and most extensive series of specimens which have been acquired from time to time either by donation or purchase. Very many individual specimens or small numbers of shells have been received, which, in some respects, are equally as important as the larger series, although they do not much increase the bulk of the general collection.

In 1836, it was estimated by Dr. (then Mr. J. E.) Gray that the Museum possessed 15,000 specimens of shells. Since that

year the collection has been increased by the addition of 458,000* specimens, that is an average annual increase of about 6700 examples. Of course the number of Mollusca obtained year by year has varied very considerably, the years 1854, 1856, 1857, 1866, 1874, 1875 and 1898, being particularly noticeable on account of the unusually large additions, the number of specimens acquired being for those years respectively 13,483, 14,287, 21,914, 84,174, 13,977, 18,034, 31,877. Reference to the following pages will show the reason of these abnormally large numbers.

With respect to the number of species in the collection it may be worth mentioning that Dr. Gray estimated it in 1836 at 4025. At the present time the collection probably contains rather more than ten times that number.*

It is practically impossible to know the exact extent of the collection of Mollusca, and whence it was obtained, before the year 1837, when a system of registration of acquisitions was introduced.

The collection preserved in spirit comprises 11,200 specimens, this number being included in the total given above. Many of the specimens are very old, and not of much use for anatomical purposes, but those received of recent years are in a well-preserved condition. Some parts of the collection have been more or less studied, notably the Cephalopoda, by J. E. Gray; the Nudibranchs, by P. S. Abraham; and the Slugs, by Dr. Heynemann and T. D. A. Cockerell. The collections obtained by the "*Challenger*," "*Alert*" and "*Nassau*" Expeditions comprised a very large number of specimens, and were a great addition to the Museum series.

It may here be of interest to refer to the Curators who from time to time have been in special charge of the collection: Dr. W. E. Leach, 1813-? 1826; Mr. J. G. Children, 1826-1840; Dr. J. E. Gray, 1824-1875; Dr. W. Baird, 1841-1871; E. A. Smith, 1867 until the present time.

The collection of shells before Leach's time must have been so small that it is of little importance by whom they may have been arranged or named. It is probable that Dr. D. C. Solander, who was appointed an Assistant in the Museum in 1765, may at some time have had charge of the collection, as it is known from his MSS. in the Banksian Library that he had a knowledge of

* This number, which includes specimens in spirit, was ascertained from the registers and annual reports, and consequently is no mere estimate.

Conchology. Leach described a few species in the *Zoological Miscellany* and worked at the classification of the British Mollusca, but Children's Conchological work was limited to an account of Lamarck's genera of shells, published in 1822-23 in the *Quarterly Journal of Science, Literature and Arts*, vols. xiv.-xvi.

Dr. J. E. Gray was a very voluminous writer and published an enormous number of papers, in various periodicals, dealing directly or indirectly with various parts of the Museum collection. In addition several catalogues of certain portions of the shell collection compiled by him were published by the Trustees.

Dr. Baird wrote only three or four short papers upon small series of shells in the Museum, but did much work in arranging, mounting, registering and naming the collection.

The present Curator, Mr. E. A. Smith, has written about 300 papers and monographs, all dealing with the Museum collection, and like his predecessor has worked a great deal at the general arrangement and naming of the collection.

Of workers, not upon the Museum staff, who have described or written upon parts of the collection, the following may be mentioned: W. Wood, G. P. Deshayes, L. Pfeiffer, P. P. Carpenter, L. Reeve, G. B. Sowerby; and the following are the names of authors whose types are wholly or in part preserved in the Museum collection:—

P. S. Abraham, A. Adams, H. Adams, G. F. Angas, C. E. Beddome, R. H. Beddome, R. Bergh, W. T. Blanford, C. Bock, W. J. Broderip, R. A. Bullen, E. Chitty, T. D. A. Cockerell, W. E. Collinge, J. C. Cox, A. E. Craven, H. Crosse, S. I. Da Costa, T. Davidson, H. Dohrn, W. Dunker, F. Eydoux, P. Fischer, L. de Folin, E. Forbes, G. von Frauenfeld, H. Fulton, J. S. Gaskoin, J. B. Gassies, J. D. F. Gilchrist, H. H. Godwin-Austen, A. Granger, G. K. Gude, J. F. Gulick, A. S. Haddon, S. Hanley, D. F. Heynemann, R. B. Hinds, W. E. Hoyle, H. L. Jameson, J. G. Jeffreys, W. S. Kent, I. Lea, E. A. Liardet, E. von Martens, J. C. Melvill, O. A. L. Mörch, A. Morelet, W. Newcomb, A. d'Orbigny, H. Pease, P. Pelseneer, J. H. Ponsonby, H. Preston, T. Prime, S. Rang, C. Récluz, L. Souleyet, R. Standen, E. R. Sykes, W. Theobald, R. B. Watson, T. V. Wollaston, S. P. Woodward.

C. CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ACCESSIONS TO
THE COLLECTION OF MOLLUSCA IN THE DEPARTMENT OF
ZOOLOGY TO THE END OF 1904.

1759.

Probably a number of shells were received with the collections bequeathed by Sir Hans Sloane (1759) and these would in all probability form the nucleus of the Museum Collection. It must be stated, however, that no record of any such specimens has been traced.

1799.

In this year 794 specimens, still marked "Mus. Cracherode," were bequeathed by the Rev. Clayton Mordaunt Cracherode. A MS. catalogue of this collection is extant, and is of interest, as the species are marked with the prices given for them to the well-known dealer George Humphrey.

1827.

Numerous specimens, some probably obtained during Capt. Cook's voyages, were doubtless included in the bequest of his collections to the Museum by Sir Joseph Banks in 1827. These, however, as in the case of the Sloane specimens, are not now identifiable.

1837.

In the following year (1837) the collection formed by Mr. W. J. Broderip, consisting of 4089 specimens, was purchased for the sum of £1575. It included very fine series of Cones, Cowries, and Volutes, and must have altogether altered the character of the National collection.

1838-1840.

About this time the extensive collections of Natural History made by the Rev. Lansdown Guilding, at St. Vincent's and other islands of the West Indies, were sold at Messrs. Stevens' auction rooms. The Museum acquired a large number of specimens, some of which are of special interest, being either the actual types or co-types of the various species described by Mr. Guilding.

1840.

About 900 shells from South Africa were purchased in 1840 from Dr. Ferdinand Krauss, who subsequently published the work entitled "Die Südafrikanischen Mollusken," in 1848.

1841.

In this year, and during the years 1846 and 1847, numerous purchases of shells were made from Herr Parreyss, a dealer in Vienna. Many of these specimens are valuable as they are accompanied by the MS. names he was in the habit of inventing, and which, in many instances, have been adopted by subsequent writers.

1842.

In the year 1843, Mr. J. E. Gray, who was then keeper of the Zoological Department, published a list of the known shells of New Zealand in an Appendix to Vol. II (pp. 228-263) of Dr. E. Dieffenbach's work, "Travels in New Zealand." This list was partly based upon a series of specimens presented to the Museum by Dr. Dieffenbach in 1842, and also includes the species presented by the Rev. W. Yate in 1835 and enumerated by J. E. Gray in Mr. Yate's "Account of New Zealand," pp. 307-310. A number of new species were described in both of the above mentioned works. Large additions were also made to the New Zealand collection of Mollusca by Dr. Stanger in 1841, Dr. Sinclair in 1842, 1851, and 1857, Lt.-Col. Bolton, R.E., and Capt. Stokes, R.N., in 1852.

About 1100 shells from the West Coast of Central America, California, New Guinea, Fiji, Tahiti, Sandwich Islands, etc., were presented in 1842 by R. B. Hinds, Esq., which had been collected by him during a voyage round the world in H.M.S. *Sulphur*, under the command of Capt. Sir Edward Belcher. Two years later the latter presented 79 co-types of species described by Hinds in the Zoology of the voyage, and, in 1851, at the sale of Capt. Belcher's collection, 2324 additional specimens were purchased.

1842-43.

The next important acquisition was the purchase in 1842 and 1843 of about 1800 shells from Mr. H. Cuming, by whom they were collected, many of the species having recently been described.

In the year 1843 also, a set of shells was purchased from Dr. H. P. C. Möller, illustrative of his work, "Index Molluscorum Grœnlandiæ," published in 1842.

1844.

In the year 1844, very large collections made during the Antarctic Expedition under Sir J. C. Ross, were presented by the Lords of the Admiralty.

J. B. Jukes, Esq., in 1844, presented extensive collections of Mollusca made during the surveying voyage of H.M.S. *Fly* in New Guinea, North Australia, etc. A few new species were described by J. E. Gray in an Appendix to the second volume of the narrative of the voyage by Jukes. Most of these specimens, however, were from the collection of Mr. H. Cuming, which has since (1866) been acquired for the Museum by purchase.

1041 specimens collected during the same expedition of the *Fly* by Mr. John Macgillivray, were presented to the Museum in the years 1844-46.

1845.

347 shells from Jamaica were presented in 1845 by Prof. C. B. Adams. This donation was of importance, as many of the specimens were co-types of species described by the donor.

In 1850 forty additional specimens representing co-types of ten species were also received from Prof. Adams.

1850.

Capt. Kellett, R.N., and Lieut. Wood, R.N., presented in 1850 and 1855 a collection of 358 shells from California and West Coast of Central and South America, obtained during surveying voyages of H.M.S. *Herald* and *Pandora*. Of special interest are the types of the new species described by Prof. E. Forbes in the Proceedings of the Zoological Society for 1850 (pp. 53-56, 270-274). In 1859-60 the Museum received further specimens collected by Mr. Macgillivray and others during this voyage, namely, 733 examples from the Admiralty and 960 from the Museum of Economic Geology.

1851.

During the voyage of the *Rattlesnake*, 1846-50, large collections were made by Mr. J. Macgillivray in Australia and

adjacent islands to the north and north-east. In an Appendix to Vol. II. of his narrative of the voyage, 19 new species were described by Prof. E. Forbes, and these, together with about 170 other specimens, were presented by Mr. Macgillivray. 1789 additional specimens from this voyage were also received from the Museum of Economic Geology, Jermyn Street, during the years 1859-1860.

1854.

A large collection of the land and fresh-water shells of Jamaica was presented this year (1854) by the Hon. E. Chitty. It consisted of 389 species, represented by 2665 specimens.

428 specimens, purchased of Mr. Parzudaki, are of interest, as they comprise many Pteropods, etc., obtained by MM. Eydoux and Souleyet and M. Gaudichaud during the voyage of the *Bonite*, 1836-1837, which were described in the account of the voyage, and also in the work entitled, "*Histoire naturelle des Mollusques Ptéropodes*," etc., by MM. Rang and Souleyet. A catalogue of these specimens by J. E. Gray was published by the Trustees in 1855.

In this year also were obtained by purchase from M. Alcide d'Orbigny (1) the collection (4537 specimens) described by him in the account of his "*Voyage dans l'Amérique Méridionale*," etc.; (2) the shells, 2545 in number, described in M. Ramon de la Sagra's work, entitled, "*Histoire physique, politique, et naturelle, de l'Île de Cuba*"; and (3) the type specimens (542 in number) described by M. d'Orbigny in the "*Histoire naturelle des Îles Canaries*," by MM. P. Barker-Webb and Sabin Berthelot. Lists of these three important acquisitions, compiled by J. E. Gray, were published by the Trustees in the year 1854.

1855.

This year (1855) 1242 shells from the Canary Islands and 1280 from Spain, Portugal and Mogador were presented by R. McAndrew, Esq. This acquisition was important, as illustrative of his papers entitled, "*On the geographical distribution of Testaceous Mollusca in the North-east Atlantic and neighbouring seas*," *Liverpool Lit. Phil. Soc. Proc.* viii. pp. 8-57 (1853-4), and "*Notes on the distribution and range in depth of Mollusca and other marine animals observed on the coasts of*

Spain, Portugal, Barbary, Malta and Southern Italy in 1849," Brit. Assoc. Proc. 1850, pp. 264-304.

About 200 specimens of shells from California and the Sandwich Islands were purchased of Mr. Thomas Nuttall, by whom they were collected, and a few years later (1861) 368 additional specimens were received from Mr. Nuttall's executors. A list of his collection was published by T. A. Conrad in the Journ. Acad. Nat. Sci. Philad. vii. pp. 227-268 and P. P. Carpenter in the Proc. Zool. Soc. London, 1856, pp. 209-229.

1855-56.

An important series of 1524 shells from the Solomon, Fiji, and Kermadec Islands was received from the Lords of the Admiralty, having been collected by Mr. John Macgillivray during the voyage of H.M.S. *Herald*.

1856.

A collection of Mollusca, comprising 3941 specimens, obtained by Mr. J. Gwyn Jeffreys on the coast of Piedmont, and a second series of 2426 Mediterranean shells were this year obtained by purchase from R. Damon, of Weymouth, and M. Parzudaki respectively.

At this time and during the following years Mr. Searles V. Wood presented his valuable collection of Crag Mollusca, comprising over 4000 specimens, to the Zoological Department. This collection, since transferred to the Geological Department, formed the material upon which Mr. Wood based his "Monograph of the Crag Mollusca," published in 1848-1856 (2 vols. pp. 550, 52 plates).

1857.

The "Mazatlan Collection" of Mollusca was this year presented by Dr. P. P. Carpenter, who prepared a catalogue of it which was published by the Trustees the same year. 692 species are enumerated or described, of which 215 were new. The total number of specimens in the collection amounts to about 8800. They were collected in 1848-50 by Mr. Frederick Reigen, and as a geographical series are of considerable importance.

A second large collection of land and fresh-water shells from Jamaica, consisting of 6000 specimens, nearly all named, was purchased this year from Mr. E. Chitty. The first series was received in 1854.

1858.

842 British Mollusca presented by Joshua Alder, Esq. This acquisition derived considerable value on account of its having been named by this well-known author. 316 of the specimens were Nudibranchs, a group of Molluscs which Mr. Alder had made a special object of study and research.

1859.

13 land and fresh-water shells from Central Africa were presented this year by Capt. Speke. They were of special interest, as they included the first specimens received in Europe from Lake Tanganyika. They were described by Mr. S. P. Woodward in the Proceedings of the Zoological Society for 1859.

1860.

Between the years 1860 and 1864 a large collection of Mollusca consisting of 918 specimens from Vancouver Island were presented by Mr. J. K. Lord. He collected them whilst engaged as naturalist to the British N.W. American Boundary Commission, and some of the novelties were described by Dr. Baird in the Proceedings of the Zoological Society for 1863.

1862.

41 specimens from Lake Nyassa were added to the collection this year. They were collected during one of Dr. Livingstone's Expeditions by Dr. John Kirk, and were of interest as being the first specimens received from this lake.

1865.

A second collection of land and fresh-water shells made in Central Africa by Capt. Speke, during his travels to discover the source of the Nile, were this year added to the collection. Some of them were from the Victoria Nyanza.

3986 land shells from Madeira Islands were presented by Baron C. de Paiva. The specimens were all named and formed a very valuable addition to the Museum Collection.

Two large collections were this year presented by the Smithsonian Institution of Washington—one from Panama, the other from the West Coast of North America. The former, consisting of 1215 examples, represents a set, as complete as could be supplied, of the shells listed and described by Prof. C. B. Adams in his work entitled, "Catalogue of Shells collected at Panama." The other series (1949 specimens) were chiefly from Cape St. Lucas, Acapulco, Neeah Bay and Puget Sound.

1866.

This year was especially notable for the acquisition of the famous "Cuming Collection." This collection is so well known that little need be said respecting it. When acquired by the Museum at the moderate price of £6000 it consisted of 82,992 specimens. It is famous on account of the beauty of most of the specimens and the enormous number of types it contains. The actual number of species and types was never estimated, but when we regard the twenty volumes of Reeve's "Conchologia Iconica," the five volumes of Sowerby's "Thesaurus Conchyliorum," and the numerous papers by Pfeiffer, Broderip, H. and A. Adams, Deshayes and others, all descriptive of this collection, we get some idea of the historic interest attaching to it. This collection of shells was the main object of Mr. Cuming's life. He not only devoted several years of personal collecting to its formation, but he purchased largely, and obtained very many species by exchange with foreign museums and private collectors in all parts of the world. With regard to the depreciatory remarks of Dr. J. E. Gray concerning this collection (Proc. Zool. Soc. 1867, pp. 726-730), I am bound to say that I cannot endorse them. Having worked at the collection for many years, I think I may safely say that it is only in comparatively few cases that types are not to be found which are stated to have been in it. Dr. Gray did not *know* the collection or he would never have stated that he had "not observed any indication of the depths in the ocean whence the specimens were obtained." The fact is that hundreds and hundreds of tickets occur in the collection, in various handwritings, giving such information, and the names of the species are very frequently written upon them in the handwriting of the original describer, or of the person by whom the species have been determined.

One of the greatest mistakes ever made in respect of this collection was for the specimens to have been mounted upon tablets by Mrs. Gray. For this purpose nearly the whole of the collection was carried drawer by drawer across an open courtyard, resulting in many labels being blown into wrong places and being gummed to the wrong tablets. The amount of work entailed in remounting, and righting these mistakes, has been enormous, and much still remains to be done.

1868.

Among the large collections made by Dr. R. O. Cunningham in 1866-69 during the voyage of H.M.S. *Nassau* on the West Coast of Patagonia and in the Straits of Magellan, were many specimens of Mollusca. About 1100 examples were presented to the Museum by the Lords of the Admiralty, and some account of them was given by Dr. Cunningham in the Transactions of the Linnean Society, vol. xxvii. (1871).

1870.

During this and the following year the Museum received a series of Mollusca from Mrs. Knocker, which had been collected by her husband, the late Capt. Knocker, R.N., at Whydah and other places on the West Coast of Africa. The collection consisted of about 630 specimens, including the remarkable new genus and species *Protoma Knockeri* described by Dr. Baird, and other new forms described by E. A. Smith (Proc. Zool. Soc. 1871, pp. 727-739).

A very valuable donation was received from Mr. G. F. Angas between the years 1870-1886. It included about 1490 specimens, chiefly from Australia, among them being the types of 240 species chiefly described by himself in the Proceedings of the Zoological Society. The collection included chiefly marine shells, his land shells having subsequently been bequeathed to the Newcastle Museum.

Between the years 1870 and 1886 Mr. Julius Brencley presented 1887 specimens of land, fresh-water, and marine shells collected during the cruise of H.M.S. *Curaçoa* among the South Sea Islands. The collection was valuable on account of the exactitude of the localities attached to the specimens. A few

species were described by Dr. Baird in an Appendix to Mr. Brenchley's book, giving an account of the cruise.

1871.

Mr. Harper Pease in 1871-1876 presented 485 Mollusca from the Hawaiian Islands and other islands in the Pacific, some of importance as being co-types of species described by himself.

A collection of 490 land and fresh-water shells from India was this year acquired by purchase from Mr. Damon, who obtained it from Dr. Ferdinand Stoliczka, the author of several excellent treatises and papers on Indian Mollusca, both recent and fossil. It included many rarities described by Benson, Blanford, etc.

1873.

In 1872, in the *Annals and Magazine of Natural History*, vol. ix. pp. 262-4, Dr. J. Gwyn Jeffreys gave a list of Mollusca from St. Helena. The specimens (nearly 200 in number) upon which this list was based were presented to the Museum by Mr. J. C. Melliss, by whom they were collected, and who also gave some account of them in his work "*St. Helena*," published in 1875.

In this year Dr. J. Gwyn Jeffreys presented a most valuable collection of 640 Mollusca dredged by Capt. H. C. St. John at Japan. The specimens were most carefully collected and preserved, and accompanied by their exact stations and depths. A portion of the collection was described by E. A. Smith in the *Annals and Magazine of Natural History*, 1875, vol. xv., pp. 414-427, vol. xvi., pp. 103-115, but many novelties still remain to be worked out.

1874.

During this year Dr. J. E. Gray presented his private collection of shells, with instructions that it was not to be registered entirely, but that such specimens were to be selected from time to time as might be required, the rest to be placed with the duplicates. The collection consisted of about twelve thousand specimens, which were not, however, remarkable for their beauty or rarity. There are, however, a number of types in it which are valuable, such as those figured from "*Gray Cab.*'

in W. Wood's supplement to the "*Index Testaceologicus*," 1828, those described by Reeve in the "*Conchologia Iconica*," and those by Gray himself and others in various publications.

Mention may be made of 192 marine shells from Japan acquired by purchase from Mr. Damon, including many of the small obscure species described by A. Adams. It is important to possess named specimens of those species which were unfigured and so inadequately described.

During this and following years the Museum received about 200 land and fresh-water shells from Trinidad and Dominica presented by Mr. R. J. Lechmere Guppy. They are of interest as being collected by him, and a few of them as being co-types of some of the species described by him.

A very important series of 446 specimens from the collection of the Rev. T. Lombe Taylor of Starston, Norfolk, were this year presented by his widow. They included the types of 124 species described chiefly by Lovell Reeve in the "*Conchologia Iconica*" or by G. B. Sowerby in the "*Thesaurus Conchyliorum*," the rest of the specimens, although not actual types, being examples of various species figured in the above works. (See 1879.)

1875.

A very large series of specimens (about 15,500) was received this year, being a bequest by the Rev. R. T. Lowe. The principal part of it consists of a very extensive collection of the land and fresh-water shells of the Atlantic Islands, which are of special value, having been named by Mr. Lowe himself, who made the fauna of these islands a special study.

1876.

A series of duplicates (417 in number) selected from Dr. F. Welwitsch's Angolan Collection was received from the King of Portugal through the executors of Dr. Welwitsch. This collection, which had been described by A. Morelet in the "*Voyage du Dr. Friederich Welwitsch . . . dans les royaumes d'Angola et de Benguella*," was an important addition to the Museum series of shells from this part of Africa.

The collections of Mollusca amounting to about 1300 specimens made during the Transit of Venus Expeditions in

the years 1874-75 to the Island of Rodriguez and Kerguelen's Land were this year received from the Royal Society. These interesting collections were described by Mr. E. A. Smith in the Phil. Trans. Roy. Soc. 1879, vol. 168, pp. 167-192, 473-484.

1877.

Two hundred and fifty-five specimens collected by the naturalists of the Arctic Expedition of 1875 were presented by the Lords of the Treasury. The collection was described by Mr. E. A. Smith in the Annals and Magazine of Natural History, 1877, vol. xx., pp. 131-146, and in Appendix V. to Capt. Sir G. S. Nares' book entitled, "Narrative of a Voyage to the Polar Sea during 1875 in H.M.S. *Alert* and *Discovery*."

A series of duplicates of the collections made during the cruise of H.M.S. *Valorous* in 1875 was also received this year from the Lords of the Treasury. The complete series containing the types was retained for his private collection by Mr. J. Gwyn Jeffreys, who accompanied the expedition and reported upon the Mollusca.

One hundred shells from Lake Nyassa are worthy of mention, being the first collection of importance from that locality. An account of it by E. A. Smith appeared in the Proc. Zool. Soc., 1877, pp. 712-722.

1878.

A valuable collection made at Malta by Capt. H. W. Feilden, R.A., and consisting of 1044 specimens of land and marine shells, was presented by the collector.

160 shells from the Andaman Islands were presented by Capt. L. Worthington Wilmer, by whom they were also collected. This important series contained many new species and formed the subject of a paper by Mr. E. A. Smith in the Proc. Zool. Soc., 1878, pp. 804-821.

1879.

A second instalment, consisting of 277 shells, from the collection of the Rev. T. Lombe Taylor, was this year acquired by purchase from Mr. G. B. Sowerby, into whose hands this great collection was placed for disposal. Nearly all the specimens were actual types of species or figured examples described in the voyages of the *Sulphur*, *Samarang*, &c. (See also 1874.)

263 Mollusca from Patagonia and the Straits of Magellan, collected by Dr. R. W. Coppinger of H.M.S. *Alert*, were received from the Lords of the Admiralty. This collection, which included several new and interesting forms, was described in the Proc. Zool. Soc., 1881, pp. 22-45, by Mr. E. A. Smith.

1880.

The types of twelve species of *Marginella*, described in Sowerby's "Thesaurus Conchyliorum," from the collection of the late Prof. Bell, were obtained by purchase.

1881.

The small collection of shells from Sumatra, described by Mr. Carl Bock (P.Z.S., 1881, pp. 628-635), was purchased. Of special interest were the types of eight new species of land Molluscs.

An important series of land and fresh-water shells from the Island of Socotra was this year presented by the British Association. It was the first collection of any importance made on the island, and included thirty-three operculates, fifty-four non-operculated land shells and twenty-six fresh-water specimens. It contained the types of thirty new species described by Lieut-Col. H. H. Goodwin-Austin (P.Z.S., 1881 and 1883).

The collection of Mollusca obtained by Dr. R. W. Coppinger in the Indo-Pacific Ocean, during the voyage of H.M.S. *Alert*, was this year added to the collection. It comprised 704 specimens, including representatives of 50 new species, described by E. A. Smith in the Report upon the Zoological Collections made during the voyage.

1882.

A collection of 114 specimens of land and fresh-water shells from Madagascar, obtained partly by purchase and partly by donation from Mr. W. Johnson, included many new and interesting forms. An account of this valuable addition was given by Mr. E. A. Smith, in the Proc. Zool. Soc., 1882, pp. 375-389.

A large series of shells (544 specimens) from the shores of Bombay, Kurrachee, Beloochistan and Arakan was also added

to the collection this year. The specimens (many of them representing species new to the collection) were collected and presented by the late Dr. W. T. Blandford, F.R.S.

A beautiful example of the very rare *Voluta thatcheri*, and a very fine specimen of *Fusus pagoda*, one of the most remarkable of the many curious forms of Mollusca from Japan, were also obtained at this time, the former by purchase and the latter by donation from J. Lewis, Esq.

1883.

This year was purchased a series of 1180 land and fresh-water shells from the collection of Mr. J. B. Gassies. Many of the specimens are the actual types described and figured in his work, entitled "Faune Conchyliologique terrestre et fluvio-lacustre de la Nouvelle Calédonie," or in the "Journal de Conchyliologie."

A great addition was made at this time to the collection of *Clausilia* by the purchase of 1579 specimens from all parts of the world. The whole series was especially valuable as having been examined and identified by Dr. O. Böttger, who made a special study of the group.

1884.

The collection of land and fresh-water Mollusca, comprising 833 specimens, obtained by the "*Challenger*" Expedition, was this year added to the collection. It included 150 different species of which 21 were new to science, and were described by E. A. Smith in the Proc. Zool. Soc., 1884, pp. 258-281.

1885.

One of the most important additions to the collection this year consisted of 4687 specimens of shells dredged during the expeditions of H.M. ships *Lightning*, *Porcupine*, *Knight-errant* and *Shearwater*. It comprised a set selected and put aside for the Museum by the late Dr. Gwyn Jeffreys, F.R.S., who published detailed accounts of the Mollusca obtained by those expeditions. After his death they were handed over to the Museum by his executors. The collection contained a large number of types and illustrated the deep-sea Molluscan fauna of the North Atlantic, which was hitherto entirely unrepresented in the Museum collection.

1887.

The first instalments of the valuable collections of marine Mollusca obtained by the "*Challenger*" Expedition (1873-76) were added to the collection between this year and 1890. They included 4923 specimens, described in the Reports of the Zoological Collections by the Rev. R. Boog Watson, W. E. Hoyle, E. A. Smith and others. A large number of new and remarkable species were described in these Reports, many of them being of much interest, having been dredged at great depths or at localities seldom visited.

1887.

567 marine and estuary shells from the Mergui Archipelago were also acquired at this time. They were collected by Dr. John Anderson and were worked out and described by Prof. E. von Martens in the Jour. Linn. Soc. vol. xxi., pp. 155-219.

1888.

An important acquisition this year consisted of 555 marine shells from Aden, collected and presented by Major J.W. Yerbury, R.A. The collection was described by E. A. Smith in the Proc Zool. Soc., 1891, pp. 390-436.

Also worthy of mention are (1) a series of 133 land shells from Barbados, collected and presented by Colonel H. W. Feilden, and (2) 463 marine shells from European Seas, principally from the coast of Norway, including many very interesting forms difficult to acquire; obtained by purchase.

1889.

This year Capt. W. H. Turton, R.E., presented a collection of 2558 marine shells from St. Helena, including 270 species, of which about one hundred were new to science. The importance of this acquisition will be understood from the fact that only forty or fifty species had previously been recorded from the island. An account of it was published by E. A. Smith in the Proc. Zool. Soc., 1890, pp. 247-317. (See also 1892.)

1891.

A very valuable collection of 1441 shells from N. W. Australia, China, etc., was presented by the Lords of the Admiralty, partly

this year and partly in 1892. The specimens were collected by Mr. J. J. Walker, chief engineer of H.M.S. *Penguin*, and included many new marine and terrestrial forms. An account of the latter by E. A. Smith was published in the Proc. Malac. Soc., vol. i., pp. 84-99.

Many types of species were also added to the collection this year, including 27 from the collection of A. E. Craven, 10 from Borneo, presented by A. Everett, Esq., 11 from the collection of the late Sir David Barclay, including species of *Scalaria*, *Ovulum*, *Cyclostoma*, *Helix* and *Ostrea*, also *Helix hero*, *H. ærope* and *H. ianthe* from New Guinea.

Another very important acquisition consisted of 1052 land shells chiefly from Japan, China and India. This series formed part of the collection of Dr. Hungerford, which was acquired by Mr. G. B. Sowerby, from whom the Museum purchased the specimens. A large proportion of them included species identified by Dr. O. von Möllendorff and are practically co-types of these forms.

1892.

In 1844 and 1847, in the reports of the British Association, Dr. W. B. Carpenter wrote his well-known "Report on the Microscopic Structure of Shells." The preparations, 671 in number, described and figured in that work, were presented by his son the late P. H. Carpenter.

This year Capt. W. H. Turton, R.E., presented a second series of Mollusca from St. Helena, consisting of 169 marine and 263 terrestrial forms. The latter, which included several new species, were reported on by E. A. Smith in the Proc. Zool. Soc. 1892, pp. 258-270. (See 1889.)

Amongst the various types acquired may be mentioned (1) sixteen species of *Oliva* from the collection of Miss Steere and described by Lovell Reeve in the "Conchologia Iconica"; (2) *Voluta archeri* and *V. kreusleræ*, Angas, presented by Surgeon Colonel Archer; (3) some species of *Ampullaria*, *Planorbis* and *Sphærium* from the Victoria Nyanza; (4) twenty-seven new species of land shells from North Borneo and the types of *Helix* (*Geotrochus*) *hedleyi*, Smith, and *Spondylus powelli*, Smith.

1893.

A very important addition to the Museum this year consisted of 2040 land and fresh-water shells from the collection of the late M. Arthur Morelet of Dijon. At his death the collection was purchased of the executors by Mr. H. Fulton, who sold to the Museum this valuable series, including the actual types of 680 species described by M. Morelet.

The types of 24 species of marine shells from Bombay were presented at this time by Messrs. A. Abercrombie and J. C. Melvill. They were described by the latter in the Memoirs of the Manchester Philosophical Society, vol. vii., pp. 52-67.

The types of eleven species of *Drillia*, *Clathurella*, *Daphnella*, and *Cithara*, published in the Proc. Zool. Soc. 1893, pp. 487-492, by Mr. G. B. Sowerby were also acquired this year.

Many types were included in the collections of land shells from Palawan, Balabac, Borneo, New Guinea, Annam, Soolo Archipelago, etc., acquired this year and described by E. A. Smith, Annals and Mag. Nat. Hist. 1893, vol. xi., pp. 347-353; 1894, vol. xiii., pp. 48-60; Journ. Linn. Soc. 1893, vol. xxiv., pp. 341-352; The Conchologist, 1893, vol. ii., pp. 108, 130.

Other acquisitions were :—

(a) 235 land, fresh-water, and marine shells from various parts of India, including *Scaphula celox*, *S. deltæ*, and *S. pinna*; bequeathed by the late H. F. Blanford, Esq.

(b) 107 land and fresh-water shells from lakes and other localities in Central Africa, presented by H. H. Johnston, Esq., C.B. This series was described by E. A. Smith, Proc. Zool. Soc. 1894, pp. 632-641.

(c) 94 land and fresh-water shells from Nomuka and Eua Islands, Tonga group, presented by R. B. Leefe, Esq.

(d) 146 land and fresh-water shells from Tonkin, Cambodia, Annam, etc., received in exchange, included many species new to the collection.

(e) 300 marine shells from South Australia, including many novelties to the collection, were obtained by exchange.

1894.

A very interesting collection of land shells collected by the late A. Everett at the Natuna Islands was partly obtained by purchase and partly by donation from Mr. Everett. It included

many new species described by E. A. Smith in the *Annals and Mag. Nat. Hist.* 1894, vol. xiii. pp. 453-465.

A second series of land shells collected by Mr. Everett in Balabac, Palawan, and Borneo was also added to the collection. It comprised 231 specimens, including the types of many new species described by E. A. Smith (*Proc. Zool. Soc.*, 1895, pp. 97-127).

88 examples of deep-sea Mollusca dredged in the Bay of Bengal and the Arabian Sea by the Indian survey steamer *Investigator*, were presented by the Indian Museum, Calcutta, during the years 1894-98. Many of these are most interesting forms and were described at that time by E. A. Smith in a series of papers in the *Annals and Mag. Nat. Hist.* They are co-types of the species mentioned, the actual types having been returned to the Indian Museum.

1895.

511 land and fresh-water shells from the Canary Islands, Madeira, and other Atlantic Islands, including a number of types and many species new to the collection, were purchased of Mrs. Wollaston. They formed part of the collection of the late T. Vernon Wollaston, author of "*Testacea Atlantica*," in which work the specimens were described.

The magnificent example of *Pleurotomaria adansoniana* from Tobago, West Indies, described by Mr. Lechmere Guppy in the *Proc. Zool. Soc.*, 1891, pp. 484-85, was purchased for the sum of £55. This is the highest price ever paid by the Museum for a single shell.

497 land and fresh-water shells from St. Vincent, Grenada, and the Grenadines were presented by the Royal Society and British Association. An account of this collection by E. A. Smith appeared in the *Proc. Malac. Soc.*, 1895, vol. i., pp. 300-322.

A series of 207 land shells from Central Australia, collected by the "Horn Expedition," were presented by W. A. Horn, Esq. It included a number of species new to the collection.

51 shells from Hong Kong, Persian Gulf, etc., were purchased of Mr. G. B. Sowerby, by whom they had been described in the *Proc. Malac. Soc.*, vol. i., pp. 153-161. The series included the types of 27 species.

1896.

50 specimens of *Amphidromus* from Borneo, Sumatra, etc., including some types and many species new to the collection were purchased of Mr. H. Fulton. This series formed part of the material reported on in his paper upon this genus in the Ann. and Mag. Nat. Hist. 1898, vol. xvii., pp. 66-94.

Among the types added to the collection during the year were the following :—

(a) 14 species of *Pleurotomidæ* from South Australia, described by G. B. Sowerby (Proc. Malac. Soc. vol. ii., pp. 24-32). Presented by Dr. J. C. Verco.

(b) The types of 13 species of marine shells described from the collection of Mons. Thomas, of Brest. They comprise species of *Conus*, *Ricinula*, *Murex*, *Cerithium*, *Mitra*, *Trochus*, *Cancellaria*, *Monodonta* and *Clanculus*.

(c) 8 species of Slugs, from the collection of Mr. W. E. Collinge, including specimens of *Janella*, *Amalia*, *Limax* and *Arion*. Purchased.

(d) The types of the 7 species of land and fresh-water shells from the Hadramaut, South Arabia, described by Messrs. Melvill and Ponsonby (Proc. Malac. Soc., vol. ii., pp. 1-3). Presented by J. C. Melvill, Esq.

(e) The types of 26 species of marine shells from Bombay described by J. C. Melvill, Esq. (Proc. Malac. Soc., vol. ii., pp. 108-116), by whom they were presented.

1897.

A very valuable series of 289 land and fresh-water shells from Savu, Lombock, Flores and Sumba Islands, was purchased this year. It formed part of the collections made by the late A. Everett, and included many very fine interesting new species since described by E. A. Smith.

Other acquisitions were :—

(a) 216 land shells from Nyasaland, including many new species presented by Sir H. H. Johnston.

(b) 302 land shells from the Philippine Islands, among them more than 100 species being new to the collection. Purchased.

(c) 168 land and fresh-water shells from the Island of Socotra: presented by Mrs. Theodore Bent. This collection,

which included several new species, was described by E. A. Smith, in the Journ. of Malac., vol. vi., pp. 33-38.

(d) 76 land Mollusca representing the fauna of Rotuma Island; presented by J. Stanley Gardiner, Esq. An account of this acquisition was given by E. A. Smith in the Annals and Mag. Nat. Hist. 1897, vol. xx., pp. 519-523.

1898.

A very large collection of over 24,000 land and fresh-water shells from the Palearctic region, from the collection of the Rev. Dr. A. M. Norman, was purchased this year. It was of special importance, as the Museum collection was extremely deficient in the Mollusca of that particular region.

An important series of marine shells (3250 specimens) from South Africa, containing the types of many new species described by Mr. G. B. Sowerby in his "Marine Shells of South Africa," was this year presented by J. H. Ponsonby, Esq., who has since added many other specimens to the collection.

Other minor acquisitions were:—

A fine specimen of the rare *Pleurotomaria beyrichii* from Japan. Purchased.

A fine example of *Mitra zonata* from deep water off Toulon. Obtained by exchange.

Three examples of *Miratesta celebensis*, a very remarkable form of *Limnæidæ*. Presented by Drs. C. and F. Sarasin.

466 land shells from various islands in the Malay Archipelago, collected by Mr. W. Doherty, and including the types of many new species. Purchased.

The types of 42 species of marine shells from Muscat, Karachi and the Mekran coast, described by Mr. J. C. Melvill. Purchased.

85 marine shells from Macquarie Island and New Zealand, including the types of 6 new species described by E. A. Smith (Proc. Malac. Soc., 1898, vol. iii., pp. 20-25).

The types of *Mulleria dalyi*, Smith; *Rhaphaulus perakensis*, Smith; *Eulima shoplanti*, *Coralliophila arabica*, *Nassa polyehroma*, *Thracia adenensis*, *Tellina yemenensis*, and *Novaculina xyreees*, Melvill; presented by Capt. E. R. Shopland. *Terebra andamanica* and *T. celidonata*, Melvill and Sykes; presented by J. C. Melvill, Esq.

1899.

A valuable collection of 250 land and fresh-water shells from Socotra was presented by the Royal Society. The collection was made by Dr. H. O. Forbes and Mr. W. R. Ogilvie-Grant, and contained many new species. A report upon this donation has appeared in the volume on Socotra, published at Liverpool under the direction of Dr. Forbes.

The types of 26 species of marine Mollusca from Torres Straits described by Messrs. Melvill and Standen (Jour. Linn. Soc., vol. xxvii., pp. 150-206). Presented by Prof. A. C. Haddon.

The types of 10 species of marine shells from Aden described by Mr. J. C. Melvill. Presented by Capt. E. R. Shopland.

The types of 29 species of marine shells described by J. C. Melvill in the Annals and Mag. Nat. Hist. 1899, vol. iv., pp. 81-101, from Karachi and the Persian Gulf. Purchased.

138 shells from Christmas Island, Indian Ocean, presented by Sir John Murray, K.C.B. This collection was collected by Mr. C. W. Andrews, in whose work, entitled "A Monograph of Christmas Island," a report upon it was given by E. A. Smith (pp. 54-59).

1900.

The types of 104 species of marine Mollusca from the collection of the late Mr. Sylvanus Hanley. Purchased of Mr. Crew Hanley, by whom the rest of the collection was sold to Mr. H. Harvey, a shell dealer in Houndsditch, in whose possession it at present remains.

312 microscopic preparations of the radulae of Mollusca from the collection of Rev. Dr. A. M. Norman. Purchased.

Three specimens of the rare *Pleurotomaria beyrichii* from Japan, obtained by purchase. Another example was added to the collection in 1898, also purchased. The moderate sum of £10 a piece was paid for them. A few years previously as much as £30 was paid by a collector for a single specimen.

An important collection of 2200 fresh-water shells from the United States was this year added to the Museum Collection. This was an important acquisition as the Museum series was very deficient in this particular fauna.

The collection of *Palæarctic Unionidæ*, from the collection of the Rev. Dr. A. M. Norman, consisting of 450 specimens, was obtained by purchase.

1988 land and fresh-water shells from the Hawaiian Islands, presented by the Royal Society and the British Association. This collection was made by Mr. R. C. L. Perkins and described by Mr. E. R. Sykes in vol. ii. of the "Fauna Hawaiiensis," pp. 271-412. The slugs derived from the same source and described by Mr. W. E. Collinge (Proc. Malac. Soc., 1896, vol. ii., pp. 46-51) were presented in 1897.

Various individual types were also acquired during the year, viz. :—

<i>Buccinum striatissimum</i> , Sowerby	Japan.
<i>Chrysodomus intersculptus</i> , Sowerby	Japan.
<i>Murex boivini</i> , Kiener	Hab. — ?
<i>Conus patricius</i> , Hinds	Gulf of Nicoya.
<i>Voluta grangeri</i> , Sowerby	Hab. — ?
<i>Euthria interrupta</i> , Sowerby	Japan.
<i>Siphonalia pfefferi</i> , Sowerby	Japan.
<i>Voluta implicata</i> , Sowerby	Japan.
<i>Bulimulus (Drymaeus) dukinfieldi</i> , Melvill . . .	Brazil.

Also the types of 16 new species of marine shells from the Kowie and Pondoland were added to the collection. These were described in a paper by Mr. G. B. Sowerby in the Proc. Malac. Soc., 1900, vol. iv., pp. 1-7.

A second series of 12 types of species from the Philippine Islands, described by Mr. Sowerby in the same work (pp. 126-129), was also purchased.

1901.

1558 land and fresh-water shells from Central America, including the types of many new species described by Professor Von Martens in the "Biologia Centrali-Americana." Presented by F. du Cane Godman, Esq., D.C.L., F.R.S.

A specimen of the rare *Voluta africana*, and the type of *Voluta ponsonbyi* from 10 fathoms off Natal. Purchased.

A fine example of the very rare *Neptuniopsis gilchristi* from 33 fathoms off the Cape of Good Hope. Purchased.

332 land, fresh-water and marine shells from South Africa. Presented by J. H. Ponsonby, Esq. (see 1898).

494 land and fresh-water shells from Tonkin, Siam, Annam, mostly new to the collection. Purchased.

1902.

1070 marine shells from Aden, representing 630 species, some new to the collection, and all in very fine condition. Presented by Hormusji Dinshaw, Esq.

525 microscopic preparations of the radulæ and genitalia of land Mollusca from India, etc., described and figured in Godwin-Austen's "Land and Fresh-water Mollusca of India." Purchased.

301 specimens of land and fresh-water shells from the New Hebrides, including the types of three new species and examples of several new to the collection. Presented by J. J. Walker, Esq.

242 shells from South Africa, including the actual types of 30 species and examples of many others new to the collection. Presented by J. H. Ponsonby, Esq.

18 marine shells from Natal, among them being the types of *Murex fallax*, *Clavatula parilis*, *Euthria queketti*, *Radius gracilinus*, *Turbinella triangularis*, and *Pectunculus queketti*. Presented by J. F. Quekett, Esq.

350 shells from Japan, China, etc., mostly belonging to species recently described and new to the collection, and including the types of *Rostellaria luteostoma*, *Scalaria multiperforata*, *Sistrum angulatum*, *Coralliophila coronata*, etc. Purchased.

A complete set of the land and fresh-water shells of the Maldivé Islands. Presented by J. Stanley Gardiner, Esq.

1903.

1700 marine shells from Port Alfred, Cape Colony, including examples of many new species and others new to the collection; an important addition to the Museum series from S. Africa. Collected and presented by Lieut.-Col. W. H. Turton, R.E.

1135 land shells from the Azores, including fine series of most of the species occurring on those islands, collected by Mr. W. R. Ogilvie Grant and presented by the Hon. W. Rothschild, D.Sc., M.P.

89 land shells from South Africa, including the types of 66 species described by Messrs. Melvill and Ponsonby in recent years, and 80 marine shells from S. Africa, including a few types of species described by Mr. E. A. Smith. Presented by J. H. Ponsonby, Esq.

385 marine Mollusca from the Maldivé Islands, including the types of 24 new species described in Gardiner's "Fauna and

Flora of the Maldive Islands." Presented by J. Stanley Gardiner, Esq.

35 marine shells from S. Africa, including the types of 15 species described by Mr. G. B. Sowerby. Purchased.

120 land shells, including examples of 57 species mostly new to the collection, from the collection of Dr. James Cox of Sydney, and the types of 13 new species described by Mr. H. Fulton. Purchased.

122 marine shells from the Persian Gulf and the Sea of Oman, including the types of 25 new species described by Messrs. J. C. Melvill and R. Standen. Purchased.

1904.

365 land shells from Mindanao, New Guinea, Obi, Waigiou, Borneo, and Kilantan, collected by Herr Waterstraat, including many new species. Purchased.

112 marine and land shells from Japan and Loo Choo, including many recently-described species. Purchased.

33 marine shells from the Gulf of Oman, including the types of 20 new species described by J. C. Melvill. Purchased.

170 marine species from S. Africa and various localities, including the types of *Trifora princeps*, *T. smithi*, and of 33 other species described by G. B. Sowerby and H. Fulton. Purchased.

529 marine shells from Zanzibar. Presented by J. T. Last, Esq.

60 types of new species of land and freshwater shells described by J. C. Melvill and J. H. Ponsonby. Presented by the latter.

D. ALPHABETICAL LIST OF THE MORE IMPORTANT CONTRIBUTORS TO THE COLLECTION OF MOLLUSCA.

Adams (CHARLES BAKER). [1814-1853]

In 1845 and 1850, Prof. Adams presented a number of shells which were of interest, as they included eo-types of various species described by him.

Angas (GEORGE FRENCH). [1822-1886]

Between the years 1870-1886, Mr. Angas presented to the Museum nearly 1500 shells, chiefly from Australia, which included the types of 240 species, described chiefly by himself, A. Adams, and Messrs. Crosse and Fischer.

Broderip (WILLIAM JOHN). [1789-1859]

The "Broderip Collection" contained a few types and many very fine specimens. It was purchased by the Trustees in 1837.

Carpenter (PHILIP PEARSALL). [1819-1877]

The large series of shells, known as the "Mazatlan Collection," was presented by Dr. Carpenter in 1857. It contained many types and over 8000 specimens.

"Challenger" Collections.

The land and freshwater Mollusca obtained by the Expedition were received in 1884, and the marine forms in 1887-1890. The Reports upon these collections were drawn up by the Rev. R. Boog Watson, W. E. Hoyle, E. A. Smith, Dr. P. Pelseneer, and others. A very large number of new and interesting species were described in these reports. The collections comprised about 5800 specimens.

Collinge (WALTER EDWARD). [1867-]

See SYKES.

Cuming (HUGH). [1791-1865]

The historical collection, known as the "Cuming Collection," was purchased by the Trustees in 1866. It was the most important collection ever got together by a private individual, as it contained hundreds, or probably thousands, of actual types of species described by various authors residing both in Europe and America. For some further particulars, reference should be made under the year 1866.

D'Orbigny.

See ORBIGNY.

Eydoux (JOSEPH FORTUNÉ THEODORE). [-1841], and
Souleyet (FRANÇOIS LOUIS AUGUSTE). [1811-1852]

See RANG and SOULEYET.

H.M.S. "Fly."

See GRAY.

Forbes (EDWARD). [1815-1854]

In the Proceedings of the Zoological Society for 1850, Prof. E. Forbes described several new Mollusca from California and the West Coast of Central and South America, which had been collected during the voyage of H.M.S. *Herald* and *Pandora*. These were presented to the Trustees by Capt. Kellett, R.N., and Lieut. Wood, R.N.

The Mollusca obtained by the *Rattlesnake* in 1846-1850 were also examined by Prof. Forbes, and about twenty new species were described by him in an Appendix to vol. ii. of a narrative of the voyage, by J. Macgillivray. These specimens were acquired by the Museum in 1851.

Gassies (JEAN BAPTISTE). [1816-1883]

At his death the collection of land and freshwater Mollusca from New Caledonia, formed by M. Gassies, was purchased by Mr. G. B. Sowerby, from whom the Museum obtained a first selection, including many types described and figured in the "Faune Conchyliologique terrestre et fluviolacustre de la Nouvelle Calédonie," and in the "Journal de Conchyliologie."

Godman (FREDERICK DU CANE). [1834-]

See MARTENS.

Goodwin-Austen (HENRY HAVERSHAM). [1834-]

The collection of shells from Socotra, described by Col. Godwin-Austin in 1881 and 1883, containing numerous types, was presented to the trustees in 1881 by the British Association. His private collection of Indian Mollusca has been presented by him and is now in course of registration. It contains the types of all the species described by him in his "Land and Freshwater Mollusca of India" and in other publications.

Gray (JOHN EDWARD). [1800-1875]

The private collection of Dr. Gray was presented by him to the Museum in 1874. It contained a number of types of species described by himself, W. Wood, Lovell Reeve, and other writers. Most of the specimens were but poor representatives of the various species, and evidently had been collected for study purposes rather than as cabinet specimens.

Other types by Gray were received in 1842 and 1844, and were described in Yate's "Account of New Zealand," in Dieffenbach's "Travels in New Zealand," and in Jukes's narrative of the voyage of the *Fly*.

Guilding (LANSDOWN). [1797?-1831]

About the years 1838-1840, the large collections made by Mr. Guilding in St. Vincent's and other West Indian Islands, were sold by auction by Messrs. Stevens, and the Museum acquired a considerable number of the specimens. Some of these are valuable as being co-types of certain species described by Mr. Guilding.

Hanley (SYLVANUS CHARLES THORP). [1819-1899]

The valuable collection of shells got together by Mr. Hanley, at his death, became the property of his nephew, Mr. Crew Hanley. From this gentleman the Museum acquired by purchase the types of 104 species of marine shells. The collection contained numerous other types which the Museum unfortunately was unable to obtain, the collection having been sold to a dealer in Houndsditch, who did not wish to part with any further portions of it.

H.M.S. "Herald" and "Pandora."

See FORBES.

Hinds (RICHARD BRINSLEY).

Very large collections of shells were made during the voyage of H.M.S. *Sulphur* in 1836-1842, and an extensive series of the specimens was presented by Mr. Hinds to the Museum in 1842. Two years later, Sir E. Belcher presented 79 co-types of new species described by Hinds in the *Zoology of the Voyage*, and in 1879 the Museum acquired about 80 of his actual types which had passed into the collection of the Rev. T. Lombe-Taylor. When this magnificent collection was sold the Museum obtained these types from Mr. G. B. Sowerby, into whose hands it was placed for disposal.

Jeffreys (JOHN GWYN). [1809-1885]

The large collections of Mollusca made by H.M.S. *Lightning*, *Poreupine*, *Knight-Errant*, and *Shearwater* were only partly worked out by Dr. J. G. Jeffreys. The specimens described and figured were transferred by his executors to the Museum in 1885, and a complete set of all

the unworked material was also sent. It is hoped that the Report upon these collections will be completed by Mr. E. R. Sykes, who has kindly undertaken to continue the work.

H.M.S. "Knight-Errant."

See JEFFREYS.

H.M.S. "Lightning."

See JEFFREYS.

Lombe-Taylor (THOMAS).

The magnificent collection owned by the Rev. T. Lombe-Taylor was placed, after his death, in the hands of Mr. G. B. Sowerby for disposal. However, in 1874, before the collection was sent from Starston to London, through the instrumentality of the late Dr. Gwyn Jeffreys, the Museum was permitted to make a selection of the actual types and such figured specimens as might be desirable. Four hundred and forty-six specimens, of which 124 were types, were thus added to the collection; and, in 1879, a further series of 277 shells, mostly types of figured specimens described in the voyages of the *Sulpur* and *Samarang*, was obtained by purchase from Mr. Sowerby.

Martens (EDUARD VON). [—1904]

A collection of land and freshwater Mollusca, consisting of 1558 specimens, from Central America, was presented to the Museum in 1901 by F. du Cane Godman, Esq. It contains the type of many new species described by the late Professor von Martens in the "*Biologia Centrali-Americana*," published during 1900 and 1901.

Mazatlan Collection.

See CARPENTER.

Melvill (JAMES COSMO).

Many types described by Mr. Melvill in recent years have been acquired by the Museum, namely, 26 species of marine shells from Bombay, 42 species from Muscat, Karachi, and the Mekran Coast, 10 from Aden, and 74 from Karachi, Gulf of Oman, and the Persian Gulf; also 7 species of land and freshwater shells from the Hadramaut, South Arabia, described in conjunction with Mr. J. H. Ponsoby, and 26 marine forms from Torres Straits, described in conjunction with Mr. R. Standen.

Morelet (PIERRE-ARTHUR). [1809-1892]

At the death of M. Morelet, his collection was purchased by Mr. H. Fulton, from whom the Museum in 1893 obtained a large selection, including the actual types of 680 species described by Morelet.

Orbigny (ALCIDE DESSALINES D'). [1802-1857]

In 1854, three important collections, containing numerous types described by M. d'Orbigny, were acquired by purchase. They consist of the specimens described (1) in the "*Voyage dans l'Amérique Méridionale*," (2) in Sagra's "*Histoire de Cuba*," (3) in Webb and Berthelot's "*Histoire naturelle des Îles Canaries*."

H.M.S. "Porcupine."

See JEFFREYS.

Ponsonby (JOHN H.).

In 1898 a large collection of marine shells from South Africa, consisting of 3250 specimens, was presented by Mr. Ponsonby. He has since added a large number to it. It includes the types of many new species described by G. B. Sowerby and E. A. Smith. Mr. Ponsonby has also presented the types of 126 species of land and freshwater shells, also from South Africa, described by himself in conjunction with Mr. J. C. Melvill.

Rang (PAUL KAREL SANDER LEONARD). [1784-1859], and Souleyet (FRANÇOIS LOUIS AUGUSTE). [1811-1852]

A collection of Mollusca was obtained in the year 1854 from the executors of M. Souleyet, which was said to contain the type-specimens described and figured in the "Histoire naturelle des Mollusques Ptéropodes," by Rang and Souleyet, and in the "Voyage de La Bonite," by Eydoux and Souleyet. A list of these specimens, compiled by J. E. Grey, was published by the Trustees in 1855.

H.M.S. "Rattlesnake."

See FORBES.

H.M.S. "Shearwater."

See JEFFREYS.

Smith (EDGAR ALBERT). [1847-]

The types of the very large number of species described by this writer in about three hundred separate memoirs and papers are nearly all preserved in the Museum collection.

Socotra Collection.

See GODWIN-AUSTEN.

H.M.S. "Sulphur."

See HINDS.

Sykes (ERNEST RUTHVEN). [1867-]

A first set (including the types of the new species) of the land and freshwater Mollusca, collected in the Hawaiian Islands by Mr. R. C. L. Perkins, was presented to the Museum by the Royal Society and the British Association in 1897 and 1900. These collections were partly described by Mr. E. R. Sykes, and partly by Mr. W. E. Collinge.

Taylor Collection.

See LOMBE-TAYLOR.

H.M.S. "Valorous."

See JEFFREYS.

Wollaston (THOMAS VERNON). [1822-1878]

A number of types of land and freshwater shells from the Canary and other Atlantic Islands were purchased from Mrs. Wollaston in 1895.

10. CRUSTACEA, ECHINODERMS, PERIPATUS, WORMS, AND ANTHOZOA.

By F. JEFFREY BELL, M.A.

I. CRUSTACEA.

A. LIST OF OFFICERS MORE OR LESS CONNECTED WITH THE CRUSTACEAN COLLECTIONS IN PAST YEARS.

Date of Appointment.	ASSISTANTS.	Date of Appointment.	KEEPERS OF NATURAL HISTORY.	Date of Appointment.	ASSISTANT-KEEPERS.
1778	E. W. Gray.	1756			
1791	Dr. Shaw.				
1813	Dr. Leach.				
1816	J. G. Children.				
1837—Zoology made a separate Department.					
			KEEPERS OF ZOOLOGY.		
		1837	J. G. Children.		
1821	G. Samouelle.	1840	J. E. Gray.		
1835	A. White.			1869	G. R. Gray.
1863	A. G. Butler.	1875	Dr. A. Günther.	1872	Dr. A. Günther.
1872	E. J. Miers.			1875	F. Smith.
1878	F. Jeffrey Bell.			1879	A. G. Butler.
1886	R. I. Pocock.			1895	E. A. Smith. I.S.O.
1893	F. Jeffrey Bell.	1895	Sir W. H. Flower, K.C.B.		
1904	Dr. W. T. Calman.	1898	Prof. E. Ray Lankester.		

B. PROGRESS AND ARRANGEMENT OF THE COLLECTION OF CRUSTACEA.

It is difficult to trace the early history of the collection of Crustacea; all that can be said is that in 1835 there were a few hundred dried specimens, probably without any definite attempt at arrangement.

In 1847, a list of Crustacea (12mo, 140 pp.) was prepared by A. White; in 1855, T. Bell made a catalogue of the *Leucosiadæ* (12mo, 24 pp.), planned to be the first part of a catalogue of Crustacea; in 1862, C. Spence Bate made a catalogue of the Amphipodous Crustacea (8vo, 399 pp., 58 plates). In 1850, A. White published a list of British Crustacea (12mo, 141 pp.).

From 1872 to 1886, Mr. E. J. Miers worked at the collection and made notes for a catalogue of Brachyura, in addition to a number of faunistic reports, and monographs on various groups or genera.

In 1895, 1896, and 1897, F. Jeffrey Bell prepared a complete MS. list of the known species of Brachyura, and catalogued and arranged the specimens in the collection. This catalogue is constantly kept up to date, and, as it is paged and indexed, it is of use to outside workers.

In 1897, Dr. Alcock, Major I.M.S., made a catalogue of the spirit specimens of *Peneus*, by which the collection was arranged.

In 1896 and 1897, Mr. Edmund Aikin made a revision of the mounted specimens of Amphipoda of the "*Challenger*," which had been originally mounted inadequately; and in 1897 and 1898 he made a similar revision of the Copepoda.

In 1900 a revision of the collection of *Lepadidæ* was made by Prof. Gruvel.

During the later years of the century the assistance of Dr. De Man, Dr. Budde-Lund, and Mr. A. O. Walker was asked and gladly given in working out respectively specimens of *Palæmon*, of Isopods, and of Amphipods.

It is estimated that there are 36,500 specimens in the collection, of which 31,000 are determined; the number of species is about 4,500.

C. A CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF CRUSTACEA TO THE END OF 1904.

No important named collection was obtained by the Museum before the arrival of the "*Challenger*" collections, but the work done by Darwin on the collection of Cirripedes, and the catalogue of the Amphipoda by Spence Bate (1862), give these two groups a greater historical interest than the rest.

Till the year 1872, the report of progress did not distinguish the accessions of Crustacea from the rest of the Annulosa. In 1869 and 1871 there were none; in 1870 there were 18; and in 1868, 37 stoppered bottles containing specimens of Crustacea were presented; so that 1872, or the year when Dr. Günther was made Assistant-Keeper, may be taken as the date when the collection of Crustacea began to make any appreciable increase in size.

1872.

138 accessions.

1873.

112 specimens, including 76 collected by Capt. H. C. St. John, R.N., off Japan.

1874.

747 specimens, among them 145 from Spitzbergen, presented by the Rev. A. E. Eaton, and 242 from Samoa, presented by Rev. S. J. Whitmee.

1875.

234 additions, none of special interest.

1876.

1181 specimens, including 75 species from Lake Baikal, 170 from Rodriguez and Kerguelen, and 155 from Samoa.

1877.

779 specimens, of which 271 were collected during the Arctic Expedition of H.M.S.S. *Discovery* and *Alert*, and were reported on by Mr. E. J. Miers; 111 specimens from California were purchased, and Mr. Whitmee added 49 specimens from Samoa.

1878.

568 specimens, mostly presented, and among them a valuable collection from Yokohama, presented by Mr. H. Batson Joyner.

1879.

774 specimens, of which 140 were collected by H.M.S. *Alert*, and presented by the Lords of the Admiralty; 62 came from Nova Zembla, and 150 from the West Greenland Seas.

1880.

1732 specimens, nearly one hundred of which were from Franz-Josef Land; a series of the Madagascar Crayfish was purchased.

1881.

1675 specimens, of which a large number were collected by Dr. Coppinger, R.N., during the voyage of H.M.S. *Alert*; 156 were dredged off Goree by Baron von Maltzan, from whom they were purchased.

1882.

1332 specimens, of which 810 were again due to Dr. Coppinger, while 134 were presented by Dr. Ondaatje from Ceylon.

1883.

622 specimens, of which 207 were from the Sandwich Islands.

1884.

1749 specimens, mostly from the "*Challenger*" Collection of Brachyura and Cumacea.

1885.

692 specimens, inclusive of a second collection from Aden, presented by Major Yerbury, R.A.

1886.

734 specimens, of which the most valuable were the 185 collected at Mergui by Dr. John Anderson, F.R.S.

1887.

744 specimens, of which 116 were presented by Mr. (now Sir John) Murray.

1888.

3490 specimens, of which 555 were collected and presented by Mr. Murray ; of the rest many were "*Challenger*" specimens.

1889.

2385 specimens ; of these 2250 were from the "*Challenger*" ; they were Amphipods and Isopods.

1890.

The accessions numbered 1005.

90 specimens, principally Brachyura, from Pamban and Tuticorin, identified by Dr. Henderson, and presented by Edgar Thurston, Esq.

296 specimens from the American shores of the Atlantic, identified by S. I. Smith, Esq., received from the United States National Museum. Exchange.

325 specimens from Peru and Cayenne, including many rare species of Brachyura, received from the Warsaw Museum. Exchange.

34 specimens of Entomostraca, including the types of eight species (*Chlamydotheca australis*, *Cypris tenuicauda*, *C. mytiloides*, *C. tatei*, *Eulimnadia rivoliensis*, *Lepidurus viridulus*, *Estheria packardii*), from South Australia. Presented by Prof. T. Rupert Jones.

1891.

The accessions numbered 587.

60 small forms from the Kara Sea, including species of *Nymphon*, *Caprella*, *Hippolyte*, &c., received from the Copenhagen Museum. Exchange.

52 specimens of Amphipoda from the Irish Sea, including *Podocerus isopus*. Presented by A. O. Walker, Esq.

20 specimens of *Palæmon*, *Pagurus*, &c., from British Columbia. Presented by the Rev. J. H. Keen.

90 specimens of Cirripedia from Japan. Purchased.

13 specimens of *Oniscidæ*, from Bonin Islands. Purchased.

69 specimens from Lagos. Presented by His Excellency Sir C. Alfred Moloney, K.C.M.G.

1892.

The accessions numbered 1836.

18 Entomostraca from the Firth of Forth and Loch Morar,

including the types of *Lichomolgus agilis*, *Moraria anderson-smithi*, and *Parartotrogus richardi*. Presented by Messrs. Thomas and Andrew Scott.

5 Terrestrial Isopods, being the types of *Porcellio contractus*, *Armadillo syriacus*, *Armadillidium simoni*, *A. esterclanum*, and *Philoscia cellaria*, from Syria and South Europe. Presented by Prof. D'Arcy W. Thompson, C.B.

435 Decapoda and Stomatopoda, including the types of eleven new species, principally from Madras and Pamban. Presented by Prof. J. R. Henderson.

1893.

The accessions numbered 1058.

A collection consisting of 264 Malacostraca and Cirripedia, collected by P. W. Bassett-Smith, Esq., R.N., when Acting-Surgeon of H.M.S. *Egeria*, under the command of Commander A. M. Field. Presented by the Lords of the Admiralty.

53 Ostracoda and 544 Copepoda, collected on the West Coast of Africa, by the telegraph-steamer *Buccaneer*, identified by Mr. Thomas Scott, and presented by the Royal Society.

1894.

The accessions numbered 1238.

A collection of 507 Crustacea from the West Coast of Scotland. Collected by Dr. John Murray, F.R.S.

85 British Amphipods, including small females of *Atylus swammerdami*, with ova, and the rare male of *Tritæta gibbosa*. Presented by A. O. Walker, Esq.

144 Entomostraca from the Gulf of Guinea, forming part of a collection reported on by Mr. Thomas Scott in the Transactions of the Linnean Society. Presented by the Royal Society.

11 deep-sea Crustacea from the Bay of Bengal, including, among other species, *Hypsophrys superciliosa* and *Nephropsis carpenteri*. Presented by the Trustees of the Indian Museum, Calcutta.

115 fresh-water Crustacea from the West Indies, including *Caridina americana* and *Xiphocaris elongata*. Presented by the Joint Committee of the Royal Society and British Association for the Exploration of the West Indies.

41 Stomatopoda, recorded some years earlier by Professor W. K. Brooks in the "*Challenger*" Reports. Presented by the Lords Commissioners of Her Majesty's Treasury.

1895.

The accessions numbered 336.

140 specimens from the Australian Museum, determined by comparison with Prof. Haswell's types. Exchange.

31 lately-described forms, from depths ranging from 65-902 fathoms in the Bay of Bengal. Presented by the Trustees of the Indian Museum, Calcutta.

20 specimens illustrating Dr. Chilton's recent "Memoir on the Subterranean Crustacea of New Zealand." Presented by Dr. Chilton.

1896.

The accessions numbered 236.

30 Fish Parasites from Plymouth. Presented by P. W. Bassett-Smith, Esq., R.N.

40 deep-sea forms from the Indian Ocean. Presented by the Trustees of the Indian Museum, Calcutta.

27 West Indian Isopods, determined by Mons. Dollfus. Presented by the West Indian Committee of the Royal Society.

A collection, chiefly of Larvæ, made in the New Hebrides. Presented by Capt. Meryon, R.N.

1897.

The accessions numbered 212.

16 deep-sea forms from the Bay of Biscay, obtained from Prof. Koehler. Exchange.

Telphusa transversalis from Central Australia. Presented by W. A. Horn, Esq.

A splendid specimen of *Bathynomus giganteus* from deep water in the Indian Ocean. Presented by the Trustees of the Indian Museum.

2 Ocypods from 5000 feet, Mindoro, Philippines. Presented by the subscribers to the Whitehead Expedition.

1898.

The accessions numbered 1500, mostly from the Norman Collection.

Two small collections of Copepods, parasitic on Indian Fishes. Presented by Staff-Surgeon P. W. Bassett-Smith, R.N.

54 Isopods from Dalmatia and Montenegro. Presented by Dr. Werner of Vienna.

54 Crustacea, chiefly Land Crabs from Christmas Island. Presented by Sir John Murray, K.C.B., F.R.S.

118 Crustaceans from the Caroline Islands. Presented by F. W. Christian, Esq.

1899.

The accessions numbered 368.

89 specimens chiefly from deep water, collected during the voyages of the French vessels *Talisman* and *Travailleur*. Exchange.

22 examples of two new species from Lake Tanganyika. Presented by J. E. S. Moore, Esq.

5 examples of the large Cirriped, *Coronula diadema*, from the flesh of a humpbacked whale. Presented by F. Ringer, Esq.

1900.

The accessions numbered 1048.

264 Brachyura from Singapore. Presented by Messrs. Bedford and Lanchester.

44 Isopods from Spain and the Balearic Islands. Collected and presented by Messrs. O. Thomas, F.R.S., and R. I. Pocock.

64 Isopods from New Zealand, similarly obtained from Dr. Chilton.

6 Brachyura from Torres Straits, being that portion of Prof. Haddon's Collection which was needed for the collection.

1901.

The accessions numbered 694, among which was an interesting collection of Entomostraca raised by Prof. G. O. Sars from dried mud collected from various parts of the world.

1902.

The accessions numbered 286.

Mr. F. E. Grant presented various specimens from Victoria, which were *desiderata* to the collection.

137 Amphipods from the "*Southern Cross*" Antarctic Expedition.

1903.

The accessions numbered 580, 245 of which were from deep water in the Indian Ocean, presented by the Trustees of the Indian Museum, Calcutta, and 70 were North Atlantic Entomostraca determined by Prof. Sars.

1904.

The accessions numbered 371; among these were 10 finely-preserved specimens of *Anaspides*, collected by their donor, Mr. J. J. Walker (late R.N.) in Tasmania; 15 examples of *Munidopsis polymorpha* from caves in Lanzarote, presented by Mr. Fairfax Pervost; and 2 fine Crabs (*Maia squinado* and *Homola cuvieri*) from H.M. the King of Portugal.

37 Terrestrial Isopoda and 13 Terrestrial Amphipoda, including the types of recently described species from the Sandwich Islands. Presented by a Joint Committee of the Royal Society and British Association.

D. ALPHABETICAL LIST OF CONTRIBUTORS OF COLLECTIONS OF CRUSTACEA WHICH CONTAINED TYPES OR CO-TYPES WHEN ACQUIRED BY THE MUSEUM.

Alcock (ALFRED WILLIAM). [1859-]

Many interesting species obtained during the deep-sea dredgings of H.M. Indian Marine Survey Steamer *Investigator* during recent years have been described by Major Alcock. Co-types of some of these have from time to time been received from the Indian Museum, Calcutta.

Bassett-Smith (PERCY WILLIAM). [1860?]

In 1896 Mr. Bassett-Smith presented a series of 30 specimens, parasitic on fishes, including the types of the new species which he had described, and in 1898 two small collections of Copepods from Bombay also containing the types of some new species.

"Challenger" Collection.

The large collections obtained by the *Challenger* Expedition of 1873-1876 were received chiefly during the years 1884, 1888, 1889, and 1894. They were worked out as follows:—

BATE, C. SPENCE. Report on the *Macrura*.

BEDDARD, Mr. F. E. Report on the *Isopoda*.

BRADY, Prof. G. STEWARDSON. Report on the *Copepoda* and *Ostracoda*.

BROOKS, Prof. W. K. Report on the *Stomatopoda*.

HENDERSON, Prof. J. R. Report on the *Anomura*.

HOEK, Dr. P. P. C. Report on the *Cirripedia*.

MIERS, Mr. E. J. Report on the *Brachyura*.

SARS, Prof. G. O. Report on the *Schizopoda*, *Cumacea*, and *Phyllocarida*.

STEBBING, Rev. T. R. R. Report on the *Amphipoda*.

de Man (J. G.).

Dr. de Man, who on various occasions has described new species for the Museum, was entrusted by the late Dr. John Anderson with his collection of Crustacea from the Mergui Archipelago. This, when worked out ("Journ. Linn. Soc.," vol. xxii.), was purchased by the Trustees, in 1886.

Haswell (WILLIAM AITCHESON). [1859?]

A catalogue of the Australian Malacostraca was prepared by Prof. Haswell for the Australian Museum at Sydney, and in 1885-1895 some named Australian Crustacea sent by that Institution included about twenty co-types of new species described in that work.

Henderson (JOHN R.). [1862?]

In 1892 Prof. Henderson presented over 400 specimens of Indian Crustacea, including the types of several new species.

Norman (ALFRED MERLE). [1831-]

In 1898 the Museum acquired by purchase part of the fine collections of Marine Invertebrates from Northern Seas made by the Rev. A. M. Norman. A catalogue of this collection was published by the owner under the title of "Museum Normanianum." More than 1000 specimens of Crustacea, including some interesting types and co-types, were thus added to the Museum Collection.

Scott (THOMAS).

In 1893 and 1894 the Royal Society presented a collection of Crustacea made by the telegraph steamer *Buccaneer* off the West coast of Africa. It comprised 55 Ostracoda, 544 Copepoda, and 144 Entomostraca. The collection contained the types of the new species described in his Report in the "Transactions of the Linnean Society."

Smith (SIDNEY IRVING). [1843- ?]

From time to time the Museum has received from the Smithsonian Institution of Washington valuable series of specimens. Doubtless many of these have been named by Mr. Smith, and may in some cases represent co-types of species described by him.

II. ECHINODERMA.

A. LIST OF OFFICERS MORE OR LESS CONNECTED WITH THE ECHINODERM COLLECTIONS IN PAST YEARS.

Date of Appointment.	ASSISTANTS.	Date of Appointment.	KEEPERS OF NATURAL HISTORY.	Date of Appointment.	ASSISTANT-KEEPERS.
1824	J. E. Gray.	1837	J. G. Children.		
In 1837 Zoology made a separate Department.					
			KEEPERS OF ZOOLOGY.		
1841	Dr. Baird.	1840	J. E. Gray.	1869	G. R. Gray.
1867	E. A. Smith.	1875	Dr. A. Günther.	1872	Dr. A. Günther.
1878	F. Jeffrey Bell.	1895	Sir W. H. Flower, K.C.B.	1875	F. Smith.
				1879	A. G. Butler.
		1898	Prof. E. Ray Lankester.	1895	E. A. Smith, I.S.O.

B. PROGRESS AND ARRANGEMENT OF THE COLLECTION OF ECHINODERMS.

In 1855, Dr. J. E. Gray published the first part of a catalogue of "Recent Echinida" in the collection of the Museum (12mo, 63 pp., 6 pls.). No further parts of this work were issued.

In 1866, Dr. Gray published, at his own expense, a "Synopsis of the Species of Starfish in the British Museum" (18 pp., double cols., 16 pls.).

In 1878, F. Jeffrey Bell commenced to study the Echinoderms, and in 1888-90 prepared a MS. catalogue of all known species, in which the Museum specimens are duly entered; this catalogue is from time to time brought up to date, and, as the several parts are arranged by the "*Challenger*" monographs,

they are available to students. In 1892 a catalogue (8vo, 202 pp., 16 pls.) of British Echinoderms was published. The accessions to the collections are generally made known in faunistic papers, published in journals, or by the Trustees (*e.g.* "Voyage of *Alert*," "Voyage of the *Discovery*"), or in reports such as that of Dr. Willey or Mr. Stanley Gardiner.

1900 species are represented by 19,000 specimens, nearly all of which are named.

C. CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF ECHINODERMS.

1840.

The Lansdowne Guilding Collection from St. Vincent's was obtained.

1841.

Dr. Gunn presented his Tasmanian collections.

1846.

The collections made by Mr. J. B. Jukes on H.M.S. *Fly* were obtained.

1854.

The Holböll Collection of Arctic Echinoderms was obtained.

1859.

The Echinoderms collected by H.M.SS. *Herald* and *Rattlesnake* were presented.

1861.

The Peters Collection of Echinoids and Asteroids from the Red Sea was obtained.

1866.

66 specimens, chiefly from the West Indies and Greenland. This collection was valuable, having been named by Professor Lutken; purchased.

1868.

The Lords of the Admiralty presented the collection made by Dr. Cunningham in the Straits of Magellan.

A series of 56 specimens from Sweden and Spitzbergen, named by Professor Lovén; obtained by exchange.

1870.

62 specimens, mostly from the West coast of North and Central America, named by Professor Verrill, and including co-types of some species described by him ; presented by Yale College.

1870-1871.

Various Chinese Echinoderms were presented by Consul Swinhoe.

1872.

110 specimens purchased from the "*Norna*" dredgings off the coast of Portugal, and 45 presented by Dr. Gray.

1874.

The principal acquisition consisted of 30 species new to the collection, purchased from the Godeffroy Museum.

1875.

38 fine specimens from the Samoa Islands, presented by Rev. S. J. Whitmee.

1876.

62 Echinoderms from Rodriguez and Kerguelen ; 7 specimens collected by Commander W. E. Cookson, R.N., at Charles Island, Galapagos.

1877.

44 specimens from South Africa, presented by Dr. Hahn.

1879.

85 specimens from the Straits of Magellan, collected by Dr. Coppinger, R.N., H.M.S. *Alert*.

The very important collections of Echinoderms made by the "*Challenger*" Expedition were received during the years 1879-1890 as follows: the Echinoidea in 1879 and 1881, the Holothuroidea in 1883 and 1886, the Ophiuroidea in 1882, the Crinoidea in 1885 and 1888, and the Asteroidea in 1890.

1880.

An important series of specimens from Japan collected by Capt. H. C. St. John, R.N., including the types of fifteen new species described by W. P. Sladen and Prof. Duncan in the

"Journal of the Linnean Society," vol. xiv.; presented by J. Gwyn Jeffreys, Esq.

26 Echinoderms, dredged in the seas near Franz-Josef Land and Spitzbergen, chiefly interesting on account of the localities from which they were obtained; collected and presented by B. Leigh Smith, Esq.

A valuable series of 65 Echinoderms, determined and named by the naturalists of the U.S. Fishery Commission; presented by the Smithsonian Institution.

1881.

A collection of 206 Echinoderms, made by Dr. Coppinger during the surveying voyage of H.M.S. *Alert* in the Australian Seas.

9 specimens of *Antedon*, obtained during the cruise of H.M.S. *Porcupine* in 1869 and 1870. Received from P. H. Carpenter, Esq.

1882.

The accessions numbered 1346.

263 Echinoderms collected by Dr. Coppinger during the survey of H.M.S. *Alert* in the Australian Seas and the Western Indian Ocean; presented by the Lords of the Admiralty.

27 Echinoderms from the Ceylon coast; presented by Dr. Ondaatje.

1883.

The accessions numbered 294.

57 Echinoderms from Billiton, including a fine series of *Oreaster*, several of the species apparently undescribed. See "Proceedings of the Zoological Society of London, 1884," p. 57. Purchased.

1884.

The accessions numbered 166.

A magnificent specimen of *Echinus melo*; presented by Prof. Stewart.

9 stalked Crinoids from 300–500 fathoms in the Caribbean Sea; purchased.

10 Echinoderms from Geelong; presented by J. B. Wilson, Esq.

16 specimens from Aden; presented by Major J. W. Yerbury, R.A.

1885.

The accessions numbered 250.

A collection of Echinoderms from Port Phillip; presented by J. B. Wilson, Esq.

10 Echinoderms from Shetland; presented by E. M. Nelson, Esq.

10 specimens of Echinoderms from Herm; presented by R. L. Spencer, Esq.

1886.

The accessions numbered 513.

100 Echinoderms from the Andaman Islands; presented by Dr. John Anderson, F.R.S.

47 Echinoderms from Australia; presented by the Trustees of the Australian Museum, Sydney, and Dr. E. P. Ramsay.

A number of Echinoderms from New Zealand; purchased of the Commissioners of the New Zealand Court of the Colonial Exhibition.

1887.

The accessions numbered 241.

The object of most importance was the very rare *Holopus rangi* from Barbados, two specimens of which were purchased from Sir Rawson Rawson, K.C.M.G.

1888.

The accessions numbered 978.

11 deep-sea Echinoderms from off the coast of Ireland; presented by the Royal Irish Academy.

106 Echinoderms from Tuticorin, 30 from Ramesvaram; presented by Edgar Thurston, Esq.

30 specimens of *Comatulidæ*, from the North Atlantic and Mediterranean, collected during the expeditions of H.M.S. *Porcupine*, 1869-70, under the auspices of the Royal Society. Received through Dr. P. H. Carpenter.

1889.

The accessions numbered 814.

105 Echinoderms from Montrose, including a good series of *Echinocyamus pusillus*, *Solaster papposus*, and an example of *Strongylocentrotus drobachiensis*; presented by W. Duncan, Esq.

53 specimens from Shetland ; presented by E. M. Nelson, Esq.

62 specimens, obtained off Liverpool ; collected by Prof. Herdman, F.R.S.

46 specimens, chiefly rare forms from the North Sea, including *Ophiactis abyssicola*, *Elpidia glacialis*, *Kolga hyalina*, and *Ankyroderma jeffreysii* from the Bergen Museum ; purchased.

1890.

The accessions numbered 2240.

A series of 275 Echinoderms of great interest from the "Porcupine" Collection, apparently containing the types of several species, such as *Porocidaris purpurata* and *Phormosoma placenta*, as well as examples of very rare Northern forms, of which the Museum has long felt the want ; received from Dr. J. Murray with the "Challenger" duplicates.

29 deep-sea forms from the S.W. coast of Scotland, including *Brisinga*, *Pontaster tenuispinis*, *Ophiobyrsa hystericis*, and *Holothuria tremula* ; presented by G. C. Bourne, Esq.

A second series of 26 deep-sea forms from the W. coast of Ireland, amongst which were *Phormosoma placenta*, and *Spatangus raschi* ; presented by the Royal Dublin Society.

A very valuable collection of 64 specimens, of considerable historical interest, as forming part of the collection of the late William Thompson, the well-known author of the "Fauna of Ireland" ; presented by the Belfast Natural History Society.

A good series of *Echinus norvegicus*, from the North Sea ; presented by Prof. S. Lovén.

1891.

The accessions numbered 326.

5 examples of the rare *Zoroaster fulgens* and 3 of *Gorgonocephalus eucnemis*, obtained during the cruise of H.M.S. *Triton* ; presented by Dr. J. Murray, F.R.S.

45 specimens, chiefly from deep water, of Irish Echinoderms, among which were a number of examples of the very interesting Echinothurids—*Phormosoma* and *Asthenosoma* ; presented by the Royal Dublin Society.

28 Echinoderms from the Kara Sea, among which were *Ophiopleura borealis*, *Hymenaster pellucidus*, *Asterias stellionura*, and *Trochostoma boreale* ; received in exchange from the Copenhagen Museum.

The type of *Bathybiaster vexillifer*, from the Faroe Channel ; received with the "*Challenger*" duplicates.

3 examples of the rare *Goniaster hispidus* ; presented by Dr. Sturm.

1892.

The accessions numbered 1034.

74 specimens, chiefly from deep water, off the South-west of Ireland ; presented by the Royal Irish Academy.

69 Ophiuroids and 35 Echinoids, from deep water in the West Indies ; presented by Prof. Alexander Agassiz.

34 examples of Holothurians from the Great Barrier Reef, mostly of edible species, and labelled with their popular names ; presented by W. Saville-Kent, Esq.

7 examples of Crinoids, from the Sahul Bank, including *Metacrinus interruptus* and *Antedon woodmasoni* ; received from the Trustees of the Indian Museum, Calcutta.

1893.

The accessions numbered 352.

13 Asteroids and Holothurians from deep water in the Bay of Bengal, including examples of *Zoroaster zææ*, *Persephonaster rhodopelpus*, *Nymphaster florifer*, and *Dictyaster xenophilus* ; presented by the Trustees of the Indian Museum, Calcutta.

3 specimens of *Pentacrinus wyville-thomsoni*, from 700 fathoms off Fern Island, collected by V. K. Cornish, Esq. ; purchased.

1894.

The accessions numbered 90.

21 specimens from the Mediterranean, including a fine example of *Stichopus regalis*, the rare *Ophioconis forbesi*, and *Ophiopsila aranea* ; received in exchange from Prof. Koehler.

A fine example of the rare *Metacrinus rotundus*, and a second specimen, which may be an immature example of the same species, from Japan ; purchased.

1895.

The accessions numbered 49.

15 deep-sea Holothurians from the Pacific ; presented by the United States National Museum.

1896.

The accessions numbered 84.

26 deep-sea specimens from the Bay of Biscay; received in exchange from Prof. Koehler.

36 specimens from Marseilles; presented by Prof. Vayssière.

1897.

The accessions numbered 255.

21 deep-sea specimens from the Bay of Biscay; received in exchange from Prof. Koehler.

A series of 185 historically interesting photographs of Echinoderms and their pedicellariæ, made by the late Dr. Herapath, F.R.S.; presented by Miss Herapath.

1898.

The accessions numbered 1527.

18 deep-sea Ophiuroids from the neighbourhood of the Bay of Bengal; presented by the Trustees of the Indian Museum, Calcutta, and determined by Prof. Koehler.

15 Echinoderms from Rockall, interesting as coming from an almost inaccessible locality; presented by the Dublin Science and Art Museum.

A selection of 110 Echinoderms from the extensive collections made by Mr. J. Stanley Gardiner at Funafuti, and in the Fijis, and 110 specimens obtained by Dr. Willey at the Loyalty Islands and New Britain.

6 specimens of the rare flexible Sea-Urchin, *Asthenosoma urens*, from Trincomalee Harbour; collected and presented by Staff-Surgeon P. W. Bassett-Smith, R.N.

1899.

The accessions numbered 121; none were of particular interest.

1900.

The accessions numbered 1357, nearly all of which were from the Norman Collection.

1901.

The accessions numbered 178, the most notable being a series of the deep-sea Ophiuroids, collected by the U.S.S. *Albatross*.

1902.

The accessions numbered 139, including a collection from Japan, purchased from Mr. Alan Owston, the types of two new species from deep water off the west coast of Ireland, and 60 specimens from the Maldive and Laccadive Islands collected by Mr. J. Stanley Gardiner.

1903.

The accessions numbered 93, most of which were collected off Zanzibar by Sir Charles Eliot, K.C.M.G., and Mr. Crossland, by whom they were presented to the Trustees.

1904.

The accessions numbered 382, the most notable of which are the specimens collected in South African waters by Dr. Gilchrist, the biologist to the Cape of Good Hope Government, and by Prof. Herdman on his visit to the pearl fisheries of Ceylon.

D. ALPHABETICAL LIST OF CONTRIBUTORS OF COLLECTIONS OF ECHINODERMS WHICH CONTAINED TYPES OR CO-TYPES WHEN ACQUIRED BY THE MUSEUM.

Agassiz (ALEXANDER). [1835-]

In 1892 the Museum received from Prof. Agassiz, under whose direction they had been collected, 69 Ophiuroids and 35 Echinoids from deep water off the West Indies, and, in 1895, 15 specimens of deep-sea Holothurians from the Pacific obtained by the U.S. Steamer *Albatross*. These collections, having been named respectively by Prof. Agassiz and Prof. Ludwig, are valuable for that reason, and include co-types of some of the new species described by those authors.

"Challenger" Collections.

The important collections made by H.M.S. *Challenger* in 1873-76 were received by the Museum in the years 1879-1890. They include the types of all the species of Echinoidea described by Dr. A. Agassiz; of Crinoidea described by Dr. P. H. Carpenter; of Ophiuroidea, by Mr. T. Lyman; of Holothurioidea by Dr. H. Théel; and of Asteroidea described by Mr. P. Sladen.

Koehler (RÉNÉ).

The deep-sea Ophiuroidea obtained by the Indian Marine Survey Steamer *Investigator* during recent years were entrusted by the Indian Museum to Prof. Koehler for description. Eighteen specimens, including co-types of several new species, were presented by the Trustees of the Indian Museum in 1898.

Norman (ALFRED MERLE).

Over 1000 specimens of Echinoderms were obtained from the Norman Collection in 1898. Among these were some types and co-types of species. [See also under Crustacea.]

Semper (CARL). [1832-1893]

A number of new species of Holothurians were described by Prof. Semper in the beautifully illustrated memoir in his "Reisen im Archipel der Philippinen." A few of the types were purchased in 1869 and 1884.

III. PERIPATUS.

[A. OFFICERS SAME AS FOR "ECHINODERMS."]

The collection contains a number of historically interesting specimens; a specimen of *Peripatus juliformis* was in the Sloane Collection, and H. Cuming brought specimens from the West Indies in 1849. There is a long series of *P. capensis*, obtained at various dates, and types or co-types of most of the species described by Messrs. Dendy, Evans, and Sedgwick.

The collection was worked through by Mr. Adam Sedgwick in 1887, and much of it has been of service to Prof. Bouvier for his monograph of the group.

All are named and the collection is rich.

IV. VERMES.

[A. OFFICERS SAME AS FOR "ECHINODERMS."]

B. PROGRESS AND ARRANGEMENT OF THE COLLECTION OF WORMS.

CHÆTOPODA.

The collection of "British Non-parasitical Worms" was catalogued by Dr. Johnston in 1865.

Considerable assistance was for some years given by Prof.

McIntosh, who determined the collections made during the Arctic Expedition by H.M.S.S. *Alert* and *Discovery*, and by the *Valorous*; the collections of the *Porcupine* and of the *Challenger* also formed the subject of reports by him.

Miss F. Buchanan worked at the collection for some time about 1894, and determined a small collection of Polychætes from the West Coast of Scotland.

In 1898 about 200 named Chætopods were obtained from the Norman Collection, and in 1900 about 700.

From time to time Dr. Benham, Dr. Rosa, and Mr. Beddard have been so good as to determine small collections of Earthworms confided to them, and the results have been published in the Quarterly Journal of Microscopical Science, the Proceedings of the Zoological Society, and the Annals and Magazine of Natural History.

In 1899 and 1900, Dr. Willey worked at the collection of Polychæta and determined a number of specimens; the only results of his studies that were published was the report on the Antarctic Polychætes collected by the "*Southern Cross*" (1901), and a contribution to the synonymy of a British Polychæte.

All the species of the Polychæta need determination or re-determination.

GEPHYREA.

The whole collection was revised in 1868 by Dr. Baird; since then a small collection of named forms has been received from the "*Challenger*," named by Prof. Selenka, a few from Prof. Selenka, and a few from Dr. Sluiter. Mr. Shipley has recently determined a few, and Prof. Ray Lankester presented the type of his *Golfingia macintoshi*.

There are about 300 specimens, belonging to 95 species, and most are named.

MYZOSTOMUM.

This collection is based on the "*Challenger*" material described by Dr. von Graff, and the specimens determined in 1897 by Prof. Wheeler from parasites found in our collection of Crinoids.

FREE PLATYHELMINTHS.

On several occasions Prof. von Graff has presented Worms

described by him in his monographs, and in 1877 Mr. H. N. Moseley presented his types of species of *Bipalium*.

ENTOZOA.

The basis of this collection was a series of specimens named by Prof. Siebold, and it was made generally available by the "Catalogue of . . . Entozoa," prepared by Dr. W. Baird in 1853.

The collection was revised in 1881 and 1882 by Dr. L. Örley, who made a report, which was published in vol. ix. (1882) of the *Annals and Magazine of Natural History*.

Since that date Dr. O. von Linstow has been so obliging as to determine specimens sent him for examination.

C. CHRONOLOGICAL LIST OF THE PRINCIPAL ACCESSIONS TO THE COLLECTION OF WORMS.

No collection of Worms of any importance seems to have been made before

1851,

when a collection of Entozoa, notable at the time, was purchased from Prof. Siebold; this was made generally known by the catalogue prepared by Dr. Baird in 1853 (12mo, 132 pp., 2 pls.). Col. Montagu was much interested in Worms, and the "Old Collection" contained a number of his specimens and those of Dr. Leach; these were added to, chiefly by Dr. Johnston, Mr. Robertson, and Mr. Laughrin, and in

1865

a catalogue of "British Non-parasitical Worms" was published. 30 specimens of Polychæta, from off the Shetlands, were presented by Mr. Gwyn Jeffreys, and a few Entozoa from animals in the Zoological Gardens were presented by Dr. Murie.

1866 and 1867.

About 80 Worms from Polperro were purchased from Mr. Laughrin.

1872.

266 accessions, of which the most notable were the Scandinavian Oligochætes obtained from Dr. Eisen.

1874.

The only accessions of this year that need be noted were the 15 Polychætes from Ceylon, determined by Prof. Grube.

1876.

68 Oligochaetes from Dr. Spoof, and 46 Polychætes obtained by the Transit of Venus Expedition.

1877.

30 more Polychætes from the just-mentioned expedition, 59 Planarians collected and presented by Mr. H. N. Moseley, and 58 Polychætes, obtained during the Arctic Expedition.

1880.

There were 90 accessions, the most interesting of which were some *Perichætæ* presented by Charles Darwin.

1882.

The accessions were more numerous ; the most useful was a set of 200 named Marine Worms purchased from the Copenhagen Museum.

1885.

586 accessions ; the most interesting were two specimens of *Balanoglossus*, the first evidence obtained in this country that this Hemichordate inhabits the English Channel.

1886.

Of the 144 Worms obtained this year, the types (or co-types) of Captain Hutton's New Zealand species were the most important.

1887.

378 accessions ; the most noticeable was the fine mass of *Sabella alveolata* from Hillbre Island, a worm interesting as being the only organism that plays in our seas the part of the polyp of reef corals.

1888.

Among the 91 accessions of this year was a fine mass of *Filograna* from the North Sea.

1889.

Among the 170 additions of this year were two specimens of *Balanoglossus sarniensis* from Herm, collected and presented by Prof. F. Jeffrey Bell, and 16 named Gephyreans from Java, purchased from Dr. Sluiter.

1890.

The accessions numbered 277.

141 Worms, principally Chaetognatha, collected during the voyage of H.M.S. *Challenger*, and presented by the Lords Commissioners of the Treasury.

A collection of very finely preserved examples of the tube-dwelling Annelid *Terebella littoralis*, from Llanfairfechan, North Wales; presented by Arnold T. Watson, Esq.

11 specimens of *Bipalium* from Ceylon; presented by E. E. Green, Esq.

1891.

The accessions numbered 149.

7 specimens of a new species of *Tristomum* (*T. histiophori*), found among the collections bequeathed by the late Deputy-Surgeon-General F. Day.

A series of 50 Land Planarians, chiefly representatives of new Victorian species lately described by the donor, Dr. Dendy.

1892.

81 specimens, of which not many were of interest, but the types of *Sparganophilus tamesis* were presented by Dr. Benham, and *Bipalium kevense* was, for the first time, received from Ireland.

1893.

The accessions numbered 92.

The type of the remarkable new genus *Eupolyodontes* (*E. cornishi*), described by Miss F. Buchanan, from the mouth of the River Congo; presented by V. K. Cornish, Esq.

An example of the rare Mediterranean species, *Polyodontes maxillosus*; purchased.

The type of *Taenia echidnæ*; presented by Prof. J. P. Anderson Stuart.

3 specimens of the rare Worm *Tænia nana*, and 5 of *Anchylostoma duodenale*; presented by Dr. Sonsino.

1894.

The accessions numbered 92.

A remarkable Annelid allied to *Linophorus*, from the mouth of the Congo ; presented by Miss H. M. Kingsley.

A new Earth-worm (*Benhamia cœcifera*) from the Fantee country ; presented by Capt. Torry.

1895.

The accessions numbered 70.

An example of the rare *Filaria loa*, from the eye of a negro ; presented by Dr. Craster.

12 Earth-worms from Madras ; presented by Prof. A. G. Bourne.

1896.

The accessions numbered 243.

The types of a new family, *Arhynchus hemignathi*, and of a new Gephyrean, *Phymosoma weldoni* ; presented by A. E. Shipley, Esq.

6 Land Planarians from Ceylon, determined by Prof. Graff ; presented by E. E. Green, Esq.

12 beautifully prepared specimens of Rotifera ; presented by Mr. Rousselet.

1897.

Accessions 196 ; of the most important were the 45 sections of species of *Myzostomum* prepared by Prof. Wheeler from Museum material, and 47 Land Planarians from New South Wales and New Zealand ; presented by T. Steel, Esq.

1898.

The accessions numbered 325.

The most important consisted of a number of Earth-worms from various localities which were submitted for determination to Dr. Rosa of Turin, and of Mr. Andrews' collection of Gephyrea from Christmas Island, which have been determined by A. E. Shipley, Esq.

A small collection, containing among others, *Oxyuris paronai* ; received from Prof. Parona of Genoa.

1899.

The accessions numbered 134.

A valuable collection of 58 Land Planarians, named and presented by Prof. Graff, and forming part of the material for his most important work on this group.

1900.

Dr. Goeldi presented 31 Land Planarians from Brazil, also described by Prof. Graff in his monograph.

1901.

The accessions numbered 73, of which the most striking were eleven specimens of *Ptychodera*, presented by Dr. Willey, and the most interesting were 39 Polychætes from Salcombe, a favourite collecting ground of Colonel Montagu, some hundred years ago.

1902.

The accessions numbered 326, among which were the worms collected by the "*Southern Cross*" Antarctic Expedition, and a small but valuable collection of Land Planarians from Victoria and Tasmania; presented by Mr. T. Steel.

1903.

The accessions numbered 51, of which 20 were Oligochætes, determined by Dr. Michaelsen, and 7 Land Planarians, presented and determined by Mr. F. F. Laidlaw.

1904.

The accessions numbered 2350 (including 1231 micro slides); the greater part consisted of the collection of Earth Worms made during the last twenty years by Mr. Beddard, and purchased from him.

V. ANTHOZOA.

[A. OFFICERS SAME AS FOR "ECHINODERMS."]

B. PROGRESS AND ARRANGEMENT OF THE COLLECTION OF ANTHOZOA.

No considerable collection of named Corals has ever been obtained.

Several efforts were made in the latter part of the century to catalogue the specimens. In 1877, Dr. Brüggemann, a specialist, was employed by the Trustees to prepare a catalogue; he, however, died in April, 1878. In July, 1878, the collection of Corals was confided to Mr. S. O. Ridley, who entered as a second-class Assistant. Mr. Ridley did some interesting work on Corals, but resigned his office in 1887. In 1885, Mr. J. J. Quelch, who was not a specialist, also a second-class Assistant, was employed, in his own time, to work out the "*Challenger*" collection of Corals, which was deposited in the Museum. In 1890, Dr. Günther succeeded in inducing Mr. George Brook, who had distinguished himself by a report on the "*Challenger*" Antipatharia, to undertake to write a catalogue; he produced a complete monograph of the genus *Madrepora* (4to, xii., 212 pp., 35 plates) in 1893, and, unfortunately, died on the 12th August of that year.

Shortly afterwards the work was confided to Mr. H. M. Bernard, who, in 1896, produced a monograph of the genera *Turbinaria* and *Astræopora* (4to, iv., 106 pp., 33 plates), in 1897, of *Montipora* and *Anacropora* (viii., 192 pp., 34 plates), and in 1903 a volume dealing with *Goniopora* (viii., 206 pp., 16 plates).

Not much work has been done on the other groups of Anthozoa. Dr. Gray, in 1870, published a catalogue of Sea-pens or *Pennatulariidæ* (8vo, 46 pp.), and of the Lithophytes or Stony

Corals (8vo, 51 pp.); in 1884, Mr. Ridley reported on the Alcyonaria of the "*Alert*" Collection (*Alert* Report, pp. 327-365, and 578-581). Prof. Kölliker made use of the collection in his monograph of the Pennatulidæ, and named the "*Challenger*" Pennatulids. The other collections made by the "*Challenger*" were described by Mr. G. Brook, Prof. Hertwig, the late H. N. Moseley, Mr. J. J. Quelch, and Profs. Wright and Studer.

There are more than 6300 specimens, but only those mentioned in the recent catalogues can be considered to be satisfactorily named.

C. CHRONOLOGICAL LIST OF PRINCIPAL ACCESSIONS TO THE
COLLECTION OF ANTHOZOA.

1837.

A few Anthozoa were purchased at a sale at the Royal Muscum, Berlin.

1842.

Capt. Belcher, R.N., presented about 50 Corals from Malacca, and other localities.

1843.

140 Anthozoa from the West Indies were purchased from Scrivener.

1845.

A few Corals were purchased from Mr. Sowerby.

1846.

The collection of Corals made by J. B. Jukes during the voyage of H.M.S. *Fly*.

1847.

75 Anthozoa were purchased from Eling.

1851.

30 Corals were purchased from Capt. Belcher's Collection.

1853.

The McAndrew collection of Corals from Teneriffe and Madeira was presented, and 53 Corals from Lord Valentia's Collection were purchased.

1856.

Dr. Sinclair's collection of Corals from New Zealand was presented.

1862.

A large collection of Corals from Japan.

1869.

A set of Gorgonians from the coast of Algeria.

1871.

Gorgonians from Port Elizabeth, and Corals from St. Helena and New Guinea.

1872.

19 obtained by the *Norna*, and 20 Gorgonians from Ceylon.

1873.

The most noticeable addition this year was the gigantic *Osteocella septentrionalis* from British Columbia; presented by Coote M. Chambers, Esq.

1874.

Magnificent specimens of *Antipathes* were presented by Dr. (Sir J.) Hooker and Mr. H. R. Williams, and a collection of *Virgulariæ* by Sir P. Grey Egerton, Bart.

1875.

Dr. Günther presented some specimens of *Osteocella septentrionalis*.

1876.

77 Anthozoa from Rodriguez were presented by the Royal Society.

1877.

About 50 Anthozoa from Dr. Bowerbank's Collection.

1880.

The very valuable collection of Corals obtained by the "*Challenger*" Expedition was this year added to the collection.

1881.

Some fine examples from Mauritius were purchased from M. Robillard, and 15 named specimens of Stony Corals from the Godeffroy Museum.

1882.

There were 313 accessions; among them 76 from the "*Alert*" Collection, of which many were new to science, and 18 Corals from Japan; purchased.

1883.

Of the 389 Anthozoa, 149 were Corals from the "*Porcupine*" Collection, and some specimens of Cirripates 10-12 feet in height.

1884.

259 accessions, including several so-called new genera, and some very fine and curious specimens collected off telegraph cables.

1885.

94 specimens, inclusive of some rare Japanese forms presented by Dr. John Anderson, F.R.S.

1886.

Among the 636 acquisitions were typical examples of the Red Sea Corals described by Dr. Klunzinger, and some remarkably fine specimens of *Heliopora* from the Maldivé Islands.

1887.

155 additions, including some Indian *Pennatulidæ*, from Dr. J. Anderson.

1888.

194 specimens, among them the type of *Pennatula bellissima*; presented by Prof. Ray Lankester, F.R.S.

1889.

The 577 additions comprised, besides the "*Challenger*" Collection of Alcyonaria and Actiniaria, specimens from the Channel Islands, presented by Prof. Jeffrey Bell, Alcyonaria from Dr. John Anderson, F.R.S., and a fine specimen of *Pleurocorallium johnsoni* from Madeira; presented by Mr. J. Yate Johnson.

1890.

The accessions numbered 190.

A most remarkable specimen of *Gerardia savalia*, obtained off Eubœa; no specimen equal in size or condition is to be found in any European museum; purchased.

The type specimens of *Antillia lonsdalia* and *Conocyathus zealandiæ*; presented by Prof. Martin Duncan, F.R.S.

2 examples of the recently described *Duva rosea*, from Trondjhemsfjord; presented by Prof. Collett.

1891.

The accessions numbered 491.

2 examples of *Epizoanthus paguriphilus*, from deep water off the Irish coast; presented by G. C. Bourne, Esq.

46 Corals, including some fine examples of *Fungia*, from Diego Garcia; presented by G. C. Bourne, Esq.

46 Corals from Florida, and other localities, and a specimen of *Muricea placomus* from Christiansund; presented by Dr. John Murray, F.R.S.

31 Corals from the West Indies, formerly the property of the late Prof. Duncan, among which *Parasmilia lynani*, *Rhizotrochus fragilis*, and *Thecopsammia tintinnabulum* may be especially mentioned; obtained by exchange.

1892.

The accessions numbered 827.

A very fine example of *Paragorgia arborea*; received in exchange from the Bergen Museum.

33 specimens of Corals from the Persian Gulf; collected and presented by Surgeon-Major A. S. G. Jayakar.

7 fine Gorgonids (*Ctenocella pectinata* and *Gorgonia australiensis*) from North Queensland; presented by Capt. Hansard.

32 specimens of *Madrepora*, including *M. ceylonica* and *M. elegantula*, from Ceylon; collected by Prof. Haeckel.

1893.

The accessions numbered 323.

4 very interesting Alcyonids (*Cladiscus kaellikeri*, *Andvakia mirabilis*, *Mardoella erdmanni*, and *Sympodium abyssorum*) from deep water in the North Atlantic; received in exchange from the Bergen Museum.

2 large masses of Reef Coral from Lacépède Island, N.W. Australia; collected by W. Saville-Kent, Esq.

An interesting example of the "Coral Tulip," or barnacles encrusted with Red Coral; presented by G. B. Sowerby, Esq.

1894.

The accessions numbered 150.

The types of 2 recently described and remarkable Actinarians (*Phialactis neglecta* and *Ocineon lindahli*) from Papeete and the coast of Spain; presented by Dr. G. H. Fowler.

A fine specimen of *Isis hippuris*; presented by John Morgan, Esq.

91 specimens collected by W. Saville-Kent, Esq., in N.E. Australia, including 4 magnificent examples of the genus *Turbinaria*, also *Euphyllia glabrescens*, *E. fimbriata*, and *Dasyphyllia echinulata*.

1895.

The accessions numbered 256.

6 interesting stages in the life-history of *Fungia*; presented by J. J. Lister, Esq.

233 examples from W. Australia; collected by W. Saville-Kent, Esq.

A variety of the Pennatulid *Halisceptrum gustavianum*, from Port Knysna; presented by Miss Newdigate.

1896.

The accessions numbered 25.

A fine mass of *Lophohelia prolifera*, dried, and of *Paragorgia arborea*, in spirit, from Norway; purchased.

1897.

The accessions numbered 352.

228* specimens of Corals from Torres Straits ; collected and presented by Prof. A. C. Haddon.

A small but interesting collection of deep-sea Alcyonaria ; obtained by exchange from Prof. Koehler.

1898.

The accessions numbered 470.

An exceedingly fine dried example of *Gorgonella umbella* from Mergui ; presented by Mr. H. G. Batten.

A few deep-sea Corals from off Travancore ; presented by the Trustees of the Indian Museum, Calcutta.

Both red and white varieties of the interesting *Pleurocorallium secundum* of Japan ; presented by Dr. Kishonuoye.

30 Corals, some of much interest ; presented by the Raffles Museum, Singapore.

46 Sea-anemones from Boluslan, Spitzbergen, and other localities ; obtained by exchange from the Stockholm Museum.

1899.

The accessions numbered 96, among which were 35 Reef Corals, collected by Dr. Andrews at Christmas Island, and presented by Sir John Murray, K.C.B.

1900.

The accessions numbered 121.

The most interesting additions were a set of co-types of the new species described by Miss Hiles from Funafuti, and from Dr. Willey's collection.

1901.

The accessions numbered 131, of which 80 were Alcyonaria from Jamaica, presented by Dr. Duerden ; and 24 Corals, some of great bionomic interest, presented by their collector, Mr. S. Pace.

1902.

The accessions numbered 41, among which were the Sea-anemones (*Urticina*) collected at Cape Adare, and described by Mr. J. A. Clubb.

1903.

The accessions numbered 105, among which were 18 finely-preserved Pennatulids ; presented and collected by H.M. the King of Portugal.

1904.

The accessions numbered 22, most of which were specimens from the British seas collected by Mr. E. W. H. Holdsworth.

11. PROTOZOA, PORIFERA, HYDROZOA, POLYZOA, BRACHIOPODA, AND TUNICATA.

By R. KIRKPATRICK.

A. LIST OF OFFICERS WHO HAVE BEEN IN CHARGE OF THE ABOVE-NAMED GROUPS OF ANIMALS IN THE COLLECTIONS OF THE BRITISH MUSEUM (NATURAL HISTORY).

Date of Appoint- ment.	ASSISTANTS.	Date of Appoint- ment.	KEEPERS.	Date of Appoint- ment.	ASSISTANT- KEEPERS.
1765 1813 1824	Dr. D. C. Solander. Dr. W. E. Leach. J. E. Gray.				
1837—Zoology made a separate Department.					
1841	Dr. W. Baird.	1840	J. E. Gray.	1872	Dr. A. Günther
1867	E. A. Smith.	1875 1895	Dr. A. Günther. Sir W. H. Flower, K.C.B.		
1878 1882	S. O. Ridley. J. J. Quelch.	1898	Prof. E. Ray Lankester.	1895	E. A. Smith, I.S.O.
1886 1887	R. Kirkpatrick. A. Dendy.				

B. PROGRESS AND ARRANGEMENT OF THE COLLECTIONS.

PROTOZOA. FORAMINIFERA.—The collection of Foraminifera had been of little importance till the arrival, in 1888, of the "*Challenger*" collections, which were mounted and named partly by Dr. W. B. Carpenter, but chiefly by Mr. H. B. Brady. In 1896, Prof. T. Rupert Jones drew up a manuscript catalogue of the Parker collection (2265 slides); beyond this no work has been done in connection with this part of the collection by any member of the staff.

PORIFERA (Sponges).—The collection of sponges has been

under the charge of Dr. Gray, Mr. S. O. Ridley, Mr. A. Dendy, and Mr. R. Kirkpatrick, who have described various portions of it, and have attended to the general preservation and arrangement. In 1848, Dr. Gray published a "List of the Specimens of British Animals in the British Museum. Part. II. Sponges"; in 1879, Dr. H. J. Carter drew up a manuscript catalogue of Sponges in the British Museum. The collection is now in a good state of preservation and arrangement, manuscript catalogue lists of the greater part having been made by Mr. R. Kirkpatrick.

HYDROZOA.—Very little descriptive work in connection with this class of animals has been done by the members of the staff in whose charge they have been from time to time, namely, Dr. J. E. Gray, Mr. S. O. Ridley, Mr. J. J. Quelch, and Mr. R. Kirkpatrick. In 1848, Dr. Gray published a "List of the Specimens of British Animals in the Collection of the British Museum. Part I. Centroniæ; or, Radiated Animals." Mr. R. Kirkpatrick has described small collections, and drawn up manuscript catalogue lists of the collections of Hydroida, Hydrocorallinæ, Medusæ, and Siphonophora; he has also arranged the collection in its present order, both the exhibited portion and the study series.

POLYZOA.—In 1848, Dr. Gray published a list of the British Polyzoa in the collection in his "List of British Animals, &c." This part of the collection was chiefly studied by Mr. George Busk, who, in 1852, wrote the first part of the Catalogue of the Polyzoa in the British Museum, published by the Trustees. The second and third parts, by the same author, were published in 1854 and 1875 respectively. Dr. J. E. Gray, Mr. S. O. Ridley, Mr. J. J. Quelch, and Mr. R. Kirkpatrick have been in charge of the collection of Polyzoa from its formation until the present time.

BRACHIOPODA.—This part of the collection has not been specially worked at by the various curators under whose charge it has been placed, but all the specimens have been carefully preserved and labelled. The collection is now completely named and arranged in accordance with the most recent monographs, and a manuscript catalogue of its contents has been drawn up by the Assistant at present in charge of it, viz., by Mr. R. Kirkpatrick.

TUNICATA.—Like the preceding group, this class of animals, formerly considered as Mollusca, has never been systematically

studied by any member of the staff. The important collections obtained by the "*Challenger*" Expedition, and also other valuable series, have been, however, carefully preserved and arranged, and a manuscript catalogue of the collection has been prepared by Mr. R. Kirkpatrick.

C. CHRONOLOGICAL ACCOUNT OF THE PRINCIPAL ADDITIONS
TO THE COLLECTION.

PROTOZOA.

A. FORAMINIFERA.

Previous to 1884 the collection consisted of specimens on about 200 slides and tablets.

In 1884, the specimens and preparations of the "*Challenger*" Orbitolites, mounted on 42 slides and described by Dr. W. B. Carpenter, were added to the collection.

In 1886, the collections obtained by H.M.S. *Lightning*, *Porcupine*, and *Valorous* Expeditions, mounted on 131 slides and described by Dr. W. B. Carpenter, were transferred to the Natural History Museum.

In 1886, a collection of Norwegian specimens, obtained by Mr. S. O. Ridley, determined and mounted on 46 slides by Mr. H. B. Brady, was presented by Mr. Ridley.

In 1888 the bulk of the "*Challenger*" collection of Foraminifera, mounted on 612 slides, and described by H. B. Brady, was added.

In 1890, a small but interesting collection of specimens on 22 slides, obtained from deep water off the south-west coast of Ireland ("*Flying Fox*" Expedition), was presented by the Rev. W. S. Green.

In 1894, the magnificent collection of the late W. K. Parker, mounted on 2265 slides, and comprising about 50,000 specimens, was purchased. This collection has been arranged according to geographical distribution, and Prof. T. R. Jones has drawn up a manuscript catalogue of the slides, giving the names of the species represented on each slide.

In 1896, the Museum obtained by bequest from the widow of Prof. W. C. Williamson a small collection, but one of exceptional interest, consisting of 93 slides, including type specimens of species described by Prof. Williamson in the monograph, "On

the Recent Foraminifera of Great Britain," published by the Ray Society ; also types of species of *Lagena*, described in the Annals and Magazine of Natural History in 1848.

In 1903, 1040 slides of Foraminifera from Funafuti, collected by the Australian Funafuti Boring Expedition, and described by F. Chapman (Journ. Linn. Soc., vol. xxviii., 1900). Presented by the Royal Society, London.

In 1904 the collection consisted of about 5130 slides, 1150 named species and 350 unnamed specimens.

B. RADIOLARIA.

The small collection of Radiolaria mainly consists of specimens selected from the various oozes obtained by the "*Challenger*" Expedition and described by Prof. E. Haeckel, the specimens being mounted on 281 distribution slides.

PORIFERA (SPONGES).

The "Old Collection," consisting of 687 specimens, includes 54 fragments from the Jardin des Plantes labelled with Lamarck's names. The following important additions, arranged in chronological order, have been made since 1846 :—

In 1847, the Johnston Collection, comprising 148 specimens, presented by Dr. G. Johnston and described in his "History of British Sponges and Lithophytes," 1842.

In 1867, and in subsequent years, Sponges from the Adriatic, off Algiers, and from the Atlantic, to the number of 407 specimens and preparations, described by Osear Schmidt in his works on Sponges. Purchased.

In 1877, the Bowerbank Collection, consisting of 1932 specimens and preparations of British and foreign Sponges, the British Sponges having been described in Dr. J. S. Bowerbank's Monograph of British Sponges (Ray Society). Purchased.

In 1882 and in subsequent years, the collections obtained during the five cruises of H.M.S. *Porcupine* in the N. Atlantic and Mediterranean, and during the cruise of H.M.S. *Lightning* in the N. Atlantic, and Farøe Channel. These collections, comprising 178 specimens, were presented by the Lords of the Treasury, and were described mainly by Dr. H. J. Carter in the Ann. Mag. Nat. Hist. in 1874 and 1876.

In 1882, the collections obtained during the cruise of H.M.S. *Alert* in the Indian Ocean, off N. and N.E. Australia, and off S. Patagonia, comprising 196 specimens, were presented by the Lords of the Admiralty, and described by Mr. S. O. Ridley in the Report on the Zoological Collections obtained by the "*Alert*," and in the Proc. Zool. Soc. for 1881.

In 1883, a well preserved collection of Adriatic Sponges (37 specimens). Presented by Prof. F. E. Schulze.

From 1884 to 1889, the Sponges obtained by H.M.S. *Challenger*—viz., Calcarea, described by Prof. Poléjaeff (71 specimens); the Hexactinellida, described by Prof. F. E. Schulze (155 specimens); Tetractinellida, described by Prof. W. J. Sollas (125 specimens and 513 slides); Monaxonida, described by Mr. S. O. Ridley and Prof. A. Dendy (386 specimens); Keratosa, described by Prof. Poléjaeff (53 specimens); and Deep-sea Keratosa, described by Prof. Haeckel (39 specimens); in all 829 specimens and 1151 preparations. Presented by the Lords of the Admiralty.

In 1887, a well preserved collection of Sponges (359 specimens) from S.E. Australia. Presented by Mr. J. B. Wilson, and described by Mr. H. J. Carter in the Ann. Mag. Nat. Hist., 1885-6.

In 1887 and 1889, a collection of Sponges (114 specimens) from Madras. Presented by Mr. E. Thurston and described by Prof. A. Dendy in the Ann. Mag. Nat. Hist. for 1887 and 1889.

In 1887, a collection of Sponges from the E. Coast of Australia (1154 specimens and preparations). Collected by Dr. R. von Lendenfeld. Purchased.

In 1887 and following years, 99 Sponges from the West Coast of Scotland. Collected and presented by Sir John Murray.

In 1889 and subsequent years, 81 Sponges collected by Surgeon P. W. Bassett-Smith, during the cruises of H.M.S. *Rambler*, *Egeria*, and *Penguin* in the China Sea, and off the North and West Coasts of Australia. Presented by the Lords of the Admiralty.

In 1890, Dr. H. J. Carter, F.R.S., presented his entire collection (349 specimens and preparations) of Fresh Water Sponges.

In 1896, a collection of Sponges from the Adriatic (163 specimens), and 37 preparations of Zanzibar Sponges. Purchased from Dr. R. von Lendenfeld.

In 1898 and 1904, part of the Rev. Dr. A. M. Norman's collection of N. Atlantic Sponges (133 specimens). Purchased.

In **1898**, a collection of magnificent Japanese Hexactinellid Sponges (29 specimens). Purchased, and exhibited in the public gallery.

In **1898**, a collection of Sponges from Christmas Island (53 specimens) obtained by Mr. C. W. Andrews and described by R. Kirkpatrick in the Proc. Zool. Soc. London for 1900. Presented by Sir John Murray.

In **1900**, a collection of Sponges from Funafuti, made by the Australian Boring Expedition and described by R. Kirkpatrick in the Ann. Mag. Nat. Hist. for 1900 (31 specimens). Presented by the Royal Society.

In **1901** and **1904**, 210 specimens of Sponges collected by Dr. J. D. F. Gilchrist from depths of 10 to 300 fathoms off the coasts of Cape Colony and Natal, and partly described by R. Kirkpatrick in "Marine Investigations in South Africa" for 1902-3. Presented by the Government of Cape Colony.

The collection of Sponges in **1904** consisted of about 8800 specimens, 2180 named species and 2500 unnamed specimens.

HYDROZOA.

A. HYDROIDA.

The first important acquisition was that of the Johnston Collection, presented by Dr. G. Johnston in 1847, and comprising 271 specimens described in the History of British Zoophytes. The following collections were added later* :—

In **1877**, 32 specimens from Denmark, Greenland, and Spitzbergen. Presented by Prof. G. J. Allman.

From **1879** to **1882**, 53 specimens, collected by H.M.S. *Alert*, from the Indian Ocean, Australia, and Straits of Magellan. The specimens from the last locality were described by Mr. S. O. Ridley in the Proc. Zool. Soc. for 1881. Presented by the Lords of the Admiralty.

In **1885**, an interesting collection of 13 specimens from a cable in 500 fathoms off Cape Verd. Presented by Mr. C. A. Bishop and described by Mr. J. Quelch in the Annals and Mag. of Nat. Hist. for 1885.

In **1886**, a collection of 42 specimens from various localities.

* In 1904 the collection of Hydrozoa contained about 1650 specimens, 750 named species and 200 unnamed specimens.

Presented by Miss M. Gatty and described by Prof. Allman in the Journal of the Linnean Society for 1885.

In 1886, a collection of 66 specimens from Australia and New Zealand. Purchased from Dr. R. von Lendenfeld.

In 1888, the *Challenger* Collection described by Prof. Allman (97 specimens). Presented by the Lords of the Admiralty.

In 1888 and subsequent years, 126 well preserved specimens from the West Coast of Scotland. Presented by Sir John Murray.

In 1889 and subsequent years, 54 specimens collected during the cruises of H.M.S. *Rambler*, *Egeria*, and *Penguin*, by Surgeon P. W. Bassett-Smith, and partly described in the Annals and Mag. Nat. Hist. for 1890 by R. Kirkpatrick. Presented by the Lords of the Admiralty.

In 1890, 71 specimens collected by Prof. A. C. Haddon in Torres Straits, and described by R. Kirkpatrick in the Proc. Roy. Dublin Soc. for 1890. Presented by Prof. Haddon.

From 1893 to 1897, 80 well preserved specimens from the south coast of England. Collected and presented by R. Kirkpatrick.

In 1898, 143 specimens, forming part of the collection of the Rev. Dr. A. M. Norman, F.R.S. Purchased.

In 1899, the Hincks' Collection of 99 specimens. Presented by the widow of the late Thomas Hincks, F.R.S.

In 1899, the Busk Collection, presented by the Misses Busk, and consisting of 181 specimens, including mounted fragments of Linnean types, and the "*Rattlesnake*" Collection, described by Mr. Busk in the Appendix to Macgillivray's account of the voyage of H.M.S. *Rattlesnake*, published in 1852.

B. OCEANIC HYDROZOA (including Medusæ, Siphonophora and Ctenophora).

From time to time, beautifully preserved specimens of Medusæ, Siphonophora and Ctenophora, have been purchased from the Zoological Station at Naples.

In 1882, 12 specimens of Deep-sea Medusæ were received, which were obtained by H.M.S. *Challenger* from depths varying from 200 to 2160 fathoms, and described by Prof. Hæckel in the "*Challenger*" Report on the Deep-sea Medusæ.

In 1886, 35 specimens and preparations of Australian Medusæ. Purchased from Dr. R. von Lendenfeld.

In 1889, there was added the collection of Siphonophora, collected by the "*Challenger*," and described by Prof. E. Haeckel. The 24 specimens of this collection include the remarkable deep-sea forms belonging to the group *Auronectæ*, "one of the most splendid discoveries of the '*Challenger*'" (Haeckel, "*Challenger*" Siphonophora, p. 305).

C. HYDROCORALLINÆ.

In 1880, 36 specimens, representing the types of the "*Challenger*" *Stylasteridæ*, described by Prof. H. N. Moseley in the "*Challenger*" Report on the Hydrocorallinæ, were added to the collection.

In 1884, seven beautiful examples of *Stylaster roseus* Pallas, from the West Indies, from off a cable in 200 fathoms, were purchased from Capt. Cole. The series exhibits beautiful colour variations, the specimens being white, salmon-coloured, and rose-pink.

In 1892, Mr. Saville Kent presented 21 specimens of *Millepora* from the Great Barrier Reef, Australia.

In 1894, 12 specimens of *Stylasteridæ*, mainly from the Gulf of Mexico, were presented by Prof. A. Agassiz.

POLYZOA.

The first important addition to the old collection was that of a collection, presented in 1847 by Dr. G. Johnston, consisting of 179 specimens, representing species named and described by him in his "History of British Zoophytes."

In 1852, there was published by order of the Trustees a "Catalogue of Marine Polyzoa in the Collection of the British Museum." Part I., Chilostomata. By George Busk, F.R.S. In 1854, Mr. Busk published Part II., Chilostomata, and in 1875, Part III., Cyclostomata. As Mr. Busk states in the preface to Part I., the collection was enriched by the liberality of J. Macgillivray, Charles Darwin, Sir J. Hooker, and others, who placed their collections at his disposal for the purposes of the Catalogue and for the selection of specimens required for the Museum Collection.

In 1879 and 1882, 517 Polyzoa obtained by the "*Alert*" from the Western Indian Ocean, N. and E. Australia, and Straits of Magellan. The specimens from the last locality were described by Mr. S. O. Ridley in the Proc. Zool. Soc. 1881. Presented by the Lords of the Admiralty.

In 1886, 50 Polyzoa from Queen Charlotte Island, presented by the Geological Survey of Canada, most of the specimens having been named by the Rev. Thomas Hincks, F.R.S., in the Annals and Mag. Nat. Hist. for 1882-84.

In 1887, 123 Polyzoa from E. Australia, presented by J. B. Wilson, Esq., and described by R. Kirkpatrick in the Annals and Mag. Nat. Hist. for 1888.

In 1887, the "*Challenger*" collection, consisting of 956 specimens, described by G. Busk; and in 1889, 19 specimens described by A. W. Waters in a Supplementary Report. Presented by the Lords of the Admiralty. (See also Polyzoa, 1889.)

In 1888 and following years, 179 Polyzoa dredged off the West Coast of Scotland and presented by Sir John Murray.

In 1888, 44 specimens of Polyzoa from Mauritius, described by R. Kirkpatrick in the Annals and Mag. Nat. Hist. for 1888. Purchased.

In 1889, the specimens of *Cephalodiscus* and *Phoronis* obtained by the "*Challenger*," and described by Prof. W. C. M'Intosh in two "*Challenger*" Reports on those organisms.

In 1890 and subsequent years, 273 Polyzoa collected by Surgeon P. W. Bassett-Smith during the cruises of H.M.S. *Rambler*, *Egeria*, and *Penguin*, in the China Sea and off the N. and W. coasts of Australia; a part of these collections was described in the Annals and Mag. Nat. Hist. for 1890, by R. Kirkpatrick. Presented by the Lords of the Admiralty.

In 1890, 142 Polyzoa from Torres Straits, collected and presented by Prof. A. C. Haddon, and described in the Proc. Roy. Dublin Soc. for 1890, by R. Kirkpatrick.

In 1893 and following years, 125 Polyzoa from the South Coast of England. Collected and presented by R. Kirkpatrick.

In 1897, 1231 Polyzoa from Port Phillip, S. Australia, and neighbourhood. Purchased from the executors of the late J. B. Wilson.

In 1899, the Hincks collection, consisting of 1119 specimens and slides, presented by the widow of the Rev. Thomas Hincks,

F.R.S. Many of the specimens are types of species described by Mr. Hincks in his numerous "Contributions to the History of Marine Polyzoa," published in the *Annals and Mag. Nat. Hist.*

In 1899, the Busk collection, consisting of 112 specimens in boxes and of 7000 slides, presented by the Misses Busk. The collection includes the specimens collected by H.M.S. *Rattlesnake* off the coast of Australia, and described by Mr. Busk in the Appendix to Macgillivray's account of the voyage; Kerguelen Island Polyzoa (Transit of Venus Expedition); also the Polyzoa collected by H.M.S. *Alert* and *Discovery* in the Arctic regions in 1876, and described by Mr. Busk in the Appendix to Capt. Sir G. Nares' account of the voyage; also many specimens described by Mr. Busk in his scientific papers.

In 1904, the collection of Polyzoa consisted of about 11,500 specimens, 1700 identified species and 2500 unnamed specimens.

BRACHIOPODA.*

In 1866, the small collection of *Brachiopoda* then existing in the Museum was greatly augmented by the addition of 292 specimens purchased with the Cuming Collection of shells, many of the specimens being figured in Reeve's "Conchologia Iconica."

In 1878, the "*Challenger*" collection, comprising 334 specimens, described by Dr. T. Davidson, F.R.S., in the "*Challenger*" Report on the *Brachiopoda*. Presented by the Lords of the Admiralty.

In 1885 was added a collection of 48 specimens, obtained during the "*Porcupine*" cruises.

The collection of Brachiopoda (1904) contained 930 specimens, 118 named species and 40 unnamed specimens.

* The private collection of the late Dr. T. Davidson was bequeathed to the Geological Department, and is now located in that section of the Museum.

TUNICATA.

In 1853, an interesting collection of 24 specimens from Greenland was acquired by purchase from Dr. Holboll, Governor of Greenland. Later, the following collections were added:—

In 1863, a collection of 35 specimens from South Africa and Australia. Presented by Dr. J. S. Bowerbank.

In 1868-9, 90 specimens from S. and W. coasts of Patagonia and from Falkland Islands, collected by Dr. R. O. Cunningham, Surgeon on H.M.S. *Nassau*. Presented by the Lords of the Admiralty.

In 1874, 61 specimens from Kerguelen Island. Presented by the Royal Society.

In 1880, 42 specimens from the eastern shores of the United States. Presented by the Smithsonian Institution.

In 1886, a well-preserved collection of 114 specimens from the S.E. coast of Australia. Presented by J. B. Wilson, Esq.

In 1887, the "*Challenger*" collection of 5029 specimens, described by Prof. W. A. Herdman in the "*Challenger*" Report on the Tunicata.

In 1887, 23 specimens from the West Coast of Scotland. Dredged and presented by Sir John Murray.

In 1890, 34 specimens obtained during the cruise of H.M.S. *Porcupine* in the North Atlantic and off Portugal. Presented by the Royal Society.

In 1896, 88 specimens. Purchased from the Zoological Station, Plymouth.

In 1898 and 1900, the collection of the Rev. Canon Norman, F.R.S., comprising 396 specimens, and including type specimens of species described by Hancock and by Alder and Hancock. Purchased.

The collection of Tunicata (1904) contained 1824 specimens (not including 4000 specimens of *Salpidae*), 328 named species and about 400 unnamed specimens.

D. ALPHABETICAL LISTS OF THE PRINCIPAL CONTRIBUTORS TO THE COLLECTIONS OF PROTOZOA, PORIFERA, HYDROZOA, POLYZOA, BRACHIPODA AND TUNICATA.

PROTOZOA.

Brady (HENRY BOWMAN). [1835-1891]

In 1885, Mr. H. B. Brady presented to the Trustees a collection of 123 slides, mostly consisting of "*Porcupine*" specimens, many of them being types figured in the "*Challenger*" Report.

In 1887, he presented 120 slides, constituting a set of recent British *Foraminifera* and including several types and co-types.

See CARPENTER, W. B., and "*Challenger*."

Cape Colony, Government of.

Dr. J. D. F. Gilchrist has sent in 1901 and 1904 two large consignments of Sponges, comprising 210 specimens, dredged by him off the coasts of Cape Colony and Natal. A part of these collections has been described by R. Kirkpatrick in "Marine Investigations in South Africa," 1902-3. Presented by the Government of Cape Colony.

Carpenter (WILLIAM BENJAMIN). [1813-1885]

In 1886, the collection of Dr. W. B. Carpenter, F.R.S., was presented to the Museum by his widow. This comparatively small collection, consisting of only 131 slides, is of great interest, since it includes many of the specimens obtained during the cruises of H.M.S. *Lightning*, *Porcupine* and *Valorous*. The "*Lightning*" *Foraminifera* were referred to by Dr. Carpenter in the Proc. Roy. Soc. for 1868, the "*Porcupine*" *Foraminifera* in the Proc. Roy. Soc. for 1870, and the "*Valorous*" specimens in the Proc. Roy. Soc. for 1877; some are figured by Dr. Carpenter in "The Microscope." Many of the specimens are the actual types figured by H. B. Brady in his "*Challenger*" Report.

See BRADY, H. B., and "*Challenger*."

"Challenger," Expedition of H.M.S.

The "*Challenger*" *Foraminifera* include: (1) The specimens of *Orbitolites*, described by Dr. W. B. Carpenter, F.R.S., in the "*Challenger*" Report on that group. The collection consists of 42 slides on which are mounted specimens, preparations, and sections. (2) The general "*Challenger*" collection (612 slides) described by H. B. Brady, F.R.S., in the "*Challenger*" Report on the *Foraminifera*. Mr. Brady has included in his Report the description of species obtained by H.M.S. "*Porcupine*" and "*Knight-Errant*," and by the Austro-Hungarian North Polar Expedition; and specimens obtained by these expeditions are included in the general "*Challenger*" collection.

Funafuti Boring Expedition.

The *Foraminifera*, mounted on 1040 slides, obtained from the lagoon and reefs of Funafuti were described by F. Chapman in the Journ. Linn. Soc. xxviii., 1900. Presented by the Royal Society, London.

Parker (WILLIAM KITCHEN). [1823-1890]

In 1894, the Museum acquired the collection of the late Professor William Kitchen Parker, F.R.S., consisting of 2265 slides, on which over 50,000 specimens of recent *Foraminifera* are mounted. The collection was the basis of the numerous papers "On the Nomenclature of the *Foraminifera*," which Prof. Parker published in collaboration with Prof. T. R. Jones and H. B. Brady in the Ann. Mag. Nat. Hist., 1859-1873.

Prof. T. R. Jones, who has drawn up a manuscript catalogue of this collection, has arranged the whole series in geographical groups.

Among the samples of deep-sea soundings, which have contributed to form this great collection, may be mentioned those made by Capt. Dayman in the Mediterranean and North Atlantic in 1859; by Capt. Pullen in the Red Sea and Indian Ocean in 1858; by Sir E. Parry in Baffin's Bay, and by Dr. Sutherland in Davis Strait. The two last collections, together with the samples obtained by Captain Dayman in the North Atlantic, were described and figured in the Phil. Trans. Roy. Soc. for 1865.

Pénard (EUGÈNE).

In 1904, a collection of Fresh-water Rhizopoda, mostly from Lake Geneva, and mounted on 231 slides, was acquired from Dr. Pénard. The specimens, which have been described in various memoirs, constituted Dr. Pénard's best collection.

Williamson (WILLIAM CRAWFORD). [1816–1895]

In 1896, the Museum obtained by a bequest of the widow of Prof. Williamson, per C. Davies Sherborn, Esq., a collection of *Foraminifera*, mounted on 93 slides, including types of species described by Prof. Williamson in his monograph "On the Recent *Foraminifera* of Great Britain," 1858 (Ray Society), and types of species of *Lagena* described in the Ann. Mag. Nat. Hist., 1848.

PORIFERA (SPONGES).

Bowerbank (JAMES SCOTT). [1797–1877]

In 1877, the Trustees purchased Dr. Bowerbank's collection of Sponges, comprising 1932 specimens and preparations. The collection is divided into two sections, British and Foreign. The former includes the types and other specimens described and figured in the Monograph of British Sponges, 4 vols. (Ray Society), and the latter the specimens described in numerous papers in the Proc. Zool. Soc., London.

Carter (HENRY JOHN). [1813–1895]

In 1890, Dr. H. J. Carter, F.R.S., presented to the Trustees his collection of Fresh-water Sponges, comprising 349 preparations and specimens from all parts of the world, and including many types.

"Challenger," Expedition of H.M.S. [1884–1889]

The Sponges obtained by the "*Challenger*" and deposited in the British Museum were described in special Reports by the following naturalists:—

Report on Calcareous.	N. Poléjaeff.
„ „ Hexactinellida.	F. E. Schulze.
„ „ Tetractinellida.	W. J. Sollas.
„ „ Monaxonida.	S. O. Ridley and A. Dendy.
„ „ Keratosa (Shallow Water).	N. Poléjaeff.
„ „ Keratosa (Deep Sea).	E. Haeckel.

This collection, which consists of 829 specimens obtained from depths ranging from shallow water up to 3000 fathoms, includes many remarkable forms of abyssal life.

Dendy (ARTHUR). [1865–]

In 1898, Prof. A. Dendy presented to the Museum a valuable set of preparations, 85 in number, made from South Australian Sponges, described by him in the Proc. Roy. Soc. Victoria, 1895–7.

Funafuti Boring Expedition.

The Sponges (31 specimens) obtained by the Expedition were dredged in and around Funafuti Atoll in depths ranging from 30 to 145 fathoms. The specimens were obtained with great difficulty owing to the uneven rocky nature of the bottom. The collection includes *Astrosclera willeyana* Lister, the representative of a new order of Calcareous Sponges, and *Plectoninia hindei* Kpk., a new Lithonine Sponge. The collection was described by R. Kirkpatrick in the Ann. Mag. Nat. Hist., Oct. 1900.

Presented by the Royal Society, London.

Japanese Hexactinellida.

In 1898, the Trustees purchased from Mr. Alan Owston his splendid collection of Japanese Hexactinellid Sponges, obtained from depths of 150–300 fathoms in the Inland Sea.

The collection, which contains several specimens unique in size, includes some types described by Prof. I. Ijima in the Zool. Anzeiger and Journal of the College of Science, Tōkyō.

These magnificent specimens which are exhibited in the Coral Gallery, were obtained by means of long lines furnished with hooks. This method, which has long been employed by the Japanese deep-sea shark fishers, avoids the crushing of specimens which is apt to occur when dredges are used.

Johnston (GEORGE). [1797–1855]

In 1847, Dr. George Johnston presented to the Trustees his collection of British Sponges, consisting of 148 specimens, described and figured in his classical work, "The History of British Sponges and Lithophytes," published in 1842.

Lamarck (JEAN BAPTISTE PIERRE ANTOINE DE MONET DE). [1744–1829]

The "Lamarck Collection" comprises a set of 54 fragments mounted on tablets and labelled with Lamarck's names. The fragments came from the Jardin des Plantes, Paris, and very probably are portions of the Lamarckian type-specimens.

Lendenfeld (ROBERT VON). [1858–]

In 1887, the Museum acquired, by purchase, the large collection of Sponges obtained by Dr. Lendenfeld off the coasts of Australia and New Zealand, the majority of the specimens coming from the east coast of Australia. The collection includes the types of species of Horny Sponges described in the "Monograph of Horny Sponges," and of species of Chalinid Sponges, described in the "Zoologische Jahrbücher," vol. ii., 1887.

In 1896, the Museum acquired a set of specimens (including co-types) of Adriatic Sponges, described by Dr. Lendenfeld in his "Monograph of Adriatic Sponges" (published in parts in the "Zeitsch. Wiss. Zool." 1891–92; "Denkschr. Akad. Wien," 1894; "Nova Acta," 1898), and a set of preparations of Sponges from Zanzibar (described in Abhand. Senckenberg-Gesellsch., 1897).

"Porcupine," Expedition of H.M.S.

In 1882, the Sponges (178 specimens) obtained during the five cruises of the "*Porcupine*" reached the Museum. The first three cruises were in the North Atlantic, off the west coasts of Ireland and Scotland, and in

the Faröe Channel; the fourth and fifth were off the coast of Portugal and in the Mediterranean. These collections were worked out by Dr. H. J. Carter, F.R.S., and described in the *Ann. Mag. Nat. Hist.* 1874 and 1876.

Presented by the Lords of the Treasury.

Schmidt (EDWARD OSCAR). [1823–1886]

In 1867, Prof. Oscar Schmidt published his important memoir "Die Spongien des Adriatischen Meeres," and in 1864 and 1866 a first and second supplement to that memoir. In 1868 he published memoirs on the Sponges of Algeria; in 1870 an outline of the Sponge Fauna of the Atlantic, and in 1879 a memoir on the Sponges of the Gulf of Mexico. Specimens and slides prepared from type-specimens of many of the Sponges described in the above memoirs were purchased by the British Museum.

HYDROZOA.

A. HYDROIDA.

Busk (GEORGE). [1807–1886]

In 1889, the Misses Busk presented to the Trustees their father's collection of Hydroida, consisting of 181 specimens, and including mounted fragments of Linnean types, and the "*Rattlesnake*" collection described by Mr. Busk in the Appendix to Macgillivray's account of the voyage of H.M.S. "*Rattlesnake*," published in 1852.

"Challenger," Expedition of H.M.S.

In 1888, the Hydroida obtained by the "*Challenger*" arrived at the Museum. The collection, consisting of 93 specimens, was described by Prof. G. J. Allman in his Report on the "*Challenger*" Hydroida, published in two parts:—

Part I.—*Plumulariidae*. 1883.

Part II.—*Tubularinæ*, *Corymorphinæ*, *Campanularinæ*, *Sertularinæ*, and *Thalamophora*. 1888.

Among the most interesting deep-sea types were the species of *Stylactella* symbiotic with Keratose Sponges, and the extraordinary *Branchiocerianthus (Monocaulus) imperator*, Allman, from 2900 fathoms in the Pacific, one of the most remarkable organisms obtained by the "*Challenger*." (Note. In 1903, two finely preserved specimens of *B. imperator* from Sagami Bay, 300 fathoms, were acquired by purchase.)

Gatty (MARGARET).

In 1886, Miss M. Gatty presented to the Trustees a collection of 42 specimens of Hydroida, including types of species described by Prof. G. J. Allman in the *Journ. Linn. Soc.* for 1885. The majority of the specimens came from Australia, New Zealand, and South Africa.

Hincks (THOMAS). [1818–1899]

In 1899, the widow of the Rev. Thomas Hincks, F.R.S., presented to the Trustees her late husband's collection of Hydroida, consisting of 99 specimens, and including several type specimens of species described in the "*History of British Hydroid Zoophytes*," by T. Hincks, 1868.

Johnston (GEORGE). [1797-1855]

In 1847, Dr. George Johnston presented to the Trustees his collection of Hydroida, comprising 148 specimens, and including types and other specimens described and figured in his "History of British Zoophytes," 1847.

Lendenfeld (ROBERT VON). [1858-]

In 1886, the Trustees purchased Dr. Lendenfeld's collection of Australian Hydroida (110 specimens), including types, described in the Proc. Linn. Soc., N.S.W., 1884-85.

Smithsonian Institution.

In 1902, the Museum received in exchange from the Smithsonian Institution, per Prof. C. C. Nutting, 29 specimens and portions of specimens of Hydroida, described by Prof. Nutting in his Report on American Hydroids, Part I., *Plumulariidae*.

B. OCEANIC HYDROZOA.

"Challenger," Expedition of H.M.S.

In 1882, the Museum received the Deep-Sea Medusæ collected by the "*Challenger*." The collection, consisting of 12 specimens, is described by Prof. E. Haeckel in the "*Challenger*" Report on the Deep-Sea Medusæ.

In 1899, the Museum received the "*Challenger*" Siphonophora (24 specimens), described by Prof. E. Haeckel in the "*Challenger*" Report on the group.

Lendenfeld (ROBERT VON). [1858-]

In 1886, the Museum purchased from Dr. R. von Lendenfeld a small collection consisting of 35 specimens and preparations of Scyphomedusæ, including 3 types, described in the Proc. Linn. Soc., N.S.W., 1884-85.

C. HYDROCORALLINÆ.

"Challenger," Expedition of H.M.S.

In 1880, the Museum received the "*Challenger*" *Stylasteridae* (36 specimens), described in Prof. H. N. Moseley's "*Challenger*" Report on that group.

In 1886, the Museum received the "*Challenger*" collection of *Milleporidae* (17 specimens), described by J. J. Quelch in the "*Challenger*" Report on the Reef Corals.

POLYZOA.

Busk (GEORGE). [1807-1886]

In 1899, the Misses Busk presented to the Trustees the "Busk Collection" made by their father, the late George Busk, F.R.S. This great collection, which consists of 112 specimens in boxes, and of 7000 specimens mounted on slides, includes those collected by H.M.S. *Rattlesnake* off the coasts of Australia, and described in the Appendix to

Macgillivray's account of the voyage; the Kerguelen Island Polyzoa ("Transit of Venus" Expedition), described in the Phil. Trans. Royal Soc. Vol. 168 (extra vol.); the Polyzoa collected by H.M.S. *Alert* and *Discovery* in the Arctic regions in 1876, and described by Mr. Busk in the Appendix to Captain Sir George Nares' account of the voyage; also many type specimens of species described and figured by Mr. Busk in his scientific papers, chiefly published in the Quart. Journ. Micr. Sci. See also "*Challenger*."

"Challenger," Expedition of H.M.S.

In 1887, the Museum received the "*Challenger*" Polyzoa (956 specimens), described by Mr. Busk in his "*Challenger*" Report on the group, published in two parts, viz:—

Part I.—*Chilostomata*.

Part II.—*Cyclostomata* and *Otenostomata*.

In 1889, the Museum received a small amount of fresh material (19 specimens), the description of which was not given in Mr. Busk's Report. This material was described by Mr. A. W. Waters in a Supplementary Report.

In 1889, the Museum received the specimen of *Cephalodiscus dodecalophus*, described by Prof. W. C. McIntosh in the "*Challenger*" Report on that organism; also the nine specimens of *Phoronis buskii*, described by Prof. W. C. McIntosh in the "*Challenger*" Report on that organism.

Harmer (SIDNEY FREDERIC). [1862—]

In 1900, Dr. S. F. Harmer, F.R.S., presented 10 mounted specimens, including several co-types of *Steganoporella*, described by him in his memoir on that genus (Quart. Journ. Micr. Sci. xliii., 1900); in the same year, he presented 12 mounted specimens, including several co-types of Polyzoa, mostly from the Loyalty Islands, described by Miss E. G. Philipps in Willey's "Zoological Results," Part IV.

Hincks (THOMAS). [1818–1899]

In 1899, the widow of the Rev. Thomas Hincks, F.R.S., presented to the Trustees her late husband's collections consisting of 1119 specimens, including some type specimens of species described by him in "A History of British Marine Polyzoa," and in his "Contributions to the History of Marine Polyzoa," which appeared in the Ann. Mag. Nat. Hist. during several consecutive years.

Johnston (GEORGE). [1797–1855]

In 1847, Dr. George Johnston presented to the Trustees his collection of British Polyzoa, comprising 179 specimens described by him in "The History of British Zoophytes," published in 1847.

BRACHIOPODA.

"Challenger," Expedition of H.M.S.

In 1878, the Museum received the "*Challenger*" Brachiopoda, comprising 334 specimens, described by Dr. T. Davidson, F.R.S., in the "*Challenger*" Report on the Brachiopoda.

Cuming (HUGH). [1791-1865]

In 1886, the Trustees purchased the Cuming collection of shells, which included 292 specimens of Brachiopoda, many of which are figured in Reeve's "Conchologia Iconica."

"Porcupine," Expedition of H.M.S.

In 1885, the Museum received 48 specimens, obtained during the "*Porcupine*" cruises, including types of the species described by Dr. J. G. Jeffreys.

TUNICATA.

"Challenger," Expedition of H.M.S.

In 1887, the Museum received the "*Challenger*" Collection of Tunicata, described by Prof. W. A. Herdman in his "*Challenger*" Report, published in three parts, viz:—

Part I.—*Ascidia Simplicis*.

Part II.—*Ascidia Composita*.

Part III.—*Ascidia Salpiformes*, *Thaliacea*, and *Larvacea*.

The number of specimens was 5029, including, however, 4000 specimens of *Salpa*.

"Nassau," Expedition of H.M.S.

In 1868-69, the Museum received 90 specimens of Tunicata collected off the South and West Coasts of Patagonia and the Falkland Islands by Dr. R. O. Cunningham, surgeon on the "*Nassau*," and partly described by him in the Trans. Linn. Soc. 1871. Presented by the Lords of the Admiralty.

Norman (ALFRED MERLE). [1831-]

In 1898, the Trustees acquired by purchase the valuable collection of the Rev. Dr. A. M. Norman, comprising 288 specimens, and including types of species described by Hancock and by Alder and Hancock.

"Southern Cross" Antarctic Expedition.

The 25 specimens of Tunicata obtained by this expedition were described by Prof. W. A. Herdman, F.R.S., in the British Museum Report on the "Southern Cross" Expedition. Presented by Sir George Newnes.



